TSM 098 **29088**

Arithmetic Test - Practice Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{15}{25}$ $(b)\quad \frac{45}{60}$	1. (a) 10 pts (b) 10 pts
2. Evaluate each side at x = 4, -2, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $(x-6)(x+6) = x^2 - 36$	2. x = 4 4 pts x = -2 4 pts x = 0 4 pts Conclusion 8 pts
3. Evaluate each expression. $(a)\quad \frac{10}{0}$ $(b)\quad -10+7$ $(c)\quad (-10)(4)$ $(d)\quad 10-(-4)$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate at x = -3, y = 1. $-3x+4y-5$	4. 20 pts
5. Evaluate at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2-3x-7$	5. (a) 7 pts (b) 7 pts (c) 6 pts

29088

TEST PAGE 1

1. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{3}{4}$ — 10 pts

2. x = 4

Left -20; right -20; yes — 4 pts

x = -2

Left -32; right -32; yes — 4 pts

x = 0

Left -36; right -36; yes — 4 pts

Conclusion

All tested values work; this alone does not prove an identity. — 8 pts

3. (a)

Undefined — 5 pts

(b)

-3 — 5 pts

(c)

-40 — 5 pts

(d)

14 — 5 pts

4.

8

20 pts

5. (a)

163 — 7 pts

(b)

223 — 7 pts

(c)

-7 — 6 pts

TSM 098 **20674**

Arithmetic Test - Practice Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{21}{35}$ $(b)\quad \frac{42}{56}$	1. (a) 10 pts (b) 10 pts
2. Evaluate at x = -4, y = 2. $-2x + 2y + 5$	2. 20 pts
3. Evaluate at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 6x - 3$	3. (a) 7 pts (b) 7 pts (c) 6 pts
4. Evaluate each side at x = 4, -1, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $(x-4)(x+4) = x^2 + x - 16$	4. x = 4 4 pts x = -1 4 pts x = 0 4 pts Conclusion 8 pts
5. Evaluate each expression. $(a)\quad -6-(-2)$ $(b)\quad \frac{0}{4}$ $(c)\quad -9-2$ $(d)\quad \frac{-8}{-2}$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

20674

TEST PAGE 1

1. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{3}{4}$ — 10 pts

2.

17 — 20 pts

3. (a)

237 — 7 pts

(b)

357 — 7 pts

(c)

-3 — 6 pts

4. x = 4

Left 0; right 4; no — 4 pts

x = -1

Left -15; right -16; no — 4 pts

x = 0

Left -16; right -16; yes — 4 pts

Conclusion

Only the listed matching value works; the equation is not an identity. — 8 pts

5. (a)

-4 — 5 pts

(b)

0 — 5 pts

(c)

-11 — 5 pts

(d)

4 — 5 pts

TSM 098 **20192**

Arithmetic Test - Practice Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{30}{40}$ $(b)\quad \frac{15}{25}$	1. (a) 10 pts (b) 10 pts
2. Evaluate at x = -3, y = 2. $-4x - 3y + 5$	2. 20 pts
3. Evaluate at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 4x - 7$	3. (a) 7 pts (b) 7 pts (c) 6 pts
4. Evaluate each expression. $(a)\quad -15 + 2$ $(b)\quad (-12)(2)$ $(c)\quad \frac{12}{0}$ $(d)\quad 12 - (-2)$	4. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
5. Evaluate each side at x = 3, -3, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $(x-6)(x+6) = x^2 - 31$	5. x = 3 4 pts x = -3 4 pts x = 0 4 pts Conclusion 8 pts

20192

TEST PAGE 1

1. (a)

$\frac{3}{4}$ — 10 pts

(b)

$\frac{3}{5}$ — 10 pts

2.

11 — 20 pts

3. (a)

53 — 7 pts

(b)

133 — 7 pts

(c)

-7 — 6 pts

4. (a)

-13 — 5 pts

(b)

-24 — 5 pts

(c)

Undefined — 5 pts

(d)

14 — 5 pts

5. x = 3

Left -27; right -22; no — 4 pts

x = -3

Left -27; right -22; no — 4 pts

x = 0

Left -36; right -31; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

TSM 098 **87105**

Arithmetic Test - Practice Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -3, y = 1. $2x + 4y - 3$	1. 20 pts
2. Reduce each fraction to lowest terms. (a) $\frac{12}{15}$ (b) $\frac{147}{189}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each side at x = 1, -2, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $(x-2)(x+2) = x^2 - 4$	3. x = 1 4 pts x = -2 4 pts x = 0 4 pts Conclusion 8 pts
4. Evaluate at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 2x + 5$	4. (a) 7 pts (b) 7 pts (c) 6 pts
5. Evaluate each expression. (a) $\frac{0}{4}$ (b) $-9-(-5)$ (c) $\frac{-20}{-5}$ (d) $-9-4$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

87105

TEST PAGE 1

1.

-5

20 pts

2. (a)

$\frac{4}{5}$

10 pts

(b)

$\frac{7}{9}$

10 pts

3. x = 1

Left -3; right -3; yes

4 pts

x = -2

Left 0; right 0; yes

4 pts

x = 0

Left -4; right -4; yes

4 pts

Conclusion

All tested values work; this alone does not prove an identity.

8 pts

4. (a)

285

7 pts

(b)

325

7 pts

(c)

5

6 pts

5. (a)

0

5 pts

(b)

-4

5 pts

(c)

4

5 pts

(d)

-13

5 pts

TSM 098 **58550**

Arithmetic Test - Practice Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -4, y = 2. $-2x + 2y + 3$	1. 20 pts
2. Evaluate each expression. $(a) \quad -12 + 6$ $(b) \quad (-11)(5)$ $(c) \quad \frac{11}{0}$ $(d) \quad 11 - (-5)$	2. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
3. Reduce each fraction to lowest terms. $(a) \quad \frac{4}{6}$ $(b) \quad \frac{50}{80}$	3. (a) 10 pts (b) 10 pts
4. Evaluate each side at x = 1, -4, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $(x-4)(x+4) = x^2 + x - 16$	4. x = 1 4 pts x = -4 4 pts x = 0 4 pts Conclusion 8 pts
5. Evaluate at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 5x + 2$	5. (a) 7 pts (b) 7 pts (c) 6 pts

58550

TEST PAGE 1

1.
15
20 pts

2. (a)
-6
5 pts

(b)
-55
5 pts

(c)
Undefined
5 pts

(d)
16
5 pts

3. (a)
$\frac{2}{3}$
10 pts

(b)
$\frac{5}{8}$
10 pts

4. x = 1
Left -15; right -14; no
4 pts

x = -4
Left 0; right -4; no
4 pts

x = 0
Left -16; right -16; yes
4 pts

Conclusion
Only the listed matching value works; the equation is not an identity.
8 pts

5. (a)
252
7 pts

(b)
352
7 pts

(c)
2
6 pts