TSM 098 **99945**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{40}{70}$ $(b)\quad \frac{49}{63}$	1. (a) 10 pts (b) 10 pts
2. Evaluate each expression. $(a)\quad 9-(-5)$ $(b)\quad (-6)(-4)$ $(c)\quad \frac{7}{0}$ $(d)\quad -8-5$	2. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
3. Evaluate at x = -2, y = 1. $2x-2y-2$	3. 20 pts
4. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. x^2-2x+1	4. (a) 7 pts (b) 7 pts (c) 6 pts
5. Evaluate each side at x = 2, -2, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+2)=x^2+2x$	5. x = 2 4 pts x = -2 4 pts x = 0 4 pts Conclusion 8 pts

99945

TEST PAGE 1

1. (a)

$\frac{4}{7}$ — 10 pts

(b)

$\frac{7}{9}$ — 10 pts

2. (a)

14 — 5 pts

(b)

24 — 5 pts

(c)

Undefined — 5 pts

(d)

-13 — 5 pts

3.

-8

20 pts

4. (a)

81 — 7 pts

(b)

121 — 7 pts

(c)

1 — 6 pts

5. x = 2

Left 8; right 8; yes — 4 pts

x = -2

Left 0; right 0; yes — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

All tested values work; this alone does not prove an identity. — 8 pts

TSM 098 **54422**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -3, y = 2. $3x - 3y - 1$	1. 20 pts
2. Evaluate each side at x = 2, -2, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+2) = x^2 + 2x$	2. x = 2 4 pts x = -2 4 pts x = 0 4 pts Conclusion 8 pts
3. Reduce each fraction to lowest terms. $(a)\quad \frac{18}{30}$ $(b)\quad \frac{12}{21}$	3. (a) 10 pts (b) 10 pts
4. Evaluate each expression. $(a)\quad 9-(-5)$ $(b)\quad (-6)(-4)$ $(c)\quad \frac{7}{0}$ $(d)\quad -8-5$	4. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 3x + 2$	5. (a) 7 pts (b) 7 pts (c) 6 pts

54422

TEST PAGE 1

1.

-16

20 pts

2. x = 2

Left 8; right 8; yes — 4 pts

x = -2

Left 0; right 0; yes — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

All tested values work; this alone does not prove an identity. — 8 pts

3. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

4. (a)

14 — 5 pts

(b)

24 — 5 pts

(c)

Undefined — 5 pts

(d)

-13 — 5 pts

5. (a)

172 — 7 pts

(b)

232 — 7 pts

(c)

2 — 6 pts

TSM 098 **92666**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{24}{42}$ $(b)\quad \frac{14}{21}$	1. (a) 10 pts (b) 10 pts
2. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 4x + 3$	2. (a) 7 pts (b) 7 pts (c) 6 pts
3. Evaluate at x = -4, y = 3. $4x - 4y$	3. 20 pts
4. Evaluate each side at x = 2, -2, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+2) = x^2 + 2x$	4. x = 2 4 pts x = -2 4 pts x = 0 4 pts Conclusion 8 pts
5. Evaluate each expression. $(a)\quad 9 - (-5)$ $(b)\quad (-6)(-4)$ $(c)\quad \frac{7}{0}$ $(d)\quad -8 - 5$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

92666

TEST PAGE 1

1. (a)

$\frac{4}{7}$ — 10 pts

(b)

$\frac{2}{3}$ — 10 pts

2. (a)

263 — 7 pts

(b)

343 — 7 pts

(c)

3 — 6 pts

3.

-28

20 pts

4. x = 2

Left 8; right 8; yes — 4 pts

x = -2

Left 0; right 0; yes — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

All tested values work; this alone does not prove an identity. — 8 pts

5. (a)

14 — 5 pts

(b)

24 — 5 pts

(c)

Undefined — 5 pts

(d)

-13 — 5 pts

TSM 098 **69951**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 3, -3, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+3) = x^2 + 4x$	1. x = 3 4 pts x = -3 4 pts x = 0 4 pts Conclusion 8 pts
2. Reduce each fraction to lowest terms. $(a)\quad \frac{30}{48}$ $(b)\quad \frac{14}{21}$	2. (a) 10 pts (b) 10 pts
3. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 5x + 4$	3. (a) 7 pts (b) 7 pts (c) 6 pts
4. Evaluate at x = -5, y = 1. $5x - 2y + 1$	4. 20 pts
5. Evaluate each expression. $(a)\quad -9 + (-12)$ $(b)\quad (-7)(-5)$ $(c)\quad -10 - (-6)$ $(d)\quad \frac{0}{8}$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

69951

TEST PAGE 1

1. x = 3

Left 18; right 21; no — 4 pts

x = -3

Left 0; right -3; no — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

Only the listed matching value works; the equation is not an identity. — 8 pts

---

2. (a)

$\frac{5}{8}$ — 10 pts

(b)

$\frac{2}{3}$ — 10 pts

---

3. (a)

54 — 7 pts

(b)

154 — 7 pts

(c)

4 — 6 pts

4.

-26

20 pts

---

5. (a)

-21 — 5 pts

(b)

35 — 5 pts

(c)

-4 — 5 pts

(d)

0 — 5 pts

TSM 098 **20680**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 3, -3, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+3) = x^2 + 4x$	1. x = 3 — 4 pts x = -3 — 4 pts x = 0 — 4 pts Conclusion — 8 pts
2. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 6x + 5$	2. (a) — 7 pts (b) — 7 pts (c) — 6 pts
3. Evaluate each expression. $(a) \quad -9 + (-12)$ $(b) \quad (-7)(-5)$ $(c) \quad -10 - (-6)$ $(d) \quad \frac{0}{8}$	3. (a) — 5 pts (b) — 5 pts (c) — 5 pts (d) — 5 pts
4. Reduce each fraction to lowest terms. $(a) \quad \frac{14}{18}$ $(b) \quad \frac{70}{112}$	4. (a) — 10 pts (b) — 10 pts
5. Evaluate at x = -2, y = 2. $2x - 3y + 2$	5. — 20 pts

20680

TEST PAGE 1

1. x = 3

Left 18; right 21; no — 4 pts

x = -3

Left 0; right -3; no — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

Only the listed matching value works; the equation is not an identity. — 8 pts

2. (a)

145 — 7 pts

(b)

265 — 7 pts

(c)

5 — 6 pts

3. (a)

-21 — 5 pts

(b)

35 — 5 pts

(c)

-4 — 5 pts

(d)

0 — 5 pts

4. (a)

$\frac{7}{9}$ — 10 pts

(b)

$\frac{5}{8}$ — 10 pts

5.

-8 — 20 pts

TSM 098 **46765**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 3, -3, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+3) = x^2 + 4x$	1. x = 3 — 4 pts x = -3 — 4 pts x = 0 — 4 pts Conclusion — 8 pts
2. Reduce each fraction to lowest terms. $(a)\quad \frac{18}{30}$ $(b)\quad \frac{8}{14}$	2. (a) — 10 pts (b) — 10 pts
3. Evaluate each expression. $(a)\quad -9 + (-12)$ $(b)\quad (-7)(-5)$ $(c)\quad -10 - (-6)$ $(d)\quad \frac{0}{8}$	3. (a) — 5 pts (b) — 5 pts (c) — 5 pts (d) — 5 pts
4. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 2x + 6$	4. (a) — 7 pts (b) — 7 pts (c) — 6 pts
5. Evaluate at x = -3, y = 3. $3x - 4y - 2$	5. — 20 pts

46765

TEST PAGE 1

1. x = 3

Left 18; right 21; no — 4 pts

x = -3

Left 0; right -3; no — 4 pts

x = 0

Left 0; right 0; yes — 4 pts

Conclusion

Only the listed matching value works; the equation is not an identity. — 8 pts

---

2. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

---

3. (a)

-21 — 5 pts

(b)

35 — 5 pts

(c)

-4 — 5 pts

(d)

0 — 5 pts

---

4. (a)

286 — 7 pts

(b)

326 — 7 pts

(c)

6 — 6 pts

5.

-23 — 20 pts

TSM 098 **64631**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -4, y = 1. $4x - 2y - 1$	1. 20 pts
2. Reduce each fraction to lowest terms. (a) $\frac{10}{15}$ (b) $\frac{18}{30}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each expression. (a) $-10-7$ (b) $(-8)(-6)$ (c) $11-(-7)$ (d) $\frac{9}{0}$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 3x + 7$	4. (a) 7 pts (b) 7 pts (c) 6 pts
5. Evaluate each side at x = 4, -4, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+4) = x^2 + 4x + 4$	5. x = 4 4 pts x = -4 4 pts x = 0 4 pts Conclusion 8 pts

64631

TEST PAGE 1

1.

-19

20 pts

2. (a)

$\frac{2}{3}$

10 pts

(b)

$\frac{3}{5}$

10 pts

3. (a)

-17

5 pts

(b)

48

5 pts

(c)

18

5 pts

(d)

Undefined

5 pts

4. (a)

77

7 pts

(b)

137

7 pts

(c)

7

6 pts

5. x = 4

Left 32; right 36; no

4 pts

x = -4

Left 0; right 4; no

4 pts

x = 0

Left 0; right 4; no

4 pts

Conclusion

None of these values works; this alone does not prove no solution.

8 pts

TSM 098 **75809**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 4, -4, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+4) = x^2 + 4x + 4$	1. x = 4 4 pts x = -4 4 pts x = 0 4 pts Conclusion 8 pts
2. Reduce each fraction to lowest terms. $(a)\quad \frac{6}{10}$ $(b)\quad \frac{42}{70}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each expression. $(a)\quad -10-7$ $(b)\quad (-8)(-6)$ $(c)\quad 11-(-7)$ $(d)\quad \frac{9}{0}$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate at x = -5, y = 2. $5x-3y$	4. 20 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2-4x+1$	5. (a) 7 pts (b) 7 pts (c) 6 pts

75809

TEST PAGE 1

1. x = 4

Left 32; right 36; no — 4 pts

x = -4

Left 0; right 4; no — 4 pts

x = 0

Left 0; right 4; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

---

2. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{3}{5}$ — 10 pts

---

3. (a)

-17 — 5 pts

(b)

48 — 5 pts

(c)

18 — 5 pts

(d)

Undefined — 5 pts

4.

-31

20 pts

---

5. (a)

161 — 7 pts

(b)

241 — 7 pts

(c)

1 — 6 pts

TSM 098 **27179**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 5x + 2$	1. (a) 7 pts (b) 7 pts (c) 6 pts
2. Reduce each fraction to lowest terms. $(a)\ \frac{15}{25}$ $(b)\ \frac{12}{18}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each side at x = 4, -4, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+4) = x^2 + 4x + 4$	3. x = 4 4 pts x = -4 4 pts x = 0 4 pts Conclusion 8 pts
4. Evaluate at x = -2, y = 3. $2x - 4y + 1$	4. 20 pts
5. Evaluate each expression. $(a)\ \ -10 - 7$ $(b)\ \ (-8)(-6)$ $(c)\ \ 11 - (-7)$ $(d)\ \ \frac{9}{0}$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

27179

TEST PAGE 1

1. (a)

252 — 7 pts

(b)

352 — 7 pts

(c)

2 — 6 pts

2. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{2}{3}$ — 10 pts

3. x = 4

Left 32; right 36; no — 4 pts

x = -4

Left 0; right 4; no — 4 pts

x = 0

Left 0; right 4; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

4.

-15

20 pts

5. (a)

-17 — 5 pts

(b)

48 — 5 pts

(c)

18 — 5 pts

(d)

Undefined — 5 pts

TSM 098 **43181**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -3, y = 1. $3x - 2y + 2$	1. 20 pts
2. Reduce each fraction to lowest terms. (a) $\frac{25}{40}$ (b) $\frac{20}{30}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each side at x = 5, -5, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+5) = x^2 + 5x + 5$	3. x = 5 4 pts x = -5 4 pts x = 0 4 pts Conclusion 8 pts
4. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 6x + 3$	4. (a) 7 pts (b) 7 pts (c) 6 pts
5. Evaluate each expression. (a) $12 - (-8)$ (b) $\frac{10}{0}$ (c) $-11 - 8$ (d) $(-9)(-7)$	5. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts

43181

TEST PAGE 1

1.

-9

20 pts

2. (a)

$\frac{5}{8}$

10 pts

(b)

$\frac{2}{3}$

10 pts

3. x = 5

Left 50; right 55; no

4 pts

x = -5

Left 0; right 5; no

4 pts

x = 0

Left 0; right 5; no

4 pts

Conclusion

None of these values works; this alone does not prove no solution.

8 pts

4. (a)

43

7 pts

(b)

163

7 pts

(c)

3

6 pts

5. (a)

20

5 pts

(b)

Undefined

5 pts

(c)

-19

5 pts

(d)

63

5 pts

TSM 098 **59521**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 5, -5, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+5) = x^2 + 5x + 5$	1. x = 5 4 pts x = -5 4 pts x = 0 4 pts Conclusion 8 pts
2. Evaluate at x = -4, y = 2. $4x - 3y - 2$	2. 20 pts
3. Evaluate each expression. $(a)\quad 12-(-8)$ $(b)\quad \frac{10}{0}$ $(c)\quad -11-8$ $(d)\quad (-9)(-7)$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 2x + 4$	4. (a) 7 pts (b) 7 pts (c) 6 pts
5. Reduce each fraction to lowest terms. $(a)\quad \frac{35}{56}$ $(b)\quad \frac{70}{112}$	5. (a) 10 pts (b) 10 pts

59521

TEST PAGE 1

1. x = 5

Left 50; right 55; no — 4 pts

x = -5

Left 0; right 5; no — 4 pts

x = 0

Left 0; right 5; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

2.

-24

20 pts

3. (a)

20 — 5 pts

(b)

Undefined — 5 pts

(c)

-19 — 5 pts

(d)

63 — 5 pts

4. (a)

184 — 7 pts

(b)

224 — 7 pts

(c)

4 — 6 pts

5. (a)

$\frac{5}{8}$ — 10 pts

(b)

$\frac{5}{8}$ — 10 pts

TSM 098 **63054**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each expression. $(a)\quad 12-(-8)$ $(b)\quad \frac{10}{0}$ $(c)\quad -11-8$ $(d)\quad (-9)(-7)$	1. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
2. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2-3x+5$	2. (a) 7 pts (b) 7 pts (c) 6 pts
3. Reduce each fraction to lowest terms. $(a)\quad \frac{15}{24}$ $(b)\quad \frac{18}{30}$	3. (a) 10 pts (b) 10 pts
4. Evaluate each side at x = 5, -5, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+5)=x^2+5x+5$	4. x = 5 4 pts x = -5 4 pts x = 0 4 pts Conclusion 8 pts
5. Evaluate at x = -5, y = 3. $5x-4y-1$	5. 20 pts

63054

TEST PAGE 1

1. (a)

20 — 5 pts

(b)

Undefined — 5 pts

(c)

-19 — 5 pts

(d)

63 — 5 pts

2. (a)

275 — 7 pts

(b)

335 — 7 pts

(c)

5 — 6 pts

3. (a)

$\frac{5}{8}$ — 10 pts

(b)

$\frac{3}{5}$ — 10 pts

4. x = 5

Left 50; right 55; no — 4 pts

x = -5

Left 0; right 5; no — 4 pts

x = 0

Left 0; right 5; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

5.

-38

20 pts

TSM 098 **78569**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each expression. $(a) \quad -12-9$ $(b) \quad \frac{11}{0}$ $(c) \quad (-10)(-8)$ $(d) \quad 13-(-9)$	1. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
2. Reduce each fraction to lowest terms. $(a) \quad \frac{60}{105}$ $(b) \quad \frac{15}{25}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each side at x = 6, -6, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+6) = x^2 + 6x + 6$	3. x = 6 4 pts x = -6 4 pts x = 0 4 pts Conclusion 8 pts
4. Evaluate at x = -2, y = 1. $2x - 2y$	4. 20 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 4x + 6$	5. (a) 7 pts (b) 7 pts (c) 6 pts

78569

TEST PAGE 1

1. (a)

-21 — 5 pts

(b)

Undefined — 5 pts

(c)

80 — 5 pts

(d)

22 — 5 pts

2. (a)

$\frac{4}{7}$ — 10 pts

(b)

$\frac{3}{5}$ — 10 pts

3. x = 6

Left 72; right 78; no — 4 pts

x = -6

Left 0; right 6; no — 4 pts

x = 0

Left 0; right 6; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

4.

-6

20 pts

5. (a)

66 — 7 pts

(b)

146 — 7 pts

(c)

6 — 6 pts

TSM 098 **20075**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each expression. $(a) \quad -12-9$ $(b) \quad \frac{11}{0}$ $(c) \quad (-10)(-8)$ $(d) \quad 13-(-9)$	1. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
2. Reduce each fraction to lowest terms. $(a) \quad \frac{30}{45}$ $(b) \quad \frac{14}{18}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each side at x = 6, -6, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+6) = x^2 + 6x + 6$	3. x = 6 4 pts x = -6 4 pts x = 0 4 pts Conclusion 8 pts
4. Evaluate at x = -3, y = 2. $3x - 3y + 1$	4. 20 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 5x + 7$	5. (a) 7 pts (b) 7 pts (c) 6 pts

20075

TEST PAGE 1

1. (a)

-21 — 5 pts

(b)

Undefined — 5 pts

(c)

80 — 5 pts

(d)

22 — 5 pts

2. (a)

$\frac{2}{3}$ — 10 pts

(b)

$\frac{7}{9}$ — 10 pts

3. x = 6

Left 72; right 78; no — 4 pts

x = -6

Left 0; right 6; no — 4 pts

x = 0

Left 0; right 6; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

4.

-14 — 20 pts

5. (a)

157 — 7 pts

(b)

257 — 7 pts

(c)

7 — 6 pts

TSM 098 **83065**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Reduce each fraction to lowest terms. $(a)\quad \frac{42}{54}$ $(b)\quad \frac{20}{35}$	1. (a) 10 pts (b) 10 pts
2. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 6x + 1$	2. (a) 7 pts (b) 7 pts (c) 6 pts
3. Evaluate each expression. $(a)\quad -12 - 9$ $(b)\quad \frac{11}{0}$ $(c)\quad (-10)(-8)$ $(d)\quad 13 - (-9)$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate at x = -4, y = 3. $4x - 4y + 2$	4. 20 pts
5. Evaluate each side at x = 6, -6, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+6) = x^2 + 6x + 6$	5. x = 6 4 pts x = -6 4 pts x = 0 4 pts Conclusion 8 pts

83065

TEST PAGE 1

1. (a)

$\frac{7}{9}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

2. (a)

241 — 7 pts

(b)

361 — 7 pts

(c)

1 — 6 pts

3. (a)

-21 — 5 pts

(b)

Undefined — 5 pts

(c)

80 — 5 pts

(d)

22 — 5 pts

4.

-26 — 20 pts

5. x = 6

Left 72; right 78; no — 4 pts

x = -6

Left 0; right 6; no — 4 pts

x = 0

Left 0; right 6; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

TSM 098 **42146**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 7, -7, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+7) = x^2 + 7x + 7$	1. x = 7 4 pts x = -7 4 pts x = 0 4 pts Conclusion 8 pts
2. Reduce each fraction to lowest terms. $(a)\quad \frac{15}{25}$ $(b)\quad \frac{40}{70}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each expression. $(a)\quad -13-10$ $(b)\quad (-11)(-9)$ $(c)\quad \frac{12}{0}$ $(d)\quad 14-(-10)$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate at x = -5, y = 1. $5x-2y-2$	4. 20 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. x^2-2x+2	5. (a) 7 pts (b) 7 pts (c) 6 pts

42146

TEST PAGE 1

1. x = 7

Left 98; right 105; no — 4 pts

x = -7

Left 0; right 7; no — 4 pts

x = 0

Left 0; right 7; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

---

2. (a)

$\frac{3}{5}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

---

3. (a)

-23 — 5 pts

(b)

99 — 5 pts

(c)

Undefined — 5 pts

(d)

24 — 5 pts

4.

-29 — 20 pts

---

5. (a)

82 — 7 pts

(b)

122 — 7 pts

(c)

2 — 6 pts

TSM 098 **67077**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate each side at x = 7, -7, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+7) = x^2 + 7x + 7$	1. x = 7 4 pts x = -7 4 pts x = 0 4 pts Conclusion 8 pts
2. Evaluate each expression. $(a) \quad -13-10$ $(b) \quad (-11)(-9)$ $(c) \quad \frac{12}{0}$ $(d) \quad 14-(-10)$	2. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
3. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 3x + 3$	3. (a) 7 pts (b) 7 pts (c) 6 pts
4. Reduce each fraction to lowest terms. $(a) \quad \frac{70}{112}$ $(b) \quad \frac{49}{63}$	4. (a) 10 pts (b) 10 pts
5. Evaluate at x = -2, y = 2. $2x - 3y - 1$	5. 20 pts

67077

TEST PAGE 1

1. x = 7

Left 98; right 105; no — 4 pts

x = -7

Left 0; right 7; no — 4 pts

x = 0

Left 0; right 7; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

---

2. (a)

-23 — 5 pts

(b)

99 — 5 pts

(c)

Undefined — 5 pts

(d)

24 — 5 pts

---

3. (a)

173 — 7 pts

(b)

233 — 7 pts

(c)

3 — 6 pts

---

4. (a)

$\frac{5}{8}$ — 10 pts

(b)

$\frac{7}{9}$ — 10 pts

5.

-11 — 20 pts

TSM 098 **46225**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -3, y = 3. $3x - 4y$	1. 20 pts
2. Reduce each fraction to lowest terms. (a) $\frac{45}{75}$ (b) $\frac{8}{14}$	2. (a) 10 pts (b) 10 pts
3. Evaluate each expression. (a) $-13-10$ (b) $(-11)(-9)$ (c) $\frac{12}{0}$ (d) $14-(-10)$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Evaluate each side at x = 7, -7, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+7) = x^2 + 7x + 7$	4. x = 7 4 pts x = -7 4 pts x = 0 4 pts Conclusion 8 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $3x^2 - 4x + 4$	5. (a) 7 pts (b) 7 pts (c) 6 pts

46225

TEST PAGE 1

1.

-21

20 pts

2. (a)

$\frac{3}{5}$

10 pts

(b)

$\frac{4}{7}$

10 pts

3. (a)

-23

5 pts

(b)

99

5 pts

(c)

Undefined

5 pts

(d)

24

5 pts

4. x = 7

Left 98; right 105; no

4 pts

x = -7

Left 0; right 7; no

4 pts

x = 0

Left 0; right 7; no

4 pts

Conclusion

None of these values works; this alone does not prove no solution.

8 pts

5. (a)

264

7 pts

(b)

344

7 pts

(c)

4

6 pts

TSM 098 **40811**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -4, y = 1. $4x - 2y + 1$	1. 20 pts
2. Evaluate each side at x = 8, -8, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+8) = x^2 + 8x + 8$	2. x = 8 4 pts x = -8 4 pts x = 0 4 pts Conclusion 8 pts
3. Evaluate each expression. $(a)\quad 15 - (-11)$ $(b)\quad -14 - 11$ $(c)\quad (-12)(-10)$ $(d)\quad \frac{13}{0}$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Reduce each fraction to lowest terms. $(a)\quad \frac{8}{14}$ $(b)\quad \frac{24}{42}$	4. (a) 10 pts (b) 10 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $x^2 - 5x + 5$	5. (a) 7 pts (b) 7 pts (c) 6 pts

40811

TEST PAGE 1

1.

-17

20 pts

2. x = 8

Left 128; right 136; no — 4 pts

x = -8

Left 0; right 8; no — 4 pts

x = 0

Left 0; right 8; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

3. (a)

26 — 5 pts

(b)

-25 — 5 pts

(c)

120 — 5 pts

(d)

Undefined — 5 pts

4. (a)

$\frac{4}{7}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

5. (a)

55 — 7 pts

(b)

155 — 7 pts

(c)

5 — 6 pts

TSM 098 **45609**

Arithmetic Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -5, y = 2. $5x - 3y + 2$	1. 20 pts
2. Evaluate each side at x = 8, -8, 0. In each response row record the left value, right value, and equality decision. Then state what the tested values establish; do not solve the equation. $x(x+8) = x^2 + 8x + 8$	2. x = 8 4 pts x = -8 4 pts x = 0 4 pts Conclusion 8 pts
3. Evaluate each expression. $(a)\quad 15 - (-11)$ $(b)\quad -14 - 11$ $(c)\quad (-12)(-10)$ $(d)\quad \frac{13}{0}$	3. (a) 5 pts (b) 5 pts (c) 5 pts (d) 5 pts
4. Reduce each fraction to lowest terms. $(a)\quad \frac{25}{40}$ $(b)\quad \frac{60}{105}$	4. (a) 10 pts (b) 10 pts
5. Evaluate the same expression at (a) x = 10, (b) x = -10, and (c) x = 0. $2x^2 - 6x + 6$	5. (a) 7 pts (b) 7 pts (c) 6 pts

45609

TEST PAGE 1

1.

-29

20 pts

2. x = 8

Left 128; right 136; no — 4 pts

x = -8

Left 0; right 8; no — 4 pts

x = 0

Left 0; right 8; no — 4 pts

Conclusion

None of these values works; this alone does not prove no solution. — 8 pts

3. (a)

26 — 5 pts

(b)

-25 — 5 pts

(c)

120 — 5 pts

(d)

Undefined — 5 pts

4. (a)

$\frac{5}{8}$ — 10 pts

(b)

$\frac{4}{7}$ — 10 pts

5. (a)

146 — 7 pts

(b)

266 — 7 pts

(c)

6 — 6 pts