TSM 098 **50277**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 7$ $3x + 5y = 11$	1. 20 pts
2. Solve. $\frac{x+2}{3} + \frac{x-1}{4} = \frac{31}{24}$	2. 20 pts
3. Solve and state the complete solution set. $3(x + 2) + 1 = 3x + 8$	3. 20 pts
4. Solve. $3(2x - 2) - (4x + 3) + x = -3$	4. 20 pts
5. Solve the system. $y = 2x - 3$ $x + y = 3$	5. 20 pts

50277

TEST PAGE 1

1.

$(2,\ 1)$

20 pts

2.

$x = \frac{3}{2}$

20 pts

3.

No solution; simplifying gives 1 = 2.

20 pts

4.

$x = 2$

20 pts

5.

$(2,\ 1)$

20 pts

TSM 098 **78697**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $3(2x-3)-(4x+4)+x=-8$	1. 20 pts
2. Solve. $\frac{x+2}{3}+\frac{x-1}{4}=\frac{19}{12}$	2. 20 pts
3. Solve and state the complete solution set. $4(x-2)+10=2(2x+1)$	3. 20 pts
4. Solve the system. $y=2x-3$ $x+y=3$	4. 20 pts
5. Solve the system. $2x+3y=7$ $3x+5y=11$	5. 20 pts

78697

TEST PAGE 1

1.

$x = \frac{5}{3}$

20 pts

2.

$x = 2$

20 pts

3.

All real numbers; both sides reduce to 4x + 2.

20 pts

4.

$(2,\ 1)$

20 pts

5.

$(2,\ 1)$

20 pts

TSM 098 **46200**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 7$ $3x + 5y = 11$	1. 20 pts
2. Solve and state the complete solution set. $2x + 3y = 7$ $4x + 6y = 15$	2. 20 pts
3. Solve the system. $y = 2x - 3$ $x + y = 3$	3. 20 pts
4. Solve. $\frac{x+2}{3} + \frac{x-1}{4} = \frac{25}{18}$	4. 20 pts
5. Solve. $3(2x - 4) - (4x + 5) + x = -5$	5. 20 pts

46200

TEST PAGE 1

1.

$(2,\ 1)$

20 pts

2.

No solution; doubling the first equation contradicts the second.

20 pts

3.

$(2,\ 1)$

20 pts

4.

$x = \frac{5}{3}$

20 pts

5.

$x = 4$

20 pts

TSM 098 **97874**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{x+3}{3} + \frac{x-1}{4} = \frac{13}{8}$	1. 20 pts
2. Solve. $3(2x-5) - (4x+6) + x = -6$	2. 20 pts
3. Solve the system. $2x + 3y = 12$ $3x + 5y = 19$	3. 20 pts
4. Solve the system. $y = 2x - 4$ $x + y = 5$	4. 20 pts
5. Solve and state the complete solution set. $3(x+3) + 1 = 3x + 11$	5. 20 pts

97874

TEST PAGE 1

1.

$x = \frac{3}{2}$

20 pts

2.

$x = 5$

20 pts

3.

$(3,\ 2)$

20 pts

4.

$(3,\ 2)$

20 pts

5.

No solution; simplifying gives 1 = 2.

20 pts

TSM 098 **49633**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 12$ $3x + 5y = 19$	1. 20 pts
2. Solve the system. $y = 2x - 4$ $x + y = 5$	2. 20 pts
3. Solve. $\frac{x+3}{3} + \frac{x-1}{4} = \frac{23}{12}$	3. 20 pts
4. Solve and state the complete solution set. $4(x - 3) + 14 = 2(2x + 1)$	4. 20 pts
5. Solve. $3(2x - 6) - (4x + 7) + x = -20$	5. 20 pts

49633

TEST PAGE 1

1.

$(3,\ 2)$

20 pts

2.

$(3,\ 2)$

20 pts

3.

$x = 2$

20 pts

4.

All real numbers; both sides reduce to 4x + 2.

20 pts

5.

$x = \frac{5}{3}$

20 pts

TSM 098 **22454**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $3(2x-2)-(4x+3)+x=0$	1. 20 pts
2. Solve. $\frac{x+3}{3}+\frac{x-1}{4}=\frac{31}{18}$	2. 20 pts
3. Solve and state the complete solution set. $2x+3y=7$ $4x+6y=15$	3. 20 pts
4. Solve the system. $2x+3y=12$ $3x+5y=19$	4. 20 pts
5. Solve the system. $y=2x-4$ $x+y=5$	5. 20 pts

22454

TEST PAGE 1

1.

$x = 3$

20 pts

2.

$x = \frac{5}{3}$

20 pts

3.

No solution; doubling the first equation contradicts the second.

20 pts

4.

$(3,\ 2)$

20 pts

5.

$(3,\ 2)$

20 pts

TSM 098 **14215**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{x+4}{3} + \frac{x-1}{4} = \frac{47}{24}$	1. 20 pts
2. Solve the system. $y = 2x - 5$ $x + y = 7$	2. 20 pts
3. Solve and state the complete solution set. $3(x+4) + 1 = 3x + 14$	3. 20 pts
4. Solve. $3(2x-3) - (4x+4) + x = -1$	4. 20 pts
5. Solve the system. $2x + 3y = 17$ $3x + 5y = 27$	5. 20 pts

14215

TEST PAGE 1

1.

$x = \frac{3}{2}$

20 pts

2.

$(4,\ 3)$

20 pts

3.

No solution; simplifying gives 1 = 2.

20 pts

4.

$x = 4$

20 pts

5.

$(4,\ 3)$

20 pts

TSM 098 **14478**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $y = 2x - 5$ $x + y = 7$	1. 20 pts
2. Solve the system. $2x + 3y = 17$ $3x + 5y = 27$	2. 20 pts
3. Solve and state the complete solution set. $4(x - 4) + 18 = 2(2x + 1)$	3. 20 pts
4. Solve. $\frac{x+4}{3} + \frac{x-1}{4} = \frac{9}{4}$	4. 20 pts
5. Solve. $3(2x - 4) - (4x + 5) + x = -12$	5. 20 pts

14478

TEST PAGE 1

1.

$(4,\ 3)$

20 pts

2.

$(4,\ 3)$

20 pts

3.

All real numbers; both sides reduce to 4x + 2.

20 pts

4.

$x = 2$

20 pts

5.

$x = \frac{5}{3}$

20 pts

TSM 098 **22835**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $3(2x-5)-(4x+6)+x=-15$	1. 20 pts
2. Solve the system. $y=2x-5$ $x+y=7$	2. 20 pts
3. Solve. $\frac{x+4}{3}+\frac{x-1}{4}=\frac{37}{18}$	3. 20 pts
4. Solve and state the complete solution set. $2x+3y=7$ $4x+6y=15$	4. 20 pts
5. Solve the system. $2x+3y=17$ $3x+5y=27$	5. 20 pts

22835

TEST PAGE 1

1.

$x = 2$

20 pts

2.

$(4,\ 3)$

20 pts

3.

$x = \frac{5}{3}$

20 pts

4.

No solution; doubling the first equation contradicts the second.

20 pts

5.

$(4,\ 3)$

20 pts

TSM 098 **20965**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $y = 2x - 6$ $x + y = 9$	1. 20 pts
2. Solve and state the complete solution set. $3(x + 5) + 1 = 3x + 17$	2. 20 pts
3. Solve the system. $2x + 3y = 22$ $3x + 5y = 35$	3. 20 pts
4. Solve. $\frac{x+5}{3} + \frac{x-1}{4} = \frac{55}{24}$	4. 20 pts
5. Solve. $3(2x - 6) - (4x + 7) + x = -16$	5. 20 pts

20965

TEST PAGE 1

1.

$(5,\ 4)$

20 pts

2.

No solution; simplifying gives 1 = 2.

20 pts

3.

$(5,\ 4)$

20 pts

4.

$x = \frac{3}{2}$

20 pts

5.

$x = 3$

20 pts

TSM 098 **69395**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve and state the complete solution set. $4(x-5)+22=2(2x+1)$	1. 20 pts
2. Solve the system. $2x+3y=22$ $3x+5y=35$	2. 20 pts
3. Solve. $3(2x-2)-(4x+3)+x=-4$	3. 20 pts
4. Solve the system. $y=2x-6$ $x+y=9$	4. 20 pts
5. Solve. $\frac{x+5}{3}+\frac{x-1}{4}=\frac{31}{12}$	5. 20 pts

69395

TEST PAGE 1

1.

All real numbers; both sides reduce to 4x + 2.

20 pts

2.

$(5,\ 4)$

20 pts

3.

$x = \frac{5}{3}$

20 pts

4.

$(5,\ 4)$

20 pts

5.

$x = 2$

20 pts

TSM 098 **93340**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $y = 2x - 6$ $x + y = 9$	1. 20 pts
2. Solve. $3(2x - 3) - (4x + 4) + x = 2$	2. 20 pts
3. Solve and state the complete solution set. $2x + 3y = 7$ $4x + 6y = 15$	3. 20 pts
4. Solve the system. $2x + 3y = 22$ $3x + 5y = 35$	4. 20 pts
5. Solve. $\frac{x+5}{3} + \frac{x-1}{4} = \frac{43}{18}$	5. 20 pts

93340

TEST PAGE 1

1.

$(5,\ 4)$

20 pts

2.

$x = 5$

20 pts

3.

No solution; doubling the first equation contradicts the second.

20 pts

4.

$(5,\ 4)$

20 pts

5.

$x = \frac{5}{3}$

20 pts

TSM 098 **49199**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve and state the complete solution set. $3(x+6)+1=3x+20$	1. 20 pts
2. Solve. $\frac{x+6}{3}+\frac{x-1}{4}=\frac{21}{8}$	2. 20 pts
3. Solve the system. $2x+3y=27$ $3x+5y=43$	3. 20 pts
4. Solve the system. $y=2x-7$ $x+y=11$	4. 20 pts
5. Solve. $3(2x-4)-(4x+5)+x=-11$	5. 20 pts

49199

TEST PAGE 1

1.

No solution; simplifying gives 1 = 2.

20 pts

2.

$x = \frac{3}{2}$

20 pts

3.

$(6,\ 5)$

20 pts

4.

$(6,\ 5)$

20 pts

5.

$x = 2$

20 pts

TSM 098 **82330**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{x+6}{3} + \frac{x-1}{4} = \frac{35}{12}$	1. 20 pts
2. Solve. $3(2x-5) - (4x+6) + x = -16$	2. 20 pts
3. Solve the system. $2x + 3y = 27$ $3x + 5y = 43$	3. 20 pts
4. Solve and state the complete solution set. $4(x-6) + 26 = 2(2x+1)$	4. 20 pts
5. Solve the system. $y = 2x - 7$ $x + y = 11$	5. 20 pts

82330

TEST PAGE 1

1.

$x = 2$

20 pts

2.

$x = \frac{5}{3}$

20 pts

3.

$(6,\ 5)$

20 pts

4.

All real numbers; both sides reduce to 4x + 2.

20 pts

5.

$(6,\ 5)$

20 pts

TSM 098 **29934**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{x+6}{3} + \frac{x-1}{4} = \frac{49}{18}$	1. 20 pts
2. Solve and state the complete solution set. $2x + 3y = 7$ $4x + 6y = 15$	2. 20 pts
3. Solve. $3(2x - 6) - (4x + 7) + x = -13$	3. 20 pts
4. Solve the system. $2x + 3y = 27$ $3x + 5y = 43$	4. 20 pts
5. Solve the system. $y = 2x - 7$ $x + y = 11$	5. 20 pts

29934

TEST PAGE 1

1.

$x = \frac{5}{3}$

20 pts

2.

No solution; doubling the first equation contradicts the second.

20 pts

3.

$x = 4$

20 pts

4.

$(6,\ 5)$

20 pts

5.

$(6,\ 5)$

20 pts

TSM 098 **81229**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $y = 2x - 8$ $x + y = 13$	1. 20 pts
2. Solve. $\frac{x+7}{3} + \frac{x-1}{4} = \frac{71}{24}$	2. 20 pts
3. Solve the system. $2x + 3y = 32$ $3x + 5y = 51$	3. 20 pts
4. Solve. $3(2x - 2) - (4x + 3) + x = 6$	4. 20 pts
5. Solve and state the complete solution set. $3(x + 7) + 1 = 3x + 23$	5. 20 pts

81229

TEST PAGE 1

1.

$(7,\ 6)$

20 pts

2.

$x = \frac{3}{2}$

20 pts

3.

$(7,\ 6)$

20 pts

4.

$x = 5$

20 pts

5.

No solution; simplifying gives 1 = 2.

20 pts

TSM 098 **79824**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve and state the complete solution set. $4(x-7)+30=2(2x+1)$	1. 20 pts
2. Solve. $3(2x-3)-(4x+4)+x=-8$	2. 20 pts
3. Solve the system. $2x+3y=32$ $3x+5y=51$	3. 20 pts
4. Solve. $\frac{x+7}{3}+\frac{x-1}{4}=\frac{13}{4}$	4. 20 pts
5. Solve the system. $y=2x-8$ $x+y=13$	5. 20 pts

79824

TEST PAGE 1

1.

All real numbers; both sides reduce to 4x + 2.

20 pts

2.

$x = \frac{5}{3}$

20 pts

3.

$(7,\ 6)$

20 pts

4.

$x = 2$

20 pts

5.

$(7,\ 6)$

20 pts

TSM 098 **94212**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 32$ $3x + 5y = 51$	1. 20 pts
2. Solve and state the complete solution set. $2x + 3y = 7$ $4x + 6y = 15$	2. 20 pts
3. Solve. $3(2x - 4) - (4x + 5) + x = -8$	3. 20 pts
4. Solve the system. $y = 2x - 8$ $x + y = 13$	4. 20 pts
5. Solve. $\frac{x+7}{3} + \frac{x-1}{4} = \frac{55}{18}$	5. 20 pts

94212

TEST PAGE 1

1.

$(7,\ 6)$

20 pts

2.

No solution; doubling the first equation contradicts the second.

20 pts

3.

$x = 3$

20 pts

4.

$(7,\ 6)$

20 pts

5.

$x = \frac{5}{3}$

20 pts

TSM 098 **19560**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 37$ $3x + 5y = 59$	1. 20 pts
2. Solve. $3(2x - 5) - (4x + 6) + x = -9$	2. 20 pts
3. Solve. $\frac{x+8}{3} + \frac{x-1}{4} = \frac{79}{24}$	3. 20 pts
4. Solve the system. $y = 2x - 9$ $x + y = 15$	4. 20 pts
5. Solve and state the complete solution set. $3(x + 8) + 1 = 3x + 26$	5. 20 pts

19560

TEST PAGE 1

1.

$(8,\ 7)$

20 pts

2.

$x = 4$

20 pts

3.

$x = \frac{3}{2}$

20 pts

4.

$(8,\ 7)$

20 pts

5.

No solution; simplifying gives 1 = 2.

20 pts

TSM 098 **31071**

Linear Equations and Linear Systems Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve the system. $2x + 3y = 37$ $3x + 5y = 59$	1. 20 pts
2. Solve the system. $y = 2x - 9$ $x + y = 15$	2. 20 pts
3. Solve. $\frac{x+8}{3} + \frac{x-1}{4} = \frac{43}{12}$	3. 20 pts
4. Solve and state the complete solution set. $4(x - 8) + 34 = 2(2x + 1)$	4. 20 pts
5. Solve. $3(2x - 6) - (4x + 7) + x = -20$	5. 20 pts

31071

TEST PAGE 1

1.

(8, 7)

20 pts

2.

(8, 7)

20 pts

3.

$x = 2$

20 pts

4.

All real numbers; both sides reduce to 4x + 2.

20 pts

5.

$x = \frac{5}{3}$

20 pts