TSM 099 **37808**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Add and simplify. $\frac{1}{x^2-4x}+\frac{1}{x^2-16}$	1. 10 pts
2. Solve. $3(x-1)^2=27$	2. 10 pts
3. Solve. $x^2=-10x-24$	3. 10 pts
4. Multiply and simplify. $\frac{x^2-36}{x^2+6x-27}\times\frac{x+9}{x^2+6x}$	4. 10 pts
5. Evaluate at x = -2 $(x+3)(2x-2)$	5. 10 pts
6. Solve. Give exact simplified solutions. $6x^2=4x+7$	6. 10 pts
7. Factor completely. $20x^2-21x+4$	7. 10 pts
8. Find the slope-intercept equation through these two points. $(2,\ -1);\ (4,\ 0)$	8. 10 pts
9. Solve. $\frac{20}{2x}+\frac{2}{x}=4$	9. 10 pts

Test continues on the other side of the sheet.

TSM 099 **37808**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.


10. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph.

$x + 2y = 8$

10. (a)

4 pts

(b)



6 pts

37808

TEST PAGE 1

1.

$$\frac{2(x+2)}{x(x-4)(x+4)}$$

10 pts

2.

$x = -2, 4$

10 pts

3.

$x = -6, -4$

10 pts

4.

$$\frac{x-6}{x(x-3)}$$

10 pts

5.

-6

10 pts

6.

$x = \frac{1}{3} - \frac{\sqrt{46}}{6}, \frac{1}{3} + \frac{\sqrt{46}}{6}$

10 pts

7.

$(4x-1)(5x-4)$

10 pts

8.

$y = \frac{x}{2} - 2$

10 pts

9.

$x = 3$

10 pts


TEST PAGE 2

10. (a)

$(8, 0); (0, 4)$

4 pts

(b)



6 pts


TSM 099 **63878**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{16}{2x-10} + \frac{2}{x-5} = 5$	1. 10 pts
2. Add and simplify. $\frac{4}{x^2+5x} + \frac{1}{x^2+9x+20}$	2. 10 pts
3. Solve. $3(x-1)^2 = 27$	3. 10 pts
4. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $3x + 2y = 12$	4. (a) 4 pts (b)  6 pts
5. Find the slope-intercept equation through these two points. $(2,\ -1);\ (4,\ 0)$	5. 10 pts
6. Factor completely. $6x^2 + 13x - 5$	6. 10 pts
7. Solve. Give exact simplified solutions. $6x^2 = 4x + 5$	7. 10 pts
8. Solve. $x^2 + 11x = -30$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **63878**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Multiply and simplify. $\frac{x^2-36}{x^2+3x-54} \times \frac{x-6}{x^2+15x+54}$	9. 10 pts
10. Evaluate at x = -2 $(x+3)(2x-2)$	10. 10 pts

63878

TEST PAGE 1

1.

$x = 7$

10 pts

2.

$$\frac{5x + 16}{x(x + 4)(x + 5)}$$

10 pts

3.

$x = -2, 4$


10 pts

4. (a)

$(4, 0); (0, 6)$

4 pts

(b)



6 pts

5.

$y = \frac{x}{2} - 2$

10 pts

6.

$(2x + 5)(3x - 1)$

10 pts

7.

$x = \frac{1}{3} - \frac{\sqrt{34}}{6}, \frac{1}{3} + \frac{\sqrt{34}}{6}$

10 pts

8.

$x = -5, -6$

10 pts

TEST PAGE 2

9.

$$\frac{x - 6}{(x + 9)^2}$$

10 pts

10.

-6

10 pts


TSM 099 **49131**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Add and simplify. $\frac{4}{x^2-25}+\frac{5}{x^2+x-30}$	1. 10 pts
2. Multiply and simplify. $\frac{x^2-25}{x^2-3x-40}\times\frac{x-8}{x^2-5x}$	2. 10 pts
3. Evaluate at x = -2 $(x+3)(3x-6)$	3. 10 pts
4. Factor completely. $25x^2-30x+8$	4. 10 pts
5. Solve. $\frac{20}{4x-20}-\frac{2}{x-5}=1$	5. 10 pts
6. Solve. Give exact simplified solutions. $4x^2=3-2x$	6. 10 pts
7. Solve. $x^2+5x=14$	7. 10 pts
8. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x+y=6$	8. (a) 4 pts (b)  6 pts

Test continues on the other side of the sheet.

TSM 099 **49131**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Find the slope-intercept equation through these two points. $(2,\ 1);\ (4,\ 3)$	9. 10 pts
10. Solve. $3(x-2)^2 = 48$	10. 10 pts

49131

TEST PAGE 1

1.

$$\frac{9x+49}{(x-5)(x+5)(x+6)}$$

10 pts

2.

$\frac{1}{x}$

10 pts

3.

-12

10 pts

4.

$(5x-4)(5x-2)$

10 pts

5.

$x=8$

10 pts

6.

$x=-\frac{1}{4}+\frac{\sqrt{13}}{4},\ -\frac{\sqrt{13}}{4}-\frac{1}{4}$ 10 pts

7.


$x=2,\ -7$

10 pts

8. (a)

$(3,0);(0,6)$ 4 pts

(b)



6 pts

TEST PAGE 2

9.

$y=x-1$

10 pts

10.

$x=-2,6$

10 pts


TSM 099 **39708**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Multiply and simplify. $\frac{3x^2-27}{x^2-11x+24} \times \frac{x-8}{x^2+3x}$	1. 10 pts
2. Solve. $3(x-2)^2 = 48$	2. 10 pts
3. Evaluate at x = -2 $(x+3)(3x-6)$	3. 10 pts
4. Solve. Give exact simplified solutions. $5x^2 = 5x + 7$	4. 10 pts
5. Find the slope-intercept equation through these two points. $(2,\ 1);\ (4,\ 3)$	5. 10 pts
6. Solve. $\frac{30}{3x-12} + \frac{3}{x-4} = \frac{13}{5}$	6. 10 pts
7. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x + 2y = 8$	7. (a) 4 pts (b)  6 pts
8. Solve. $x^2 - 7x = -10$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **39708**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Add and simplify. $\frac{4}{x^2-5x}+\frac{1}{x^2-10x+25}$	9. 10 pts
10. Factor completely. $6x^2+x-1$	10. 10 pts

39708

TEST PAGE 1

1.

$\frac{3}{x}$

10 pts

2.

$x = -2, 6$

10 pts

3.

-12

10 pts

4.

$x = \frac{1}{2} - \frac{\sqrt{165}}{10}, \frac{1}{2} + \frac{\sqrt{165}}{10}$

10 pts

5.

$y = x - 1$

10 pts

6.

$x = 9$


10 pts

7. (a)

$(8, 0); (0, 4)$

4 pts

(b)



6 pts

8.

$x = 2, 5$

10 pts

TEST PAGE 2

9.

$\frac{5(x-4)}{x(x-5)^2}$

10 pts

10.

$(2x+1)(3x-1)$

10 pts


TSM 099 **65600**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $3x + 2y = 12$	1. (a) 4 pts (b)  6 pts
2. Multiply and simplify. $\frac{x^2-16}{x^2+5x-14} \times \frac{x+7}{x^2+4x}$	2. 10 pts
3. Add and simplify. $\frac{2}{x^2-5x} + \frac{3}{x^2-25}$	3. 10 pts
4. Solve. Give exact simplified solutions. $4x^2 = 4 - 2x$	4. 10 pts
5. Solve. $x^2 = -9x - 14$	5. 10 pts
6. Find the slope-intercept equation through these two points. $(2,\ 1);\ (4,\ 3)$	6. 10 pts
7. Solve. $\frac{30}{3x-9} + \frac{2}{x-3} = 3$	7. 10 pts
8. Solve. $3(x-2)^2 = 48$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **65600**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Evaluate at x = -2 $(x+3)(3x-6)$	9. 10 pts
10. Factor completely. $20x^2-9x+1$	10. 10 pts


65600

TEST PAGE 1

1. (a)

$(4, 0); (0, 6)$ 4 pts

(b)



6 pts

2.

$\frac{x-4}{x(x-2)}$

10 pts

3.

$\frac{5(x+2)}{x(x-5)(x+5)}$

10 pts

4.

$x = -\frac{1}{4} + \frac{\sqrt{17}}{4}, -\frac{\sqrt{17}}{4} - \frac{1}{4}$ 10 pts

5.

$x = -2, -7$

10 pts

6.

$y = x - 1$

10 pts

7.

$x = 7$

10 pts

8.

$x = -2, 6$

10 pts

TEST PAGE 2

9.

-12

10 pts

10.

$(4x-1)(5x-1)$

10 pts

TSM 099 **58681**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 + 5x = -6$	1. 10 pts
2. Solve. $3(x-3)^2 = 75$	2. 10 pts
3. Factor completely. $6x^2 - 5x - 6$	3. 10 pts
4. Solve. $\frac{21}{3x+6} + \frac{2}{x+2} = 3$	4. 10 pts
5. Multiply and simplify. $\frac{x^2-25}{x^2+4x-45} \times \frac{x-5}{x^2+14x+45}$	5. 10 pts
6. Solve. Give exact simplified solutions. $2x^2 = 1 - 5x$	6. 10 pts
7. Find the slope-intercept equation through these two points. $(2,\ 3);\ (4,\ 6)$	7. 10 pts
8. Add and simplify. $\frac{5}{x^2+2x} + \frac{2}{x^2+3x+2}$	8. 10 pts

Test continues on the other side of the sheet.


TSM 099 **58681**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x + y = 6$	9. (a) 4 pts (b)  6 pts
10. Evaluate at x = -2 $(x + 3)(4x - 12)$	10. 10 pts

58681

TEST PAGE 1

1.

$x = -3, -2$

10 pts

2.

$x = -2, 8$

10 pts

3.

$(2x - 3)(3x + 2)$

10 pts

4.

$x = 1$

10 pts

5.

$\frac{x - 5}{(x + 9)^2}$

10 pts

6.

$x = -\frac{5}{4} + \frac{\sqrt{33}}{4}, -\frac{\sqrt{33}}{4} - \frac{5}{4}$

10 pts

7.

$y = \frac{3x}{2}$

10 pts

8.

$\frac{7x + 5}{x(x + 1)(x + 2)}$

10 pts


TEST PAGE 2

9. (a)

$(3, 0); (0, 6)$

4 pts

(b)



6 pts

10.

-20

10 pts


TSM 099 **22094**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Add and simplify. $\frac{4}{x^2-9}+\frac{1}{x^2+x-12}$	1. 10 pts
2. Multiply and simplify. $\frac{x^2-36}{x^2-2x-48}\times\frac{x-8}{x^2-6x}$	2. 10 pts
3. Factor completely. $16x^2-32x+15$	3. 10 pts
4. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x+2y=8$	4. (a) 4 pts (b)  6 pts
5. Evaluate at x = -2 $(x+3)(4x-12)$	5. 10 pts
6. Solve. Give exact simplified solutions. $3x^2=2x+4$	6. 10 pts
7. Solve. $\frac{15}{3x}-\frac{3}{x}=\frac{1}{2}$	7. 10 pts
8. Solve. $x^2-3x=28$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **22094**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Find the slope-intercept equation through these two points. $(2,\ 3);\ (4,\ 6)$	9. 10 pts
10. Solve. $3(x-3)^2 = 75$	10. 10 pts

22094

TEST PAGE 1

1.

$$\frac{5x+19}{(x-3)(x+3)(x+4)}$$

10 pts

2.

$$\frac{1}{x}$$

10 pts

3.


$$(4x-5)(4x-3)$$

10 pts

4. (a)

$(8,0);(0,4)$ 4 pts

(b)



6 pts

5.

-20

10 pts

6.

$$x=\frac{1}{3}-\frac{\sqrt{13}}{3},\frac{1}{3}+\frac{\sqrt{13}}{3}$$

10 pts

7.

$x=4$

10 pts

8.

$x=7,\ -4$

10 pts

TEST PAGE 2

9.

$$y=\frac{3x}{2}$$

10 pts

10.

$x=-2,8$

10 pts

TSM 099 **71002**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $3(x-3)^2 = 75$	1. 10 pts
2. Solve. Give exact simplified solutions. $4x^2 = 6 - 4x$	2. 10 pts
3. Multiply and simplify. $\frac{5x^2-80}{x^2-12x+32} \times \frac{x-8}{x^2+4x}$	3. 10 pts
4. Solve. $x^2 - 14x = -40$	4. 10 pts
5. Solve. $\frac{28}{4x} + \frac{1}{x} = 4$	5. 10 pts
6. Evaluate at x = -2 $(x+3)(4x-12)$	6. 10 pts
7. Add and simplify. $\frac{1}{x^2-3x} + \frac{3}{x^2-6x+9}$	7. 10 pts
8. Factor completely. $25x^2 + 10x - 3$	8. 10 pts
9. Find the slope-intercept equation through these two points. $(2,\ 3);\ (4,\ 6)$	9. 10 pts

Test continues on the other side of the sheet.

TSM 099 **71002**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.


10. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph.

$3x + 2y = 12$

10. (a)

4 pts

(b)



6 pts

71002

TEST PAGE 1

1.

$x = -2, 8$

10 pts

2.

$x = -\frac{1}{2} + \frac{\sqrt{7}}{2}, -\frac{\sqrt{7}}{2} - \frac{1}{2}$

10 pts

3.

$\frac{5}{x}$

10 pts

4.

$x = 4, 10$

10 pts

5.

$x = 2$

10 pts

6.

-20

10 pts

7.

$\frac{4x-3}{x(x-3)^2}$

10 pts

8.

$(5x-1)(5x+3)$

10 pts

9.

$y = \frac{3x}{2}$

10 pts


TEST PAGE 2

10. (a)

$(4, 0); (0, 6)$

4 pts

(b)



6 pts


TSM 099 **83203**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 = -8x - 7$	1. 10 pts
2. Multiply and simplify. $\frac{x^2-4}{x^2+6x-16} \times \frac{x+8}{x^2+2x}$	2. 10 pts
3. Solve. Give exact simplified solutions. $3x^2 = 3x + 4$	3. 10 pts
4. Solve. $\frac{12}{2x-8} + \frac{1}{x-4} = \frac{7}{2}$	4. 10 pts
5. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x + y = 6$	5. (a) 4 pts (b)  6 pts
6. Add and simplify. $\frac{4}{x^2-4x} + \frac{1}{x^2-16}$	6. 10 pts
7. Factor completely. $25x^2 - 20x + 3$	7. 10 pts
8. Solve. $3(x-4)^2 = 108$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **83203**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Find the slope-intercept equation through these two points. $(2,\ 5);\ (4,\ 9)$	9. 10 pts
10. Evaluate at x = -2 $(x+3)(5x-20)$	10. 10 pts

83203

TEST PAGE 1

1.

$x = -1, -7$

10 pts

2.

$\frac{1}{x}$

10 pts

3.

$x = \frac{1}{2} - \frac{\sqrt{57}}{6}, \frac{1}{2} + \frac{\sqrt{57}}{6}$

10 pts

4.

$x = 6$


10 pts

5. (a)

$(3, 0); (0, 6)$

4 pts

(b)



6 pts

6.

$\frac{5x + 16}{x(x-4)(x+4)}$

10 pts

7.

$(5x - 3)(5x - 1)$

10 pts

8.

$x = -2, 10$

10 pts

TEST PAGE 2

9.

$y = 2x + 1$

10 pts

10.

-30

10 pts


TSM 099 **11581**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{10}{2x} + \frac{1}{x} = \frac{3}{2}$	1. 10 pts
2. Find the slope-intercept equation through these two points. $(2,\ 5);\ (4,\ 9)$	2. 10 pts
3. Solve. $3(x-4)^2 = 108$	3. 10 pts
4. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x + 2y = 8$	4. (a) 4 pts (b)  6 pts
5. Solve. Give exact simplified solutions. $3x^2 = 1 - 5x$	5. 10 pts
6. Evaluate at x = -2 $(x+3)(5x-20)$	6. 10 pts
7. Add and simplify. $\frac{5}{x^2+4x} + \frac{3}{x^2+7x+12}$	7. 10 pts
8. Multiply and simplify. $\frac{x^2-4}{x^2+7x-18} \times \frac{x-2}{x^2+11x+18}$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **11581**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Factor completely. $6x^2 - 7x - 3$	9. 10 pts
10. Solve. $x^2 + 10x = -16$	10. 10 pts

11581

TEST PAGE 1

1.

$x = 4$

10 pts

2.

$y = 2x + 1$

10 pts

3.


$x = -2, 10$

10 pts

4. (a)

$(8, 0); (0, 4)$ 4 pts

(b)



6 pts

5.

$x = -\frac{5}{6} + \frac{\sqrt{37}}{6}, -\frac{\sqrt{37}}{6} - \frac{5}{6}$ 10 pts

6.

-30

10 pts

7.

$\frac{8x + 15}{x(x+3)(x+4)}$

10 pts

8.

$\frac{x-2}{(x+9)^2}$

10 pts

TEST PAGE 2

9.

$(2x - 3)(3x + 1)$

10 pts

10.

$x = -2, -8$

10 pts


TSM 099 **73244**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -2 $(x+3)(5x-20)$	1. 10 pts
2. Solve. Give exact simplified solutions. $5x^2 = 5 - 2x$	2. 10 pts
3. Multiply and simplify. $\frac{x^2-16}{x^2-4x-32} \times \frac{x-8}{x^2-4x}$	3. 10 pts
4. Add and simplify. $\frac{3}{x^2-4} + \frac{4}{x^2+x-6}$	4. 10 pts
5. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $3x + 2y = 12$	5. (a) 4 pts (b)  6 pts
6. Find the slope-intercept equation through these two points. $(2,\ 5);\ (4,\ 9)$	6. 10 pts
7. Solve. $\frac{12}{4x+8} - \frac{2}{x+2} = \frac{1}{4}$	7. 10 pts
8. Solve. $3(x-4)^2 = 108$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **73244**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Solve. $x^2 - x = 12$	9. 10 pts
10. Factor completely. $6x^2 - 5x + 1$	10. 10 pts

73244

TEST PAGE 1

1.

-30

10 pts

2.

$x = -\frac{1}{5} + \frac{\sqrt{26}}{5}, -\frac{\sqrt{26}}{5} - \frac{1}{5}$

10 pts

3.

$\frac{1}{x}$

10 pts

4.

$\frac{7x+17}{(x-2)(x+2)(x+3)}$


10 pts

5. (a)

$(4, 0); (0, 6)$

4 pts

(b)



6 pts

6.

$y = 2x + 1$

10 pts

7.

$x = 2$

10 pts

8.

$x = -2, 10$

10 pts

TEST PAGE 2

9.

$x = 4, -3$

10 pts

10.

$(2x-1)(3x-1)$

10 pts


TSM 099 **76706**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Factor completely. $8x^2 - 6x - 9$	1. 10 pts
2. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x + y = 6$	2. (a) 4 pts (b)  6 pts
3. Solve. $\frac{24}{3x-6} + \frac{3}{x-2} = \frac{11}{3}$	3. 10 pts
4. Solve. $3(x-5)^2 = 147$	4. 10 pts
5. Add and simplify. $\frac{2}{x^2-2x} + \frac{5}{x^2-4x+4}$	5. 10 pts
6. Evaluate at x = -2 $(x+3)(6x-30)$	6. 10 pts
7. Multiply and simplify. $\frac{2x^2-32}{x^2-13x+36} \times \frac{x-9}{x^2+4x}$	7. 10 pts
8. Find the slope-intercept equation through these two points. $(2,\ 7);\ (4,\ 12)$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **76706**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Solve. Give exact simplified solutions. $7x^2 = 1 - 4x$	9. 10 pts
10. Solve. $x^2 - 9x = -14$	10. 10 pts

76706

TEST PAGE 1

1.

$(2x-3)(4x+3)$


10 pts

2. (a)

$(3,0);(0,6)$

4 pts

(b)



6 pts

3.

$x=5$

10 pts

4.

$x=-2,12$

10 pts

5.

$\frac{7x-4}{x(x-2)^2}$

10 pts

6.

-42

10 pts

7.

$\frac{2}{x}$

10 pts

8.

$y=\frac{5x}{2}+2$

10 pts

TEST PAGE 2

9.

$x=-\frac{2}{7}+\frac{\sqrt{11}}{7},\ -\frac{\sqrt{11}}{7}-\frac{2}{7}$ 10 pts

10.

$x=2,7$

10 pts


TSM 099 **55172**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Factor completely. $12x^2 - 19x + 4$	1. 10 pts
2. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x + 2y = 8$	2. (a) 4 pts (b)  6 pts
3. Evaluate at x = -2 $(x + 3)(6x - 30)$	3. 10 pts
4. Multiply and simplify. $\frac{x^2 - 36}{x^2 + 4x - 45} \times \frac{x + 9}{x^2 + 6x}$	4. 10 pts
5. Add and simplify. $\frac{4}{x^2 - 2x} + \frac{4}{x^2 - 4}$	5. 10 pts
6. Solve. $\frac{21}{3x - 12} + \frac{3}{x - 4} = 2$	6. 10 pts
7. Find the slope-intercept equation through these two points. $(2,\ 7);\ (4,\ 12)$	7. 10 pts
8. Solve. Give exact simplified solutions. $2x^2 = 5 - 5x$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **55172**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Solve. $x^2 = -15x - 56$	9. 10 pts
10. Solve. $3(x-5)^2 = 147$	10. 10 pts

55172

TEST PAGE 1

1.


$(3x-4)(4x-1)$

10 pts

2. (a)

$(8,0);(0,4)$ 4 pts

(b)



6 pts

3.

-42

10 pts

4.

$\frac{x-6}{x(x-5)}$

10 pts

5.

$\frac{8(x+1)}{x(x-2)(x+2)}$

10 pts

6.

$x=9$

10 pts

7.

$y=\frac{5x}{2}+2$

10 pts

8.

$x=-\frac{5}{4}+\frac{\sqrt{65}}{4},\ -\frac{\sqrt{65}}{4}-\frac{5}{4}$ 10 pts

TEST PAGE 2

9.

$x=-7,\ -8$

10 pts

10.

$x=-2,12$

10 pts

TSM 099 **77290**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{20}{2x+2} + \frac{2}{x+1} = \frac{12}{5}$	1. 10 pts
2. Multiply and simplify. $\frac{x^2-36}{x^2+2x-48} \times \frac{x-6}{x^2+14x+48}$	2. 10 pts
3. Solve. $3(x-5)^2 = 147$	3. 10 pts
4. Add and simplify. $\frac{2}{x^2+2x} + \frac{3}{x^2+3x+2}$	4. 10 pts
5. Solve. $x^2 + 10x = -21$	5. 10 pts
6. Factor completely. $8x^2 - 10x - 25$	6. 10 pts
7. Find the slope-intercept equation through these two points. $(2,\ 7);\ (4,\ 12)$	7. 10 pts
8. Solve. Give exact simplified solutions. $4x^2 = 5x + 7$	8. 10 pts
9. Evaluate at x = -2 $(x+3)(6x-30)$	9. 10 pts

Test continues on the other side of the sheet.

TSM 099 **77290**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.


10. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph.

$3x + 2y = 12$

10. (a)

4 pts

(b)



6 pts

77290

TEST PAGE 1

1.

$x = 4$

10 pts

2.

$\frac{x-6}{(x+8)^2}$

10 pts

3.

$x = -2, 12$

10 pts

4.

$\frac{5x+2}{x(x+1)(x+2)}$

10 pts

5.

$x = -7, -3$

10 pts

6.

$(2x-5)(4x+5)$

10 pts

7.

$y = \frac{5x}{2} + 2$

10 pts

8.

$x = \frac{5}{8} - \frac{\sqrt{137}}{8}, \frac{5}{8} + \frac{\sqrt{137}}{8}$

10 pts

9.

-42

10 pts


TEST PAGE 2

10. (a)

$(4, 0); (0, 6)$

4 pts

(b)



6 pts


TSM 099 **16460**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x + y = 6$	1. (a) 4 pts (b)  6 pts
2. Solve. $3(x-6)^2 = 192$	2. 10 pts
3. Solve. $\frac{30}{3x-6} - \frac{1}{x-2} = \frac{9}{4}$	3. 10 pts
4. Solve. $x^2 - x = 30$	4. 10 pts
5. Find the slope-intercept equation through these two points. $(2,\ 9);\ (4,\ 15)$	5. 10 pts
6. Add and simplify. $\frac{4}{x^2-1} + \frac{2}{x^2+x-2}$	6. 10 pts
7. Multiply and simplify. $\frac{x^2-36}{x^2-x-42} \times \frac{x-7}{x^2-6x}$	7. 10 pts
8. Evaluate at x = -2 $(x+3)(7x-42)$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **16460**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Factor completely. $15x^2 - 23x + 4$	9. 10 pts
10. Solve. Give exact simplified solutions. $7x^2 = 5x + 7$	10. 10 pts


16460

TEST PAGE 1

1. (a)

$(3, 0); (0, 6)$ 4 pts

(b)



6 pts

2.

$x = -2, 14$

10 pts

3.

$x = 6$

10 pts

4.

$x = 6, -5$

10 pts

5.

$y = 3x + 3$

10 pts

6.

$$\frac{2(3x+5)}{(x-1)(x+1)(x+2)}$$

10 pts

7.

$$\frac{1}{x}$$

10 pts

8.

-56

10 pts

TEST PAGE 2

9.

$(3x - 4)(5x - 1)$

10 pts

10.

$$x = \frac{5}{14} - \frac{\sqrt{221}}{14}, \frac{5}{14} + \frac{\sqrt{221}}{14}$$

10 pts


TSM 099 **13118**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Evaluate at x = -2 $(x+3)(7x-42)$	1. 10 pts
2. Find the slope-intercept equation through these two points. $(2,\ 9);\ (4,\ 15)$	2. 10 pts
3. Solve. $3(x-6)^2 = 192$	3. 10 pts
4. Solve. $\frac{12}{2x-8} + \frac{2}{x-4} = \frac{8}{3}$	4. 10 pts
5. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x + 2y = 8$	5. (a) 4 pts (b)  6 pts
6. Add and simplify. $\frac{2}{x^2-5x} + \frac{2}{x^2-10x+25}$	6. 10 pts
7. Factor completely. $15x^2 + 4x - 3$	7. 10 pts
8. Solve. $x^2 - 17x = -66$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **13118**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Solve. Give exact simplified solutions. $3x^2 = 6x + 4$	9. 10 pts
10. Multiply and simplify. $\frac{4x^2 - 16}{x^2 - 11x + 18} \times \frac{x - 9}{x^2 + 2x}$	10. 10 pts

13118

TEST PAGE 1

1.

-56

10 pts

2.

$y = 3x + 3$

10 pts

3.

$x = -2, 14$

10 pts

4.

$x = 7$


10 pts

5. (a)

$(8, 0); (0, 4)$

4 pts

(b)



6 pts

6.

$\frac{2(2x-5)}{x(x-5)^2}$

10 pts

7.

$(3x-1)(5x+3)$

10 pts

8.

$x = 6, 11$

10 pts

TEST PAGE 2

9.

$x = 1 - \frac{\sqrt{21}}{3}, 1 + \frac{\sqrt{21}}{3}$

10 pts

10.

$\frac{4}{x}$

10 pts


TSM 099 **19392**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Factor completely. $12x^2 - 25x + 12$	1. 10 pts
2. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $3x + 2y = 12$	2. (a) 4 pts (b)  6 pts
3. Solve. $3(x-6)^2 = 192$	3. 10 pts
4. Solve. $x^2 = -9x - 18$	4. 10 pts
5. Evaluate at x = -2 $(x+3)(7x-42)$	5. 10 pts
6. Multiply and simplify. $\frac{x^2-25}{x^2+2x-35} \times \frac{x+7}{x^2+5x}$	6. 10 pts
7. Solve. Give exact simplified solutions. $7x^2 = 3x + 6$	7. 10 pts
8. Find the slope-intercept equation through these two points. $(2,\ 9);\ (4,\ 15)$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **19392**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Add and simplify. $\frac{3}{x^2-3x}+\frac{5}{x^2-9}$	9. 10 pts
10. Solve. $\frac{30}{3x-15}+\frac{1}{x-5}=\frac{11}{3}$	10. 10 pts

19392

TEST PAGE 1

1.

$(3x-4)(4x-3)$


10 pts

2. (a)

$(4,0);(0,6)$

4 pts

(b)



6 pts

3.

$x=-2,14$

10 pts

4.

$x=-6,\ -3$

10 pts

5.

-56

10 pts

6.

$\frac{1}{x}$

10 pts

7.

$x=\frac{3}{14}-\frac{\sqrt{177}}{14},\frac{3}{14}+\frac{\sqrt{177}}{14}$

10 pts

8.

$y=3x+3$

10 pts

TEST PAGE 2

9.

$\frac{8x+9}{x(x-3)(x+3)}$

10 pts

10.

$x=8$

10 pts


TSM 099 **69179**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $5x^2 = 4x + 2$	1. 10 pts
2. Evaluate at x = -2 $(x+3)(8x-56)$	2. 10 pts
3. Solve. $\frac{20}{4x-20} + \frac{3}{x-5} = 4$	3. 10 pts
4. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $2x + y = 6$	4. (a) 4 pts (b)  6 pts
5. Add and simplify. $\frac{1}{x^2+5x} + \frac{1}{x^2+9x+20}$	5. 10 pts
6. Multiply and simplify. $\frac{x^2-9}{x^2+5x-24} \times \frac{x-3}{x^2+11x+24}$	6. 10 pts
7. Solve. $3(x-7)^2 = 243$	7. 10 pts
8. Factor completely. $15x^2 - 7x - 4$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **69179**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Find the slope-intercept equation through these two points. $(2,\ 11);\ (4,\ 18)$	9. 10 pts
10. Solve. $x^2 + 12x = -35$	10. 10 pts

69179

TEST PAGE 1

1.

$x = \frac{2}{5} - \frac{\sqrt{14}}{5}, \frac{2}{5} + \frac{\sqrt{14}}{5}$

10 pts

2.

-72

10 pts

3.

$x = 7$


10 pts

4. (a)

$(3, 0); (0, 6)$

4 pts

(b)



6 pts

5.

$\frac{2(x+2)}{x(x+4)(x+5)}$

10 pts

6.

$\frac{x-3}{(x+8)^2}$

10 pts

7.

$x = -2, 16$

10 pts

8.

$(3x+1)(5x-4)$

10 pts

TEST PAGE 2

9.

$y = \frac{7x}{2} + 4$

10 pts

10.

$x = -5, -7$

10 pts


TSM 099 **10066**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Factor completely. $25x^2 - 25x + 4$	1. 10 pts
2. Evaluate at x = -2 $(x+3)(8x-56)$	2. 10 pts
3. Find the slope-intercept equation through these two points. $(2,\ 11);\ (4,\ 18)$	3. 10 pts
4. Solve. $3(x-7)^2 = 243$	4. 10 pts
5. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph. $x + 2y = 8$	5. (a) 4 pts (b)  6 pts
6. Solve. $\frac{10}{2x} - \frac{2}{x} = \frac{3}{2}$	6. 10 pts
7. Multiply and simplify. $\frac{x^2-9}{x^2-5x-24} \times \frac{x-8}{x^2-3x}$	7. 10 pts
8. Add and simplify. $\frac{5}{x^2-25} + \frac{2}{x^2+x-30}$	8. 10 pts

Test continues on the other side of the sheet.

TSM 099 **10066**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

9. Solve. Give exact simplified solutions. $4x^2 = 4x + 6$	9. 10 pts
10. Solve. $x^2 - 3x = 4$	10. 10 pts

10066

TEST PAGE 1

1.

$(5x-4)(5x-1)$

10 pts

2.

-72

10 pts

3.

$y=\frac{7x}{2}+4$

10 pts

4.

$x=-2,16$


10 pts

5. (a)

$(8,0);(0,4)$

4 pts

(b)



6 pts

6.

$x=2$

10 pts

7.

$\frac{1}{x}$

10 pts

8.

$\frac{7x+40}{(x-5)(x+5)(x+6)}$

10 pts

TEST PAGE 2

9.

$x=\frac{1}{2}-\frac{\sqrt{7}}{2},\frac{1}{2}+\frac{\sqrt{7}}{2}$

10 pts

10.

$x=4,\ -1$

10 pts

TSM 099 **28792**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Find the slope-intercept equation through these two points. $(2,\ 11);\ (4,\ 18)$	1. 10 pts
2. Solve. $x^2 - 12x = -27$	2. 10 pts
3. Solve. $3(x-7)^2 = 243$	3. 10 pts
4. Evaluate at x = -2 $(x+3)(8x-56)$	4. 10 pts
5. Add and simplify. $\frac{2}{x^2-4x} + \frac{1}{x^2-8x+16}$	5. 10 pts
6. Multiply and simplify. $\frac{4x^2-36}{x^2-11x+24} \times \frac{x-8}{x^2+3x}$	6. 10 pts
7. Factor completely. $20x^2 - 7x - 3$	7. 10 pts
8. Solve. $\frac{12}{2x-4} + \frac{3}{x-2} = \frac{9}{5}$	8. 10 pts
9. Solve. Give exact simplified solutions. $2x^2 = 4 - 4x$	9. 10 pts

Test continues on the other side of the sheet.

TSM 099 **28792**

Diagnostic Exam

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.


10. Find the intercepts and graph the line on the grid. Record: (a) intercepts; (b) graph.

$3x + 2y = 12$

10. (a)

4 pts

(b)



6 pts

28792

TEST PAGE 1

1.

$y = \frac{7x}{2} + 4$

10 pts

2.

$x = 3, 9$

10 pts

3.

$x = -2, 16$

10 pts

4.

-72

10 pts

5.

$\frac{3x - 8}{x(x-4)^2}$

10 pts

6.

$\frac{4}{x}$

10 pts

7.

$(4x + 1)(5x - 3)$

10 pts

8.

$x = 7$

10 pts

9.

$x = -1 + \sqrt{3},\ -\sqrt{3} - 1$

10 pts


TEST PAGE 2

10. (a)

$(4, 0); (0, 6)$

4 pts

(b)



6 pts