TSM 099 **18582**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $2(x+1)^2 = 8$	1. 20 pts
2. Solve. Give exact simplified solutions. $2x^2 + x - 2 = 0$	2. 20 pts
3. Solve. $\frac{4}{2x-2} + \frac{7}{x^2-5x+4} = \frac{3}{x-4}$	3. 20 pts
4. Solve. $\frac{4}{x^2-4} + \frac{x-3}{x-2} = \frac{5}{x+2}$	4. 20 pts
5. Solve. $x^2 + 3x - 4 = 0$	5. 20 pts

18582

TEST PAGE 1

1.

$x = -3, 1$

20 pts

2.

$x = -\frac{1}{4} + \frac{\sqrt{17}}{4}, -\frac{\sqrt{17}}{4} - \frac{1}{4}$ 20 pts

3.

$x = 2$

20 pts

4.

$x = 4$

20 pts

5.

$x = -4, 1$

20 pts

TSM 099 **40982**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{4}{2x-2} + \frac{7}{x^2-5x+4} = \frac{3}{x-4}$	1. 20 pts
2. Solve. $\frac{4}{x^2-4} + \frac{x-3}{x-2} = \frac{5}{x+2}$	2. 20 pts
3. Solve. $2(x+1)^2 = 8$	3. 20 pts
4. Solve. $x^2 + 3x - 4 = 0$	4. 20 pts
5. Solve. Give exact simplified solutions. $2x^2 + x - 4 = 0$	5. 20 pts

40982

TEST PAGE 1

1.

$x = 2$

20 pts

2.

$x = 4$

20 pts

3.

$x = -3, 1$

20 pts

4.

$x = -4, 1$

20 pts

5.

$x = -\frac{1}{4} + \frac{\sqrt{33}}{4}, -\frac{\sqrt{33}}{4} - \frac{1}{4}$ 20 pts

TSM 099 **89953**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{4}{x^2-4}+\frac{x-3}{x-2}=\frac{5}{x+2}$	1. 20 pts
2. Solve. $2(x+1)^2=8$	2. 20 pts
3. Solve. Give exact simplified solutions. $2x^2+x-5=0$	3. 20 pts
4. Solve. $\frac{4}{2x-2}+\frac{7}{x^2-5x+4}=\frac{3}{x-4}$	4. 20 pts
5. Solve. $x^2+3x-4=0$	5. 20 pts

89953

TEST PAGE 1

1.

$x = 4$

20 pts

2.

$x = -3, 1$

20 pts

3.

$x = -\frac{1}{4} + \frac{\sqrt{41}}{4}, -\frac{\sqrt{41}}{4} - \frac{1}{4}$ 20 pts

4.

$x = 2$

20 pts

5.

$x = -4, 1$

20 pts

TSM 099 **68566**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $2x^2 + 2x - 1 = 0$	1. 20 pts
2. Solve. $x^2 + 3x - 10 = 0$	2. 20 pts
3. Solve. $\frac{6}{2x-4} + \frac{10}{x^2-7x+10} = \frac{4}{x-5}$	3. 20 pts
4. Solve. $2(x)^2 = 18$	4. 20 pts
5. Solve. $\frac{6}{x^2-9} + \frac{x-4}{x-3} = \frac{7}{x+3}$	5. 20 pts

68566

TEST PAGE 1

1.

$x = -\frac{1}{2} + \frac{\sqrt{3}}{2}, -\frac{\sqrt{3}}{2} - \frac{1}{2}$ 20 pts

2.

$x = -5, 2$

20 pts

3.

$x = 3$

20 pts

4.

$x = -3, 3$

20 pts

5.

$x = 5$

20 pts

TSM 099 **73441**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $2x^2 + 2x - 3 = 0$	1. 20 pts
2. Solve. $x^2 + 3x - 10 = 0$	2. 20 pts
3. Solve. $\frac{6}{x^2-9} + \frac{x-4}{x-3} = \frac{7}{x+3}$	3. 20 pts
4. Solve. $\frac{6}{2x-4} + \frac{10}{x^2-7x+10} = \frac{4}{x-5}$	4. 20 pts
5. Solve. $2(x)^2 = 18$	5. 20 pts

73441

TEST PAGE 1

1.

$x = -\frac{1}{2} + \frac{\sqrt{7}}{2}, -\frac{\sqrt{7}}{2} - \frac{1}{2}$

20 pts

2.

$x = -5, 2$

20 pts

3.

$x = 5$

20 pts

4.

$x = 3$

20 pts

5.

$x = -3, 3$

20 pts

TSM 099 **64523**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{6}{2x-4} + \frac{10}{x^2-7x+10} = \frac{4}{x-5}$	1. 20 pts
2. Solve. $\frac{6}{x^2-9} + \frac{x-4}{x-3} = \frac{7}{x+3}$	2. 20 pts
3. Solve. $2(x)^2 = 18$	3. 20 pts
4. Solve. Give exact simplified solutions. $2x^2 + 2x - 5 = 0$	4. 20 pts
5. Solve. $x^2 + 3x - 10 = 0$	5. 20 pts

64523

TEST PAGE 1

1.

$x = 3$

20 pts

2.

$x = 5$

20 pts

3.

$x = -3, 3$

20 pts

4.

$x = -\frac{1}{2} + \frac{\sqrt{11}}{2}, -\frac{\sqrt{11}}{2} - \frac{1}{2}$ 20 pts

5.

$x = -5, 2$

20 pts

TSM 099 **60799**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{8}{x^2-16}+\frac{x-5}{x-4}=\frac{9}{x+4}$	1. 20 pts
2. Solve. $\frac{8}{2x-6}+\frac{13}{x^2-9x+18}=\frac{5}{x-6}$	2. 20 pts
3. Solve. $2(x-1)^2=32$	3. 20 pts
4. Solve. Give exact simplified solutions. $2x^2+3x-1=0$	4. 20 pts
5. Solve. $x^2+3x-18=0$	5. 20 pts

60799

TEST PAGE 1

1.

$x = 6$

20 pts

2.

$x = 4$

20 pts

3.

$x = -3, 5$

20 pts

4.

$x = -\frac{3}{4} + \frac{\sqrt{17}}{4}, -\frac{\sqrt{17}}{4} - \frac{3}{4}$ 20 pts

5.

$x = -6, 3$

20 pts

TSM 099 **16768**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 + 3x - 18 = 0$	1. 20 pts
2. Solve. $\frac{8}{2x-6} + \frac{13}{x^2-9x+18} = \frac{5}{x-6}$	2. 20 pts
3. Solve. Give exact simplified solutions. $2x^2 + 3x - 3 = 0$	3. 20 pts
4. Solve. $\frac{8}{x^2-16} + \frac{x-5}{x-4} = \frac{9}{x+4}$	4. 20 pts
5. Solve. $2(x-1)^2 = 32$	5. 20 pts

16768

TEST PAGE 1

1.

$x = -6, 3$

20 pts

2.

$x = 4$

20 pts

3.

$x = -\frac{3}{4} + \frac{\sqrt{33}}{4}, -\frac{\sqrt{33}}{4} - \frac{3}{4}$ 20 pts

4.

$x = 6$

20 pts

5.

$x = -3, 5$

20 pts

TSM 099 **66524**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{8}{2x-6} + \frac{13}{x^2-9x+18} = \frac{5}{x-6}$	1. 20 pts
2. Solve. $\frac{8}{x^2-16} + \frac{x-5}{x-4} = \frac{9}{x+4}$	2. 20 pts
3. Solve. $x^2 + 3x - 18 = 0$	3. 20 pts
4. Solve. Give exact simplified solutions. $2x^2 + 3x - 4 = 0$	4. 20 pts
5. Solve. $2(x-1)^2 = 32$	5. 20 pts

66524

TEST PAGE 1

1.

$x = 4$

20 pts

2.

$x = 6$

20 pts

3.

$x = -6, 3$

20 pts

4.

$x = -\frac{3}{4} + \frac{\sqrt{41}}{4}, -\frac{\sqrt{41}}{4} - \frac{3}{4}$ 20 pts

5.

$x = -3, 5$

20 pts

TSM 099 **58767**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $2x^2 + 3x - 6 = 0$	1. 20 pts
2. Solve. $\frac{10}{2x-8} + \frac{16}{x^2-11x+28} = \frac{6}{x-7}$	2. 20 pts
3. Solve. $x^2 + 3x - 28 = 0$	3. 20 pts
4. Solve. $2(x-2)^2 = 50$	4. 20 pts
5. Solve. $\frac{10}{x^2-25} + \frac{x-6}{x-5} = \frac{11}{x+5}$	5. 20 pts

58767

TEST PAGE 1

1.

$x = -\frac{3}{4} + \frac{\sqrt{57}}{4}, -\frac{\sqrt{57}}{4} - \frac{3}{4}$ 20 pts

2.

$x = 5$

20 pts

3.

$x = -7, 4$

20 pts

4.

$x = -3, 7$

20 pts

5.

$x = 7$

20 pts

TSM 099 **39305**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 + 3x - 28 = 0$	1. 20 pts
2. Solve. $2(x-2)^2 = 50$	2. 20 pts
3. Solve. $\frac{10}{2x-8} + \frac{16}{x^2-11x+28} = \frac{6}{x-7}$	3. 20 pts
4. Solve. Give exact simplified solutions. $2x^2 + 4x - 1 = 0$	4. 20 pts
5. Solve. $\frac{10}{x^2-25} + \frac{x-6}{x-5} = \frac{11}{x+5}$	5. 20 pts

39305

TEST PAGE 1

1.

$x = -7, 4$

20 pts

2.

$x = -3, 7$

20 pts

3.

$x = 5$

20 pts

4.

$x = -1 + \frac{\sqrt{6}}{2}, -\frac{\sqrt{6}}{2} - 1$

20 pts

5.

$x = 7$

20 pts

TSM 099 **54066**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 + 3x - 28 = 0$	1. 20 pts
2. Solve. $\frac{10}{2x-8} + \frac{16}{x^2-11x+28} = \frac{6}{x-7}$	2. 20 pts
3. Solve. Give exact simplified solutions. $2x^2 + 4x - 3 = 0$	3. 20 pts
4. Solve. $\frac{10}{x^2-25} + \frac{x-6}{x-5} = \frac{11}{x+5}$	4. 20 pts
5. Solve. $2(x-2)^2 = 50$	5. 20 pts

54066

TEST PAGE 1

1.

$x = -7, 4$

20 pts

2.

$x = 5$

20 pts

3.

$x = -1 + \frac{\sqrt{10}}{2}, -\frac{\sqrt{10}}{2} - 1$ 20 pts

4.

$x = 7$

20 pts

5.

$x = -3, 7$

20 pts

TSM 099 **60305**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $2x^2 + 4x - 5 = 0$	1. 20 pts
2. Solve. $\frac{12}{x^2 - 36} + \frac{x-7}{x-6} = \frac{13}{x+6}$	2. 20 pts
3. Solve. $x^2 + 3x - 40 = 0$	3. 20 pts
4. Solve. $\frac{12}{2x-10} + \frac{19}{x^2 - 13x + 40} = \frac{7}{x-8}$	4. 20 pts
5. Solve. $2(x-3)^2 = 72$	5. 20 pts

60305

TEST PAGE 1

1.

$x = -1 + \frac{\sqrt{14}}{2}, -\frac{\sqrt{14}}{2} - 1$ 20 pts

2.

$x = 8$

20 pts

3.

$x = -8, 5$

20 pts

4.

$x = 6$

20 pts

5.

$x = -3, 9$

20 pts

TSM 099 **85765**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{12}{x^2-36}+\frac{x-7}{x-6}=\frac{13}{x+6}$	1. 20 pts
2. Solve. $x^2+3x-40=0$	2. 20 pts
3. Solve. Give exact simplified solutions. $2x^2+5x-1=0$	3. 20 pts
4. Solve. $2(x-3)^2=72$	4. 20 pts
5. Solve. $\frac{12}{2x-10}+\frac{19}{x^2-13x+40}=\frac{7}{x-8}$	5. 20 pts

85765

TEST PAGE 1

1.

$x = 8$

20 pts

2.

$x = -8, 5$

20 pts

3.

$x = -\frac{5}{4} + \frac{\sqrt{33}}{4}, -\frac{\sqrt{33}}{4} - \frac{5}{4}$ 20 pts

4.

$x = -3, 9$

20 pts

5.

$x = 6$

20 pts

TSM 099 **81256**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $2(x-3)^2 = 72$	1. 20 pts
2. Solve. Give exact simplified solutions. $2x^2 + 5x - 2 = 0$	2. 20 pts
3. Solve. $x^2 + 3x - 40 = 0$	3. 20 pts
4. Solve. $\frac{12}{2x-10} + \frac{19}{x^2-13x+40} = \frac{7}{x-8}$	4. 20 pts
5. Solve. $\frac{12}{x^2-36} + \frac{x-7}{x-6} = \frac{13}{x+6}$	5. 20 pts

81256

TEST PAGE 1

1.

$x = -3, 9$

20 pts

2.

$x = -\frac{5}{4} + \frac{\sqrt{41}}{4}, -\frac{\sqrt{41}}{4} - \frac{5}{4}$ 20 pts

3.

$x = -8, 5$

20 pts

4.

$x = 6$

20 pts

5.

$x = 8$

20 pts

TSM 099 **10429**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{14}{x^2-49}+\frac{x-8}{x-7}=\frac{15}{x+7}$	1. 20 pts
2. Solve. Give exact simplified solutions. $2x^2+5x-4=0$	2. 20 pts
3. Solve. $\frac{14}{2x-12}+\frac{22}{x^2-15x+54}=\frac{8}{x-9}$	3. 20 pts
4. Solve. $x^2+3x-54=0$	4. 20 pts
5. Solve. $2(x-4)^2=98$	5. 20 pts

10429

TEST PAGE 1

1.

$x = 9$

20 pts

2.

$x = -\frac{5}{4} + \frac{\sqrt{57}}{4}, -\frac{\sqrt{57}}{4} - \frac{5}{4}$ 20 pts

3.

$x = 7$

20 pts

4.

$x = -9, 6$

20 pts

5.

$x = -3, 11$

20 pts

TSM 099 **77233**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $2(x-4)^2 = 98$	1. 20 pts
2. Solve. $\frac{14}{2x-12} + \frac{22}{x^2-15x+54} = \frac{8}{x-9}$	2. 20 pts
3. Solve. $\frac{14}{x^2-49} + \frac{x-8}{x-7} = \frac{15}{x+7}$	3. 20 pts
4. Solve. $x^2 + 3x - 54 = 0$	4. 20 pts
5. Solve. Give exact simplified solutions. $2x^2 + 5x - 5 = 0$	5. 20 pts

77233

TEST PAGE 1

1.

$x = -3, 11$

20 pts

2.

$x = 7$

20 pts

3.

$x = 9$

20 pts

4.

$x = -9, 6$

20 pts

5.

$x = -\frac{5}{4} + \frac{\sqrt{65}}{4}, -\frac{\sqrt{65}}{4} - \frac{5}{4}$ 20 pts

TSM 099 **34137**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $\frac{14}{2x-12} + \frac{22}{x^2-15x+54} = \frac{8}{x-9}$	1. 20 pts
2. Solve. $\frac{14}{x^2-49} + \frac{x-8}{x-7} = \frac{15}{x+7}$	2. 20 pts
3. Solve. $2(x-4)^2 = 98$	3. 20 pts
4. Solve. $x^2 + 3x - 54 = 0$	4. 20 pts
5. Solve. Give exact simplified solutions. $2x^2 + 5x - 6 = 0$	5. 20 pts

34137

TEST PAGE 1

1.

$x = 7$

20 pts

2.

$x = 9$

20 pts

3.

$x = -3, 11$

20 pts

4.

$x = -9, 6$

20 pts

5.

$x = -\frac{5}{4} + \frac{\sqrt{73}}{4}, -\frac{\sqrt{73}}{4} - \frac{5}{4}$ 20 pts

TSM 099 **79637**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. Give exact simplified solutions. $3x^2 + x - 1 = 0$	1. 20 pts
2. Solve. $\frac{16}{x^2 - 64} + \frac{x-9}{x-8} = \frac{17}{x+8}$	2. 20 pts
3. Solve. $\frac{16}{2x - 14} + \frac{25}{x^2 - 17x + 70} = \frac{9}{x - 10}$	3. 20 pts
4. Solve. $x^2 + 3x - 70 = 0$	4. 20 pts
5. Solve. $2(x - 5)^2 = 128$	5. 20 pts

79637

TEST PAGE 1

1.

$x = -\frac{1}{6} + \frac{\sqrt{13}}{6}, -\frac{\sqrt{13}}{6} - \frac{1}{6}$ 20 pts

2.

$x = 10$

20 pts

3.

$x = 8$

20 pts

4.

$x = -10, 7$

20 pts

5.

$x = -3, 13$

20 pts

TSM 099 **23368**

Quadratic and Rational Equations Test

Name: _____ Date: _____

Students may use a basic, non-scientific calculator only. No notes or other technology.

Write final answers in the space provided in the right column.

1. Solve. $x^2 + 3x - 70 = 0$	1. 20 pts
2. Solve. $\frac{16}{x^2 - 64} + \frac{x-9}{x-8} = \frac{17}{x+8}$	2. 20 pts
3. Solve. $\frac{16}{2x - 14} + \frac{25}{x^2 - 17x + 70} = \frac{9}{x - 10}$	3. 20 pts
4. Solve. Give exact simplified solutions. $3x^2 + x - 3 = 0$	4. 20 pts
5. Solve. $2(x-5)^2 = 128$	5. 20 pts

23368

TEST PAGE 1

1.

$x = -10, 7$

20 pts

2.

$x = 10$

20 pts

3.

$x = 8$

20 pts

4.

$x = -\frac{1}{6} + \frac{\sqrt{37}}{6}, -\frac{\sqrt{37}}{6} - \frac{1}{6}$ 20 pts

5.

$x = -3, 13$

20 pts