

# FRONT LINES - ALL BOOKMAKER ODDS

PrizePicks | DraftKings | FanDuel | BetOnline

## Jaime Jaquez Jr. (MIA)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 5.5  | ---  | -810  | ---   | ---   |
| PTS 7.5  | -137 | -350  | ---   | ---   |
| PTS 8.5  | ---  | ---   | ---   | -263  |
| PTS 9.5  | -137 | -179  | -166  | ---   |
| PTS 10.5 | ---  | ---   | -125  | -119  |
| PTS 11.5 | -137 | +100  | ---   | ---   |
| PTS 12.5 | ---  | ---   | ---   | +122  |
| PTS 14.5 | +100 | +220  | +235  | +174  |
| PTS 16.5 | +100 | ---   | ---   | +250  |
| PTS 17.5 | ---  | +464  | ---   | ---   |
| PTS 18.5 | ---  | ---   | ---   | +360  |
| PTS 19.5 | ---  | +740  | +680  | ---   |
| PTS 20.5 | ---  | ---   | ---   | +525  |
| PTS 22.5 | ---  | ---   | ---   | +775  |
| PTS 24.5 | ---  | +2100 | +1700 | +1150 |
| PTS 26.5 | ---  | ---   | ---   | +1800 |
| REB 2.5  | -137 | -262  | ---   | -357  |
| REB 3.5  | -137 | -119  | -113  | -125  |
| REB 4.5  | +100 | +170  | ---   | +138  |
| REB 5.5  | +100 | +314  | +330  | +230  |
| REB 6.5  | +100 | +574  | ---   | +390  |
| REB 7.5  | ---  | +1000 | +1060 | +675  |
| REB 8.5  | ---  | +1580 | ---   | +1200 |
| REB 9.5  | ---  | ---   | ---   | +2100 |
| REB 10.5 | ---  | ---   | ---   | +3900 |
| AST 1.5  | ---  | ---   | -900  | -1429 |
| AST 2.5  | -137 | -239  | ---   | -312  |
| AST 3.5  | -137 | -106  | -120  | -110  |
| AST 4.5  | +100 | +187  | ---   | +153  |
| AST 5.5  | +100 | +363  | +340  | +260  |
| AST 6.5  | +100 | +680  | ---   | +450  |
| AST 7.5  | ---  | +1220 | +1100 | +775  |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| AST 8.5  | ---  | +2000 | ---   | ---   |
| AST 9.5  | ---  | +2900 | ---   | ---   |
| 3PM 0.5  | -137 | -218  | ---   | -149  |
| 3PM 1.5  | +100 | +200  | ---   | +195  |
| 3PM 2.5  | ---  | +650  | ---   | +500  |
| 3PM 3.5  | ---  | +1800 | ---   | +1350 |
| 3PM 4.5  | ---  | ---   | ---   | +3400 |
| PRA 9.5  | ---  | -1940 | ---   | ---   |
| PRA 14.5 | -137 | -306  | ---   | ---   |
| PRA 16.5 | ---  | ---   | ---   | -213  |
| PRA 18.5 | -137 | -115  | -114  | -108  |
| PRA 19.5 | ---  | +110  | ---   | ---   |
| PRA 20.5 | ---  | ---   | ---   | +124  |
| PRA 22.5 | +100 | ---   | ---   | +168  |
| PRA 24.5 | +100 | +310  | ---   | +230  |
| PRA 26.5 | ---  | ---   | ---   | +310  |
| PRA 28.5 | ---  | ---   | ---   | +425  |
| PRA 29.5 | ---  | +810  | ---   | ---   |
| PRA 30.5 | ---  | ---   | ---   | +575  |
| PRA 32.5 | ---  | ---   | ---   | +825  |
| PRA 34.5 | ---  | ---   | ---   | +1150 |
| PRA 36.5 | ---  | ---   | ---   | +1650 |
| PRA 38.5 | ---  | ---   | ---   | +2400 |
| PRA 39.5 | ---  | ---   | +4000 | ---   |

### Jayson Tatum (BOS)

| Prop     | PP   | DK    | FD    | BOL  |
|----------|------|-------|-------|------|
| PTS 9.5  | ---  | ---   | -7000 | ---  |
| PTS 11.5 | ---  | -1920 | ---   | ---  |
| PTS 14.5 | ---  | -700  | -800  | ---  |
| PTS 17.5 | -137 | -327  | ---   | ---  |
| PTS 19.5 | -137 | -211  | -194  | -200 |
| PTS 21.5 | ---  | ---   | -125  | -118 |
| PTS 22.5 | -137 | -117  | ---   | ---  |
| PTS 23.5 | ---  | ---   | ---   | +116 |
| PTS 24.5 | +100 | +123  | +158  | ---  |
| PTS 25.5 | +100 | ---   | ---   | +156 |
| PTS 27.5 | ---  | ---   | ---   | +210 |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| PTS 29.5 | +100 | +302  | +420  | +290  |
| PTS 31.5 | ---  | ---   | ---   | +390  |
| PTS 33.5 | ---  | ---   | ---   | +525  |
| PTS 34.5 | ---  | +690  | +1060 | ---   |
| PTS 35.5 | ---  | ---   | ---   | +750  |
| PTS 37.5 | ---  | ---   | ---   | +1050 |
| PTS 39.5 | ---  | +1560 | +2200 | ---   |
| PTS 44.5 | ---  | +2900 | ---   | ---   |
| REB 3.5  | ---  | -2900 | ---   | ---   |
| REB 4.5  | ---  | -970  | ---   | ---   |
| REB 5.5  | ---  | -460  | -800  | ---   |
| REB 6.5  | -137 | -252  | ---   | ---   |
| REB 7.5  | -137 | -149  | -188  | -164  |
| REB 8.5  | ---  | +110  | -112  | +104  |
| REB 9.5  | +100 | +176  | +130  | +142  |
| REB 10.5 | +100 | +275  | ---   | +200  |
| REB 11.5 | +100 | +436  | +350  | +280  |
| REB 12.5 | ---  | +680  | ---   | +400  |
| REB 13.5 | ---  | +1040 | +900  | +575  |
| REB 14.5 | ---  | +1560 | ---   | +850  |
| REB 15.5 | ---  | ---   | +2000 | +1250 |
| AST 2.5  | ---  | -740  | ---   | -769  |
| AST 3.5  | -137 | -323  | -520  | -303  |
| AST 4.5  | -137 | -171  | ---   | -130  |
| AST 5.5  | -137 | +102  | +100  | +121  |
| AST 6.5  | +100 | +169  | ---   | +184  |
| AST 7.5  | +100 | +280  | +350  | +280  |
| AST 8.5  | ---  | +455  | ---   | +425  |
| AST 9.5  | ---  | +730  | +1000 | ---   |
| AST 10.5 | ---  | +1120 | ---   | ---   |
| AST 11.5 | ---  | +1660 | +3000 | ---   |
| AST 12.5 | ---  | +2300 | ---   | ---   |
| 3PM 0.5  | ---  | -3200 | ---   | ---   |
| 3PM 1.5  | ---  | -517  | -670  | ---   |
| 3PM 2.5  | -137 | -183  | -200  | -204  |
| 3PM 3.5  | +100 | +125  | +130  | +128  |
| 3PM 4.5  | +100 | +261  | +290  | +210  |
| 3PM 5.5  | +100 | +522  | +600  | +390  |
| 3PM 6.5  | ---  | +990  | +1200 | +750  |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| 3PM 7.5  | ---  | +1760 | +2000 | +1450 |
| 3PM 8.5  | ---  | +2800 | ---   | ---   |
| PRA 24.5 | ---  | -1220 | ---   | ---   |
| PRA 29.5 | -137 | -395  | ---   | ---   |
| PRA 33.5 | -137 | ---   | ---   | ---   |
| PRA 34.5 | -137 | -159  | ---   | -175  |
| PRA 36.5 | -137 | -115  | -110  | -110  |
| PRA 38.5 | ---  | ---   | ---   | +116  |
| PRA 39.5 | +100 | +138  | +162  | ---   |
| PRA 40.5 | ---  | ---   | ---   | +150  |
| PRA 42.5 | ---  | ---   | ---   | +193  |
| PRA 44.5 | ---  | +295  | +350  | +250  |
| PRA 46.5 | ---  | ---   | ---   | +320  |
| PRA 48.5 | ---  | ---   | ---   | +425  |
| PRA 49.5 | ---  | +620  | +800  | ---   |
| PRA 50.5 | ---  | ---   | ---   | +550  |
| PRA 52.5 | ---  | ---   | ---   | +725  |
| PRA 54.5 | ---  | ---   | +1500 | +950  |
| PRA 56.5 | ---  | ---   | ---   | +1300 |
| PRA 59.5 | ---  | ---   | +3500 | ---   |

## Pelle Larsson (MIA)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 5.5  | ---  | -850  | ---   | ---   |
| PTS 7.5  | -137 | -344  | ---   | ---   |
| PTS 8.5  | -137 | ---   | ---   | -250  |
| PTS 9.5  | -137 | -170  | -148  | ---   |
| PTS 10.5 | -137 | -124  | -108  | -116  |
| PTS 11.5 | ---  | +110  | ---   | ---   |
| PTS 12.5 | ---  | ---   | ---   | +130  |
| PTS 14.5 | +100 | +250  | +285  | +195  |
| PTS 16.5 | ---  | ---   | ---   | +290  |
| PTS 17.5 | +100 | +559  | ---   | ---   |
| PTS 18.5 | ---  | ---   | ---   | +450  |
| PTS 19.5 | ---  | +910  | +1000 | ---   |
| PTS 20.5 | ---  | ---   | ---   | +700  |
| PTS 22.5 | ---  | ---   | ---   | +1100 |
| PTS 24.5 | ---  | +2600 | ---   | +1800 |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| PTS 26.5 | ---  | ---   | ---   | +3000 |
| REB 2.5  | -137 | -228  | ---   | -250  |
| REB 3.5  | ---  | +107  | -102  | +106  |
| REB 4.5  | +100 | +230  | ---   | +179  |
| REB 5.5  | +100 | +463  | +400  | +320  |
| REB 6.5  | +100 | +910  | ---   | +575  |
| REB 7.5  | ---  | +1720 | +1300 | +1050 |
| REB 8.5  | ---  | ---   | ---   | +2000 |
| REB 9.5  | ---  | ---   | ---   | +3800 |
| AST 1.5  | ---  | ---   | -520  | -625  |
| AST 2.5  | -137 | -160  | ---   | -156  |
| AST 3.5  | +100 | +153  | +140  | +132  |
| AST 4.5  | +100 | +338  | ---   | +250  |
| AST 5.5  | +100 | +710  | +630  | +475  |
| AST 6.5  | ---  | +1360 | ---   | +900  |
| AST 7.5  | ---  | +2400 | +2000 | ---   |
| 3PM 0.5  | ---  | -204  | ---   | -204  |
| 3PM 1.5  | +100 | +226  | ---   | +164  |
| 3PM 2.5  | ---  | +770  | ---   | +450  |
| 3PM 3.5  | ---  | +2000 | ---   | +1250 |
| 3PM 4.5  | ---  | ---   | ---   | +3500 |
| PRA 9.5  | ---  | -2000 | ---   | ---   |
| PRA 14.5 | -137 | -254  | ---   | ---   |
| PRA 15.5 | -137 | ---   | ---   | -192  |
| PRA 16.5 | -137 | ---   | ---   | ---   |
| PRA 17.5 | -137 | -113  | -106  | -103  |
| PRA 18.5 | +100 | ---   | ---   | ---   |
| PRA 19.5 | +100 | +146  | ---   | +129  |
| PRA 21.5 | ---  | ---   | ---   | +177  |
| PRA 23.5 | ---  | ---   | ---   | +240  |
| PRA 24.5 | +100 | +459  | ---   | ---   |
| PRA 25.5 | ---  | ---   | ---   | +330  |
| PRA 27.5 | ---  | ---   | ---   | +450  |
| PRA 29.5 | ---  | ---   | ---   | +650  |
| PRA 31.5 | ---  | ---   | ---   | +900  |
| PRA 33.5 | ---  | ---   | ---   | +1300 |
| PRA 35.5 | ---  | ---   | ---   | +1900 |
| PRA 37.5 | ---  | ---   | ---   | +2800 |

## John Collins (LAC)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 5.5  | ---  | -1100 | ---   | ---   |
| PTS 7.5  | -137 | -428  | ---   | ---   |
| PTS 9.5  | -137 | -211  | -186  | -250  |
| PTS 10.5 | -137 | ---   | ---   | ---   |
| PTS 11.5 | -137 | -116  | -102  | -109  |
| PTS 13.5 | ---  | ---   | ---   | +139  |
| PTS 14.5 | +100 | +198  | +230  | ---   |
| PTS 15.5 | ---  | ---   | ---   | +210  |
| PTS 16.5 | +100 | ---   | ---   | ---   |
| PTS 17.5 | ---  | +421  | ---   | +330  |
| PTS 18.5 | +100 | ---   | ---   | ---   |
| PTS 19.5 | ---  | +690  | +830  | +500  |
| PTS 21.5 | ---  | ---   | ---   | +825  |
| PTS 23.5 | ---  | ---   | ---   | +1350 |
| PTS 24.5 | ---  | +1980 | +2000 | ---   |
| PTS 25.5 | ---  | ---   | ---   | +2300 |
| PTS 27.5 | ---  | ---   | ---   | +3900 |
| REB 2.5  | ---  | -1800 | ---   | ---   |
| REB 3.5  | -137 | -563  | -410  | ---   |
| REB 4.5  | -137 | -256  | ---   | -244  |
| REB 5.5  | -137 | -131  | +102  | -116  |
| REB 6.5  | ---  | +140  | ---   | +141  |
| REB 7.5  | +100 | +245  | +330  | +230  |
| REB 8.5  | +100 | +416  | ---   | +370  |
| REB 9.5  | +100 | +700  | +870  | +625  |
| REB 10.5 | ---  | +1120 | ---   | +1050 |
| REB 11.5 | ---  | ---   | +2000 | +1800 |
| REB 12.5 | ---  | ---   | ---   | +3300 |
| AST 0.5  | -137 | ---   | ---   | ---   |
| AST 1.5  | +100 | ---   | ---   | ---   |
| AST 2.5  | +100 | ---   | ---   | ---   |
| 3PM 0.5  | -137 | -209  | ---   | -208  |
| 3PM 1.5  | +100 | +214  | ---   | +140  |
| 3PM 2.5  | +100 | +700  | ---   | +340  |
| 3PM 3.5  | ---  | +1860 | ---   | +825  |
| 3PM 4.5  | ---  | ---   | ---   | +2000 |

|          |      |     |     |     |
|----------|------|-----|-----|-----|
| PRA 17.5 | -137 | --- | --- | --- |
| PRA 18.5 | -137 | --- | --- | --- |
| PRA 19.5 | -137 | --- | --- | --- |
| PRA 22.5 | +100 | --- | --- | --- |
| PRA 23.5 | +100 | --- | --- | --- |
| PRA 24.5 | +100 | --- | --- | --- |

## Brandin Podziemski (GSW)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 7.5  | ---  | -1400 | ---   | ---   |
| PTS 9.5  | ---  | -610  | -620  | ---   |
| PTS 11.5 | -137 | -311  | ---   | ---   |
| PTS 13.5 | -137 | ---   | ---   | -217  |
| PTS 14.5 | -137 | -137  | -138  | ---   |
| PTS 15.5 | -137 | -106  | -106  | -108  |
| PTS 17.5 | +100 | +153  | ---   | +140  |
| PTS 19.5 | +100 | +243  | +240  | +210  |
| PTS 21.5 | +100 | ---   | ---   | +330  |
| PTS 23.5 | ---  | ---   | ---   | +500  |
| PTS 24.5 | ---  | +720  | +680  | ---   |
| PTS 25.5 | ---  | ---   | ---   | +800  |
| PTS 27.5 | ---  | ---   | ---   | +1300 |
| PTS 29.5 | ---  | +1980 | +1500 | +2200 |
| PTS 31.5 | ---  | ---   | ---   | +3800 |
| PTS 34.5 | ---  | ---   | +4000 | ---   |
| REB 2.5  | ---  | -1320 | ---   | ---   |
| REB 3.5  | -137 | -476  | -430  | ---   |
| REB 4.5  | -137 | -211  | ---   | -196  |
| REB 5.5  | -137 | -107  | +100  | -102  |
| REB 6.5  | +100 | +175  | ---   | +148  |
| REB 7.5  | +100 | +314  | +320  | +230  |
| REB 8.5  | +100 | +552  | ---   | +350  |
| REB 9.5  | ---  | +940  | +830  | +550  |
| REB 10.5 | ---  | +1560 | ---   | +875  |
| REB 11.5 | ---  | ---   | +1700 | +1450 |
| REB 12.5 | ---  | ---   | ---   | +2400 |
| AST 1.5  | ---  | ---   | -2200 | ---   |
| AST 2.5  | -137 | -338  | ---   | -500  |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| AST 3.5  | -137 | -161  | -174  | -185  |
| AST 4.0  | -137 | ---   | ---   | ---   |
| AST 4.5  | +100 | +116  | +124  | +120  |
| AST 5.5  | +100 | +209  | +255  | +195  |
| AST 6.5  | +100 | +367  | ---   | +340  |
| AST 7.5  | ---  | +620  | +900  | +600  |
| AST 8.5  | ---  | +1040 | ---   | +1100 |
| AST 9.5  | ---  | +1640 | +2500 | ---   |
| AST 10.5 | ---  | +2400 | ---   | ---   |
| 3PM 0.5  | ---  | -1280 | -1100 | ---   |
| 3PM 1.5  | -137 | -246  | -200  | -270  |
| 3PM 2.5  | +100 | +119  | +154  | +141  |
| 3PM 3.5  | +100 | +296  | +390  | +280  |
| 3PM 4.5  | +100 | +680  | +900  | +625  |
| 3PM 5.5  | ---  | +1420 | +1700 | +1450 |
| 3PM 6.5  | ---  | +2600 | ---   | +3300 |
| PRA 14.5 | ---  | -2600 | ---   | ---   |
| PRA 19.5 | -137 | -430  | ---   | ---   |
| PRA 23.5 | -137 | ---   | ---   | -175  |
| PRA 24.5 | ---  | -134  | ---   | ---   |
| PRA 25.5 | -137 | -109  | -104  | -105  |
| PRA 27.5 | +100 | ---   | ---   | +123  |
| PRA 29.5 | +100 | +204  | ---   | +162  |
| PRA 31.5 | +100 | ---   | ---   | +210  |
| PRA 33.5 | ---  | ---   | ---   | +280  |
| PRA 34.5 | ---  | +542  | ---   | ---   |
| PRA 35.5 | ---  | ---   | ---   | +370  |
| PRA 37.5 | ---  | ---   | ---   | +500  |
| PRA 39.5 | ---  | ---   | +1100 | +675  |
| PRA 41.5 | ---  | ---   | ---   | +900  |
| PRA 43.5 | ---  | ---   | ---   | +1250 |
| PRA 44.5 | ---  | ---   | +2500 | ---   |
| PRA 45.5 | ---  | ---   | ---   | +1750 |

### Miles Bridges (CHA)

| Prop    | PP  | DK    | FD  | BOL |
|---------|-----|-------|-----|-----|
| PTS 5.5 | --- | -2400 | --- | --- |
| PTS 7.5 | --- | -790  | --- | --- |



|          |      |       |       |       |
|----------|------|-------|-------|-------|
| PTS 9.5  | -137 | -371  | -460  | ---   |
| PTS 11.5 | -137 | -200  | ---   | ---   |
| PTS 12.5 | -137 | ---   | ---   | -213  |
| PTS 13.5 | -137 | -116  | ---   | ---   |
| PTS 14.5 | ---  | +113  | +100  | -103  |
| PTS 16.5 | +100 | ---   | ---   | +150  |
| PTS 17.5 | ---  | +239  | ---   | ---   |
| PTS 18.5 | +100 | ---   | ---   | +240  |
| PTS 19.5 | +100 | +385  | +320  | ---   |
| PTS 20.5 | ---  | ---   | ---   | +380  |
| PTS 22.5 | ---  | ---   | ---   | +600  |
| PTS 24.5 | ---  | +1160 | +900  | +1000 |
| PTS 26.5 | ---  | ---   | ---   | +1750 |
| PTS 28.5 | ---  | ---   | ---   | +3100 |
| PTS 29.5 | ---  | +2900 | +2500 | ---   |
| REB 2.5  | ---  | -1180 | ---   | ---   |
| REB 3.5  | -137 | -408  | -400  | ---   |
| REB 4.5  | -137 | -187  | ---   | -196  |
| REB 5.0  | -137 | ---   | ---   | ---   |
| REB 5.5  | +100 | +107  | +116  | +110  |
| REB 6.5  | +100 | +202  | ---   | +181  |
| REB 7.5  | +100 | +368  | +400  | +310  |
| REB 8.5  | ---  | +670  | ---   | +550  |
| REB 9.5  | ---  | +1200 | +1060 | +950  |
| REB 10.5 | ---  | ---   | ---   | +1750 |
| REB 11.5 | ---  | ---   | ---   | +3300 |
| AST 1.5  | -137 | ---   | -280  | -233  |
| AST 2.5  | +100 | +131  | ---   | +128  |
| AST 3.5  | +100 | +305  | +285  | +240  |
| AST 4.5  | +100 | +660  | ---   | +500  |
| AST 5.5  | ---  | +1380 | +1400 | +1050 |
| AST 6.5  | ---  | +2400 | ---   | +2300 |
| 3PM 0.5  | ---  | -537  | -650  | ---   |
| 3PM 1.5  | -137 | -122  | -138  | -122  |
| 3PM 2.5  | +100 | +242  | +220  | +182  |
| 3PM 3.5  | +100 | +640  | +560  | +390  |
| 3PM 4.5  | ---  | +1500 | +1300 | +850  |
| 3PM 5.5  | ---  | +2900 | +3000 | +1900 |
| PRA 14.5 | ---  | -730  | ---   | ---   |

|          |      |      |       |       |
|----------|------|------|-------|-------|
| PRA 18.5 | -137 | ---  | ---   | ---   |
| PRA 19.5 | -137 | -175 | ---   | -213  |
| PRA 21.5 | -137 | -111 | -130  | -115  |
| PRA 23.5 | +100 | ---  | ---   | +121  |
| PRA 24.5 | ---  | +174 | ---   | ---   |
| PRA 25.5 | +100 | ---  | ---   | +167  |
| PRA 27.5 | ---  | ---  | ---   | +230  |
| PRA 29.5 | ---  | +506 | ---   | +320  |
| PRA 31.5 | ---  | ---  | ---   | +450  |
| PRA 33.5 | ---  | ---  | ---   | +625  |
| PRA 35.5 | ---  | ---  | ---   | +900  |
| PRA 37.5 | ---  | ---  | ---   | +1300 |
| PRA 39.5 | ---  | ---  | +2500 | +1900 |
| PRA 41.5 | ---  | ---  | ---   | +2900 |

### Kobe Brown (IND)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 5.5  | ---  | -910  | ---   | ---   |
| PTS 7.5  | -137 | -377  | ---   | ---   |
| PTS 9.5  | -137 | -189  | -180  | -213  |
| PTS 11.5 | -137 | -103  | -102  | -102  |
| PTS 13.5 | ---  | ---   | ---   | +150  |
| PTS 14.5 | +100 | +217  | +230  | ---   |
| PTS 15.5 | +100 | ---   | ---   | +230  |
| PTS 17.5 | ---  | +482  | ---   | +370  |
| PTS 19.5 | +100 | +790  | +800  | +600  |
| PTS 21.5 | ---  | ---   | ---   | +1000 |
| PTS 23.5 | ---  | ---   | ---   | +1650 |
| PTS 24.5 | ---  | +2300 | +2200 | ---   |
| PTS 25.5 | ---  | ---   | ---   | +2900 |
| REB 2.5  | ---  | -3100 | ---   | ---   |
| REB 3.5  | ---  | -840  | -800  | ---   |
| REB 4.5  | -137 | -358  | ---   | ---   |
| REB 5.5  | ---  | -181  | -164  | -147  |
| REB 6.0  | -137 | ---   | ---   | ---   |
| REB 6.5  | ---  | +100  | +116  | +128  |
| REB 7.5  | +100 | +178  | +210  | +185  |
| REB 8.5  | ---  | +303  | ---   | +290  |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| REB 9.5  | +100 | +498  | +520  | +450  |
| REB 10.5 | ---  | +830  | ---   | +750  |
| REB 11.5 | ---  | +1320 | +1400 | +1250 |
| REB 12.5 | ---  | ---   | ---   | +2100 |
| REB 13.5 | ---  | ---   | ---   | +3600 |
| AST 1.5  | -137 | ---   | -390  | -500  |
| AST 2.5  | ---  | -136  | ---   | -132  |
| AST 3.5  | +100 | +178  | +200  | +147  |
| AST 4.5  | +100 | +399  | ---   | +270  |
| AST 5.5  | +100 | +860  | +900  | +500  |
| AST 6.5  | ---  | +1700 | ---   | +950  |
| AST 7.5  | ---  | +2600 | ---   | ---   |
| 3PM 0.5  | -137 | -395  | -400  | ---   |
| 3PM 1.5  | +100 | +117  | +120  | +118  |
| 3PM 2.5  | +100 | +360  | +360  | +260  |
| 3PM 3.5  | ---  | +1000 | +1000 | +625  |
| 3PM 4.5  | ---  | +2200 | +2500 | +1550 |
| 3PM 5.5  | ---  | ---   | ---   | +3900 |
| PRA 14.5 | ---  | -650  | ---   | ---   |
| PRA 18.5 | ---  | ---   | ---   | -208  |
| PRA 19.5 | -137 | -152  | ---   | ---   |
| PRA 20.5 | -137 | -121  | -108  | -111  |
| PRA 22.5 | ---  | ---   | ---   | +125  |
| PRA 24.5 | +100 | +204  | ---   | +174  |
| PRA 26.5 | +100 | ---   | ---   | +240  |
| PRA 28.5 | +100 | ---   | ---   | +340  |
| PRA 29.5 | ---  | +586  | ---   | ---   |
| PRA 30.5 | ---  | ---   | ---   | +475  |
| PRA 32.5 | ---  | ---   | ---   | +675  |
| PRA 34.5 | ---  | ---   | ---   | +1000 |
| PRA 36.5 | ---  | ---   | ---   | +1450 |
| PRA 38.5 | ---  | ---   | ---   | +2200 |
| PRA 40.5 | ---  | ---   | ---   | +3300 |

### Grant Williams (CHA)

| Prop    | PP   | DK   | FD   | BOL  |
|---------|------|------|------|------|
| PTS 4.5 | -137 | ---  | ---  | ---  |
| PTS 5.5 | -137 | -125 | -114 | -118 |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| PTS 7.5  | +100 | +159  | ---   | +140  |
| PTS 9.5  | +100 | +313  | +360  | +230  |
| PTS 11.5 | +100 | +574  | ---   | +370  |
| PTS 13.5 | ---  | ---   | ---   | +625  |
| PTS 14.5 | ---  | +1320 | +1500 | ---   |
| PTS 15.5 | ---  | ---   | ---   | +1100 |
| PTS 17.5 | ---  | +2500 | ---   | +1900 |
| PTS 19.5 | ---  | ---   | ---   | +3600 |
| REB 2.5  | -137 | -183  | ---   | -172  |
| REB 3.5  | +100 | +131  | +124  | +128  |
| REB 4.5  | +100 | +278  | ---   | +200  |
| REB 5.5  | +100 | +571  | +500  | +350  |
| REB 6.5  | ---  | +1080 | ---   | +600  |
| REB 7.5  | ---  | ---   | +1500 | +1050 |
| REB 8.5  | ---  | ---   | ---   | +2000 |
| REB 9.5  | ---  | ---   | ---   | +3700 |
| AST 0.5  | -137 | ---   | ---   | ---   |
| AST 1.5  | +100 | ---   | ---   | ---   |
| AST 2.5  | +100 | ---   | ---   | ---   |
| 3PM 0.5  | -137 | ---   | ---   | ---   |
| 3PM 1.5  | +100 | ---   | ---   | ---   |
| 3PM 2.5  | +100 | ---   | ---   | ---   |
| PRA 8.5  | -137 | ---   | ---   | ---   |
| PRA 12.5 | +100 | ---   | ---   | ---   |
| PRA 14.5 | +100 | ---   | ---   | ---   |
| PRA 16.5 | +100 | ---   | ---   | ---   |

### Coby White (CHA)

| Prop     | PP   | DK    | FD   | BOL  |
|----------|------|-------|------|------|
| PTS 5.5  | ---  | -2100 | ---  | ---  |
| PTS 7.5  | ---  | -760  | ---  | ---  |
| PTS 9.5  | -137 | -359  | -310 | ---  |
| PTS 10.5 | -137 | ---   | ---  | ---  |
| PTS 11.5 | -137 | -196  | ---  | -217 |
| PTS 13.5 | -137 | -114  | +100 | -109 |
| PTS 14.5 | +100 | +114  | +134 | ---  |
| PTS 15.5 | +100 | ---   | ---  | +139 |
| PTS 17.5 | ---  | +234  | ---  | +210 |

|          |      |       |       |       |
|----------|------|-------|-------|-------|
| PTS 19.5 | +100 | +366  | +420  | +320  |
| PTS 21.5 | ---  | ---   | ---   | +500  |
| PTS 23.5 | ---  | ---   | ---   | +775  |
| PTS 24.5 | ---  | +1100 | +1200 | ---   |
| PTS 25.5 | ---  | ---   | ---   | +1250 |
| PTS 27.5 | ---  | ---   | ---   | +2100 |
| PTS 29.5 | ---  | +2500 | ---   | +3700 |
| REB 1.5  | -137 | ---   | ---   | ---   |
| REB 2.5  | +100 | -105  | ---   | -102  |
| REB 3.5  | +100 | +235  | +200  | +171  |
| REB 4.5  | +100 | +537  | ---   | +310  |
| REB 5.5  | ---  | +1140 | +870  | +550  |
| REB 6.5  | ---  | ---   | ---   | +1000 |
| REB 7.5  | ---  | ---   | ---   | +1900 |
| REB 8.5  | ---  | ---   | ---   | +3800 |
| AST 1.5  | -137 | ---   | -480  | -556  |
| AST 2.5  | ---  | -154  | ---   | -154  |
| AST 3.5  | +100 | +159  | +146  | +129  |
| AST 4.5  | +100 | +352  | ---   | +240  |
| AST 5.5  | +100 | +750  | +630  | +425  |
| AST 6.5  | ---  | +1460 | ---   | +800  |
| AST 7.5  | ---  | +2500 | +2000 | ---   |
| 3PM 1.5  | -137 | ---   | ---   | -156  |
| 3PM 2.5  | +100 | ---   | ---   | +141  |
| 3PM 3.5  | +100 | ---   | ---   | +280  |
| 3PM 4.5  | ---  | ---   | ---   | +575  |
| 3PM 5.5  | ---  | ---   | ---   | +1200 |
| PRA 9.5  | ---  | -3400 | ---   | ---   |
| PRA 14.5 | -137 | -378  | ---   | ---   |
| PRA 16.5 | -137 | ---   | ---   | ---   |
| PRA 17.5 | ---  | ---   | ---   | -185  |
| PRA 18.5 | -137 | ---   | ---   | ---   |
| PRA 19.5 | ---  | -105  | -102  | -102  |
| PRA 20.5 | +100 | ---   | ---   | ---   |
| PRA 21.5 | ---  | ---   | ---   | +133  |
| PRA 22.5 | +100 | ---   | ---   | ---   |
| PRA 23.5 | ---  | ---   | ---   | +187  |
| PRA 24.5 | +100 | +276  | ---   | ---   |
| PRA 25.5 | ---  | ---   | ---   | +260  |

|          |     |      |       |       |
|----------|-----|------|-------|-------|
| PRA 27.5 | --- | ---  | ---   | +370  |
| PRA 29.5 | --- | +740 | ---   | +525  |
| PRA 31.5 | --- | ---  | ---   | +750  |
| PRA 33.5 | --- | ---  | ---   | +1100 |
| PRA 35.5 | --- | ---  | ---   | +1600 |
| PRA 37.5 | --- | ---  | ---   | +2400 |
| PRA 39.5 | --- | ---  | +4000 | +3700 |

## Ja'Kobe Walter (TOR)

| Prop     | PP   | DK    | FD    | BOL   |
|----------|------|-------|-------|-------|
| PTS 5.5  | -137 | -354  | ---   | ---   |
| PTS 6.5  | -137 | ---   | ---   | -278  |
| PTS 7.5  | -137 | -172  | ---   | ---   |
| PTS 8.5  | ---  | -123  | -130  | -120  |
| PTS 9.5  | ---  | +108  | +106  | ---   |
| PTS 10.5 | +100 | ---   | ---   | +131  |
| PTS 11.5 | +100 | +194  | ---   | ---   |
| PTS 12.5 | ---  | ---   | ---   | +200  |
| PTS 14.5 | +100 | +433  | +420  | +320  |
| PTS 16.5 | ---  | ---   | ---   | +500  |
| PTS 17.5 | ---  | +950  | ---   | ---   |
| PTS 18.5 | ---  | ---   | ---   | +800  |
| PTS 19.5 | ---  | +1460 | +1400 | ---   |
| PTS 20.5 | ---  | ---   | ---   | +1350 |
| PTS 22.5 | ---  | ---   | ---   | +2300 |
| PTS 24.5 | ---  | ---   | ---   | +4100 |
| REB 2.5  | -137 | -206  | ---   | -213  |
| REB 3.5  | +100 | +112  | +118  | +118  |
| REB 4.5  | +100 | +239  | ---   | +210  |
| REB 5.5  | +100 | +481  | +500  | +390  |
| REB 6.5  | ---  | +930  | ---   | +750  |
| REB 7.5  | ---  | +1720 | +1500 | +1500 |
| REB 8.5  | ---  | ---   | ---   | +3100 |
| 3PM 0.5  | ---  | -574  | -590  | ---   |
| 3PM 1.5  | -137 | -133  | -128  | -123  |
| 3PM 2.5  | +100 | +220  | +240  | +172  |
| 3PM 3.5  | +100 | +555  | +600  | +350  |
| 3PM 4.5  | ---  | +1260 | +1700 | +750  |

|         |     |       |       |       |
|---------|-----|-------|-------|-------|
| 3PM 5.5 | --- | +2400 | +3000 | +1600 |
|---------|-----|-------|-------|-------|