Data Set:	4-20-20_HH-KNearest_DeID_demed.RDS		
Variable	Description	Value	Value Description
Wave	Survey wave	Bangalore 2015	Bangalore 2015
		Bangalore 2016	Bangalore 2016
		Jai-Pat 2015	Jai-Pat 2015
A.A7_Area.Neighborhood	Neighborhood	[Neigh. code]	[Neighborhood code]
		NA	[Missing value]
C.C6_Religion	Religion	Christian	Christian
		Hindu	Hindu
		Muslim	Muslim
		NA	[Missing value]
J.J3_Source.of.water	Water source	1	L Tanker
		2	2 Borewell
		3	B Hand pump
		4	House-to-house
			5 Other
		NA	[Missing value]
L.L8_Voter.ID	Voter ID	() No
		1	L Yes
		3	3 Applied for
		888	3 DK
		999	Refuse
		NA	[Missing value]
L.L9_Ration.card	Ration card	() No
_		1	L Yes
		3	3 Applied for
			B DK
		999	Refuse
		NA	[Missing value]

Data Set:	4-20-20_HH-KNearest_DelD_c	lemed.RDS	
Variable	Description	Value	Value Description
L.L20_Primary.School	Prim. School satisfaction		1 Very Satisfied
			2 Somewhat Satisfied
			3 Neutral
			777 Does Not Apply
			888 Don't know
			999 Refuse to answer
		NA	[Missing value]
J.J24_Eviction	Tenure security		1 Very insecure
			2 Somewhat insecure
			3 A little bit insecure
			4 Very secure
			888 Don't know
			999 Refuse to answer
		NA	[Missing value]
L.L21_Secondary.School	Sec. School satisfaction		1 Very Satisfied
			2 Somewhat Satisfied
			3 Neutral
			4 Somewhat Dissatisfied
			5 Very Dissatisfied
			777 Does Not Apply
			888 Don't know
			999 Refuse to answer
		NA	[Missing value]

Data Set:	4-20-20_HH-KNearest_DelD_demed.RDS			
Variable	Description	Value	Value Description	
L.L24_Waste.Disposal	Waste dispo. Satisf'n		L Very Satisfied	
			2 Somewhat Satisfied	
			3 Neutral	
			Somewhat Dissatisfied	
			5 Very Dissatisfied	
			7 Does Not Apply	
			3 Don't know	
			Refuse to answer	
		NA	[Missing value]	
L.L50 Neighborhood.Lea				
der	Name of neigh. Leader	[Name, string]	[Name, string]	
	-	NA	[Missing value]	
L.Candidate_Random_A1			Is a member of Congress	
Candidate.Preferance	Cand. Conj. Q1, attr. A, cand. 1	() party	
_		:	L Is a member of BJP	
		;	caste or religion	
			Is an educated person	
		NA	[Missing value]	
L.Candidate_Random_B1			Promises private benefits	
_Candidate.Preferance	Cand. Conj. Q1, attr. B, cand. 1	(to your family	
-	, , , ,		community services	
			2 or caste benefits	
			3 schemes	
			neighborhood leader	
		NA	[Missing value]	
		[C	IC	
I Carabidata Basida - AG		[See	[See	
L.Candidate_Random_A2 _Candidate.Preferance	Cand. Conj. Q1, attr. A, cand. 2	L.Candidate_Random_A1 _Candidate.Preferance]	L.Candidate_Random_A1 _Candidate.Preferance]	

Data Set:	4-20-20_HH-KNearest_DelD_demed.RDS			
Variable	Description	Value	Value Description	
L.Candidate_Random_B2 _Candidate.Preferance	Cand. Conj. Q1, attr. B, cand. 2	[See L.Candidate_Random_B1 _Candidate.Preferance]	[See L.Candidate_Random_B1 _Candidate.Preferance]	
L.Candidate_Random_A3	Cand. Conj. Q2, attr. A, cand. 1	[See L.Candidate_Random_A1 _Candidate.Preferance]	[See L.Candidate_Random_A1 _Candidate.Preferance]	
L.Candidate_Random_A4	Cand. Conj. Q2, attr. A, cand. 2	[See L.Candidate_Random_A1 _Candidate.Preferance]	[See L.Candidate_Random_A1 _Candidate.Preferance]	
L.Candidate_Random_B3	Cand. Conj. Q2, attr. B, cand. 1	[See L.Candidate_Random_B1 _Candidate.Preferance]	[See L.Candidate_Random_B1 _Candidate.Preferance]	
L.Candidate_Random_B4	Cand. Conj. Q2, attr. B, cand. 2	[See L.Candidate_Random_B1 _Candidate.Preferance]	[See L.Candidate_Random_B1 _Candidate.Preferance]	
L.Candidate_Random_A5	Cand. Conj. Q3, attr. A, cand. 1	[See L.Candidate_Random_A1 _Candidate.Preferance]	[See L.Candidate_Random_A1 _Candidate.Preferance]	
L.Candidate_Random_A6	Cand. Conj. Q3, attr. A, cand. 2		[See L.Candidate_Random_A1 _Candidate.Preferance]	

Data Set:	4-20-20_HH-KNearest_DeID_demed.RDS			
Variable	Description	Value	Value Description	
		[See	[See	
		L.Candidate_Random_B1	L.Candidate_Random_B1	
L.Candidate_Random_B5	Cand. Conj. Q3, attr. B, cand. 1	_Candidate.Preferance]	_Candidate.Preferance]	
		[See	[See	
		•	L.Candidate Random B1	
L.Candidate_Random_B6	Cand. Conj. Q3, attr. B, cand. 2		_Candidate.Preferance]	
L.Candidate_Question_1	Choice for Cand. Conj. Q1	1	Candidate 1	
		2	2 Candidate 2	
		NA	[Missing value]	
L.Candidate_Question_2	Choice for Cand. Conj. Q2	1	Candidate 1	
		2	2 Candidate 2	
		NA	[Missing value]	
L.Candidate_Question_3	Choice for Cand. Conj. Q3	1	Candidate 1	
		2	2 Candidate 2	
		NA	[Missing value]	

Data Set:	4-20-20_HH-KNearest_DeID_demed.RDS					
Variable	Description	Value	Value Description			
C.C8_Caste	Caste	General/BC/OBC	General, Backward, Other Backward Caste			
		SC/ST/RM	Scheduled Caste/Tribe, Religious Minorities			
		NA	[Missing value]			
C.C5_Gender	Gender	1	. Male			
		2	? Female			
		3	3 Nonbinary			
		NA	[Missing value]			
C.C14_Permanent.Residence.o						
f.Jaipur.	Live in [city] all year?	C) No			
		1	. Yes			
		NA	[Missing value]			
City	City	Bangalore	Bangalore			
		Jaipur	Jaipur			
		Patna	Patna			
C.C4_Age	Age	[integer]	[integer]			
		NA	[Missing value]			
AssetSum	Assets	[integer]	[integer]			
Χ	Respondent index	[integer]	[integer]			
Nearest[k]_OwnReligion	k-nearest score [k in 1:30]	[integer]	[integer]			
		NA	[Missing value]			
DeMedNearest5_OwnReligion	De-med. k-nearest score [k = 5]	[real]	[real]			
		NA	[Missing value]			
DeMedNearest10_OwnReligion	n De-med. k-nearest score [k = 10]	[real]	[real]			
		NA	[Missing value]			
DeMedNearest15_OwnReligion	n De-med. k-nearest score [k = 15]	[real]	[real]			
		NA	[Missing value]			
DeMedNearest20_OwnReligion	n De-med. k-nearest score [k = 20]	[real]	[real]			
		NA	[Missing value]			
DeMedNearest25_OwnReligion	n De-med. k-nearest score [k = 25]	[real]	[real]			
		NA	[Missing value]			

Data Set:	4-20-20_HH-KNearest_DelD_dem	4-20-20_HH-KNearest_DeID_demed.RDS			
Variable	Description	Value	Value Description		
DeMedNearest30_OwnReligion De-med. k-nearest score [k = 30]		[real]	[real]		
		NA	[Missing value]		

Data Set:	india_sc_4-20-20.csv	india_pop_4-20	0-20.csv	
Variable	Description	Value	Value Description	
Population	Population	[integer]	[integer]	
State	State	[string]	[string]	
X	Index	[integer]	[integer]	
Data Set:	Karnataka_district_censusdata_2-	22-19.RDS		
	Rajastan_district_censusdata_2-22	2-19.RDS		
	Bihar_district_censusdata_2-22-19			
	Bangalore_District_censusdata_2-			
	Jaipur_District_censusdata_2-25-1			
Variable	Bihar_District_censusdata_2-25-19		Value Description	
	Description	Value	Value Description	
X27	Number of Households	[integer]	[integer]	
X28	Population	[integer]	[integer]	
X29	Male Population	[integer]	[integer]	
X30	Female Population	[integer]	[integer]	
X31	Children	[integer]	[integer]	
X32	Area	[integer]	[integer]	
X33	Population density /km2	[integer]	[integer]	
X34	Sex ratio [women per 1000 men]	[integer]	[integer]	
X35	Literacy	[proportion]	[proportion]	
X36	Male Literacy	[proportion]	[proportion]	
X37	Female Literacy	[proportion]	[proportion]	
X38	Scheduled Tribes (ST) %	[proportion]	[proportion]	
X39	Scheduled Caste (SC) %	[proportion]	[proportion]	
		-		

Data Set:	BBMP_ward_censusdata_2-12-19.l	BBMP_ward_censusdata_2-12-19.RDS			
	Jaipur_ward_censusdata_2-14-19.F	RDS			
Variable	Description	Value	Value Description		
X23	Number of Households	[integer]	[integer]		
X24	Population	[integer]	[integer]		
X25	Male Population	[integer]	[integer]		
X26	Female Population	[integer]	[integer]		
X27	Children	[integer]	[integer]		
X28	Sex ratio [women per 1000 men]	[integer]	[integer]		
X29	Literacy	[proportion]	[proportion]		
X30	Male Literacy	[proportion]	[proportion]		
X31	Female Literacy	[proportion]	[proportion]		
K32	Scheduled Tribes (ST) %	[proportion]	[proportion]		
X33	Scheduled Caste (SC) %	[proportion]	[proportion]		

Data Set:	4-20-20_deid_nearestK.csv			
Variable	Description	Value	Value Description	
D.D4. O	Occuration		1 Acidemia	
D.D1_Occupation.	Occupation		1 Agriculture	
			2 Butcher	
			3 Carpenter	
			4 Construction	
			5 Labour	
			6 Cook	
			7 Corporation	
			8 Driver	
			9 Electrical	
			10 Factory	
			11 Flower	
			12 Garbage	
			13 Gardener	
			14 Maid	
			15 Mechanic	
			16 Painter	
			17 ProfessionalSvc	
			18 Grocessory	
			19 Security	
			20 Tailor	
			21 Vendor	
			22 Government	
			23 Housewife	
			24 Student	
			25 Other	
			26 Retired	
			27 Unemployed	
		NA	[Missing value]	

Data Set:	4-20-20_deid_nearestK.csv		
Variable	Description	Value	Value Description
L.Neighbor_Random_2_A1	Neigh. Conj. Q2, attr. A, cand. 1		0 WORKS FOR THE MUNICIPAL CORPORATION
			1 OWNS A TEA STALL
		NA	[Missing value]
L.Neighbor_Random_2_B1	Neigh. Conj. Q2, attr. B, cand. 1	(0 IS A HINDU
			1 IS A MUSLIM
		NA	[Missing value]
L.Neighbor_Random_2_C1	Neigh. Conj. Q2, attr. C, cand. 1	(0 LITTLE BIT RICHER than most ppl who live here
			1 LITTLE BIT POORER than most ppl who live here
			2 LOT POORER than most ppl who live here
		:	3 LOT RICHER than most ppl who live here
		•	4 SAME INCOME as most ppl who live here
		NA	[Missing value]
		[See	
		L.Neighbor_Rand	1
L.Neighbor_Random_2_A2	Neigh. Conj. Q2, attr. A, cand. 2	om_2_A1]	[See L.Neighbor_Random_2_A1]
		[See	
		L.Neighbor_Ranc	1
L.Neighbor_Random_2_B2	Neigh. Conj. Q2, attr. B, cand. 2	om_2_B1]	[See L.Neighbor_Random_2_B1]
		[See	
		L.Neighbor_Rand	1
L.Neighbor_Random_2_C2	Neigh. Conj. Q2, attr. C, cand. 2	om_2_C1]	[See L.Neighbor_Random_2_C1]
		[See	
		L.Neighbor_Rand	1
L.Neighbor_Random_3_A1	Neigh. Conj. Q3, attr. A, cand. 1	om_2_A1]	[See L.Neighbor_Random_2_A1]
		[See	
		L.Neighbor_Rand	i
L.Neighbor_Random_3_A2	Neigh. Conj. Q3, attr. A, cand. 2	om_2_A1]	[See L.Neighbor_Random_2_A1]
		 [See	-
		L.Neighbor_Rand	1
L.Neighbor_Random_3_B1	Neigh. Conj. Q3, attr. B, cand. 1	om_2_B1]	[See L.Neighbor_Random_2_B1]
	5 , , , ,		

Data Set:	4-20-20_deid_nearestK.csv		
Variable	Description	Value	Value Description
		[See	
		L.Neighbor_Rand	
L.Neighbor_Random_3_B2	Neigh. Conj. Q3, attr. B, cand. 2	om_2_B1]	[See L.Neighbor_Random_2_B1]
		[See	
		L.Neighbor_Rand	
L.Neighbor_Random_3_C1	Neigh. Conj. Q3, attr. C, cand. 1	om_2_C1]	[See L.Neighbor_Random_2_C1]
		[See	
		L.Neighbor_Rand	
L.Neighbor_Random_3_C2	Neigh. Conj. Q3, attr. C, cand. 2	om_2_C1]	[See L.Neighbor_Random_2_C1]
L.Neighbor_Question_2	Choice for Neigh. Conj. Q2		1 Neighbor 1
			2 Neighbor 2
		NA	[Missing value]
L.Neighbor_Question_3	Choice for Neigh. Conj. Q3		1 Neighbor 1
			2 Neighbor 2
		NA	[Missing value]
A.A7_Area.Neighborhood	Neighborhood	[Neigh. code]	[Neighborhood code]
		NA	[Missing value]
Wave	Survey wave	Bangalore 2015	Bangalore 2015
		Bangalore 2016	Bangalore 2016
		Bangalore 2017	Bangalore 2017
		Jai-Pat 2015	Jaipur-Patna 2015
City	Survey city	Bangalore	Bangalore
		Jaipur	Jaipur
		Patna	Patna
X	Respondent index	[integer]	[integer]
X.1	Respondent index 2	[integer]	[integer]

Data Set:	4-20-20_deid_nearestK.csv		
Variable	Description	Value	Value Description
C.C6_Religion	Respondent religion	Hindu	Hindu
		Muslim	Muslim
		Christian	Christian
		Other	Other
		Don't know	Don't know
		Refuse to answer	Refuse to answer
		NA	[Missing value]
Nearest[k]_SameReligion	k-nearest score for religion [k in 1:30	[integer]	[integer]
	-	NA	[Missing value]
DeMedNearest5 SameReligio			
n	De-medianed k-nearest [k = 5]	[real]	[real]
		NA	[Missing value]
DeMedNearest10 SameReligi			
on	De-medianed k-nearest [k = 10]	[real]	[real]
	De medianea k nearest [k 10]	NA	[Missing value]
DeMedNearest15_SameReligi		1471	[missing value]
-	De-medianed k-nearest [k = 15]	[real]	[real]
on	De-medianed k-nearest [k = 15]	NA	[Missing value]
D 14 IN 120 C D II I		IVA	[IVIISSITIE VATUE]
DeMedNearest20_SameReligi	D 1: 11	r 13	r 13
on	De-medianed k-nearest [k = 20]	[real]	[real]
		NA	[Missing value]
DeMedNearest25_SameReligi			
on	De-medianed k-nearest [k = 25]	[real]	[real]
		NA	[Missing value]
DeMedNearest30_SameReligi			
on	De-medianed k-nearest [k = 30]	[real]	[real]
		NA	[Missing value]

Data Set:	4-20-20_Network-KNearest_DeID_demed.RDS		
Variable	Description	Value	Value Description
D.D1_Occupation	Occupation	Agriculture	Agriculture
			2 Butcher
			3 Carpenter
			4 Construction/Cement/Bldg
		Labor	Labor
			6 Cook
			7 Corporation worker
		Driver	Driver
			9 Electrical work/electrician
		Factory	Factory
		Flower making	Flower making
		1	2 Garbage/Waste collector
		1	3 Gardener
		Housekeeper	Housekeeper
		Mechanic	Mechanic
		Painter	Painter
		Prof. Svcs	Prof. Svcs
		Grocery	Grocery
		1	9 Security guard/Watchman
		2	O Tailor
		2	1 Vendor
		Govt. Job	Govt. Job
		Housewife	Housewife
		Student	Student
		Other	Other
Nearest[k]_SameRel	k-nearest for religion [k in 1:30]	[integer]	[integer]
Nearest5_SameCaste	k-nearest for caste [k = 5]	[integer]	[integer]
Nearest10_SameCaste	k-nearest for caste [k = 10]	[integer]	[integer]
Nearest15_SameCaste	k-nearest for caste [k = 15]	[integer]	[integer]

Data Set:	4-20-20_Network-KNearest_DeID_demed.RDS		
Variable	Description	Value	Value Description
AllLinksSameRelig	Prop. Network links same religion	[number]	[number]
		NaN	[Missing value]
AllLinksSameCaste	Prop. Network links same caste	[number]	[number]
		NaN	[Missing value]
C.C8_Caste	Caste	General/BC/OBC	General / Backward caste / Other Back. Caste
		SC/ST	Scheduled Caste / Scheduled Tribe
C.C6	Religion	Hindu	Hindu
		Muslim	Muslim
		Christian	Christian
		Other	Other
C.C5_Gender	Gender	M	Male
		F	Female
C.C14_Live.in.Jaipur.	Lived entire life in Jaipur / Patna?	0 No	
		1	. Yes
City	City	Jaipur	Jaipur
		Patna	Patna
C.C4_Age	Age	[integer]	[age in years]
F.F1_Monthly.Income	Monthly income	[integer]	[income in INR]
		-888	3 Don't know
		888	3 Don't know
		999	Refuse to answer
I.Neta_Random_A1	Cand. Conj. Q1, attr. A, cand. 1	C	lives in the slum
		1	l is a member of your caste or religion
		2	ls an honest person
		3	B supports the same party as you
I.Neta_Random_B1	Cand. Conj. Q1, attr. B, cand. 1	C	A lot of personal resources to spend on the slum
			Has good connections to political parties
			2 Has good connections to city administrators
			B Has good connections with the municipal corp.
		4	Has lots of support in the neighborhood

Data Set: 4-20-20_Network-KNearest_DelD_		D_demed.RDS		
Variable	Description	Value	Value Description	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_A2	Cand. Conj. Q1, attr. A, cand. 2	A1]	[See I.Neta_Random_A1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_B2	Cand. Conj. Q1, attr. B, cand. 2	B1]	[See I.Neta_Random_B1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_A3	Cand. Conj. Q2, attr. A, cand. 1	A1]	[See I.Neta_Random_A1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_A4	Cand. Conj. Q2, attr. A, cand. 2	A1]	[See I.Neta_Random_A1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_B3	Cand. Conj. Q2, attr. B, cand. 1	B1]	[See I.Neta_Random_B1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_B4	Cand. Conj. Q2, attr. B, cand. 2	B1]	[See I.Neta_Random_B1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_A5	Cand. Conj. Q3, attr. A, cand. 1	A1]	[See I.Neta_Random_A1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_A6	Cand. Conj. Q3, attr. A, cand. 2	A1]	[See I.Neta_Random_A1]	
		[See		
		I.Neta_Rando	om_	
I.Neta_Random_B5	Cand. Conj. Q3, attr. B, cand. 1	B1]	[See I.Neta_Random_B1]	

Data Set:	4-20-20_Network-KNearest_DeID_demed.RDS		
Variable	Description	Value	Value Description
		[See	
		I.Neta_Random	_
I.Neta_Random_B6	Cand. Conj. Q3, attr. B, cand. 2	B1]	[See I.Neta_Random_B1]
I.Neta_Question_1	Choice for Cand. Conj. Q1		1 Candidate 1
			2 Candidate 2
I.Neta_Question_2	Choice for Cand. Conj. Q2		1 Candidate 1
			2 Candidate 2
I.Neta_Question_3	Choice for Cand. Conj. Q3	1 Candidate 1	
			2 Candidate 2
X	Respondent index	[integer]	[integer]
A.A7	Neighborhood	[Neigh. code]	[Neighborhood code]
DeMedNearest10_SameRel	De-medianed k-nearest [k = 10]	[integer]	[integer]
		NA	[Missing value]

Data Set:	4-21-20_1000x_sample_nearest.RDS		
Variable	Description	Value	Value Description
Nearest5_SameRel_samp	k-nearest score from sim. Sample	[integer]	[integer]
Nearest10_SameRel_samp	k-nearest score from sim. Sample	[integer]	[integer]
Nearest15_SameRel_samp	k-nearest score from sim. Sample	[integer]	[integer]
AllLinksSameRelig	Prop. Network links same religion	[number]	[number]
		NaN	[Missing value]
Nearest5_SameRel	k-nearest score for religion, k = 5		
Nearest 10_Same Rel	k-nearest score for religion, k = 10		
Nearest15_SameRel	k-nearest score for religion, k = 15		
A.A7	Neighborhood	[Neigh. code]	[Neighborhood code]

[Note: This data file contains a list of 1000 data frames.

Each data frame represents the results from one sampling iteration, and contains the variables listed here.]

Data Set:	map_dataset_4-28-20.RDS		
Variable	Description	Value	Value Description
pseudo_lat	Respondent latitude, offset by a random number to avoid compromising respondent anonymity	[natural]	[natural]
	Respondent longitude, offset by a random number to avoid compromising respondent		
pseudo_lon	anonymity	[natural]	[natural]
Nearest10_OwnReligion	k-nearest score for religion	[integer]	[integer]
C.C6_Religion.x		Hindu	Hindu
		Muslim	Muslim
		Christian	Christian
		Other	Other

Restricted Data Information

Because of the terms of the IRB protocol, I am not allowed to share the geocoded data. This data is contained in the following files:

6-27-17_supermerge_wleaderfrac.csv 3-6-17 jaipat_PRDN.RDS

Household data Network data

These files contain the following variables which have been omitted from the shared data files, because they contain identifying information:

lat Respondent latitude long Respondent longitude

[natural] [natural] [natural]

[natural]

External Data Source Citations

india_pop_2-25-19.csv

Citation: Census of India. Primary Census Abstract Data Tables (State Level), 2011. New Delhi, India: Office of

the Registrar General & Census Commissioner.

http://censusindia.gov.in/pca/DDW PCA0000 2011 Indiastatedist.xlsx

Notes: Column TOT P, State 00

india_sc_2-21-19.csv

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (State Level), 2011. New Delhi,

India: Office of the Registrar General & Census Commissioner. http://censusindia.gov.in/2011census/SC-ST/pca_state_distt_sc.xls

Notes: Column TOT P, States 00, 29, 08, and 10

 $Karnataka_district_census data$

_2-22-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (State Level), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/SC-ST/pca_state_distt_sc.xls

Notes: Column TOT P, State 29

Rajastan_district_censusdata_

2-22-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (State Level), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/SC-ST/pca state distt sc.xls

Notes: Column TOT P, State 08

Bihar_district_censusdata_2-

22-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (State Level), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/SC-ST/pca_state_distt_sc.xls

Notes: Column TOT P, State 10

External	Data	Source	Citations
(p. 2)			

Bangalore_District_censusdat

a 2-25-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (District Level, Karnataka), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/pca_sc/PCA_SC2918_2011_MDDS_DDW.xlsx

Notes: Column TOT P, Level SUB-DISTRICT

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (State Level), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/SC-ST/pca_state_distt_sc.xls

Notes: Column TOT P, State 10

$Bangalore_District_census dat$

a_2-25-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (District Level, Karnataka), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/pca_sc/PCA_SC2918_2011_MDDS_DDW.xlsx

Notes: Column TOT_P, Level SUB-DISTRICT

Jaipur_District_censusdata_2-25-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (District Level, Rajasthan), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/pca sc/PCA SC0812 2011 MDDS DDW.xlsx

Notes: Column TOT_P, Level SUB-DISTRICT

External Data Source Citations

(p. 3)

Bihar_District_censusdata_2-

25-19.RDS

Citation: Census of India. Primary Census Abstract Data for Scheduled Castes (District Level, Bihar), 2011.

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/pca_sc/PCA_SC1028_2011_MDDS_DDW.xlsx

Notes: Column TOT P, Level SUB-DISTRICT

BBMP_ward_censusdata_2-12-

19.RDS

Citation: Census of India. District Census Handbook, Bangalore, 2011 (p. 526).

New Delhi, India: Office of the Registrar General & Census Commissioner.

http://censusindia.gov.in/2011census/dchb/2918 PART B DCHB BANGALORE.pdf

Notes: Page 526, column "Scheduled Castes Population (Persons)"

Jaipur_ward_censusdata_2-14-

19.RDS

Citation: Census of India. District Census Handbook, Jaipur, 2011 (p. 535).

New Delhi, India: Office of the Registrar General & Census Commissioner. http://censusindia.gov.in/2011census/dchb/0812_PART_B_DCHB_JAIPUR.pdf

Notes: Page 535, column "Scheduled Castes Population (Persons)"