

A0

Index

already there · one object, five plates

Every plate below reads only from the CSVs EOP_IV_Measure.py writes.
Nothing on this page is drawn that was not measured first.

Z1 DIRICHLET

tau(n)'s Dirichlet series
three poles, three residues

Z2 LADDER

the Bernoulli correction terms
descend, then diverge

G1 GAP WORD

predicted vs. walked,
M=127 and M=129

SB1 THE TREE

boundary spines, phi path,
sqrt2 path, one random path


CS1 CASSINI

the Fibonacci matrix,
its determinant, the
docking curve

Z1


The leftover's Dirichlet series

$$T(s) = (1/2)z(s-1) - z(s) + (1/2)z(s+1)$$



Z2|Bernoulli correction term| at fixed $N=10$, log scale

The ladder does not converge



three-distance theorem vs. the extended kernel run

predicted, $M=127$ (from the continued fraction of f alone)

actual, $M=127$ (the recorded kernel run)

predicted, $M=129$ (before the walk was extended)

§

actual, $M=129$ (the walk, extended, run afterward)


S

M=127: 102 long, 25 short | M=129: 103 long, 26 short

SB1

One tree underneath both processes

boundary spines = n and $1/n$ · interior paths = ϕ and $\sqrt{2}$



CS1

Cassini, and why it generalizes

 $\det(M^k)$ alternates; docking decays as $1/(2 \phi^k)$ 