#### Instructor: Brian Mercer

# TAM 470 / CSE 450

# Homework 1

**Instructions**: For problems that you are instructed to complete **by hand**, show all work and ensure that hand-written work is neat and easy to read; if you use computer code to make any calculations, submit a screenshot of your code. Problems hosted on **PrairieLearn** do not require any written work to be submitted unless the problem instructions indicate otherwise.

## Problem 1 (10 points)

This problem is to be done by hand.

Consider the Lagrange polynomial of degree two,  $p_2(x)$ , that passes through  $(x_j, f_j)$  for uniformly spaced nodes on [0, 1] and  $f(x) = \sin(\pi x)$ .

- (a) (6 pts) Evaluate  $p_2(\frac{1}{4})$ .
- (b) (4 pts) Compute the derivative of  $p_2(x)$  at  $x = \frac{1}{4}$ .

#### Problem 2 (10 points):

Consider the following set of data points  $(x_i, y_i)$ :

$$\begin{array}{c|cc} x & y \\ \hline 0 & 0 \\ 1 & 3 \\ 2 & 7 \\ 3 & -1 \\ 4 & 0 \\ \end{array}$$

- (a) (6 pts) Set up the system of equations required to compute the spline parameters  $g''(x_i)$  using natural spline (aka free run-out) end conditions. Then, solve the system of equations to obtain the parameters  $g''(x_i)$ . You can use Python or another tool to solve the linear system.
- (b) (2 pts) Use your results from part (a) (i.e. **not** a numpy or scipy library) to compute the spline-interpolated value of the data at the coordinate x = 2.4. *Hint*: use Moin equation 1.6.
- (c) (2 pts) Check your answer to part (b) by using scipy.interpolate.CubicSpline to compute the interpolated function value at x=2.4. Submit a screenshot of your code and its output. *Hint*: be sure to read the scipy documentation (see hyperlink) to implement the correct spline end conditions.

#### Instructor: Brian Mercer

#### Problem 3 (10 points):

For this problem:

- For Lagrangian interpolation, use scipy.interpolate.lagrange.
- For cubic spline interpolation, use scipy.interpolate.CubicSpline with the specified end conditions.

Using the same data from Problem 2, use Python to create a single plot that includes the discrete data points  $(x_i, y_i)$  as well as the following interpolating curves on the domain  $x \in [0, 4]$ :

- (a) (2.5 pts) The interpolating Lagrange polynomial.
- (b) (2.5 pts) Cubic spline interpolation using "not-a-knot" end conditions (the scipy default).
- (c) (2.5 pts) Cubic spline interpolation using natural spline end conditions.
- (d) (2.5 pts) Cubic spline interpolation using clamped end conditions g'(0) = 1 and g'(4) = 0.

All interpolating curves should be **smooth**. Be sure to add a figure title, axes labels, and a legend that identifies each curve on your plot. For this problem, submit the figure that you create as well as a screenshot of the code used to generate the figure.

## Problem 4 (10 points): 4 credit-hour students only

Repeat **Problem 2** (all parts), but using the clamped end conditions g'(0) = 1 and g'(4) = 0.

*Hint*: You will have to derive the equations associated with the clamped boundary conditions in order to obtain equations that contain  $q''(x_i)$  terms. Start from Moin equation 1.6.