

Manual instalación PDO SQL SERVER on MAMP server

Pre requisitos, tener instalado autoconf en mac. Para instalarlo desde la terminal:

```
brew install autoconf
```

1. Desde la terminal, ir al contenedor de php que esta siendo usado para la aplicación, por ejemplo:

```
|MacBook-Pro-de-Ale:Pinia aegwyng$ cd /Applications/MAMP/bin/php/php7.1.8
```

2. Ingresar a la carpeta bin (cd bin) , y ejecutar:

```
./pecl channel-update pecl.php.net
```

3. En la misma carpeta ejecutar:

```
sudo ./pecl channel-update pecl.php.net
```

Si se obtienen un mensaje relativo a la configuración de php_init tras el mensaje de "Build process completed successfully" como :

```
Installing '/Applications/MAMP/bin/php/php7.1.8/lib/php/extensions/no-debug-non-zts-20160303/sqlsrv.so'
```

```
install ok: channel://pecl.php.net/sqlsrv-5.2.0
```

```
configuration option "php_ini" is not set to php.ini location
```

```
You should add "extension=pdo_sqlsrv.so" to php.ini
```

```
configuration option "php_ini" is not set to php.ini location
```

```
You should add "extension=pdo_sqlsrv.so" to php.ini
```

```
configuration option "php_ini" is not set to php.ini location
```

```
You should add "extension=sqlsrv.so" to php.ini
```

Entonces se deben agregar las variables manualmente. En : /Applications/MAMP/bin/php/php7.1.8/conf (la ubicación varia dependiendo de nuestra instalación de php).

Al abrir el archivo buscamos 'extension=' de las otras bases de datos y junto a ellas pegamos

```
extension=sqlsrv.so
```

```
extension=pdo_sqlsrv.so
```

Guardamos y reiniciamos el servidor php, entramos en php info para verificar que el driver funcione:

<http://localhost:8888/MAMP/index.php?language=Spanish&page=phpinfo>

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, pgsql, sqlsrv

sqlsrv

sqlsrv support	enabled
ExtensionVer	5.2.0

Directive	Local Value	Master Value
sqlsrv.ClientBufferMaxKBSize	10240	10240
sqlsrv.LogSeverity	0	0
sqlsrv.LogSubsystems	0	0
sqlsrv.WarningsReturnAsErrors	On	On