Quiz 2

✓ 6/6 questions correct

Quiz passed!

Continue Course (/learn/data-products/supplement/BjROO/r-packages)

Back to Week 2 (/learn/data-products/home/week/2)

✓ 1.

In the slidify YAML text. Changing the framework from `io2012` to `shower` does what?

○ It changes the ability to display mathjax javascript rendering.

○ It changes whether the document is self contained or requires being connected to the internet.

◉ It changes the html5 framework thus changing the style of the slides.

Well done!

○ It changes nothing.

✓ 2.

You wrote R code in a slidify document as follows

```r
```{r}
fit <- lm(y ~ x1 + x2 + x3)
summary(fit)
```
```

If you want to hide the results of the CODEsummaryCODE statement (yet still have it run) what should you do?

○ Comment the command as below but also use a bang symbol after the comment, as in **#! summary(fit)**

○ Add a **echo = FALSE** option in the **{r}** call of the code chunk

◉ Add a **results = 'hide'** option in the **{r}** call of the code chunk

> **Well done!**

○ Comment out the command **# summary(fit)**

✔ 3.

You wrote R code in a slidify document as follows

```r
```{r}
fit <- lm(y ~ x1 + x2 + x3)
summary(fit)
```
```

If you want to display the results, but not the actual code, what should you do?

◉ Add a **echo = FALSE** option in the **{r}** call of the code chunk

> **Well done!**

○ Comment the command, but use a bang symbol after the comment, as in `#! summary(fit)`

○ Add a **echo = TRUE** option in the `{r}` call of the code chunk

○ Comment out the command `# summary(fit)`

✔️ **4.**

R studio presentation tool does what?

⦿ Creates HTML5 slides using a generalized markdown format having an extention Rpres and creates reproducible presentations by embedding and running the R code from within the presentation document.

Well done!

○ Creates a presentation that can only be run from within Rstudio.

○ Creates a power point presentation from a generalized markdown format having an extension Rpres.

○ Creates presentable R code from within presentations. However, it does not actually run the code.

✔️ **5.**

In Rstudio presenter, if you do not want the code to be evaluated, what option do you need to add to the `{r}` options?

○
```
run = FALSE
```

⦿
```
eval = FALSE
```

Well done!

○ ```
results = 'hide'
```

○ ```
echo = FALSE
```

✔️ 6.

When presenting data analysis to a broad audience, which of the following should be done?

○ Do not include figure captions.

○ Show every analysis and method that was done.

⦿ Summarize the problem first.

Well done!

○ Present results in the chronological order in which it was performed.