

Human Resource Dashboard

Reference documentation for the HR Analytics Tableau workbook — covering the data model, page-by-page functionality, calculated field logic, and the full dimension/measure dictionary. Written for both the analytics team maintaining the workbook and the HR stakeholders using it day to day.

Tool	Data grain	Pages	Version
Tableau Desktop	1 row = 1 employee	Overview · Employee Details	1.0 — 29 Jun 2026

01

Project Overview

The HR Analytics Dashboard is a two-page Tableau workbook built on top of a single employee-level dataset. It gives HR and business stakeholders a way to monitor headcount, hiring and attrition trends, workforce demographics, and pay equity at a glance, and gives HR operations a searchable, filterable record of every individual employee.

The workbook is deliberately split by use case: a high-level **Overview** page for trend-spotting and reporting, and a row-level **Employee Details** page for lookups, audits, and exports.

Primary audience

- HR leadership & business stakeholders — workforce trends, attrition, pay equity
- HR operations / people analytics — individual employee lookups and exports

What this document covers

- Data source and grain
- Navigation and every visual element on both pages
- Every calculated field, with formula and intent
- Full dimension/measure dictionary and open items to confirm

02

Data Source & Model

The workbook connects to a single flat file, `dataset.csv`, confirmed by the auto-generated `dataset.csv (Count)` measure in the data pane. There is no evidence of a secondary table or

blend in the current view — every dimension and measure resolves against one employee-level extract.

Grain

One row per employee. Employee ID is the natural key.

Core dimensions

- **Identity:** Employee ID, First Name, Last Name, Full Name
- **Demographics:** Gender, Birthdate, Age Group, Education Level
- **Role:** Department → Job Title (hierarchy)
- **Geography:** Location → State → City (hierarchy), plus generated Latitude/Longitude
- **Employment lifecycle:** Hiredate, Termdate, Status, Performance Rating

Core measures

Salary (raw), plus a set of calculated measures (Total Active, Total Hired, Total Terminated, Age, Length of Hire, and three ranking/highlight flags) detailed in [Section 06](#).

Note — This documentation describes the model as observed from the published data pane and dashboard screenshots. If the underlying workbook later adds a second data source, relationship, or extract refresh schedule, this section should be updated to match.

03

Dashboard Navigation


The workbook has exactly two dashboards, reached from icon buttons in the persistent left-hand rail:

Bar-chart icon	Opens the Overview page — KPIs, trends, demographics, and pay.
Table icon	Opens the Employee Details page — the full, filterable employee list.
Info (i)	Workbook / author information panel.
Export — PDF	Downloads the current dashboard view as a PDF.
Export — Image	Downloads the current dashboard view as an image.
Follow / social icons	Links out to the author's profile pages (LinkedIn, GitHub, and a third profile link).

To confirm — whether quick filters set on one page (e.g. Gender, Status on Overview) carry over to the other page automatically, or are scoped per-dashboard. Verify under each filter's *Apply to Worksheets*

04 Overview Page


The landing page. Four containers — *Overview*, *Demographics*, *Income*, and a global filter bar — give a full top-down read of the workforce in one screen.




Overview page – global filter bar collapsed

4.1 Global filter bar

Top-right of the page: quick filters for **Gender**, **Location**, **Status**, and **Hiredate**, plus a **Filter** toggle switch that shows or hides this entire bar.



Toggle ON – filter bar visible



Toggle OFF – filter bar hidden, Demographics container expands to fill the space

4.2 Overview container

- **Active Employees** — large KPI number; current headcount (see `Total Active`).
- **Hired** — KPI with an area sparkline trend; cumulative hires (see `Total Hired`).
- **Terminated** — KPI with an area sparkline trend; cumulative terminations (see `Total Terminated`).
- **Departments** — horizontal bar list, one row per department, ranked by hire volume. Each row pairs a teal "Hired" bar with a pink "Terminated" bar, driven by `Measure Names / Measure Values` sharing one axis.
- **Locations** — a shaded US state map (teal = states with employees) next to an HQ-vs-Branch split bar (≈70% HQ / 30% Branch in the current extract).

Hired / Active Terminated

4.3 Demographics container


- **Gender** — two donut charts (Female / Male share of headcount), each annotated with an inner Active-rate percentage.
- **Education & Age** — a small-multiple bar/dot grid: rows are Education Level (H-Sch, Bachelor, Master, PhD), columns are Age buckets. The largest cell is rendered as a solid bar rather than a dot — this is the `Highlighted Max` flag at work.
- **Education Performance** — a sized-marker matrix crossing Performance Rating (Excellent, Good, Satisfactory, Needs Improvement) against Education Level; marker size encodes headcount, with the largest cell emphasized in teal.

4.4 Income container


- **Education & Gender** — average salary by gender within each education tier, shown as paired gender-icon markers with the dollar figure inline.
- **Age vs Salary** — a scatter plot of average salary by age, one diamond mark per job title; outlying high-paying titles (e.g. Finance Manager, IT Manager, Sales Manager, HR Manager) are labelled directly on the chart, with a dashed reference line marking the median age.

Section headers "Overview", "Demographics", and "Income" each carry a *Click Here To Filter* hint — clicking inside these containers triggers a Tableau dashboard filter action against the rest of the page. See [Section 08](#).

A full employee register with one row per person and seven expandable filter groups across the header: **ID, Demographics, Role, Geographics, Salary, Status, Length of Employment**. Clicking the arrow beside any group expands it in place to reveal its filter controls — no navigation away from the table.



Filter groups expanded



Filter groups collapsed

5.1 Filter groups

GROUP	FIELDS EXPOSED
ID	Employee ID
Demographics	Full Name, Gender, Age, Education Level
Role	Department, Job Title
Geographics	Location, State, City
Salary	Salary — range slider (current extract: \$51,835–\$149,377)
Status	Status, Year of Hiredate, Year of Termdate
Length of Employment	Length of Hire — range slider, upper bound shown as "To Null" for still-active employees

5.2 Table columns

- **ID** — Employee ID
- **Demographics** — Full Name with gender icon, age, and education level on a second line
- **Role** — Job Title with Department on a second line
- **Geographics** — City with State on a second line
- **Salary** — formatted currency
- **Status** — colour-coded dot (teal = Hired, pink = Terminated) with text label

- **Length of Employment** — tenure shown as a rounded teal pill, e.g. 8 Years

To confirm — whether the Length-of-Employment pill changes colour or intensity for long-terminated employees, or is a fixed teal regardless of status/duration.

06 Calculated Fields Reference

Every calculated field used on the two dashboards, in the order they appear in the data pane. Fields marked **inferred** were not supplied with an exact formula and should be checked against the live workbook.

Total Active

MEASURE

Current headcount — employees who are working right now.

```
// formula not supplied — typical implementation:  
IF [Status] = 'Active' THEN 1 END  
// aggregated as SUM
```

Confirm the exact condition against the live field — see [Section 10](#).

Total Hired

MEASURE

Total number of people the company has ever hired, regardless of current status.

```
// formula not supplied — typical implementation:  
COUNT([Employee ID])  
// i.e. one count per row in the extract
```

Total Terminated

MEASURE

Total number of people the company has terminated to date.

```
// formula not supplied — typical implementation:  
IF [Status] = 'Terminated' THEN 1 END  
// aggregated as SUM
```

Length of Hire

MEASURE

Tenure in whole years — counts to today if still employed, or to the termination date if not.

```
IF ISNULL([Termdate]) THEN
    DATEDIFF('year', [Hiredate], TODAY())
ELSE
    DATEDIFF('year', [Hiredate], [Termdate])
END
```

Age

MEASURE

Employee age in whole years, from Birthdate.

```
// formula not supplied — inferred, same pattern as Length of
    Hire:
    DATEDIFF('year', [Birthdate], TODAY())
```

Rank Top 1

BOOLEAN

Flags the single category with the highest % Total Hired within the current view partition (e.g. top department by hire share).

```
RANK([% Total Hired]) <= 1
```

Rank Top 2 Job

BOOLEAN

Flags the top two job titles by hire share — used to spotlight leading roles.

```
RANK([% Total Hired]) <= 2
```

Highlighted Max

BOOLEAN

Flags the mark holding the maximum Total Hired value in the current partition — used to render the leading bar/cell with emphasis (e.g. the solid bar in the Education & Age grid).

```
WINDOW_MAX([Total Hired]) = [Total Hired]
```

% Total Hired

MEASURE

Each category's share of total hires within the current partition. Feeds Rank Top 1 and Rank Top 2 Job directly.

```
// formula not supplied – inferred table calculation:  
SUM([Total Hired]) / TOTAL(SUM([Total Hired]))
```

% Total Terminated

MEASURE

Each category's share of total terminations within the current partition.

```
// formula not supplied – inferred table calculation:  
SUM([Total Terminated]) / TOTAL(SUM([Total Terminated]))
```

% Highlighted Max

BOOLEAN

Percentage-based counterpart of Highlighted Max — flags the mark with the highest % Total Hired in the partition.

```
// formula not supplied – inferred, mirrors Highlighted Max:  
WINDOW_MAX([% Total Hired]) = [% Total Hired]
```

Action needed — five fields above (Total Active, Total Hired, Total Terminated, Age, % Total Hired, % Total Terminated, % Highlighted Max) were described by intent rather than exact syntax. Paste the real formulas from Tableau's calculation editor in and this section is done.

07 Field Dictionary

Every field visible in the data pane, with Tableau's own type icon reproduced as a badge: **Abc** string · **#** number · **■** date · **T|F** boolean · **⊕** geographic role.

7.1 Dimensions

	FIELD	DESCRIPTION
Abc	Age Group	Pre-binned age bracket used for grouping in the Demographics charts (e.g. >25, 25–34, 35–44, 45–54, +55).
■	Birthdate	Employee date of birth; source for the Age calculation.
Abc	Department	Organisational department (Operations, Sales, Customer Service, IT, Marketing, Finance, HR). Parent of

FIELD		DESCRIPTION
		Job Title in the hierarchy.
Abc	Job Title	Specific role title, nested under Department.
Abc	Education Level	Highest education attained — High School, Bachelor, Master, PhD.
Abc	Employee ID	Unique employee identifier (format 00-XXXXXXX). Natural key for the dataset.
Abc	First Name / Last Name / Full Name	Employee name fields; Full Name is used throughout the UI.
Abc	Gender	Male / Female.
■	Hiredate	Date the employee was hired.
Abc	Performance Rating	Excellent, Good, Satisfactory, Needs Improvement.
Abc	Location (State, City)	Work location hierarchy — State above City. Drives the Latitude/Longitude generated fields and the state map.
Abc	Status	Employment state behind the Hired/Terminated colour legend used across both pages.
■	Termdate	Date of termination; null while the employee is active. Drives the null-aware branch of Length of Hire.

7.2 Measures

FIELD		DESCRIPTION
#	Salary	Raw annual compensation, as loaded from the source file.
#	Total Active / Total Hired / Total Terminated	See Section 06 .
#	Age / Length of Hire	See Section 06 .
T F	Rank Top 1 / Rank Top 2 Job / Highlighted Max / % Highlighted Max	See Section 06 .

	FIELD	DESCRIPTION
#	% Total Hired / % Total Terminated	See Section 06 .
#	dataset.csv (Count)	Tableau's auto-generated record-count measure for the source file — one record per employee.
⊕	Latitude / Longitude (generated)	Auto-generated geographic role fields, resolved from the Location hierarchy, used to plot the state map.
Abc	Measure Names / Measure Values	Tableau's built-in fields, used to combine Hired and Terminated counts onto one shared axis/legend (e.g. the Departments bar list).

Interactivity & Actions

- **Global quick filters (Overview)** — Gender, Location, Status, Hiredate; shown or hidden as a group via the *Filter* toggle switch.
- **Click-to-filter containers (Overview)** — the Overview, Demographics, and Income section headers carry "Click Here To Filter" hints, indicating a Tableau dashboard filter action fires when a mark inside that container is clicked.

- **Expandable column filters (Employee Details)** — each of the seven header groups (ID, Demographics, Role, Geographics, Salary, Status, Length of Employment) expands via its arrow icon to reveal native quick filters for that group's fields.
- **Shared status legend** — the Hired/Terminated dot legend (top-right on both pages) is visually consistent and may double as a highlighter; confirm in the workbook whether it's wired as a Tableau Highlight Action.
- **Export controls** — PDF and Image export buttons in the left rail, standard Tableau dashboard downloads.

09

Design System

The dashboard itself (not this document) runs a dark theme with a two-colour semantic palette carried through every chart, badge, and legend:

TOKEN	APPROX. VALUE	USED FOR
Background	#14171C-ish near-black	Page and card backgrounds
Teal	≈ #1FBF9C	Hired / Active / positive values, primary emphasis
Pink / magenta	≈ #E8368F	Terminated / negative values
Neutral grey	mid-grey	"All" filter states, inactive markers

Tenure pills on the Employee Details table reuse the teal token regardless of duration; the HQ/Branch and donut charts reuse the same two-colour logic rather than introducing new hues. Keeping any future additions to this two-colour system (plus neutral grey) will preserve the existing visual language.

10

Assumptions & Open Items

Items below were inferred from screenshots and stakeholder notes rather than the live workbook. Confirm and update before treating this document as the system of record.

- Exact formulas for `Total Active`, `Total Hired`, `Total Terminated`, and `Age` — described by intent only; see [Section 06](#).
- Exact formulas for `% Total Hired`, `% Total Terminated`, and `% Highlighted Max` — not supplied at all; current text is a reasonable inference, not a confirmed calc.
- Whether `Status` stores values as `Active/Terminated`, `Hired/Terminated`, or some other set — the visible legend only shows two states (Hired, Terminated) while the KPI label uses "Active."
- Whether quick filters apply across both dashboards or are scoped to the page they're placed on.

- The exact target sheets/fields behind the "Click Here To Filter" actions on the Overview page.
- Whether the Length-of-Employment pill is intended to vary by tenure/status, or is a fixed teal styling choice.