



Solving analytical queries on Redshift Cluster

Here, you have to write the query used for solving the question and the screenshots of the table which is outputted after the query is run on the AWS Redshift Query editor UI.

1. Top 10 ATMs where most transactions are in the 'inactive' state

select d.atm_number,d.atm_manufacturer,l.location,count(atm_status) Inactive_count,count(f.atm_id) total_transaction_count, (Inactive_count/total_transaction_count * 100) count_percent from fact_atm_trans f
INNER JOIN dim_atm d on (f.atm_id=d.atm_id)
INNER JOIN dim_location I on (l.location_id=d.atm_location_id)
where atm_status='Inactive'
group by d.atm_number,d.atm_manufacturer,l.location
order by Inactive count desc limit 10;

atm_numbe r ▽	atm_manufacturer ▽	location ∇	inactive_count ▽	total_transaction_count ▽	count_perce nt ▽
16	NCR	Skive	44043	44043	100
12	NCR	$ ilde{A}f$ Ëœster $ ilde{A}f\hat{A} ilde{A}$ Duus	33982	33982	100
2	NCR	Vejgaard	33725	33725	100
88	NCR	Storcenter indg. A	32183	32183	100
47	NCR	Frederiksberg	30883	30883	100
52	NCR	Intern Hjallerup	27361	27361	100
50	NCR	Aarhus	23416	23416	100
29	NCR	Skelagervej 15	20773	20773	100
81	NCR	Spar Købmand Tornhøj	20148	20148	100
102	NCR	LÃ f Â , gstÃ f Â ,	18297	18297	100





2. Number of ATM failures corresponding to the different weather conditions recorded at the time of the transactions

select f.weather_main,count(f.trans_id) total_transcation_count,count(CASE WHEN f.atm_status='Inactive' THEN 1 END) inactive_count, (Cast(((inactive_count *100.00)/total_transcation_count) as decimal(18,2))) inactive_count_percent from fact_atm_trans f where f.weather_main ~ '^[a-z,A-Z]' group by f.weather_main order by inactive_count desc;

weather_main	▼ total_transcation_count	▽ inactive_count	▼ inactive_count_percent
Clouds	1181901	194027	16.41
Rain	545135	86017	15.77
Clear	543949	85531	15.72
Mist	82801	12864	15.53
Drizzle	62530	8670	13.86
Snow	23405	4813	20.56
Fog	18174	3729	20.51
Thunderstorm	2549	361	14.16
TORNADO	38	1	2.63
Haze	3	0	0.00





3. Top 10 ATMs with the most number of transactions throughout the year

select d.atm_number,d.atm_manufacturer,l.location,count(f.atm_id) total_transaction_count from fact_atm_trans f
INNER JOIN dim_atm d on (f.atm_id=d.atm_id)
INNER JOIN dim_location I on (l.location_id=d.atm_location_id)
group by d.atm_number,d.atm_manufacturer,l.location
order by total_transaction_count desc limit 10;

Q Search rows			<
atm_number	▼ atm_manufacturer	∇ location	▼ total_transaction_count
39	NCR	Svenstrup	55380
20	NCR	Bispensgade	54211
10	NCR	N $\tilde{A}f\hat{A}$, rresundby	53794
24	NCR	Hobro	53378
45	NCR	Abildgaard	53198
16	NCR	Skive	44043
40	Diebold Nixdorf	Frederikshavn	43767
1	NCR	$St ilde{A}f\hat{A}$, vring	42787
41	Diebold Nixdorf	Skagen	42732
48	Diebold Nixdorf	Br $ ilde{A}f\hat{A}$, nderslev	42493





4. Number of overall ATM transactions going inactive per month for each month

select d.year,d.month,count(f.trans_id) total_transcation_count,count(CASE WHEN f.atm_status='Inactive' THEN 1 END) inactive_count, (Cast(((inactive_count *100.00)/total_transcation_count) as decimal(18,2))) inactive_count_percent from fact_atm_trans f
INNER JOIN dim_date d on(f.date_id=d.date_id)
group by d.month,d.year
order by month;

year	▽	month	\triangledown	total_transcation_count	\triangledown	inactive_count	∇	inactive_count_percent
2017		Apr		203352		33591		16.51
2017		Aug		210830		33972		16.11
2017		Dec		204674		30505		14.90
2017		Feb		187956		29862		15.88
2017		Jan		225455		37790		16.76
2017		Jul		219626		36522		16.62
2017		Jun		218172		36535		16.74
2017		Mar		204704		31194		15.23
2017		May		206177		34644		16.80
2017		Nov		190046		30268		15.92





5. Top 10 ATMs with the highest total withdrawn amount throughout the year

select d.atm_number,d.atm_manufacturer,l.location,sum(transaction_amount) total_transaction_amount from fact_atm_trans f INNER JOIN dim_atm d on (f.atm_id=d.atm_id) INNER JOIN dim_location I on (l.location_id=d.atm_location_id) group by f.atm_id,d.atm_number,d.atm_manufacturer,l.location order by total_transaction_amount desc;

atm_number	▼ atm_mar	nufacturer	∇ location	▼ total_transaction_a
39	NCR		Svenstrup	277097637
20	NCR		Bispensgade	271008803
24	NCR		Hobro	268289882
10	NCR		$N \tilde{A} f \hat{A}$, rresur	ndby 267379103
45	NCR		Abildgaard	265639616
16	NCR		Skive	220677013
40	Diebold N	lixdorf	Frederikshav	n 219812287
41	Diebold N	lixdorf	Skagen	214127315
1	NCR		$St ilde{A}f\hat{A}$, vring	213721117
48	Diebold N	lixdorf	$Br \tilde{A} f \hat{A}$, $nder s$	slev 212883099





6. Number of failed ATM transactions across various card types

select d.card_type,count(f.trans_id) total_transcation_count,count(CASE WHEN f.atm_status='Inactive' THEN 1 END) inactive_count, (Cast(((inactive_count *100.00)/total_transcation_count) as decimal(18,2))) inactive_count_percent from fact_atm_trans f
INNER JOIN dim_card_type d on(f.card_type_id=d.card_type_id)
group by d.card_type
order by inactive_count desc;

card_type	▼ total_transcation_count	▼ inactive_count	▼ inactive_count_percent
Visa Dankort - on-us	748805	112972	15.08
Mastercard - on-us	458226	86000	18.76
MasterCard	400507	63482	15.85
Visa Dankort	427840	60547	14.15
VISA	170828	30713	17.97
Dankort - on-us	143813	24680	17.16
$ extsf{H} ilde{A}f\hat{A}^{I}_{I}$ vekort - on-us	62487	10331	16.53
Dankort	28581	4557	15.94
CIRRUS	17362	2953	17.00
H $ ilde{A}f\hat{A}^{I}_{I}$ vekort	8459	1208	14.28





7. Number of transactions happening on an ATM on weekdays and on weekends throughout the year. Order this by the ATM_number, ATM_manufacturer, location, weekend_flag and then total_transaction_count

select d.atm number,d.atm manufacturer,l.location,

CASE WHEN dd.weekday='Sunday' or dd.weekday='Saturday' then 1 ELSE 0 END as weekend flag,

count(f.trans id) total transaction count

from fact atm trans f

INNER JOIN dim_atm d on (f.atm_id=d.atm_id)

INNER JOIN dim_location I on (I.location_id=d.atm_location_id)

INNER JOIN dim date dd on (f.date id=dd.date id)

group by d.atm_number,d.atm_manufacturer,l.location,weekend_flag

order by d.atm_number,d.atm_manufacturer,l.location,weekend_flag,total_transaction_count desc limit 10 :

atm_number	∇	atm_manufacturer	∇	location	∇	weekend_flag	\triangledown	total_transaction_count
1		NCR		$St \tilde{A} f \hat{A}$, vring		0		31268
1		NCR		$St\tilde{A}f\hat{A}$, vring		1		11519
10		NCR		NÃ f Â $_{,}$ rresundby		0		38899
10		NCR		NÃ f Â $_{,}$ rresundby		1		14895
100		NCR		Intern Skive		0		16635
100		NCR		Intern Skive		1		4957
101		NCR		Bryggen Vejle		0		10930
101		NCR		Bryggen Vejle		1		4010
102		NCR		$L ilde{A} f \hat{A}_{I}gst ilde{A} f \hat{A}_{I}r$		0		13212
102		NCR		$L ilde{A}f\hat{A}_{,}$ gst $ ilde{A}f\hat{A}_{,}$ r		1		5085





8. Most active day in each ATMs from location "Vejgaard"

select a.atm_number,a.atm_manufacturer,l.location,dd.weekday,count(f.trans_id) transaction_count from fact_atm_trans f INNER JOIN dim_atm a on (f.atm_id=a.atm_id) INNER JOIN dim_location I on (l.location_id=f.weather_loc_id) INNER JOIN dim_date dd on (dd.date_id=f.date_id) where l.location='Vejgaard' group by a.atm_number,a.atm_manufacturer,l.location,dd.weekday order by transaction_count_desc,dd.weekday;

atm_number	∇	atm_manufacturer	\triangledown	location	∇	weekday	∇	transaction_count
2		NCR		Vejgaard		Friday		5369
2		NCR		Vejgaard		Saturday		4969
2		NCR		Vejgaard		Wednesday		4963
2		NCR		Vejgaard		Monday		4793
2		NCR		Vejgaard		Thursday		4759
2		NCR		Vejgaard		Tuesday		4643
2		NCR		Vejgaard		Sunday		4229
103		Diebold Nixdorf		Vejgaard		Tuesday		3288
103		Diebold Nixdorf		Vejgaard		Friday		3256
103		Diebold Nixdorf		Vejgaard		Monday		3192