UNIVERSITI TEKNOLOGI MARA
MARKING SCHEME

COURSE	PRE CALCULUS
COURSE CODE	MAT133
EXAMINATION	OCTOBER 2026
TIME	2 HOURS


INSTRUCTIONS TO MARKERS



1. This marking scheme accompanies the MAT133 mock paper (October 2026).
2. Answers and marking points are for local study use only.


FOR MARKERS' USE ONLY



This marking scheme consists of 6 printed pages


«:> Hak Cipta Universiti Teknologi MARA

NO	SOLUTION		MARK
1 a)	$(x-3)(x+3)=0$	M1	5 m
	$x=-3 \quad \text{or} \quad x=3$	A1	
	$[-3,3]$	A1	
			
1 b)	$\lvert 3x+1\rvert -3 \le 0$	M1	5 m
	$-3 \le -3x-1 \le 3$	A1	
	$\left[-\frac{4}{3},\frac{2}{3}\right]$	A1	
			
1 c)	$y=2\lvert x+3\rvert -2$	B1	5 m
	vertex $(-3,-2)$	A1	
	$\lvert x+3\rvert =1$	A1	
			

NO	SOLUTION		MARK
2 a)	$f(x) = 2x - 1, \quad x < -1$ $f(x) = -3, \quad -1 \le x \le 2$ $f(x) = x^2 + 2, \quad x > 2$	B1	5 m
	$f(-2) = -5, \quad f(0) = -3, \quad f(3) = 11$	A1	
			
2 b)	$-3x + -4 \neq 0$	M1	4 m
	$x \neq -\frac{4}{3}$	A1	
	$4x + 5 \geq 0$	M1	
	$x \geq -\frac{5}{4}$	A1	
2 c)	$m = \frac{5}{2}$	M1	4 m
	$y - 1 = \frac{5x}{2} + \frac{5}{2}$	M1	
	$y = \frac{5x}{2} + \frac{7}{2}$	A1	
			

NO	SOLUTION	MARK
3 a)	$\dfrac{2-2i}{-4-i}$ M1 $= \dfrac{(2-2i)(-4+i)}{(-4-i)(-4+i)}$ M1 $= \dfrac{-6+10i}{17}$ A1 $-\dfrac{6}{17}+\dfrac{10i}{17}$ A1	5 m
3 b)	$i^{40} = i^{4(10)+0}$ M1 $= (i^4)^{10} i^0 = 1^{10} i^0$ A1 $= 1$ A1	3 m
3 c)	$3x^3 - 5x^2 - 2x + 5 = (x-4)(3x^2+7x+26) + 109$ M1 M1 A1 $q(x) = 3x^2 + 7x + 26, \quad r = 109$ A1	5 m
4 a)	$x = 0, \quad y = 0, \quad 3x + 3y = 5$ B1 B1 $x \geq 0, \quad y \geq 0, \quad 3x + 3y \leq 5$ A1 	5 m
4 b)	$3x + 2y = -2$ M1 $5x + 3y = -5$ A1 $x = -4, \quad y = 5$ A1	4 m

NO	SOLUTION		MARK
4 c)	$(x+4)^2 = -4y - 12$	A1	5 m
	vertex $(-4, -3)$	A1	
	focus $(-4, -4)$	A1	
	directrix $y = -2$	B1	
			
5 a)	$\sin^2 A + \cos^2 A = 1$	M1	4 m
	$\cos A = \frac{15}{17}$	A1	
	$\tan A = -\frac{8}{15}$		
	$\sec A = \frac{17}{15}$	A1	
5 b)	$s = r\theta = \frac{10\pi}{3}$	M1 A1	4 m
	$P = 2r + s = 8 + \frac{10\pi}{3} = 8 + \frac{10\pi}{3}$	A1	
			

NO	SOLUTION	MARK
5 c)	$a^2 = b^2 + c^2 - 2bc\cos A$ M1 $a^2 = 10^2 + 6^2 - 2(10)(6)\cos 120^\circ = 196$ A1 $a = 14$ A1 	4 m