

PART A (10 Questions)

QUESTION 1

a) [THEORY SLOT - attacks/malware, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - attacks/malware, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 2

a) Using Caesar Cipher technique, decrypt the following ciphertext.
KLCPJLYLABYULKHUKDPWLKVUL (2 marks)

b) Encrypt the message below using Playfair encryption with the key REDFOX. REVIEW ACCESS PERMISSIONS (6 marks)

QUESTION 3

a) [THEORY SLOT - access control models, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) Assume a computer system with the accounts: Ali, Yati, Umi, Root. Ali can read, write X-1. Yati can read X-1. Umi can execute REPORT. Root can execute, read, write DATA. a) Write the access control matrix (ACM). b) Write a set of access control lists (ACL). c) Write a set of capability lists (CL). (6 marks)

QUESTION 4

a) Using Caesar Cipher technique, decrypt the following ciphertext.
AYHPULTWSVFLLZVUZLJBYPAF (2 marks)

b) Encrypt the message below using Playfair encryption with the key REDFOX. CONTAINER SECURITY CHECKS (6 marks)

QUESTION 5

a) [THEORY SLOT - authentication/biometrics, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - authentication/biometrics, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 6

a) [THEORY SLOT - software/OS security, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - software/OS security, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 7

a) [THEORY SLOT - network security, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - network security, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 8

a) [THEORY SLOT - trusted computing, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - trusted computing, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 9

a) [THEORY SLOT - authentication/biometrics, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - authentication/biometrics, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

QUESTION 10

a) [THEORY SLOT - attacks/malware, 2 marks, short objective]
(placeholder until the sourced-theory module is built) (2 marks)

b) [THEORY SLOT - attacks/malware, 6 marks, define/explain]
(placeholder until the sourced-theory module is built) (6 marks)

PART B (2 Questions)

QUESTION 1

a) [THEORY SLOT - attacks/malware, 5 marks, scenario/justify]
(placeholder until the sourced-theory module is built) (5 marks)

b) [THEORY SLOT - attacks/malware, 5 marks, scenario/justify]
(placeholder until the sourced-theory module is built) (5 marks)

QUESTION 2

a) [THEORY SLOT - authentication/biometrics, 5 marks, scenario/justify]
(placeholder until the sourced-theory module is built) (5 marks)

b) [THEORY SLOT - authentication/biometrics, 5 marks, scenario/justify]
(placeholder until the sourced-theory module is built) (5 marks)

END OF QUESTION PAPER