TABLE OF CONTENTS

1. CONNECTORS

- **GMAIL**

BASE44 CODE.docx

2. ENTITIES

- **APPROVALS**

BASE44 CODE.docx

- **PORTAL ALERTS**

BASE44 CODE.docx

- **PORTAL DIRECTORY**

BASE44 CODE.docx

- **REIMBURSEMENTS**

BASE44 CODE.docx

- **USERS**

BASE44 CODE.docx

3. FUNCTIONS

- **Notify Area Managers (Notify AreaManagers/entry.ts)**
- **Notify Claim Approved (Notify Claim Approved/entry.ts)**

4. COMPONENTS (UI)

- **UI Base Elements (src/components/ui/)**
    - accordion.jsx
    - alert-dialog.jsx
    - alert.jsx
    - aspect-ratio.jsx
    - avatar.jsx
    - badge.jsx

- breadcrumb.jsx
- button.jsx
- calendar.jsx
- card.jsx
- carousel.jsx
- chart.jsx
- checkbox.jsx
- collapsible.jsx
- command.jsx
- context-menu.jsx
- dialog.jsx
- drawer.jsx
- dropdown-menu.jsx
- form.jsx
- hover-card.jsx
- image-helpers.js
- image.jsx
- input-otp.jsx
- input.jsx
- label.jsx
- menubar.jsx
- navigation-menu.jsx
- pagination.jsx
- popover.jsx
- progress.jsx
- radio-group.jsx

    - resizable.jsx
    - responsive-image.jsx
    - scroll-area.jsx
    - select.jsx
    - separator.jsx
    - sheet.jsx
    - sidebar.jsx
    - skeleton.jsx
    - slider.jsx
    - sonner.jsx
    - switch.jsx
    - table.jsx
    - tabs.jsx
    - textarea.jsx
    - toast.jsx
    - toaster.jsx
    - toggle-group.jsx
    - toggle.jsx
    - tooltip.jsx
    - use-responsive-image.jsx
    - use-toast.jsx
- **App Components (src/components/)**
    - AuthLayout.jsx
    - ClaimDetailModal.jsx
    - GoogleIcon.jsx
    - Layout.jsx

- NotificationBell.jsx
- ProtectedRoute.jsx
- RegisterDetailsForm.jsx
- RequireRole.jsx
- ScrollToTop.jsx
- StatusBadge.jsx
- UserNotRegisteredError.jsx

5. HOOKS

- use-mobile.jsx

BASE44 CODE.docx

- use-size.jsx

BASE44 CODE.docx

6. LIBRARIES (src/lib/)

- app-params.js

BASE44 CODE.docx

- AuthContext.jsx

BASE44 CODE.docx

- authMfa.js

BASE44 CODE.docx

- authReturnTo.js

BASE44 CODE.docx

- mobile.js

BASE44 CODE.docx

- PageNotFound.jsx

BASE44 CODE.docx

- query-client.js

BASE44 CODE.docx

- RoleContext.jsx

BASE44 CODE.docx

- taxEngine.js

BASE44 CODE.docx

- utils.js

BASE44 CODE.docx

7. PAGES

- **DASHBOARD**

BASE44 CODE.docx

- **CLAIMS**

BASE44 CODE.docx

- **FORGOT PASSWORD**

BASE44 CODE.docx

- **LOG IN**

BASE44 CODE.docx

- **NEW CLAIMS**

BASE44 CODE.docx

- **OAUTH CONSENT**

BASE44 CODE.docx

- **REGISTER**

BASE44 CODE.docx

- **REPORTS**

BASE44 CODE.docx

- **RESET PASSWORD**

BASE44 CODE.docx

- **REVIEW**

BASE44 CODE.docx

- **ROLE SELECTION**

BASE44 CODE.docx

8. CONFIGURATION & ROOT FILES

- App.jsx
- main.jsx
- index.css
- index.html
- index.ts
- config.jsonc
- components.json
- eslint.config.js
- jsconfig.json
- package.json / package-lock.json
- postcss.config.js
- tailwind.config.js
- vite.config.js
- .gitignore / .npmrc
- AGENTS.md / CLAUDE.md / README.md

BASE44 CODE.docx

CONNECTORS

GMAIL


```
{
  "type": "gmail",
  "scopes": [
    "https://www.googleapis.com/auth/gmail.send",
    "email"
  ]
}
```


ENTITIES

APPROVAL


```
{
  "type": "object",
  "name": "Approvals",
  "description": "Audit trail of manager decisions and teller payouts on reimbursement claims.",
  "properties": {
    "reimbursement_id": {
      "type": "string",
      "description": "Id of the reimbursement claim this record belongs to"
    },
    "reference_id": {
      "type": "string",
      "description": "Claim reference id, e.g. REB-2026-A1B2"
    },
    "approver_name": {
      "type": "string",
      "description": "Name of the Area Manager or Teller who acted on the claim"
```

```
  },
  "action": {
    "type": "string",
    "description": "Action taken: Approved | Rejected | Disbursed"
  },
  "comments": {
    "type": "string",
    "description": "Reviewer comments (mandatory when rejecting)"
  },
  "processed_at": {
    "type": "string",
    "description": "ISO 8601 timestamp when the action was processed"
  }
},
"required": [
  "reference_id",
  "action",
  "processed_at"
],
"rls": {
  "read": {
    "$or": [
      {
        "user_condition": {
          "role": "admin"
        }
      },
```

```
  {
    "user_condition": {
      "role": "user"
    }
  }
 ]
},
"create": {
 "$or": [
  {
    "user_condition": {
      "role": "admin"
    }
  },
  {
    "user_condition": {
      "role": "user"
    }
  }
 ]
},
"update": {
 "$or": [
  {
    "user_condition": {
      "role": "admin"
    }
```

```
      },
      {
        "user_condition": {
          "role": "user"
        }
      }
    ]
  },
  "delete": {
    "user_condition": {
      "role": "admin"
    }
  }
 }
}
```

PORTAL ALERTS

```
{
  "type": "object",
  "name": "PortalAlerts",
  "description": "In-app portal alerts delivered to a specific user, e.g. claim approval notices for the Branch Manager / Teller and the requesting employee.",
  "properties": {
    "recipient_email": {
      "type": "string",
      "description": "Email of the user who should see this alert"
    },
    "claim_id": {
```

```
    "type": "string",
    "description": "Id of the reimbursement claim this alert refers to"
   },
   "claim_reference": {
    "type": "string",
    "description": "Human-readable claim reference, e.g. REB-2026-A1B2"
   },
   "claim_title": {
    "type": "string",
    "description": "Short title of the claim"
   },
   "message": {
    "type": "string",
    "description": "Alert text shown in the portal notification bell"
   },
   "is_read": {
    "type": "boolean",
    "default": false,
    "description": "Whether the recipient has already read this alert"
   }
  },
  "required": [
   "recipient_email",
   "message"
  ],
  "rls": {
   "read": {
```

```
  "$or": [
   {
     "data.recipient_email": "{{user.email}}"
   },
   {
     "user_condition": {
       "role": "admin"
     }
   }
  ]
},
"create": {
  "user_condition": {
    "role": "admin"
  }
},
"update": {
  "$or": [
   {
     "data.recipient_email": "{{user.email}}"
   },
   {
     "user_condition": {
       "role": "admin"
     }
   }
  ]
```

```
  },
  "delete": {
    "user_condition": {
      "role": "admin"
    }
  }
 }
}
```

PORTAL DIRECTORY

```
{
 "type": "object",
 "name": "PortalDirectory",
 "description": "App-maintained directory of each user's portal role and mobile number, used to route SMS claim alerts to Area Managers and Employees.",
 "properties": {
  "user_id": {
    "type": "string",
    "description": "Id of the user this entry describes"
  },
  "user_email": {
    "type": "string",
    "description": "Email of the user"
  },
  "portal_role": {
    "type": "string",
    "description": "Portal role: Employee, Area Manager, or Branch Manager / Teller"
  },
```

```
  "mobile_number": {
    "type": "string",
    "description": "Mobile number in +63 format (e.g. +639171234567) used by the SMS gateway for claim alerts"
  }
 },
 "required": [
  "user_id",
  "user_email",
  "portal_role"
 ],
 "rls": {
  "read": {
   "$or": [
    {
     "created_by_id": "{{user.id}}"
    },
    {
     "user_condition": {
      "role": "admin"
     }
    }
   ]
  },
  "create": {
   "$or": [
    {
     "created_by_id": "{{user.id}}"
```

```
      },
      {
        "user_condition": {
          "role": "admin"
        }
      }
    ]
  },
  "update": {
    "$or": [
      {
        "created_by_id": "{{user.id}}"
      },
      {
        "user_condition": {
          "role": "admin"
        }
      }
    ]
  },
  "delete": {
    "user_condition": {
      "role": "admin"
    }
  }
 }
}
```

REIMBURSEMENT


```
{
  "type": "object",
  "name": "Reimbursements",
  "description": "Employee reimbursement claims in Philippine Peso with automatic VAT/EWT computations, digital receipt, and workflow status.",
  "properties": {
    "reference_id": {
      "type": "string",
      "description": "Human-readable claim reference, e.g. REB-2026-A1B2"
    },
    "title": {
      "type": "string",
      "description": "Short description of the expense"
    },
    "category": {
      "type": "string",
      "description": "Expense category"
    },
    "requestor_name": {
      "type": "string",
      "description": "Name of the employee who filed the claim"
    },
    "requestor_email": {
      "type": "string",
      "description": "Email of the employee who filed the claim, used to route SMS notifications back to them"
```

```
},
"gross_amount": {
  "type": "number",
  "description": "Gross amount in PHP (must be greater than 0)"
},
"is_vatable": {
  "type": "boolean",
  "description": "Whether the gross amount is VAT-inclusive (12% VAT)"
},
"net_amount": {
  "type": "number",
  "description": "Net amount in PHP (Gross / 1.12 if VATable, else Gross)"
},
"vat_amount": {
  "type": "number",
  "description": "12% VAT component in PHP"
},
"ewt_rate": {
  "type": "number",
  "description": "EWT rate in percent (0, 1, 2 or 5)"
},
"ewt_amount": {
  "type": "number",
  "description": "Expanded withholding tax amount in PHP"
},
"final_reimbursable_amount": {
  "type": "number",
```

```
    "description": "Final reimbursable amount in PHP (Net minus EWT)"
   },
   "receipt_url": {
    "type": "string",
    "description": "Stored receipt photo (private file URI or image URL)"
   },
   "current_status": {
    "type": "string",
    "description": "Workflow status: Pending Manager Approval | Pending Payment | Paid/Disbursed | Rejected"
   },
   "submitted_at": {
    "type": "string",
    "description": "ISO 8601 timestamp when the employee submitted the claim"
   },
   "payout_method": {
    "type": "string",
    "description": "Disbursement method: Cash or Bank Transfer"
   },
   "paid_at": {
    "type": "string",
    "description": "ISO 8601 timestamp when the teller disbursed the payout"
   }
  },
  "required": [
   "reference_id",
   "title",
   "gross_amount",
```

```
  "current_status"
],
"rls": {
  "read": {
    "$or": [
      {
        "user_condition": {
          "role": "admin"
        }
      },
      {
        "user_condition": {
          "role": "user"
        }
      }
    ]
  },
  "create": {
    "$or": [
      {
        "user_condition": {
          "role": "admin"
        }
      },
      {
        "user_condition": {
          "role": "user"
```

```
        }
       }
      ]
    },
    "update": {
      "$or": [
       {
         "user_condition": {
           "role": "admin"
         }
       },
       {
         "user_condition": {
           "role": "user"
         }
       }
      ]
    },
    "delete": {
      "user_condition": {
        "role": "admin"
      }
    }
  }
}
```

USER


```
{
  "name": "User",
  "type": "object",
  "properties": {
    "role": {
      "type": "string",
      "description": "The role of the user in the app",
      "enum": [
        "admin",
        "user"
      ]
    },
    "portal_role": {
      "type": "string",
      "description": "Portal role chosen at registration: Employee, Area Manager, or Branch Manager / Teller",
      "enum": [
        "Employee",
        "Area Manager",
        "Branch Manager / Teller"
      ]
    },
    "department": {
      "type": "string",
      "description": "Department the employee belongs to, entered at registration"
    },
    "mobile_number": {
```

```
    "type": "string",
    "description": "Mobile number in +63 format used by the SMS gateway for claim alerts"
   }
  },
  "required": [
   "role"
  ]
}
```

FUNCTION

Notify AreaManagers/entry.ts

```
import { createClientFromRequest } from 'npm:@base44/sdk@0.8.54';

// --- Minimal RFC 2822 message builder -----------------------------------
// The runtime has no MIME library, so this builds the message directly with
// the encodings a MIME library would provide: RFC 2047 for non-ASCII subjects
// and base64 for the UTF-8 body.

function bytesToBase64(bytes) {
  let binary = '';
  for (const b of bytes) binary += String.fromCharCode(b);
  return btoa(binary);
}

function toBase64Url(str) {
  return bytesToBase64(new TextEncoder().encode(str))
    .replace(/\+/g, '-')
```

```
    .replace(/\//g, '_')
    .replace(/=+$/, '');
}

function encodeHeaderValue(value) {
  if (/^[\x20-\x7e]*$/.test(value)) return value;
  const b64 = bytesToBase64(new TextEncoder().encode(value));
  const words = b64.match(/.{1,60}/g) || [];
  return words.map((w) => ` =?UTF-8?B?${w}?=` ).join('\r\n ');
}

function buildMimeMessage({ to, subject, text }) {
  const bodyB64 = bytesToBase64(new TextEncoder().encode(text));
  const body = (bodyB64.match(/.{1,76}/g) || []).join('\r\n');
  return [
    `To: ${to.join(', ')}` ,
    `Subject: ${encodeHeaderValue(subject)}` ,
    'MIME-Version: 1.0',
    'Content-Type: text/plain; charset=UTF-8',
    'Content-Transfer-Encoding: base64',
    '',
    body,
    '',
  ].join('\r\n');
}

// ---------------------------------------------------------------------------
```

```
export default async function (req) {
 try {
  const base44 = createClientFromRequest(req);
  const user = await base44.auth.me().catch((e) => (e.status === 401 ? null : Promise.reject(e)));
  if (!user) return Response.json({ error: 'Unauthorized' }, { status: 401 });

  const body = await req.json().catch(() => ({}));
  const referenceId = typeof body.reference_id === 'string' ? body.reference_id.trim().slice(0, 40) : '';
  const title = typeof body.title === 'string' ? body.title.trim().slice(0, 200) : '';
  const requestorName = typeof body.requestor_name === 'string' ?
body.requestor_name.trim().slice(0, 100) : '';
  const gross = Number(body.gross_amount);
  const reimbursable = Number(body.final_reimbursable_amount);

  if (!referenceId || !title || !requestorName || !(gross > 0)) {
   return Response.json(
    { error: 'reference_id, title, requestor_name and a positive gross_amount are required' },
    { status: 400 }
   );
  }

  // All Area Manager entries in the app's portal directory.
  // Only trust entries the account holder created for themselves.
  const { items: directory } = await base44.asServiceRole.entities.PortalDirectory.filter(
   { portal_role: 'Area Manager' },
   { limit: 100 }
  );
```

```
  const recipients = [
   ...new Set(
    directory
     .filter((d) => d.created_by_id === d.user_id && d.user_email)
     .map((d) => d.user_email)
   ),
  ];
  if (recipients.length === 0) {
   return Response.json({ notified: 0 });
  }

  const { accessToken } = await base44.asServiceRole.connectors.getConnection('gmail');
  const authHeader = { Authorization: `Bearer ${accessToken}` };

  // Note: no From header — Gmail stamps the connected account as the sender.
  const php = (n) =>
   `PHP ${Number(n).toLocaleString('en-PH', { minimumFractionDigits: 2, maximumFractionDigits:
2 })}`;

  const mime = buildMimeMessage({
   to: recipients,
   subject: `New claim ${referenceId} awaiting your approval — ${title}`,
   text:
    `A new reimbursement claim has been submitted and is pending manager approval.\n\n` +
    `Reference: ${referenceId}\n` +
    `Title: ${title}\n` +
    `Filed by: ${requestorName}\n` +
    `Gross Amount: ${php(gross)}\n` +
```

```
      `Final Reimbursable: ${php(Number.isFinite(reimbursable) ? reimbursable : 0)}\n\n` +
      `Open the Review queue in the portal to approve or reject this claim.\n\n` +
      `— Smart Reimbursement & Local Tax Portal`,
    });

    const sendRes = await fetch('https://gmail.googleapis.com/gmail/v1/users/me/messages/send', {
      method: 'POST',
      headers: { ...authHeader, 'Content-Type': 'application/json' },
      body: JSON.stringify({ raw: toBase64Url(mime) }),
      signal: AbortSignal.timeout(15000),
    });
    if (!sendRes.ok) {
      const detail = await sendRes.text();
      throw new Error(`Gmail send failed (${sendRes.status}): ${detail.slice(0, 300)}`);
    }

    return Response.json({ notified: recipients.length });
  } catch (error) {
    return Response.json({ error: error.message }, { status: 500 });
  }
}
```

Notify Claim Approved/entry.ts

```
import { createClientFromRequest } from 'npm:@base44/sdk@0.8.54';
import { secrets } from 'base44:runtime';

const PENDING_PAYMENT = 'Pending Payment';
```

```
// Semaphore expects numbers as 639XXXXXXXXX (no plus sign).
function toSemaphoreNumber(raw) {
  const digits = String(raw ?? '').replace(/\D/g, '');
  if (!digits) return null;
  if (digits.startsWith('63') && digits.length === 12) return digits;
  if (digits.startsWith('0') && digits.length === 11) return `63${digits.slice(1)}`;
  if (digits.startsWith('9') && digits.length === 10) return `63${digits}`;
  return null;
}

function formatPeso(value) {
  const n = Number(value);
  return `₱${(Number.isFinite(n) ? n : 0).toLocaleString('en-PH', {
    minimumFractionDigits: 2,
    maximumFractionDigits: 2,
  })}`;
}

export default async function (req) {
  try {
    const base44 = createClientFromRequest(req);
    const user = await base44.auth.me().catch((e) => (e.status === 401 ? null : Promise.reject(e)));
    if (!user) return Response.json({ error: 'Unauthorized' }, { status: 401 });

    const body = await req.json().catch(() => ({}));
    const claimId = typeof body.claim_id === 'string' ? body.claim_id.trim() : '';
```

```
  if (!claimId) return Response.json({ error: 'claim_id is required' }, { status: 400 });

  // The claim itself is the source of truth for amounts and wording.
  const claim = await base44.asServiceRole.entities.Reimbursements.get(claimId).catch((e) =>
    e.status === 404 ? null : Promise.reject(e)
  );
  if (!claim) return Response.json({ error: 'Claim not found' }, { status: 404 });
  if (claim.current_status !== PENDING_PAYMENT) {
    return Response.json({ error: 'Claim is not awaiting payment' }, { status: 400 });
  }

  const title = claim.title || 'Reimbursement claim';
  const referenceId = claim.reference_id || '';
  const amount = formatPeso(claim.final_reimbursable_amount);

  const tellerMessage = `Claim ${title} amounting to ${amount} has been approved by the Area Manager and is ready for cash disbursement.`;
  const employeeMessage = `Great news! Your claim ${title} (#${referenceId}) was approved by the Area Manager and forwarded to the Branch Head for payout.`;

  const { items: directory } = await base44.asServiceRole.entities.PortalDirectory.filter(
    { portal_role: 'Branch Manager / Teller' },
    { limit: 100 }
  );
  const tellerEmails = [
    ...new Set(
      directory
        .filter((d) => d.created_by_id === d.user_id && d.user_email)
```

```
    .map((d) => d.user_email)
  ),
];

const targets = tellerEmails.map((email) => ({ email, message: tellerMessage }));
if (claim.requestor_email && !tellerEmails.includes(claim.requestor_email)) {
  targets.push({ email: claim.requestor_email, message: employeeMessage });
}
if (targets.length === 0) return Response.json({ alerts: 0, sms: 0 });

const emails = targets.map((t) => t.email);
const accounts = await base44.asServiceRole.entities.User.filter({ email: { $in: emails } });
const mobileByEmail = {};
for (const account of accounts ?? []) {
  mobileByEmail[account.email] = toSemaphoreNumber(account.mobile_number);
}

// In-app alerts first, so a gateway problem never hides them.
await base44.asServiceRole.entities.PortalAlerts.bulkCreate(
  targets.map((t) => ({
    recipient_email: t.email,
    claim_id: claim.id,
    claim_reference: referenceId,
    claim_title: title,
    message: t.message,
    is_read: false,
  }))
```

```
  );

  const apiKey = secrets.get('SEMAPHORE_API_KEY');
  const smsTargets = targets.filter((t) => mobileByEmail[t.email]).slice(0, 20);
  let sms = 0;
  if (apiKey && smsTargets.length > 0) {
   const results = await Promise.allSettled(
    smsTargets.map((t) =>
     fetch('https://api.semaphore.co/api/v4/messages', {
      method: 'POST',
      headers: { 'Content-Type': 'application/x-www-form-urlencoded' },
      body: new URLSearchParams({
       apikey: apiKey,
       number: mobileByEmail[t.email],
       message: t.message,
      }),
      signal: AbortSignal.timeout(15000),
     })
    )
   );
   sms = results.filter((r) => r.status === 'fulfilled' && r.value.ok).length;
  }

  return Response.json({ alerts: targets.length, sms, smsAttempted: smsTargets.length });
 } catch (error) {
  return Response.json({ error: error.message }, { status: 500 });
 }
```

```
}
```

config.jsonc

```
{
  "name": "base44-app",
  "site": {
    "installCommand": "npm install",
    "buildCommand": "npm run build",
    "serveCommand": "npm run dev",
    "outputDirectory": "./dist"
  }
}
```

SRC (API)

src/api/base44Client.js

```
import { createClient } from '@base44/sdk';
import { appParams } from '@/lib/app-params';

const { appId, token, functionsVersion, appBaseUrl } = appParams;

export const base44 = createClient({
  appId,
  token,
  functionsVersion,
  serverUrl: '',
  appBaseUrl
});
```

COMPONENTS (UI)

src/components/ui/accordion.jsx

```
import * as React from "react"
import * as AccordionPrimitive from "@radix-ui/react-accordion"
import { ChevronDown } from "lucide-react"

import { cn } from "@/lib/utils"

const Accordion = AccordionPrimitive.Root

const AccordionItem = React.forwardRef(({ className, ...props }, ref) => (
  <AccordionPrimitive.Item ref={ref} className={cn("border-b", className)} {...props} />
))
AccordionItem.displayName = "AccordionItem"

const AccordionTrigger = React.forwardRef(({ className, children, ...props }, ref) => (
  <AccordionPrimitive.Header className="flex">
    <AccordionPrimitive.Trigger
      ref={ref}
      className={cn(
        "flex flex-1 items-center justify-between py-4 text-sm font-medium transition-all
hover:underline text-left [&[data-state=open]>svg]:rotate-180",
        className
      )}
      {...props}>
      {children}
      <ChevronDown
```

```
      className="h-4 w-4 shrink-0 text-muted-foreground transition-transform duration-200" />
    </AccordionPrimitive.Trigger>
  </AccordionPrimitive.Header>
))
AccordionTrigger.displayName = AccordionPrimitive.Trigger.displayName

const AccordionContent = React.forwardRef(({ className, children, ...props }, ref) => (
  <AccordionPrimitive.Content
    ref={ref}
    className="overflow-hidden text-sm data-[state=closed]:animate-accordion-up data-
[state=open]:animate-accordion-down"
    {...props}>
    <div className={cn("pb-4 pt-0", className)}>{children}</div>
  </AccordionPrimitive.Content>
))
AccordionContent.displayName = AccordionPrimitive.Content.displayName

export { Accordion, AccordionItem, AccordionTrigger, AccordionContent }
```

src/components/ui/alert-dialog.jsx

```
import * as React from "react"
import * as AlertDialogPrimitive from "@radix-ui/react-alert-dialog"

import { cn } from "@/lib/utils"
import { buttonVariants } from "@/components/ui/button"

const AlertDialog = AlertDialogPrimitive.Root
```

```
const AlertDialogTrigger = AlertDialogPrimitive.Trigger

const AlertDialogPortal = AlertDialogPrimitive.Portal

const AlertDialogOverlay = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Overlay
    className={cn(
      "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
      className
    )}
    {...props}
    ref={ref} />
))
AlertDialogOverlay.displayName = AlertDialogPrimitive.Overlay.displayName

const AlertDialogContent = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPortal>
    <AlertDialogOverlay />
    <AlertDialogPrimitive.Content
      ref={ref}
      className={cn(
        "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%] translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[state=closed]:slide-out-to-left-1/2 data-[state=closed]:slide-out-to-top-[48%] data-[state=open]:slide-in-from-left-1/2 data-[state=open]:slide-in-from-top-[48%] sm:rounded-lg",
```

```
      className
    )}
    {...props} />
  </AlertDialogPortal>
))
AlertDialogContent.displayName = AlertDialogPrimitive.Content.displayName

const AlertDialogHeader = ({
  className,
  ...props
}) => (
  <div
    className={cn("flex flex-col space-y-2 text-center sm:text-left", className)}
    {...props} />
)
AlertDialogHeader.displayName = "AlertDialogHeader"

const AlertDialogFooter = ({
  className,
  ...props
}) => (
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2", className)}
    {...props} />
)
AlertDialogFooter.displayName = "AlertDialogFooter"
```

```
const AlertDialogTitle = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Title ref={ref} className={cn("text-lg font-semibold", className)} {...props}
/>
))
AlertDialogTitle.displayName = AlertDialogPrimitive.Title.displayName

const AlertDialogDescription = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props} />
))
AlertDialogDescription.displayName =
  AlertDialogPrimitive.Description.displayName

const AlertDialogAction = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Action ref={ref} className={cn(buttonVariants(), className)} {...props} />
))
AlertDialogAction.displayName = AlertDialogPrimitive.Action.displayName

const AlertDialogCancel = React.forwardRef(({ className, ...props }, ref) => (
  <AlertDialogPrimitive.Cancel
    ref={ref}
    className={cn(buttonVariants({ variant: "outline" }), "mt-2 sm:mt-0", className)}
    {...props} />
))
AlertDialogCancel.displayName = AlertDialogPrimitive.Cancel.displayName
```

```
export {
 AlertDialog,
 AlertDialogPortal,
 AlertDialogOverlay,
 AlertDialogTrigger,
 AlertDialogContent,
 AlertDialogHeader,
 AlertDialogFooter,
 AlertDialogTitle,
 AlertDialogDescription,
 AlertDialogAction,
 AlertDialogCancel,
}

src/components/ui/alert.jsx
import * as React from "react"
import { cva } from "class-variance-authority";

import { cn } from "@/lib/utils"

const alertVariants = cva(
  "relative w-full rounded-lg border px-4 py-3 text-sm [&>svg+div]:translate-y-[-3px] [&>svg]:absolute [&>svg]:left-4 [&>svg]:top-4 [&>svg]:text-foreground [&>svg~*]:pl-7",
 {
   variants: {
     variant: {
       default: "bg-background text-foreground",
       destructive:
```

```
        "border-destructive/50 text-destructive dark:border-destructive [&>svg]:text-destructive",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  }
)

const Alert = React.forwardRef(({ className, variant, ...props }, ref) => (
  <div
    ref={ref}
    role="alert"
    className={cn(alertVariants({ variant }), className)}
    {...props} />
))
Alert.displayName = "Alert"

const AlertTitle = React.forwardRef(({ className, ...props }, ref) => (
  <h5
    ref={ref}
    className={cn("mb-1 font-medium leading-none tracking-tight", className)}
    {...props} />
))
AlertTitle.displayName = "AlertTitle"

const AlertDescription = React.forwardRef(({ className, ...props }, ref) => (
```

```
  <div
    ref={ref}
    className={cn("text-sm [&_p]:leading-relaxed", className)}
    {...props} />
))
AlertDescription.displayName = "AlertDescription"

export { Alert, AlertTitle, AlertDescription }
```

src/components/ui/aspect-ratio.jsx

```
import * as AspectRatioPrimitive from "@radix-ui/react-aspect-ratio"

const AspectRatio = AspectRatioPrimitive.Root

export { AspectRatio }
```

src/components/ui/avatar.jsx

```
"use client"

import * as React from "react"
import * as AvatarPrimitive from "@radix-ui/react-avatar"

import { cn } from "@/lib/utils"

const Avatar = React.forwardRef(({ className, ...props }, ref) => (
  <AvatarPrimitive.Root
    ref={ref}
```

```
    className={cn("relative flex h-10 w-10 shrink-0 overflow-hidden rounded-full", className)}
    {...props} />
))
Avatar.displayName = AvatarPrimitive.Root.displayName

const AvatarImage = React.forwardRef(({ className, ...props }, ref) => (
  <AvatarPrimitive.Image
    ref={ref}
    className={cn("aspect-square h-full w-full", className)}
    {...props} />
))
AvatarImage.displayName = AvatarPrimitive.Image.displayName

const AvatarFallback = React.forwardRef(({ className, ...props }, ref) => (
  <AvatarPrimitive.Fallback
    ref={ref}
    className={cn(
      "flex h-full w-full items-center justify-center rounded-full bg-muted",
      className
    )}
    {...props} />
))
AvatarFallback.displayName = AvatarPrimitive.Fallback.displayName

export { Avatar, AvatarImage, AvatarFallback }
```

src/components/ui/badge.jsx

```
import * as React from "react"
import { cva } from "class-variance-authority";

import { cn } from "@/lib/utils"

const badgeVariants = cva(
  "inline-flex items-center rounded-md border px-2.5 py-0.5 text-xs font-semibold transition-colors focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2",
 {
   variants: {
    variant: {
      default:
        "border-transparent bg-primary text-primary-foreground shadow hover:bg-primary/80",
      secondary:
        "border-transparent bg-secondary text-secondary-foreground hover:bg-secondary/80",
      destructive:
        "border-transparent bg-destructive text-destructive-foreground shadow hover:bg-destructive/80",
      outline: "text-foreground",
    },
   },
   defaultVariants: {
    variant: "default",
   },
 }
)

function Badge({
```

```
  className,
  variant,
  ...props
}) {
  return (<div className={cn(badgeVariants({ variant }), className)} {...props} />);
}

export { Badge, badgeVariants }
```

src/components/ui/breadcrumb.jsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { ChevronRight, MoreHorizontal } from "lucide-react"

import { cn } from "@/lib/utils"

const Breadcrumb = React.forwardRef(
  ({ ...props }, ref) => <nav ref={ref} aria-label="breadcrumb" {...props} />
)
Breadcrumb.displayName = "Breadcrumb"

const BreadcrumbList = React.forwardRef(({ className, ...props }, ref) => (
  <ol
    ref={ref}
    className={cn(
      "flex flex-wrap items-center gap-1.5 break-words text-sm text-muted-foreground sm:gap-2.5",
      className
```

```
  )}
  {...props} />
))
BreadcrumbList.displayName = "BreadcrumbList"

const BreadcrumbItem = React.forwardRef(({ className, ...props }, ref) => (
 <li
  ref={ref}
  className={cn("inline-flex items-center gap-1.5", className)}
  {...props} />
))
BreadcrumbItem.displayName = "BreadcrumbItem"

const BreadcrumbLink = React.forwardRef(({ asChild, className, ...props }, ref) => {
 const Comp = asChild ? Slot : "a"

 return (
  (<Comp
   ref={ref}
   className={cn("transition-colors hover:text-foreground", className)}
   {...props} />)
 );
})
BreadcrumbLink.displayName = "BreadcrumbLink"

const BreadcrumbPage = React.forwardRef(({ className, ...props }, ref) => (
 <span
```

```
    ref={ref}
    role="link"
    aria-disabled="true"
    aria-current="page"
    className={cn("font-normal text-foreground", className)}
    {...props} />
))
BreadcrumbPage.displayName = "BreadcrumbPage"

const BreadcrumbSeparator = ({
  children,
  className,
  ...props
}) => (
  <li
    role="presentation"
    aria-hidden="true"
    className={cn("[&>svg]:w-3.5 [&>svg]:h-3.5", className)}
    {...props}>
    {children ?? <ChevronRight />}
  </li>
)
BreadcrumbSeparator.displayName = "BreadcrumbSeparator"

const BreadcrumbEllipsis = ({
  className,
  ...props
```

```
}) => (
  <span
    role="presentation"
    aria-hidden="true"
    className={cn("flex h-9 w-9 items-center justify-center", className)}
    {...props}>
    <MoreHorizontal className="h-4 w-4" />
    <span className="sr-only">More</span>
  </span>
)
BreadcrumbEllipsis.displayName = "BreadcrumbElipssis"

export {
  Breadcrumb,
  BreadcrumbList,
  BreadcrumbItem,
  BreadcrumbLink,
  BreadcrumbPage,
  BreadcrumbSeparator,
  BreadcrumbEllipsis,
}
```

src/components/ui/button.jsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva } from "class-variance-authority";
```

```
import { cn } from "@/lib/utils"


const buttonVariants = cva(
  "inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md text-sm font-medium transition-colors focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:pointer-events-none disabled:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
 {
   variants: {
     variant: {
       default:
         "bg-primary text-primary-foreground shadow hover:bg-primary/90",
       destructive:
         "bg-destructive text-destructive-foreground shadow-sm hover:bg-destructive/90",
       outline:
         "border border-input bg-transparent shadow-sm hover:bg-accent hover:text-accent-foreground",
       secondary:
         "bg-secondary text-secondary-foreground shadow-sm hover:bg-secondary/80",
       ghost: "hover:bg-accent hover:text-accent-foreground",
       link: "text-primary underline-offset-4 hover:underline",
     },
     size: {
       default: "h-9 px-4 py-2",
       sm: "h-8 rounded-md px-3 text-xs",
       lg: "h-10 rounded-md px-8",
       icon: "h-9 w-9",
     },
   },
```

```
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
)

const Button = React.forwardRef(({ className, variant, size, asChild = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "button"
  return (
    (<Comp
      className={cn(buttonVariants({ variant, size, className }))}
      ref={ref}
      {...props} />)
  );
})
Button.displayName = "Button"

export { Button, buttonVariants }
```

src/components/ui/calendar.jsx

```
import * as React from "react"
import { ChevronLeft, ChevronRight } from "lucide-react"
import { DayPicker } from "react-day-picker"

import { cn } from "@/lib/utils"
import { buttonVariants } from "@/components/ui/button"
```

```
function Calendar({
  className,
  classNames,
  showOutsideDays = true,
  ...props
}) {
  return (
    (<DayPicker
      showOutsideDays={showOutsideDays}
      className={cn("p-3", className)}
      classNames={{
        months: "flex flex-col sm:flex-row space-y-4 sm:space-x-4 sm:space-y-0",
        month: "space-y-4",
        caption: "flex justify-center pt-1 relative items-center",
        caption_label: "text-sm font-medium",
        nav: "space-x-1 flex items-center",
        nav_button: cn(
          buttonVariants({ variant: "outline" }),
          "h-7 w-7 bg-transparent p-0 opacity-50 hover:opacity-100"
        ),
        nav_button_previous: "absolute left-1",
        nav_button_next: "absolute right-1",
        table: "w-full border-collapse space-y-1",
        head_row: "flex",
        head_cell:
          "text-muted-foreground rounded-md w-8 font-normal text-[0.8rem]",
```

```
      row: "flex w-full mt-2",
      cell: cn(
        "relative p-0 text-center text-sm focus-within:relative focus-within:z-20 [&:has([aria-selected])]:bg-accent [&:has([aria-selected].day-outside)]:bg-accent/50 [&:has([aria-selected].day-range-end)]:rounded-r-md",
        props.mode === "range"
          ? "[&:has(>.day-range-end)]:rounded-r-md [&:has(>.day-range-start)]:rounded-l-md first:[&:has([aria-selected])]:rounded-l-md last:[&:has([aria-selected])]:rounded-r-md"
          : "[&:has([aria-selected])]:rounded-md"
      ),
      day: cn(
        buttonVariants({ variant: "ghost" }),
        "h-8 w-8 p-0 font-normal aria-selected:opacity-100"
      ),
      day_range_start: "day-range-start",
      day_range_end: "day-range-end",
      day_selected:
        "bg-primary text-primary-foreground hover:bg-primary hover:text-primary-foreground focus:bg-primary focus:text-primary-foreground",
      day_today: "bg-accent text-accent-foreground",
      day_outside:
        "day-outside text-muted-foreground aria-selected:bg-accent/50 aria-selected:text-muted-foreground",
      day_disabled: "text-muted-foreground opacity-50",
      day_range_middle:
        "aria-selected:bg-accent aria-selected:text-accent-foreground",
      day_hidden: "invisible",
      ...classNames,
    }}
```

```
    components={{
      IconLeft: ({ className, ...props }) => (
        <ChevronLeft className={cn("h-4 w-4", className)} {...props} />
      ),
      IconRight: ({ className, ...props }) => (
        <ChevronRight className={cn("h-4 w-4", className)} {...props} />
      ),
    }}
    {...props} />)
 );
}
Calendar.displayName = "Calendar"

export { Calendar }
```

src/components/ui/card.jsx

```
import * as React from "react"

import { cn } from "@/lib/utils"

const Card = React.forwardRef(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn("rounded-xl border bg-card text-card-foreground shadow", className)}
    {...props} />
))
Card.displayName = "Card"
```

```
const CardHeader = React.forwardRef(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn("flex flex-col space-y-1.5 p-6", className)}
    {...props} />
))
CardHeader.displayName = "CardHeader"

const CardTitle = React.forwardRef(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn("font-semibold leading-none tracking-tight", className)}
    {...props} />
))
CardTitle.displayName = "CardTitle"

const CardDescription = React.forwardRef(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props} />
))
CardDescription.displayName = "CardDescription"

const CardContent = React.forwardRef(({ className, ...props }, ref) => (
  <div ref={ref} className={cn("p-6 pt-0", className)} {...props} />
```

```
))
CardContent.displayName = "CardContent"

const CardFooter = React.forwardRef(({ className, ...props }, ref) => (
 <div
  ref={ref}
  className={cn("flex items-center p-6 pt-0", className)}
  {...props} />
))
CardFooter.displayName = "CardFooter"

export { Card, CardHeader, CardFooter, CardTitle, CardDescription, CardContent }
```

src/components/ui/carousel.jsx

```
import * as React from "react"
import useEmblaCarousel from "embla-carousel-react";
import { ArrowLeft, ArrowRight } from "lucide-react"

import { cn } from "@/lib/utils"
import { Button } from "@/components/ui/button"

const CarouselContext = React.createContext(null)

function useCarousel() {
 const context = React.useContext(CarouselContext)

 if (!context) {
```

```
    throw new Error("useCarousel must be used within a <Carousel />")
  }

  return context
}

const Carousel = React.forwardRef((
  {
    orientation = "horizontal",
    opts,
    setApi,
    plugins,
    className,
    children,
    ...props
  },
  ref
) => {
  const [carouselRef, api] = useEmblaCarousel({
    ...opts,
    axis: orientation === "horizontal" ? "x" : "y",
  }, plugins)
  const [canScrollPrev, setCanScrollPrev] = React.useState(false)
  const [canScrollNext, setCanScrollNext] = React.useState(false)

  const onSelect = React.useCallback((api) => {
    if (!api) {
```

```
    return
  }

  setCanScrollPrev(api.canScrollPrev())
  setCanScrollNext(api.canScrollNext())
}, [])

const scrollPrev = React.useCallback(() => {
  api?.scrollPrev()
}, [api])

const scrollNext = React.useCallback(() => {
  api?.scrollNext()
}, [api])

const handleKeyDown = React.useCallback((event) => {
  if (event.key === "ArrowLeft") {
    event.preventDefault()
    scrollPrev()
  } else if (event.key === "ArrowRight") {
    event.preventDefault()
    scrollNext()
  }
}, [scrollPrev, scrollNext])

React.useEffect(() => {
  if (!api || !setApi) {
```

```
    return
  }

  setApi(api)
}, [api, setApi])

React.useEffect(() => {
  if (!api) {
    return
  }

  onSelect(api)
  api.on("reInit", onSelect)
  api.on("select", onSelect)

  return () => {
    api?.off("select", onSelect)
  };
}, [api, onSelect])

return (
  (<CarouselContext.Provider
    value={{
      carouselRef,
      api: api,
      opts,
      orientation:
```

```
        orientation || (opts?.axis === "y" ? "vertical" : "horizontal"),
      scrollPrev,
      scrollNext,
      canScrollPrev,
      canScrollNext,
    }}>
    <div
      ref={ref}
      onKeyDownCapture={handleKeyDown}
      className={cn("relative", className)}
      role="region"
      aria-roledescription="carousel"
      {...props}>
      {children}
    </div>
   </CarouselContext.Provider>)
  );
})
Carousel.displayName = "Carousel"

const CarouselContent = React.forwardRef(({ className, ...props }, ref) => {
  const { carouselRef, orientation } = useCarousel()

  return (
   (<div ref={carouselRef} className="overflow-hidden">
    <div
      ref={ref}
```

```
      className={cn(
        "flex",
        orientation === "horizontal" ? "-ml-4" : "-mt-4 flex-col",
        className
      )}
      {...props} />
   </div>)
  );
})
CarouselContent.displayName = "CarouselContent"

const CarouselItem = React.forwardRef(({ className, ...props }, ref) => {
  const { orientation } = useCarousel()

  return (
   (<div
     ref={ref}
     role="group"
     aria-roledescription="slide"
     className={cn(
       "min-w-0 shrink-0 grow-0 basis-full",
       orientation === "horizontal" ? "pl-4" : "pt-4",
       className
     )}
     {...props} />)
  );
})
```

```
CarouselItem.displayName = "CarouselItem"


const CarouselPrevious = React.forwardRef(({ className, variant = "outline", size = "icon", ...props
}, ref) => {
  const { orientation, scrollPrev, canScrollPrev } = useCarousel()


  return (
    (<Button
      ref={ref}
      variant={variant}
      size={size}
      className={cn("absolute  h-8 w-8 rounded-full", orientation === "horizontal"
        ? "-left-12 top-1/2 -translate-y-1/2"
        : "-top-12 left-1/2 -translate-x-1/2 rotate-90", className)}
      disabled={!canScrollPrev}
      onClick={scrollPrev}
      {...props}>
      <ArrowLeft className="h-4 w-4" />
      <span className="sr-only">Previous slide</span>
    </Button>)
  );
})
CarouselPrevious.displayName = "CarouselPrevious"


const CarouselNext = React.forwardRef(({ className, variant = "outline", size = "icon", ...props },
ref) => {
  const { orientation, scrollNext, canScrollNext } = useCarousel()
```

```
 return (
  (<Button
    ref={ref}
    variant={variant}
    size={size}
    className={cn("absolute h-8 w-8 rounded-full", orientation === "horizontal"
     ? "-right-12 top-1/2 -translate-y-1/2"
     : "-bottom-12 left-1/2 -translate-x-1/2 rotate-90", className)}
    disabled={!canScrollNext}
    onClick={scrollNext}
    {...props}>
    <ArrowRight className="h-4 w-4" />
    <span className="sr-only">Next slide</span>
  </Button>)
 );
})
CarouselNext.displayName = "CarouselNext"

export { Carousel, CarouselContent, CarouselItem, CarouselPrevious, CarouselNext };
```

src/components/ui/chart.jsx

```
"use client";
import * as React from "react"
import * as RechartsPrimitive from "recharts"

import { cn } from "@/lib/utils"
```

```
// Format: { THEME_NAME: CSS_SELECTOR }
const THEMES = {
 light: "",
 dark: ".dark"
}

const ChartContext = React.createContext(null)

function useChart() {
 const context = React.useContext(ChartContext)

 if (!context) {
  throw new Error("useChart must be used within a <ChartContainer />")
 }

 return context
}

const ChartContainer = React.forwardRef(({ id, className, children, config, ...props }, ref) => {
 const uniqueId = React.useId()
 const chartId = `chart-${id || uniqueId.replace(/:/g, "")}`

 return (
  (<ChartContext.Provider value={{ config }}>
   <div
    data-chart={chartId}
```

```
      ref={ref}
      className={cn(
        "flex aspect-video justify-center text-xs [&_.recharts-cartesian-axis-tick_text]:fill-muted-foreground [&_.recharts-cartesian-grid_line[stroke='#ccc']]:stroke-border/50 [&_.recharts-curve.recharts-tooltip-cursor]:stroke-border [&_.recharts-dot[stroke='#fff']]:stroke-transparent [&_.recharts-layer]:outline-none [&_.recharts-polar-grid_[stroke='#ccc']]:stroke-border [&_.recharts-radial-bar-background-sector]:fill-muted [&_.recharts-rectangle.recharts-tooltip-cursor]:fill-muted [&_.recharts-reference-line_[stroke='#ccc']]:stroke-border [&_.recharts-sector[stroke='#fff']]:stroke-transparent [&_.recharts-sector]:outline-none [&_.recharts-surface]:outline-none",
        className
      )}
      {...props}>
      <ChartStyle id={chartId} config={config} />
      <RechartsPrimitive.ResponsiveContainer>
        {children}
      </RechartsPrimitive.ResponsiveContainer>
    </div>
  </ChartContext.Provider>)
 );
})
ChartContainer.displayName = "Chart"


const ChartStyle = ({
 id,
 config
}) => {
 const colorConfig = Object.entries(config).filter(([, config]) => config.theme || config.color)


 if (!colorConfig.length) {
```

```
  return null
 }

 return (
  (<style
   dangerouslySetInnerHTML={{
    __html: Object.entries(THEMES)
     .map(([theme, prefix]) => `
${prefix} [data-chart=${id}] {
${colorConfig
.map(([key, itemConfig]) => {
const color =
 itemConfig.theme?.[theme] ||
 itemConfig.color
return color ? `  --color-${key}: ${color};` : null
})
.join("\n")}
}
`)
     .join("\n"),
   }} />)
 );
}

const ChartTooltip = RechartsPrimitive.Tooltip

const ChartTooltipContent = React.forwardRef((
```

```
  {
    active,
    payload,
    className,
    indicator = "dot",
    hideLabel = false,
    hideIndicator = false,
    label,
    labelFormatter,
    labelClassName,
    formatter,
    color,
    nameKey,
    labelKey,
  },
  ref
) => {
  const { config } = useChart()

  const tooltipLabel = React.useMemo(() => {
    if (hideLabel || !payload?.length) {
      return null
    }

    const [item] = payload
    const key = `${labelKey || item.dataKey || item.name || "value"}`
    const itemConfig = getPayloadConfigFromPayload(config, item, key)
```

```
  const value =
    !labelKey && typeof label === "string"
      ? config[label]?.label || label
      : itemConfig?.label

  if (labelFormatter) {
    return (
      (<div className={cn("font-medium", labelClassName)}>
        {labelFormatter(value, payload)}
      </div>)
    );
  }

  if (!value) {
    return null
  }

  return <div className={cn("font-medium", labelClassName)}>{value}</div>;
}, [
  label,
  labelFormatter,
  payload,
  hideLabel,
  labelClassName,
  config,
  labelKey,
])
```

```
 if (!active || !payload?.length) {
  return null
 }

 const nestLabel = payload.length === 1 && indicator !== "dot"

 return (
  (<div
   ref={ref}
   className={cn(
    "grid min-w-[8rem] items-start gap-1.5 rounded-lg border border-border/50 bg-background px-2.5 py-1.5 text-xs shadow-xl",
    className
   )}>
   {!nestLabel ? tooltipLabel : null}
   <div className="grid gap-1.5">
    {payload.map((item, index) => {
     const key = `${nameKey || item.name || item.dataKey || "value"}`
     const itemConfig = getPayloadConfigFromPayload(config, item, key)
     const indicatorColor = color || item.payload.fill || item.color

     return (
      (<div
       key={item.dataKey}
       className={cn(
        "flex w-full flex-wrap items-stretch gap-2 [&>svg]:h-2.5 [&>svg]:w-2.5 [&>svg]:text-muted-foreground",
```

```
 indicator === "dot" && "items-center"
)}>
{formatter && item?.value !== undefined && item.name ? (
 formatter(item.value, item.name, item, index, item.payload)
) : (
 <>
  {itemConfig?.icon ? (
   <itemConfig.icon />
  ) : (
   !hideIndicator && (
    <div
     className={cn("shrink-0 rounded-[2px] border-[--color-border] bg-[--color-bg]", {
      "h-2.5 w-2.5": indicator === "dot",
      "w-1": indicator === "line",
      "w-0 border-[1.5px] border-dashed bg-transparent":
       indicator === "dashed",
      "my-0.5": nestLabel && indicator === "dashed",
     })}
     style={
      {
       "--color-bg": indicatorColor,
       "--color-border": indicatorColor
      }
     } />
   )
  )}
  <div
```

```
              className={cn(
                "flex flex-1 justify-between leading-none",
                nestLabel ? "items-end" : "items-center"
              )}>
              <div className="grid gap-1.5">
                {nestLabel ? tooltipLabel : null}
                <span className="text-muted-foreground">
                  {itemConfig?.label || item.name}
                </span>
              </div>
              {item.value && (
                <span className="font-mono font-medium tabular-nums text-foreground">
                  {item.value.toLocaleString()}
                </span>
              )}
            </div>
          </>
        )}
      </div>)
    );
  })}
 </div>
</div>)
);
})
ChartTooltipContent.displayName = "ChartTooltip"
```

```
const ChartLegend = RechartsPrimitive.Legend

const ChartLegendContent = React.forwardRef((
 { className, hideIcon = false, payload, verticalAlign = "bottom", nameKey },
 ref
) => {
 const { config } = useChart()

 if (!payload?.length) {
  return null
 }

 return (
  (<div
   ref={ref}
   className={cn(
    "flex items-center justify-center gap-4",
    verticalAlign === "top" ? "pb-3" : "pt-3",
    className
   )}>
   {payload.map((item) => {
    const key = `${nameKey || item.dataKey || "value"}`
    const itemConfig = getPayloadConfigFromPayload(config, item, key)

    return (
     (<div
      key={item.value}
```

```
        className={cn(
          "flex items-center gap-1.5 [&>svg]:h-3 [&>svg]:w-3 [&>svg]:text-muted-foreground"
        )}>
        {itemConfig?.icon && !hideIcon ? (
          <itemConfig.icon />
        ) : (
          <div
            className="h-2 w-2 shrink-0 rounded-[2px]"
            style={{
              backgroundColor: item.color,
            }} />
        )}
        {itemConfig?.label}
      </div>)
    );
  })}
 </div>)
);
})
ChartLegendContent.displayName = "ChartLegend"

// Helper to extract item config from a payload.
function getPayloadConfigFromPayload(
 config,
 payload,
 key
) {
```

```
if (typeof payload !== "object" || payload === null) {
  return undefined
}

const payloadPayload =
  "payload" in payload &&
  typeof payload.payload === "object" &&
  payload.payload !== null
    ? payload.payload
    : undefined

let configLabelKey = key

if (
  key in payload &&
  typeof payload[key] === "string"
) {
  configLabelKey = payload[key]
} else if (
  payloadPayload &&
  key in payloadPayload &&
  typeof payloadPayload[key] === "string"
) {
  configLabelKey = payloadPayload[key]
}

return configLabelKey in config
```

```
    ? config[configLabelKey]
    : config[key];
}

export {
  ChartContainer,
  ChartTooltip,
  ChartTooltipContent,
  ChartLegend,
  ChartLegendContent,
  ChartStyle,
}
```

src/components/ui/checkbox.jsx

```
import * as React from "react"
import * as CheckboxPrimitive from "@radix-ui/react-checkbox"
import { Check } from "lucide-react"

import { cn } from "@/lib/utils"

const Checkbox = React.forwardRef(({ className, ...props }, ref) => (
  <CheckboxPrimitive.Root
    ref={ref}
    className={cn(
      "peer h-4 w-4 shrink-0 rounded-sm border border-primary shadow focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50 data-[state=checked]:bg-primary data-[state=checked]:text-primary-foreground",
      className
```

```
  )}
  {...props}>
  <CheckboxPrimitive.Indicator className={cn("flex items-center justify-center text-current")}>
    <Check className="h-4 w-4" />
  </CheckboxPrimitive.Indicator>
 </CheckboxPrimitive.Root>
))
Checkbox.displayName = CheckboxPrimitive.Root.displayName

export { Checkbox }
```

src/components/ui/collapsible.jsx

```
"use client"

import * as CollapsiblePrimitive from "@radix-ui/react-collapsible"

const Collapsible = CollapsiblePrimitive.Root

const CollapsibleTrigger = CollapsiblePrimitive.CollapsibleTrigger

const CollapsibleContent = CollapsiblePrimitive.CollapsibleContent

export { Collapsible, CollapsibleTrigger, CollapsibleContent }
```

src/components/ui/command.jsx

```
import * as React from "react"
import { Command as CommandPrimitive } from "cmdk"
```

```
import { Search } from "lucide-react"

import { cn } from "@/lib/utils"
import { Dialog, DialogContent } from "@/components/ui/dialog"

const Command = React.forwardRef(({ className, ...props }, ref) => (
 <CommandPrimitive
  ref={ref}
  className={cn(
   "flex h-full w-full flex-col overflow-hidden rounded-md bg-popover text-popover-foreground",
   className
  )}
  {...props} />
))
Command.displayName = CommandPrimitive.displayName

const CommandDialog = ({
 children,
 ...props
}) => {
 return (
  (<Dialog {...props}>
   <DialogContent className="overflow-hidden p-0">
    <Command
     className="[&_[cmdk-group-heading]]:px-2 [&_[cmdk-group-heading]]:font-medium [&_[cmdk-group-heading]]:text-muted-foreground [&_[cmdk-group]:not([hidden])_~[cmdk-group]]:pt-0 [&_[cmdk-group]]:px-2 [&_[cmdk-input-wrapper]_svg]:h-5 [&_[cmdk-input-wrapper]_svg]:w-5 [&_[cmdk-input]]:h-12 [&_[cmdk-item]]:px-2 [&_[cmdk-item]]:py-3 [&_[cmdk-item]_svg]:h-5 [&_[cmdk-item]_svg]:w-5">
```

```
      {children}
     </Command>
    </DialogContent>
   </Dialog>)
 );
}

const CommandInput = React.forwardRef(({ className, ...props }, ref) => (
 <div className="flex items-center border-b px-3" cmdk-input-wrapper="">
  <Search className="mr-2 h-4 w-4 shrink-0 opacity-50" />
  <CommandPrimitive.Input
   ref={ref}
   className={cn(
    "flex h-10 w-full rounded-md bg-transparent py-3 text-sm outline-none placeholder:text-muted-foreground disabled:cursor-not-allowed disabled:opacity-50",
    className
   )}
   {...props} />
 </div>
))

CommandInput.displayName = CommandPrimitive.Input.displayName

const CommandList = React.forwardRef(({ className, ...props }, ref) => (
 <CommandPrimitive.List
  ref={ref}
  className={cn("max-h-[300px] overflow-y-auto overflow-x-hidden", className)}
  {...props} />
```

```
))

CommandList.displayName = CommandPrimitive.List.displayName

const CommandEmpty = React.forwardRef((props, ref) => (
  <CommandPrimitive.Empty ref={ref} className="py-6 text-center text-sm" {...props} />
))

CommandEmpty.displayName = CommandPrimitive.Empty.displayName

const CommandGroup = React.forwardRef(({ className, ...props }, ref) => (
  <CommandPrimitive.Group
    ref={ref}
    className={cn(
      "overflow-hidden p-1 text-foreground [&_[cmdk-group-heading]]:px-2 [&_[cmdk-group-heading]]:py-1.5 [&_[cmdk-group-heading]]:text-xs [&_[cmdk-group-heading]]:font-medium [&_[cmdk-group-heading]]:text-muted-foreground",
      className
    )}
    {...props} />
))

CommandGroup.displayName = CommandPrimitive.Group.displayName

const CommandSeparator = React.forwardRef(({ className, ...props }, ref) => (
  <CommandPrimitive.Separator ref={ref} className={cn("-mx-1 h-px bg-border", className)} {...props} />
))
```

```
CommandSeparator.displayName = CommandPrimitive.Separator.displayName


const CommandItem = React.forwardRef(({ className, ...props }, ref) => (
  <CommandPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default gap-2 select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none data-[disabled=true]:pointer-events-none data-[selected=true]:bg-accent data-[selected=true]:text-accent-foreground data-[disabled=true]:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
      className
    )}
    {...props} />
))


CommandItem.displayName = CommandPrimitive.Item.displayName


const CommandShortcut = ({
  className,
  ...props
}) => {
  return (
    (<span
      className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
      {...props} />)
  );
}
CommandShortcut.displayName = "CommandShortcut"
```

```
export {
  Command,
  CommandDialog,
  CommandInput,
  CommandList,
  CommandEmpty,
  CommandGroup,
  CommandItem,
  CommandShortcut,
  CommandSeparator,
}
```

src/components/ui/context-menu.jsx

```
import * as React from "react"
import * as ContextMenuPrimitive from "@radix-ui/react-context-menu"
import { Check, ChevronRight, Circle } from "lucide-react"

import { cn } from "@/lib/utils"

const ContextMenu = ContextMenuPrimitive.Root

const ContextMenuTrigger = ContextMenuPrimitive.Trigger

const ContextMenuGroup = ContextMenuPrimitive.Group

const ContextMenuPortal = ContextMenuPrimitive.Portal
```

```
const ContextMenuSub = ContextMenuPrimitive.Sub

const ContextMenuRadioGroup = ContextMenuPrimitive.RadioGroup

const ContextMenuSubTrigger = React.forwardRef(({ className, inset, children, ...props }, ref) => (
  <ContextMenuPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent data-[state=open]:text-accent-foreground",
      inset && "pl-8",
      className
    )}
    {...props}>
    {children}
    <ChevronRight className="ml-auto h-4 w-4" />
  </ContextMenuPrimitive.SubTrigger>
))
ContextMenuSubTrigger.displayName = ContextMenuPrimitive.SubTrigger.displayName

const ContextMenuSubContent = React.forwardRef(({ className, ...props }, ref) => (
  <ContextMenuPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-lg data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-
```

```
[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
      className
    )}
    {...props} />
))
ContextMenuSubContent.displayName = ContextMenuPrimitive.SubContent.displayName

const ContextMenuContent = React.forwardRef(({ className, ...props }, ref) => (
  <ContextMenuPrimitive.Portal>
    <ContextMenuPrimitive.Content
      ref={ref}
      className={cn(
        "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-md data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
        className
      )}
      {...props} />
  </ContextMenuPrimitive.Portal>
))
ContextMenuContent.displayName = ContextMenuPrimitive.Content.displayName

const ContextMenuItem = React.forwardRef(({ className, inset, ...props }, ref) => (
  <ContextMenuPrimitive.Item
    ref={ref}
    className={cn(
```

```
    "relative flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
    inset && "pl-8",
    className
  )}
  {...props} />
))
ContextMenuItem.displayName = ContextMenuPrimitive.Item.displayName


const ContextMenuCheckboxItem = React.forwardRef(({ className, children, checked, ...props }, ref) => (
 <ContextMenuPrimitive.CheckboxItem
  ref={ref}
  className={cn(
   "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
    className
  )}
  checked={checked}
  {...props}>
  <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
   <ContextMenuPrimitive.ItemIndicator>
    <Check className="h-4 w-4" />
   </ContextMenuPrimitive.ItemIndicator>
  </span>
  {children}
 </ContextMenuPrimitive.CheckboxItem>
```

```
))
ContextMenuCheckboxItem.displayName =
 ContextMenuPrimitive.CheckboxItem.displayName

const ContextMenuRadioItem = React.forwardRef(({ className, children, ...props }, ref) => (
 <ContextMenuPrimitive.RadioItem
  ref={ref}
  className={cn(
   "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
    className
  )}
  {...props}>
  <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
   <ContextMenuPrimitive.ItemIndicator>
    <Circle className="h-4 w-4 fill-current" />
   </ContextMenuPrimitive.ItemIndicator>
  </span>
  {children}
 </ContextMenuPrimitive.RadioItem>
))
ContextMenuRadioItem.displayName = ContextMenuPrimitive.RadioItem.displayName

const ContextMenuLabel = React.forwardRef(({ className, inset, ...props }, ref) => (
 <ContextMenuPrimitive.Label
  ref={ref}
  className={cn(
```

```
    "px-2 py-1.5 text-sm font-semibold text-foreground",
    inset && "pl-8",
    className
   )}
   {...props} />
))
ContextMenuLabel.displayName = ContextMenuPrimitive.Label.displayName

const ContextMenuSeparator = React.forwardRef(({ className, ...props }, ref) => (
 <ContextMenuPrimitive.Separator
  ref={ref}
  className={cn("-mx-1 my-1 h-px bg-border", className)}
  {...props} />
))
ContextMenuSeparator.displayName = ContextMenuPrimitive.Separator.displayName

const ContextMenuShortcut = ({
 className,
 ...props
}) => {
 return (
  (<span
   className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
   {...props} />)
 );
}
ContextMenuShortcut.displayName = "ContextMenuShortcut"
```

```
export {
  ContextMenu,
  ContextMenuTrigger,
  ContextMenuContent,
  ContextMenuItem,
  ContextMenuCheckboxItem,
  ContextMenuRadioItem,
  ContextMenuLabel,
  ContextMenuSeparator,
  ContextMenuShortcut,
  ContextMenuGroup,
  ContextMenuPortal,
  ContextMenuSub,
  ContextMenuSubContent,
  ContextMenuSubTrigger,
  ContextMenuRadioGroup,
}
```

src/components/ui/dialog.jsx

```
"use client"

import * as React from "react"
import * as DialogPrimitive from "@radix-ui/react-dialog"
import { X } from "lucide-react"

import { cn } from "@/lib/utils"
```

```
const Dialog = DialogPrimitive.Root

const DialogTrigger = DialogPrimitive.Trigger

const DialogPortal = DialogPrimitive.Portal

const DialogClose = DialogPrimitive.Close

const DialogOverlay = React.forwardRef(({ className, ...props }, ref) => (
  <DialogPrimitive.Overlay
    ref={ref}
    className={cn(
      "fixed inset-0 z-50 bg-black/80  data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
      className
    )}
    {...props} />
))
DialogOverlay.displayName = DialogPrimitive.Overlay.displayName

const DialogContent = React.forwardRef(({ className, children, ...props }, ref) => (
  <DialogPortal>
    <DialogOverlay />
    <DialogPrimitive.Content
      ref={ref}
      className={cn(
```

```
      "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%] translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[state=closed]:slide-out-to-left-1/2 data-[state=closed]:slide-out-to-top-[48%] data-[state=open]:slide-in-from-left-1/2 data-[state=open]:slide-in-from-top-[48%] sm:rounded-lg",
      className
    )}
    {...props}>
    {children}
    <DialogPrimitive.Close
     className="absolute right-4 top-4 rounded-sm opacity-70 ring-offset-background transition-opacity hover:opacity-100 focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none data-[state=open]:bg-accent data-[state=open]:text-muted-foreground">
      <X className="h-4 w-4" />
      <span className="sr-only">Close</span>
    </DialogPrimitive.Close>
   </DialogPrimitive.Content>
  </DialogPortal>
))
DialogContent.displayName = DialogPrimitive.Content.displayName


const DialogHeader = ({
  className,
  ...props
}) => (
  <div
   className={cn("flex flex-col space-y-1.5 text-center sm:text-left", className)}
   {...props} />
```

```
)
DialogHeader.displayName = "DialogHeader"

const DialogFooter = ({
  className,
  ...props
}) => (
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2", className)}
    {...props} />
)
DialogFooter.displayName = "DialogFooter"

const DialogTitle = React.forwardRef(({ className, ...props }, ref) => (
  <DialogPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold leading-none tracking-tight", className)}
    {...props} />
))
DialogTitle.displayName = DialogPrimitive.Title.displayName

const DialogDescription = React.forwardRef(({ className, ...props }, ref) => (
  <DialogPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props} />
))
```

```
DialogDescription.displayName = DialogPrimitive.Description.displayName

export {
  Dialog,
  DialogPortal,
  DialogOverlay,
  DialogTrigger,
  DialogClose,
  DialogContent,
  DialogHeader,
  DialogFooter,
  DialogTitle,
  DialogDescription,
}
```

src/components/ui/drawer.jsx

```
"use client"

import * as React from "react"
import { Drawer as DrawerPrimitive } from "vaul"

import { cn } from "@/lib/utils"

const Drawer = ({
  shouldScaleBackground = true,
  ...props
}) => (
```

```
  <DrawerPrimitive.Root shouldScaleBackground={shouldScaleBackground} {...props} />
)
Drawer.displayName = "Drawer"

const DrawerTrigger = DrawerPrimitive.Trigger

const DrawerPortal = DrawerPrimitive.Portal

const DrawerClose = DrawerPrimitive.Close

const DrawerOverlay = React.forwardRef(({ className, ...props }, ref) => (
  <DrawerPrimitive.Overlay
    ref={ref}
    className={cn("fixed inset-0 z-50 bg-black/80", className)}
    {...props} />
))
DrawerOverlay.displayName = DrawerPrimitive.Overlay.displayName

const DrawerContent = React.forwardRef(({ className, children, ...props }, ref) => (
  <DrawerPortal>
    <DrawerOverlay />
    <DrawerPrimitive.Content
      ref={ref}
      className={cn(
        "fixed inset-x-0 bottom-0 z-50 mt-24 flex h-auto flex-col rounded-t-[10px] border bg-
background",
        className
      )}
```

```
    {...props}>
    <div className="mx-auto mt-4 h-2 w-[100px] rounded-full bg-muted" />
    {children}
   </DrawerPrimitive.Content>
  </DrawerPortal>
))
DrawerContent.displayName = "DrawerContent"

const DrawerHeader = ({
  className,
  ...props
}) => (
  <div
   className={cn("grid gap-1.5 p-4 text-center sm:text-left", className)}
   {...props} />
)
DrawerHeader.displayName = "DrawerHeader"

const DrawerFooter = ({
  className,
  ...props
}) => (
  <div className={cn("mt-auto flex flex-col gap-2 p-4", className)} {...props} />
)
DrawerFooter.displayName = "DrawerFooter"

const DrawerTitle = React.forwardRef(({ className, ...props }, ref) => (
```

```
  <DrawerPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold leading-none tracking-tight", className)}
    {...props} />
))
DrawerTitle.displayName = DrawerPrimitive.Title.displayName

const DrawerDescription = React.forwardRef(({ className, ...props }, ref) => (
  <DrawerPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props} />
))
DrawerDescription.displayName = DrawerPrimitive.Description.displayName

export {
  Drawer,
  DrawerPortal,
  DrawerOverlay,
  DrawerTrigger,
  DrawerClose,
  DrawerContent,
  DrawerHeader,
  DrawerFooter,
  DrawerTitle,
  DrawerDescription,
}
```

src/components/ui/dropdown-menu.jsx

```
import * as React from "react"

import * as DropdownMenuPrimitive from "@radix-ui/react-dropdown-menu"

import { Check, ChevronRight, Circle } from "lucide-react"


import { cn } from "@/lib/utils"


const DropdownMenu = DropdownMenuPrimitive.Root


const DropdownMenuTrigger = DropdownMenuPrimitive.Trigger


const DropdownMenuGroup = DropdownMenuPrimitive.Group


const DropdownMenuPortal = DropdownMenuPrimitive.Portal


const DropdownMenuSub = DropdownMenuPrimitive.Sub


const DropdownMenuRadioGroup = DropdownMenuPrimitive.RadioGroup


const DropdownMenuSubTrigger = React.forwardRef(({ className, inset, children, ...props }, ref)
=> (

 <DropdownMenuPrimitive.SubTrigger

  ref={ref}

  className={cn(

   "flex cursor-default gap-2 select-none items-center rounded-sm px-2 py-1.5 text-sm outline-
none focus:bg-accent data-[state=open]:bg-accent [&_svg]:pointer-events-none [&_svg]:size-4
[&_svg]:shrink-0",
```

```
    inset && "pl-8",
    className
   )}
   {...props}>
   {children}
   <ChevronRight className="ml-auto" />
  </DropdownMenuPrimitive.SubTrigger>
))
DropdownMenuSubTrigger.displayName =
  DropdownMenuPrimitive.SubTrigger.displayName

const DropdownMenuSubContent = React.forwardRef(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.SubContent
   ref={ref}
   className={cn(
    "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-
foreground shadow-lg data-[state=open]:animate-in data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-
[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-
right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
    className
   )}
   {...props} />
))
DropdownMenuSubContent.displayName =
  DropdownMenuPrimitive.SubContent.displayName

const DropdownMenuContent = React.forwardRef(({ className, sideOffset = 4, ...props }, ref) => (
  <DropdownMenuPrimitive.Portal>
```

```
  <DropdownMenuPrimitive.Content
    ref={ref}
    sideOffset={sideOffset}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-md",
      "data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
      className
    )}
    {...props} />
  </DropdownMenuPrimitive.Portal>
))
DropdownMenuContent.displayName = DropdownMenuPrimitive.Content.displayName

const DropdownMenuItem = React.forwardRef(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50 [&>svg]:size-4 [&>svg]:shrink-0",
      inset && "pl-8",
      className
    )}
    {...props} />
))
```

```
DropdownMenuItem.displayName = DropdownMenuPrimitive.Item.displayName


const DropdownMenuCheckboxItem = React.forwardRef(({ className, children, checked, ...props
}, ref) => (
  <DropdownMenuPrimitive.CheckboxItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-
[disabled]:pointer-events-none data-[disabled]:opacity-50",
      className
    )}
    checked={checked}
    {...props}>
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>
        <Check className="h-4 w-4" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.CheckboxItem>
))
DropdownMenuCheckboxItem.displayName =
  DropdownMenuPrimitive.CheckboxItem.displayName


const DropdownMenuRadioItem = React.forwardRef(({ className, children, ...props }, ref) => (
  <DropdownMenuPrimitive.RadioItem
    ref={ref}
```

```
   className={cn(
    "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
     className
   )}
   {...props}>
   <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
    <DropdownMenuPrimitive.ItemIndicator>
     <Circle className="h-2 w-2 fill-current" />
    </DropdownMenuPrimitive.ItemIndicator>
   </span>
   {children}
  </DropdownMenuPrimitive.RadioItem>
))
DropdownMenuRadioItem.displayName = DropdownMenuPrimitive.RadioItem.displayName

const DropdownMenuLabel = React.forwardRef(({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Label
   ref={ref}
   className={cn("px-2 py-1.5 text-sm font-semibold", inset && "pl-8", className)}
   {...props} />
))
DropdownMenuLabel.displayName = DropdownMenuPrimitive.Label.displayName

const DropdownMenuSeparator = React.forwardRef(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.Separator
   ref={ref}
```

```
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props} />
))
DropdownMenuSeparator.displayName = DropdownMenuPrimitive.Separator.displayName

const DropdownMenuShortcut = ({
  className,
  ...props
}) => {
  return (
    (<span
      className={cn("ml-auto text-xs tracking-widest opacity-60", className)}
      {...props} />)
  );
}
DropdownMenuShortcut.displayName = "DropdownMenuShortcut"

export {
  DropdownMenu,
  DropdownMenuTrigger,
  DropdownMenuContent,
  DropdownMenuItem,
  DropdownMenuCheckboxItem,
  DropdownMenuRadioItem,
  DropdownMenuLabel,
  DropdownMenuSeparator,
  DropdownMenuShortcut,
```

```
 DropdownMenuGroup,
 DropdownMenuPortal,
 DropdownMenuSub,
 DropdownMenuSubContent,
 DropdownMenuSubTrigger,
 DropdownMenuRadioGroup,
}
```

src/components/ui/form.jsx

```
"use client";
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { Controller, FormProvider, useFormContext } from "react-hook-form";

import { cn } from "@/lib/utils"
import { Label } from "@/components/ui/label"

const Form = FormProvider

const FormFieldContext = React.createContext({})

const FormField = (
 {
   ...props
 }
) => {
 return (
```

```
  (<FormFieldContext.Provider value={{ name: props.name }}>
    <Controller {...props} />
  </FormFieldContext.Provider>)
 );
}

const useFormField = () => {
 const fieldContext = React.useContext(FormFieldContext)
 const itemContext = React.useContext(FormItemContext)
 const { getFieldState, formState } = useFormContext()

 const fieldState = getFieldState(fieldContext.name, formState)

 if (!fieldContext) {
  throw new Error("useFormField should be used within <FormField>")
 }

 const { id } = itemContext

 return {
  id,
  name: fieldContext.name,
  formItemId: `${id}-form-item`,
  formDescriptionId: `${id}-form-item-description`,
  formMessageId: `${id}-form-item-message`,
  ...fieldState,
 }
```

```
}

const FormItemContext = React.createContext({})

const FormItem = React.forwardRef(({ className, ...props }, ref) => {
  const id = React.useId()

  return (
    (<FormItemContext.Provider value={{ id }}>
      <div ref={ref} className={cn("space-y-2", className)} {...props} />
    </FormItemContext.Provider>)
  );
})
FormItem.displayName = "FormItem"

const FormLabel = React.forwardRef(({ className, ...props }, ref) => {
  const { error, formItemId } = useFormField()

  return (
    (<Label
      ref={ref}
      className={cn(error && "text-destructive", className)}
      htmlFor={formItemId}
      {...props} />)
  );
})
FormLabel.displayName = "FormLabel"
```

```
const FormControl = React.forwardRef(({ ...props }, ref) => {
  const { error, formItemId, formDescriptionId, formMessageId } = useFormField()

  return (
    (<Slot
      ref={ref}
      id={formItemId}
      aria-describedby={
        !error
          ? `${formDescriptionId}`
          : `${formDescriptionId} ${formMessageId}`
      }
      aria-invalid={!!error}
      {...props} />)
  );
})
FormControl.displayName = "FormControl"

const FormDescription = React.forwardRef(({ className, ...props }, ref) => {
  const { formDescriptionId } = useFormField()

  return (
    (<p
      ref={ref}
      id={formDescriptionId}
      className={cn("text-[0.8rem] text-muted-foreground", className)}
```

```
    {...props} />)
  );
})
FormDescription.displayName = "FormDescription"

const FormMessage = React.forwardRef(({ className, children, ...props }, ref) => {
  const { error, formMessageId } = useFormField()
  const body = error ? String(error?.message) : children

  if (!body) {
    return null
  }

  return (
    (<p
      ref={ref}
      id={formMessageId}
      className={cn("text-[0.8rem] font-medium text-destructive", className)}
      {...props}>
      {body}
    </p>)
  );
})
FormMessage.displayName = "FormMessage"

export {
  useFormField,
```

```
  Form,
  FormItem,
  FormLabel,
  FormControl,
  FormDescription,
  FormMessage,
  FormField,
}

src/components/ui/hover-card.jsx
"use client"

import * as React from "react"
import * as HoverCardPrimitive from "@radix-ui/react-hover-card"

import { cn } from "@/lib/utils"

const HoverCard = HoverCardPrimitive.Root

const HoverCardTrigger = HoverCardPrimitive.Trigger

const HoverCardContent = React.forwardRef(({ className, align = "center", sideOffset = 4, ...props
}, ref) => (
  <HoverCardPrimitive.Content
    ref={ref}
    align={align}
    sideOffset={sideOffset}
    className={cn(
```

```
    "z-50 w-64 rounded-md border bg-popover p-4 text-popover-foreground shadow-md outline-
none data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-
0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-
[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
    className
  )}
  {...props} />
))
HoverCardContent.displayName = HoverCardPrimitive.Content.displayName

export { HoverCard, HoverCardTrigger, HoverCardContent }

src/components/ui/image-helpers.js
const WIX_MEDIA_HOSTS = {
 "media.base44.com": "/images/public/",
 "static.wixstatic.com": "/media/",
}

export const DEFAULT_TRANSFORM_WIDTH = 1024
export const IMAGE_LOAD_MODE = {
 OPTIMIZED: "optimized",
 ORIGINAL: "original",
 FALLBACK: "fallback",
}

const DEVICE_PIXEL_RATIOS = [1, 2, 3]
const MAX_DIMENSION = 6000
```

```
export function splitImageProps(props) {
  const wrapperProps = {}
  const imageProps = {}
  for (const [key, value] of Object.entries(props)) {
    if (key.startsWith("data-")) wrapperProps[key] = value
    else imageProps[key] = value
  }
  return { wrapperProps, imageProps }
}

export function getImagePreviewClassName(className, currentClassName, baselineClassName)
{
  const sourceClasses = new Set((className || "").split(/\s+/))
  const baselineClasses = new Set(baselineClassName.split(/\s+/))
  return currentClassName.split(/\s+/).filter((token) =>
    !["inline-block", "relative"].includes(token) || !baselineClasses.has(token) ||
sourceClasses.has(token)
  ).join(" ")
}

/** Returns transform metadata only for canonical public Wix image URLs. */
export function parseWixMediaUrl(src) {
  try {
    const url = new URL(src)
    if (
      url.protocol !== "https:" ||
      url.username ||
      url.password ||
```

```
    (url.port && url.port !== "443")
   ) {
    return null
   }

   const pathPrefix = WIX_MEDIA_HOSTS[url.hostname]
   if (!pathPrefix) return null

   const transformed = url.pathname.match(/^(.*)\/v1\/(?:fill|fit)\/[^/]+\/[^/]+$/i)
   const basePath = transformed ? transformed[1] : url.pathname
   const filename = basePath.split("/").pop()
   if (
    !basePath.startsWith(pathPrefix) ||
    !filename ||
    !/\.[a-z0-9]+$/i.test(filename) ||
    /\.svg$/i.test(filename)
   ) {
    return null
   }

   return { baseUrl: `${url.origin}${basePath}`, filename }
  } catch {
   return null
  }
}

const clampDim = (n) => Math.min(Math.max(Math.round(n), 1), MAX_DIMENSION)
```

```
const clamp01 = (n) => Math.min(1, Math.max(0, n))

export function buildTransformUrl(
 { baseUrl, filename },
 { width, height, crop, focalPoint, quality }
) {
 const params = [`w_${clampDim(width)}`, `h_${clampDim(height || width)}`]
 if (crop) {
  params.push(
   focalPoint
    ? `fp_${clamp01(focalPoint.x).toFixed(2)}_${clamp01(focalPoint.y).toFixed(2)}`
    : "al_c"
  )
 }
 // Preserve GIF delivery; negotiate AVIF/WebP for other images via Accept.
 const encoding = /\.gif$/i.test(filename) ? "enc_webp" : "enc_auto"
 params.push(`q_${quality}`, "usm_0.66_1.00_0.01", encoding, "quality_auto")
 return `${baseUrl}/v1/${crop ? "fill" : "fit"}/${params.join(",")}/${filename}`
}

export function buildSrcSet(parsed, options) {
 return DEVICE_PIXEL_RATIOS.map(
  (dpr) =>
   `${buildTransformUrl(parsed, {
    ...options,
    width: options.width * dpr,
    height: options.height ? options.height * dpr : undefined,
```

```
    })} ${dpr}x`
  ).join(", ")
}

export function getOriginalImageUrl(src, parsed) {
  return parsed?.baseUrl || src
}

export function nextImageLoadMode(mode) {
  return mode === IMAGE_LOAD_MODE.OPTIMIZED
    ? IMAGE_LOAD_MODE.ORIGINAL
    : IMAGE_LOAD_MODE.FALLBACK
}
```

src/components/ui/image.jsx

```
import * as React from "react"
import { ResponsiveImage } from "./responsive-image"
import {
  getOriginalImageUrl,
  IMAGE_LOAD_MODE,
  nextImageLoadMode,
  parseWixMediaUrl,
} from "./image-helpers"

const FALLBACK_IMAGE_URL =
  "https://static.wixstatic.com/media/12d367_4f26ccd17f8f4e3a8958306ea08c2332~mv2.png"
```

```
/**
 * Image with built-in Wix Media Platform support: canonical public images on
 * media.base44.com and static.wixstatic.com/media are resized to the rendered
 * container per device pixel ratio and served as AVIF/WebP when supported; `fittingType="fill"`
 * crops server-side, optionally anchored at a focal point. Other URLs render
 * as a plain <img>. Failed transforms retry the original URL; only a broken
 * original swaps to the generic fallback image.
 */
const Image = React.forwardRef(
 (
  {
    src: source,
    fittingType = "fill",
    originWidth,
    originHeight,
    focalPointX,
    focalPointY,
    quality = 90,
    onError,
    ...props
  },
  ref
 ) => {
  const [previewSource, setPreviewSource] = React.useState(null)
  const preview = previewSource?.source === source ? previewSource : null
  const src = preview ? preview.value : source
  const replaceSource = (value, className) => setPreviewSource({
```

```
    source, value, className, sourceClassName: props.className,
  })
  React.useEffect(() => setPreviewSource(null), [source])
  const parsedSource = src && src !== FALLBACK_IMAGE_URL ? parseWixMediaUrl(src) : null
  const initialMode = parsedSource ? IMAGE_LOAD_MODE.OPTIMIZED :
IMAGE_LOAD_MODE.ORIGINAL
  const [loadState, setLoadState] = React.useState({ src, mode: initialMode })
  const mode = loadState.src === src ? loadState.mode : initialMode

  React.useEffect(() => {
    setLoadState({ src, mode: initialMode })
  }, [src, initialMode])

  const handleError = (event) => {
    if (mode === IMAGE_LOAD_MODE.FALLBACK) return
    const nextMode = nextImageLoadMode(mode)
    setLoadState({ src, mode: nextMode })
    if (nextMode === IMAGE_LOAD_MODE.FALLBACK) onError?.(event)
  }

  const imageProps = {
    ...props,
    className: preview && preview.sourceClassName === props.className ? preview.className
: props.className,
    onError: handleError,
  }

  if (!src) {
```

```
    // Renders as a real <img> (not a <div>) — the visual editor's
    // click-to-edit toolbar keys its "Replace Image" action off the DOM
    // tag being `img`, so a placeholder div would be unrecoverable in the
    // editor. FALLBACK_IMAGE_URL doubles as the "no image chosen" graphic.
    return <img ref={ref} src={FALLBACK_IMAGE_URL} {...imageProps} data-empty-image />
  }

  // A failed transform retries the underlying original as a plain image.
  // Only a failure of that original advances to the generic fallback.
  const parsed = mode === IMAGE_LOAD_MODE.OPTIMIZED ? parsedSource : null

  if (!parsed) {
    const isErrorMode = mode === IMAGE_LOAD_MODE.FALLBACK
    const imageSrc = isErrorMode ? FALLBACK_IMAGE_URL : getOriginalImageUrl(src,
parsedSource)
    return (
      <img ref={ref} src={imageSrc} {...imageProps} data-error-image={isErrorMode || undefined} />
    )
  }

  const focalPoint =
    typeof focalPointX === "number" && typeof focalPointY === "number"
      ? { x: focalPointX, y: focalPointY }
      : undefined
  // Origin dimensions are optional — when known they stabilize layout via
  // the wrapper's aspect-ratio before the image loads.
  const aspectRatio =
    originWidth && originHeight ? `${originWidth} / ${originHeight}` : undefined
```

```
  return (
    <ResponsiveImage
      ref={ref}
      src={src}
      parsed={parsed}
      onSourceChange={replaceSource}
      fittingType={fittingType}
      focalPoint={focalPoint}
      quality={quality}
      aspectRatio={aspectRatio}
      {...imageProps}
    />
  )
 }
)
Image.displayName = "Image"

export { Image }
```

src/components/ui/input-otp.jsx

```
import * as React from "react"
import { OTPInput, OTPInputContext } from "input-otp"
import { Minus } from "lucide-react"

import { cn } from "@/lib/utils"
```

```
const InputOTP = React.forwardRef(({ className, containerClassName, ...props }, ref) => (
  <OTPInput
    ref={ref}
    containerClassName={cn("flex items-center gap-2 has-[:disabled]:opacity-50",
containerClassName)}
    className={cn("disabled:cursor-not-allowed", className)}
    {...props} />
))
InputOTP.displayName = "InputOTP"

const InputOTPGroup = React.forwardRef(({ className, ...props }, ref) => (
  <div ref={ref} className={cn("flex items-center", className)} {...props} />
))
InputOTPGroup.displayName = "InputOTPGroup"

const InputOTPSlot = React.forwardRef(({ index, className, ...props }, ref) => {
  const inputOTPContext = React.useContext(OTPInputContext)
  const { char, hasFakeCaret, isActive } = inputOTPContext.slots[index]

  return (
    (<div
      ref={ref}
      className={cn(
        "relative flex h-9 w-9 items-center justify-center border-y border-r border-input text-sm shadow-
sm transition-all first:rounded-l-md first:border-l last:rounded-r-md",
        isActive && "z-10 ring-1 ring-ring",
        className
      )}
```

```
    {...props}>
    {char}
    {hasFakeCaret && (
      <div
        className="pointer-events-none absolute inset-0 flex items-center justify-center">
        <div className="h-4 w-px animate-caret-blink bg-foreground duration-1000" />
      </div>
    )}
   </div>)
 );
})
InputOTPSlot.displayName = "InputOTPSlot"

const InputOTPSeparator = React.forwardRef(({ ...props }, ref) => (
  <div ref={ref} role="separator" {...props}>
    <Minus />
  </div>
))
InputOTPSeparator.displayName = "InputOTPSeparator"

export { InputOTP, InputOTPGroup, InputOTPSlot, InputOTPSeparator }
```

src/components/ui/input.jsx

```
import * as React from "react"

import { cn } from "@/lib/utils"
```

```
const Input = React.forwardRef(({ className, type, ...props }, ref) => {
  return (
    (<input
      type={type}
      className={cn(
        "flex h-9 w-full rounded-md border border-input bg-transparent px-3 py-1 text-base shadow-sm transition-colors file:border-0 file:bg-transparent file:text-sm file:font-medium file:text-foreground placeholder:text-muted-foreground focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50 md:text-sm",
        className
      )}
      ref={ref}
      {...props} />)
  );
})
Input.displayName = "Input"

export { Input }
```

src/components/ui/label.jsx

```
import * as React from "react"
import * as LabelPrimitive from "@radix-ui/react-label"
import { cva } from "class-variance-authority";

import { cn } from "@/lib/utils"

const labelVariants = cva(
  "text-sm font-medium leading-none peer-disabled:cursor-not-allowed peer-disabled:opacity-70"
```

```
)

const Label = React.forwardRef(({ className, ...props }, ref) => (
  <LabelPrimitive.Root ref={ref} className={cn(labelVariants(), className)} {...props} />
))
Label.displayName = LabelPrimitive.Root.displayName

export { Label }
```

src/components/ui/menubar.jsx

```
"use client"

import * as React from "react"
import * as MenubarPrimitive from "@radix-ui/react-menubar"
import { Check, ChevronRight, Circle } from "lucide-react"

import { cn } from "@/lib/utils"

function MenubarMenu({
  ...props
}) {
  return <MenubarPrimitive.Menu {...props} />;
}

function MenubarGroup({
  ...props
}) {
```

```
  return <MenubarPrimitive.Group {...props} />;
}

function MenubarPortal({
  ...props
}) {
  return <MenubarPrimitive.Portal {...props} />;
}

function MenubarRadioGroup({
  ...props
}) {
  return <MenubarPrimitive.RadioGroup {...props} />;
}

function MenubarSub({
  ...props
}) {
  return <MenubarPrimitive.Sub data-slot="menubar-sub" {...props} />;
}

const Menubar = React.forwardRef(({ className, ...props }, ref) => (
  <MenubarPrimitive.Root
    ref={ref}
    className={cn(
      "flex h-9 items-center space-x-1 rounded-md border bg-background p-1 shadow-sm",
      className
```

```
  )}
  {...props} />
))
Menubar.displayName = MenubarPrimitive.Root.displayName

const MenubarTrigger = React.forwardRef(({ className, ...props }, ref) => (
 <MenubarPrimitive.Trigger
  ref={ref}
  className={cn(
   "flex cursor-default select-none items-center rounded-sm px-3 py-1 text-sm font-medium outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent data-[state=open]:text-accent-foreground",
    className
  )}
  {...props} />
))
MenubarTrigger.displayName = MenubarPrimitive.Trigger.displayName

const MenubarSubTrigger = React.forwardRef(({ className, inset, children, ...props }, ref) => (
 <MenubarPrimitive.SubTrigger
  ref={ref}
  className={cn(
   "flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent data-[state=open]:text-accent-foreground",
    inset && "pl-8",
    className
  )}
  {...props}>
```

```
  {children}
  <ChevronRight className="ml-auto h-4 w-4" />
 </MenubarPrimitive.SubTrigger>
))
MenubarSubTrigger.displayName = MenubarPrimitive.SubTrigger.displayName

const MenubarSubContent = React.forwardRef(({ className, ...props }, ref) => (
 <MenubarPrimitive.SubContent
  ref={ref}
  className={cn(
   "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-lg data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
    className
  )}
  {...props} />
))
MenubarSubContent.displayName = MenubarPrimitive.SubContent.displayName

const MenubarContent = React.forwardRef((
 { className, align = "start", alignOffset = -4, sideOffset = 8, ...props },
 ref
) => (
 <MenubarPrimitive.Portal>
  <MenubarPrimitive.Content
   ref={ref}
   align={align}
```

```
    alignOffset={alignOffset}
    sideOffset={sideOffset}
    className={cn(
      "z-50 min-w-[12rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-md data-[state=open]:animate-in data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
      className
    )}
    {...props} />
  </MenubarPrimitive.Portal>
))
MenubarContent.displayName = MenubarPrimitive.Content.displayName

const MenubarItem = React.forwardRef(({ className, inset, ...props }, ref) => (
  <MenubarPrimitive.Item
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
      inset && "pl-8",
      className
    )}
    {...props} />
))
MenubarItem.displayName = MenubarPrimitive.Item.displayName
```

```
const MenubarCheckboxItem = React.forwardRef(({ className, children, checked, ...props }, ref)
=> (
  <MenubarPrimitive.CheckboxItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none
data-[disabled]:opacity-50",
      className
    )}
    checked={checked}
    {...props}>
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <MenubarPrimitive.ItemIndicator>
        <Check className="h-4 w-4" />
      </MenubarPrimitive.ItemIndicator>
    </span>
    {children}
  </MenubarPrimitive.CheckboxItem>
))
MenubarCheckboxItem.displayName = MenubarPrimitive.CheckboxItem.displayName


const MenubarRadioItem = React.forwardRef(({ className, children, ...props }, ref) => (
  <MenubarPrimitive.RadioItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm
outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none
data-[disabled]:opacity-50",
```

```
    className
   )}
   {...props}>
   <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
    <MenubarPrimitive.ItemIndicator>
     <Circle className="h-4 w-4 fill-current" />
    </MenubarPrimitive.ItemIndicator>
   </span>
   {children}
  </MenubarPrimitive.RadioItem>
))
MenubarRadioItem.displayName = MenubarPrimitive.RadioItem.displayName

const MenubarLabel = React.forwardRef(({ className, inset, ...props }, ref) => (
  <MenubarPrimitive.Label
   ref={ref}
   className={cn("px-2 py-1.5 text-sm font-semibold", inset && "pl-8", className)}
   {...props} />
))
MenubarLabel.displayName = MenubarPrimitive.Label.displayName

const MenubarSeparator = React.forwardRef(({ className, ...props }, ref) => (
  <MenubarPrimitive.Separator
   ref={ref}
   className={cn("-mx-1 my-1 h-px bg-muted", className)}
   {...props} />
))
```

```
MenubarSeparator.displayName = MenubarPrimitive.Separator.displayName


const MenubarShortcut = ({
  className,
  ...props
}) => {
  return (
    (<span
      className={cn("ml-auto text-xs tracking-widest text-muted-foreground", className)}
      {...props} />)
  );
}
MenubarShortcut.displayname = "MenubarShortcut"


export {
  Menubar,
  MenubarMenu,
  MenubarTrigger,
  MenubarContent,
  MenubarItem,
  MenubarSeparator,
  MenubarLabel,
  MenubarCheckboxItem,
  MenubarRadioGroup,
  MenubarRadioItem,
  MenubarPortal,
  MenubarSubContent,
```

```
  MenubarSubTrigger,
  MenubarGroup,
  MenubarSub,
  MenubarShortcut,
}
```

src/components/ui/navigation-menu.jsx

```
import * as React from "react"
import * as NavigationMenuPrimitive from "@radix-ui/react-navigation-menu"
import { cva } from "class-variance-authority"
import { ChevronDown } from "lucide-react"

import { cn } from "@/lib/utils"

const NavigationMenu = React.forwardRef(({ className, children, ...props }, ref) => (
  <NavigationMenuPrimitive.Root
    ref={ref}
    className={cn(
      "relative z-10 flex max-w-max flex-1 items-center justify-center",
      className
    )}
    {...props}>
    {children}
    <NavigationMenuViewport />
  </NavigationMenuPrimitive.Root>
))
NavigationMenu.displayName = NavigationMenuPrimitive.Root.displayName
```

```
const NavigationMenuList = React.forwardRef(({ className, ...props }, ref) => (
  <NavigationMenuPrimitive.List
    ref={ref}
    className={cn(
      "group flex flex-1 list-none items-center justify-center space-x-1",
      className
    )}
    {...props} />
))
NavigationMenuList.displayName = NavigationMenuPrimitive.List.displayName

const NavigationMenuItem = NavigationMenuPrimitive.Item

const navigationMenuTriggerStyle = cva(
  "group inline-flex h-9 w-max items-center justify-center rounded-md bg-background px-4 py-2 text-sm font-medium transition-colors hover:bg-accent hover:text-accent-foreground focus:bg-accent focus:text-accent-foreground focus:outline-none disabled:pointer-events-none disabled:opacity-50 data-[active]:bg-accent/50 data-[state=open]:bg-accent/50"
)

const NavigationMenuTrigger = React.forwardRef(({ className, children, ...props }, ref) => (
  <NavigationMenuPrimitive.Trigger
    ref={ref}
    className={cn(navigationMenuTriggerStyle(), "group", className)}
    {...props}>
    {children}{" "}
    <ChevronDown
```

```
    className="relative top-[1px] ml-1 h-3 w-3 transition duration-300 group-data-
[state=open]:rotate-180"

    aria-hidden="true" />

  </NavigationMenuPrimitive.Trigger>

))

NavigationMenuTrigger.displayName = NavigationMenuPrimitive.Trigger.displayName


const NavigationMenuContent = React.forwardRef(({ className, ...props }, ref) => (

  <NavigationMenuPrimitive.Content

   ref={ref}

   className={cn(

    "left-0 top-0 w-full data-[motion^=from-]:animate-in data-[motion^=to-]:animate-out data-
[motion^=from-]:fade-in data-[motion^=to-]:fade-out data-[motion=from-end]:slide-in-from-right-
52 data-[motion=from-start]:slide-in-from-left-52 data-[motion=to-end]:slide-out-to-right-52 data-
[motion=to-start]:slide-out-to-left-52 md:absolute md:w-auto ",

    className

   )}

   {...props} />

))

NavigationMenuContent.displayName = NavigationMenuPrimitive.Content.displayName


const NavigationMenuLink = NavigationMenuPrimitive.Link


const NavigationMenuViewport = React.forwardRef(({ className, ...props }, ref) => (

  <div className={cn("absolute left-0 top-full flex justify-center")}>

   <NavigationMenuPrimitive.Viewport

    className={cn(

     "origin-top-center relative mt-1.5 h-[var(--radix-navigation-menu-viewport-height)] w-full
overflow-hidden rounded-md border bg-popover text-popover-foreground shadow data-
```

```
[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:zoom-out-95 data-
[state=open]:zoom-in-90 md:w-[var(--radix-navigation-menu-viewport-width)]",
      className
    )}
    ref={ref}
    {...props} />
  </div>
))
NavigationMenuViewport.displayName =
  NavigationMenuPrimitive.Viewport.displayName


const NavigationMenuIndicator = React.forwardRef(({ className, ...props }, ref) => (
  <NavigationMenuPrimitive.Indicator
   ref={ref}
   className={cn(
    "top-full z-[1] flex h-1.5 items-end justify-center overflow-hidden data-[state=visible]:animate-in
data-[state=hidden]:animate-out data-[state=hidden]:fade-out data-[state=visible]:fade-in",
     className
   )}
   {...props}>
   <div
    className="relative top-[60%] h-2 w-2 rotate-45 rounded-tl-sm bg-border shadow-md" />
  </NavigationMenuPrimitive.Indicator>
))
NavigationMenuIndicator.displayName =
  NavigationMenuPrimitive.Indicator.displayName


export {
```

```
 navigationMenuTriggerStyle,
 NavigationMenu,
 NavigationMenuList,
 NavigationMenuItem,
 NavigationMenuContent,
 NavigationMenuTrigger,
 NavigationMenuLink,
 NavigationMenuIndicator,
 NavigationMenuViewport,
}
```

src/components/ui/pagination.jsx

```
import * as React from "react"
import { ChevronLeft, ChevronRight, MoreHorizontal } from "lucide-react"

import { cn } from "@/lib/utils"
import { buttonVariants } from "@/components/ui/button";

const Pagination = ({
 className,
 ...props
}) => (
 <nav
  role="navigation"
  aria-label="pagination"
  className={cn("mx-auto flex w-full justify-center", className)}
  {...props} />
```

```
)
Pagination.displayName = "Pagination"

const PaginationContent = React.forwardRef(({ className, ...props }, ref) => (
  <ul
    ref={ref}
    className={cn("flex flex-row items-center gap-1", className)}
    {...props} />
))
PaginationContent.displayName = "PaginationContent"

const PaginationItem = React.forwardRef(({ className, ...props }, ref) => (
  <li ref={ref} className={cn("", className)} {...props} />
))
PaginationItem.displayName = "PaginationItem"

const PaginationLink = ({
  className,
  isActive,
  size = "icon",
  ...props
}) => (
  <a
    aria-current={isActive ? "page" : undefined}
    className={cn(buttonVariants({
      variant: isActive ? "outline" : "ghost",
      size,
```

```
    }), className)}
    {...props} />
)
PaginationLink.displayName = "PaginationLink"

const PaginationPrevious = ({
  className,
  ...props
}) => (
  <PaginationLink
    aria-label="Go to previous page"
    size="default"
    className={cn("gap-1 pl-2.5", className)}
    {...props}>
    <ChevronLeft className="h-4 w-4" />
    <span>Previous</span>
  </PaginationLink>
)
PaginationPrevious.displayName = "PaginationPrevious"

const PaginationNext = ({
  className,
  ...props
}) => (
  <PaginationLink
    aria-label="Go to next page"
    size="default"
```

```
    className={cn("gap-1 pr-2.5", className)}
    {...props}>
    <span>Next</span>
    <ChevronRight className="h-4 w-4" />
  </PaginationLink>
)
PaginationNext.displayName = "PaginationNext"

const PaginationEllipsis = ({
  className,
  ...props
}) => (
  <span
    aria-hidden
    className={cn("flex h-9 w-9 items-center justify-center", className)}
    {...props}>
    <MoreHorizontal className="h-4 w-4" />
    <span className="sr-only">More pages</span>
  </span>
)
PaginationEllipsis.displayName = "PaginationEllipsis"

export {
  Pagination,
  PaginationContent,
  PaginationLink,
  PaginationItem,
```

```
 PaginationPrevious,
 PaginationNext,
 PaginationEllipsis,
}
```

src/components/ui/popover.jsx

```
import * as React from "react"
import * as PopoverPrimitive from "@radix-ui/react-popover"

import { cn } from "@/lib/utils"

const Popover = PopoverPrimitive.Root

const PopoverTrigger = PopoverPrimitive.Trigger

const PopoverAnchor = PopoverPrimitive.Anchor

const PopoverContent = React.forwardRef(({ className, align = "center", sideOffset = 4, ...props },
ref) => (
 <PopoverPrimitive.Portal>
  <PopoverPrimitive.Content
   ref={ref}
   align={align}
   sideOffset={sideOffset}
   className={cn(
    "z-50 w-72 rounded-md border bg-popover p-4 text-popover-foreground shadow-md outline-
none data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-
0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95
```

```
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-
[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
      className
    )}
    {...props} />
  </PopoverPrimitive.Portal>
))
PopoverContent.displayName = PopoverPrimitive.Content.displayName

export { Popover, PopoverTrigger, PopoverContent, PopoverAnchor }
```

src/components/ui/progress.jsx

```
"use client"

import * as React from "react"
import * as ProgressPrimitive from "@radix-ui/react-progress"

import { cn } from "@/lib/utils"

const Progress = React.forwardRef(({ className, value, ...props }, ref) => (
  <ProgressPrimitive.Root
    ref={ref}
    className={cn(
      "relative h-2 w-full overflow-hidden rounded-full bg-primary/20",
      className
    )}
    {...props}>
    <ProgressPrimitive.Indicator
```

```
    className="h-full w-full flex-1 bg-primary transition-all"
    style={{ transform: `translateX(-${100 - (value || 0)}%)` }} />
  </ProgressPrimitive.Root>
))
Progress.displayName = ProgressPrimitive.Root.displayName

export { Progress }
```

src/components/ui/radio-group.jsx

```
import * as React from "react"
import * as RadioGroupPrimitive from "@radix-ui/react-radio-group"
import { Circle } from "lucide-react"

import { cn } from "@/lib/utils"

const RadioGroup = React.forwardRef(({ className, ...props }, ref) => {
  return (<RadioGroupPrimitive.Root className={cn("grid gap-2", className)} {...props} ref={ref}
/>);
})
RadioGroup.displayName = RadioGroupPrimitive.Root.displayName

const RadioGroupItem = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<RadioGroupPrimitive.Item
      ref={ref}
      className={cn(
        "aspect-square h-4 w-4 rounded-full border border-primary text-primary shadow focus:outline-
none focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50",
```

```
      className
    )}
    {...props}>
    <RadioGroupPrimitive.Indicator className="flex items-center justify-center">
      <Circle className="h-3.5 w-3.5 fill-primary" />
    </RadioGroupPrimitive.Indicator>
  </RadioGroupPrimitive.Item>)
 );
})
RadioGroupItem.displayName = RadioGroupPrimitive.Item.displayName

export { RadioGroup, RadioGroupItem }
```

src/components/ui/resizable.jsx

```
"use client"

import { GripVertical } from "lucide-react"
import * as ResizablePrimitive from "react-resizable-panels"

import { cn } from "@/lib/utils"

const ResizablePanelGroup = ({
  className,
  ...props
}) => (
  <ResizablePrimitive.PanelGroup
    className={cn(
```

```
    "flex h-full w-full data-[panel-group-direction=vertical]:flex-col",
    className
  )}
  {...props} />
)

const ResizablePanel = ResizablePrimitive.Panel

const ResizableHandle = ({
 withHandle,
 className,
 ...props
}) => (
 <ResizablePrimitive.PanelResizeHandle
  className={cn(
   "relative flex w-px items-center justify-center bg-border after:absolute after:inset-y-0 after:left-1/2 after:w-1 after:-translate-x-1/2 focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring focus-visible:ring-offset-1 data-[panel-group-direction=vertical]:h-px data-[panel-group-direction=vertical]:w-full data-[panel-group-direction=vertical]:after:left-0 data-[panel-group-direction=vertical]:after:h-1 data-[panel-group-direction=vertical]:after:w-full data-[panel-group-direction=vertical]:after:-translate-y-1/2 data-[panel-group-direction=vertical]:after:translate-x-0 [&[data-panel-group-direction=vertical]>div]:rotate-90",
    className
  )}
  {...props}>
  {withHandle && (
   <div
    className="z-10 flex h-4 w-3 items-center justify-center rounded-sm border bg-border">
    <GripVertical className="h-2.5 w-2.5" />
```

```
    </div>
   )}
  </ResizablePrimitive.PanelResizeHandle>
)

export { ResizablePanelGroup, ResizablePanel, ResizableHandle }
```

src/components/ui/responsive-image.jsx

```
import * as React from "react"
import { cn } from "../../lib/utils"
import { buildSrcSet, buildTransformUrl, splitImageProps } from "./image-helpers"
import { useResponsiveImage } from "./use-responsive-image"

export const ResponsiveImage = React.forwardRef(
  ({ src, parsed, fittingType, focalPoint, quality, className, style, aspectRatio, onLoad,
onSourceChange, ...props }, ref) => {
    const { wrapperRef, imgRef, loaded, options, handleLoad } = useResponsiveImage(
      { parsed, fittingType, focalPoint, quality, className, onLoad, onSourceChange }, ref
    )
    const { wrapperProps, imageProps } = splitImageProps(props)

    return (
      <span
        ref={wrapperRef}
        className={cn("inline-block relative", className)}
        style={{ aspectRatio, ...style }}
        {...wrapperProps}
        data-base44-image=""
```

```
    data-base44-image-src={src}
  >
    {/* Contain both image layers inside the padded content box without adding an edit target. */}
    <span data-source-location={undefined} className="block relative w-full h-full overflow-
hidden">
      {options && !loaded && (
        <img
          data-source-location={undefined}
          src={buildTransformUrl(parsed, {
            ...options,
            width: 20,
            height: options.height
              ? Math.max(1, Math.round((20 * options.height) / options.width))
              : undefined,
            quality: 20,
          })}
          alt=""
          aria-hidden="true"
          className="w-full h-full inset-0 absolute"
          style={{
            objectFit: fittingType === "fit" ? "contain" : "cover",
            filter: "blur(10px)",
            transform: "scale(1.1)",
          }}
        />
      )}
      {options && (
        <img
```

```
          data-source-location={undefined}
          ref={imgRef}
          src={buildTransformUrl(parsed, options)}
          srcSet={buildSrcSet(parsed, options)}
          loading="lazy"
          className={cn(
            "w-full h-full inset-0 absolute",
            fittingType === "fit" ? "object-contain" : "object-cover"
          )}
          onLoad={handleLoad}
          {...imageProps}
        />
      )}
    </span>
  </span>
 )
}
)
ResponsiveImage.displayName = "ResponsiveImage"
```

src/components/ui/scroll-area.jsx

```
import * as React from "react"
import * as ScrollAreaPrimitive from "@radix-ui/react-scroll-area"

import { cn } from "@/lib/utils"

const ScrollArea = React.forwardRef(({ className, children, ...props }, ref) => (
```

```
  <ScrollAreaPrimitive.Root
    ref={ref}
    className={cn("relative overflow-hidden", className)}
    {...props}>
    <ScrollAreaPrimitive.Viewport className="h-full w-full rounded-[inherit]">
      {children}
    </ScrollAreaPrimitive.Viewport>
    <ScrollBar />
    <ScrollAreaPrimitive.Corner />
  </ScrollAreaPrimitive.Root>
))
ScrollArea.displayName = ScrollAreaPrimitive.Root.displayName

const ScrollBar = React.forwardRef(({ className, orientation = "vertical", ...props }, ref) => (
  <ScrollAreaPrimitive.ScrollAreaScrollbar
    ref={ref}
    orientation={orientation}
    className={cn(
      "flex touch-none select-none transition-colors",
      orientation === "vertical" &&
        "h-full w-2.5 border-l border-l-transparent p-[1px]",
      orientation === "horizontal" &&
        "h-2.5 flex-col border-t border-t-transparent p-[1px]",
      className
    )}
    {...props}>
    <ScrollAreaPrimitive.ScrollAreaThumb className="relative flex-1 rounded-full bg-border" />
```

```
  </ScrollAreaPrimitive.ScrollAreaScrollbar>
))
ScrollBar.displayName = ScrollAreaPrimitive.ScrollAreaScrollbar.displayName

export { ScrollArea, ScrollBar }
```

src/components/ui/select.jsx

```
"use client"

import * as React from "react"
import * as SelectPrimitive from "@radix-ui/react-select"
import { Check, ChevronDown, ChevronUp } from "lucide-react"

import { cn } from "@/lib/utils"

const Select = SelectPrimitive.Root

const SelectGroup = SelectPrimitive.Group

const SelectValue = SelectPrimitive.Value

const SelectTrigger = React.forwardRef(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Trigger
    ref={ref}
    className={cn(
      "flex h-9 w-full items-center justify-between whitespace-nowrap rounded-md border border-
input bg-transparent px-3 py-2 text-sm shadow-sm ring-offset-background data-[placeholder]:text-
```

```
muted-foreground focus:outline-none focus:ring-1 focus:ring-ring disabled:cursor-not-allowed
disabled:opacity-50 [&>span]:line-clamp-1",
    className
  )}
  {...props}>
  {children}
  <SelectPrimitive.Icon asChild>
    <ChevronDown className="h-4 w-4 opacity-50" />
  </SelectPrimitive.Icon>
 </SelectPrimitive.Trigger>
))
SelectTrigger.displayName = SelectPrimitive.Trigger.displayName

const SelectScrollUpButton = React.forwardRef(({ className, ...props }, ref) => (
 <SelectPrimitive.ScrollUpButton
  ref={ref}
  className={cn("flex cursor-default items-center justify-center py-1", className)}
  {...props}>
  <ChevronUp className="h-4 w-4" />
 </SelectPrimitive.ScrollUpButton>
))
SelectScrollUpButton.displayName = SelectPrimitive.ScrollUpButton.displayName

const SelectScrollDownButton = React.forwardRef(({ className, ...props }, ref) => (
 <SelectPrimitive.ScrollDownButton
  ref={ref}
  className={cn("flex cursor-default items-center justify-center py-1", className)}
  {...props}>
```

```
  <ChevronDown className="h-4 w-4" />
 </SelectPrimitive.ScrollDownButton>
))
SelectScrollDownButton.displayName =
 SelectPrimitive.ScrollDownButton.displayName


const SelectContent = React.forwardRef(({ className, children, position = "popper", ...props }, ref)
=> (
 <SelectPrimitive.Portal>
  <SelectPrimitive.Content
   ref={ref}
   className={cn(
    "relative z-50 max-h-96 min-w-[8rem] overflow-hidden rounded-md border bg-popover text-
popover-foreground shadow-md data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-
[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-
right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
    position === "popper" &&
     "data-[side=bottom]:translate-y-1 data-[side=left]:-translate-x-1 data-[side=right]:translate-x-1
data-[side=top]:-translate-y-1",
    className
   )}
   position={position}
   {...props}>
   <SelectScrollUpButton />
   <SelectPrimitive.Viewport
    className={cn("p-1", position === "popper" &&
     "h-[var(--radix-select-trigger-height)] w-full min-w-[var(--radix-select-trigger-width)]")}>
    {children}
```

```
    </SelectPrimitive.Viewport>
    <SelectScrollDownButton />
   </SelectPrimitive.Content>
  </SelectPrimitive.Portal>
))
SelectContent.displayName = SelectPrimitive.Content.displayName

const SelectLabel = React.forwardRef(({ className, ...props }, ref) => (
  <SelectPrimitive.Label
   ref={ref}
   className={cn("px-2 py-1.5 text-sm font-semibold", className)}
   {...props} />
))
SelectLabel.displayName = SelectPrimitive.Label.displayName

const SelectItem = React.forwardRef(({ className, children, ...props }, ref) => (
  <SelectPrimitive.Item
   ref={ref}
   className={cn(
    "relative flex w-full cursor-default select-none items-center rounded-sm py-1.5 pl-2 pr-8 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[disabled]:opacity-50",
    className
   )}
   {...props}>
   <span className="absolute right-2 flex h-3.5 w-3.5 items-center justify-center">
    <SelectPrimitive.ItemIndicator>
     <Check className="h-4 w-4" />
```

```
    </SelectPrimitive.ItemIndicator>
   </span>
   <SelectPrimitive.ItemText>{children}</SelectPrimitive.ItemText>
  </SelectPrimitive.Item>
))
SelectItem.displayName = SelectPrimitive.Item.displayName

const SelectSeparator = React.forwardRef(({ className, ...props }, ref) => (
  <SelectPrimitive.Separator
   ref={ref}
   className={cn("-mx-1 my-1 h-px bg-muted", className)}
   {...props} />
))
SelectSeparator.displayName = SelectPrimitive.Separator.displayName

export {
  Select,
  SelectGroup,
  SelectValue,
  SelectTrigger,
  SelectContent,
  SelectLabel,
  SelectItem,
  SelectSeparator,
  SelectScrollUpButton,
  SelectScrollDownButton,
}
```

src/components/ui/separator.jsx

```
import * as React from "react"
import * as SeparatorPrimitive from "@radix-ui/react-separator"

import { cn } from "@/lib/utils"

const Separator = React.forwardRef((
 { className, orientation = "horizontal", decorative = true, ...props },
 ref
) => (
 <SeparatorPrimitive.Root
  ref={ref}
  decorative={decorative}
  orientation={orientation}
  className={cn(
   "shrink-0 bg-border",
   orientation === "horizontal" ? "h-[1px] w-full" : "h-full w-[1px]",
   className
  )}
  {...props} />
))
Separator.displayName = SeparatorPrimitive.Root.displayName

export { Separator }
```

src/components/ui/sheet.jsx

```
"use client";

import * as React from "react"

import * as SheetPrimitive from "@radix-ui/react-dialog"

import { cva } from "class-variance-authority";

import { X } from "lucide-react"


import { cn } from "@/lib/utils"


const Sheet = SheetPrimitive.Root


const SheetTrigger = SheetPrimitive.Trigger


const SheetClose = SheetPrimitive.Close


const SheetPortal = SheetPrimitive.Portal


const SheetOverlay = React.forwardRef(({ className, ...props }, ref) => (

 <SheetPrimitive.Overlay

  className={cn(

   "fixed inset-0 z-50 bg-black/80  data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",

   className

  )}

  {...props}

  ref={ref} />

))

SheetOverlay.displayName = SheetPrimitive.Overlay.displayName
```

```
const sheetVariants = cva(
  "fixed z-50 gap-4 bg-background p-6 shadow-lg transition ease-in-out data-[state=closed]:duration-300 data-[state=open]:duration-500 data-[state=open]:animate-in data-[state=closed]:animate-out",
 {
   variants: {
    side: {
     top: "inset-x-0 top-0 border-b data-[state=closed]:slide-out-to-top data-[state=open]:slide-in-from-top",
     bottom:
      "inset-x-0 bottom-0 border-t data-[state=closed]:slide-out-to-bottom data-[state=open]:slide-in-from-bottom",
     left: "inset-y-0 left-0 h-full w-3/4 border-r data-[state=closed]:slide-out-to-left data-[state=open]:slide-in-from-left sm:max-w-sm",
     right:
      "inset-y-0 right-0 h-full w-3/4 border-l data-[state=closed]:slide-out-to-right data-[state=open]:slide-in-from-right sm:max-w-sm",
    },
   },
   defaultVariants: {
    side: "right",
   },
 }
)

const SheetContent = React.forwardRef(({ side = "right", className, children, ...props }, ref) => (
 <SheetPortal>
  <SheetOverlay />
```

```
   <SheetPrimitive.Content ref={ref} className={cn(sheetVariants({ side }), className)} {...props}>
    <SheetPrimitive.Close
     className="absolute right-4 top-4 rounded-sm opacity-70 ring-offset-background transition-opacity hover:opacity-100 focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none data-[state=open]:bg-secondary">
      <X className="h-4 w-4" />
      <span className="sr-only">Close</span>
    </SheetPrimitive.Close>
    {children}
   </SheetPrimitive.Content>
  </SheetPortal>
))
SheetContent.displayName = SheetPrimitive.Content.displayName

const SheetHeader = ({
  className,
  ...props
}) => (
  <div
   className={cn("flex flex-col space-y-2 text-center sm:text-left", className)}
   {...props} />
)
SheetHeader.displayName = "SheetHeader"

const SheetFooter = ({
  className,
  ...props
}) => (
```

```
  <div
    className={cn("flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2", className)}
    {...props} />
)
SheetFooter.displayName = "SheetFooter"

const SheetTitle = React.forwardRef(({ className, ...props }, ref) => (
  <SheetPrimitive.Title
    ref={ref}
    className={cn("text-lg font-semibold text-foreground", className)}
    {...props} />
))
SheetTitle.displayName = SheetPrimitive.Title.displayName

const SheetDescription = React.forwardRef(({ className, ...props }, ref) => (
  <SheetPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props} />
))
SheetDescription.displayName = SheetPrimitive.Description.displayName

export {
  Sheet,
  SheetPortal,
  SheetOverlay,
  SheetTrigger,
```

```
  SheetClose,
  SheetContent,
  SheetHeader,
  SheetFooter,
  SheetTitle,
  SheetDescription,
}
```

src/components/ui/sidebar.jsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva } from "class-variance-authority";
import { PanelLeft } from "lucide-react"

import { useIsMobile } from "@/hooks/use-mobile"
import { cn } from "@/lib/utils"
import { Button } from "@/components/ui/button"
import { Input } from "@/components/ui/input"
import { Separator } from "@/components/ui/separator"
import { Sheet, SheetContent } from "@/components/ui/sheet"
import { Skeleton } from "@/components/ui/skeleton"
import {
  Tooltip,
  TooltipContent,
  TooltipProvider,
  TooltipTrigger,
} from "@/components/ui/tooltip"
```

```
const SIDEBAR_COOKIE_NAME = "sidebar_state"
const SIDEBAR_COOKIE_MAX_AGE = 60 * 60 * 24 * 7
const SIDEBAR_WIDTH = "16rem"
const SIDEBAR_WIDTH_MOBILE = "18rem"
const SIDEBAR_WIDTH_ICON = "3rem"
const SIDEBAR_KEYBOARD_SHORTCUT = "b"

const SidebarContext = React.createContext(null)

function useSidebar() {
  const context = React.useContext(SidebarContext)
  if (!context) {
    throw new Error("useSidebar must be used within a SidebarProvider.")
  }

  return context
}

const SidebarProvider = React.forwardRef((
  {
    defaultOpen = true,
    open: openProp,
    onOpenChange: setOpenProp,
    className,
    style,
    children,
```

```
    ...props
  },
  ref
) => {
  const isMobile = useIsMobile()
  const [openMobile, setOpenMobile] = React.useState(false)

  // This is the internal state of the sidebar.
  // We use openProp and setOpenProp for control from outside the component.
  const [_open, _setOpen] = React.useState(defaultOpen)
  const open = openProp ?? _open
  const setOpen = React.useCallback((value) => {
    const openState = typeof value === "function" ? value(open) : value
    if (setOpenProp) {
      setOpenProp(openState)
    } else {
      _setOpen(openState)
    }

    // This sets the cookie to keep the sidebar state.
    document.cookie = `${SIDEBAR_COOKIE_NAME}=${openState}; path=/; max-
age=${SIDEBAR_COOKIE_MAX_AGE}`
  }, [setOpenProp, open])

  // Helper to toggle the sidebar.
  const toggleSidebar = React.useCallback(() => {
    return isMobile
      ? setOpenMobile((open) => !open)
```

```
    : setOpen((open) => !open);
}, [isMobile, setOpen, setOpenMobile])

// Adds a keyboard shortcut to toggle the sidebar.
React.useEffect(() => {
  const handleKeyDown = (event) => {
    if (
      event.key === SIDEBAR_KEYBOARD_SHORTCUT &&
      (event.metaKey || event.ctrlKey)
    ) {
      event.preventDefault()
      toggleSidebar()
    }
  }

  window.addEventListener("keydown", handleKeyDown)
  return () => window.removeEventListener("keydown", handleKeyDown);
}, [toggleSidebar])

// We add a state so that we can do data-state="expanded" or "collapsed".
// This makes it easier to style the sidebar with Tailwind classes.
const state = open ? "expanded" : "collapsed"

const contextValue = React.useMemo(() => ({
  state,
  open,
  setOpen,
```

```
 isMobile,
 openMobile,
 setOpenMobile,
 toggleSidebar,
}), [state, open, setOpen, isMobile, openMobile, setOpenMobile, toggleSidebar])

return (
 (<SidebarContext.Provider value={contextValue}>
  <TooltipProvider delayDuration={0}>
   <div
    style={
     {
      "--sidebar-width": SIDEBAR_WIDTH,
      "--sidebar-width-icon": SIDEBAR_WIDTH_ICON,
      ...style
     }
    }
    className={cn(
     "group/sidebar-wrapper flex min-h-svh w-full has-[[data-variant=inset]]:bg-sidebar",
     className
    )}
    ref={ref}
    {...props}>
    {children}
   </div>
  </TooltipProvider>
 </SidebarContext.Provider>)
```

```
  );
})
SidebarProvider.displayName = "SidebarProvider"

const Sidebar = React.forwardRef((
 {
   side = "left",
   variant = "sidebar",
   collapsible = "offcanvas",
   className,
   children,
   ...props
 },
 ref
) => {
 const { isMobile, state, openMobile, setOpenMobile } = useSidebar()

 if (collapsible === "none") {
   return (
     (<div
       className={cn(
         "flex h-full w-[--sidebar-width] flex-col bg-sidebar text-sidebar-foreground",
         className
       )}
       ref={ref}
       {...props}>
       {children}
```

```
  </div>)
 );
}

if (isMobile) {
 return (
  (<Sheet open={openMobile} onOpenChange={setOpenMobile} {...props}>
   <SheetContent
    data-sidebar="sidebar"
    data-mobile="true"
    className="w-[--sidebar-width] bg-sidebar p-0 text-sidebar-foreground [&>button]:hidden"
    style={
     {
      "--sidebar-width": SIDEBAR_WIDTH_MOBILE
     }
    }
    side={side}>
    <div className="flex h-full w-full flex-col">{children}</div>
   </SheetContent>
  </Sheet>)
 );
}

return (
 (<div
  ref={ref}
  className="group peer hidden text-sidebar-foreground md:block"
```

```
    data-state={state}
    data-collapsible={state === "collapsed" ? collapsible : ""}
    data-variant={variant}
    data-side={side}>
    {/* This is what handles the sidebar gap on desktop */}
    <div
      className={cn(
        "relative h-svh w-[--sidebar-width] bg-transparent transition-[width] duration-200 ease-linear",
        "group-data-[collapsible=offcanvas]:w-0",
        "group-data-[side=right]:rotate-180",
        variant === "floating" || variant === "inset"
          ? "group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)_+_theme(spacing.4))]"
          : "group-data-[collapsible=icon]:w-[--sidebar-width-icon]"
      )} />
    <div
      className={cn(
        "fixed inset-y-0 z-10 hidden h-svh w-[--sidebar-width] transition-[left,right,width] duration-200 ease-linear md:flex",
        side === "left"
          ? "left-0 group-data-[collapsible=offcanvas]:left-[calc(var(--sidebar-width)*-1)]"
          : "right-0 group-data-[collapsible=offcanvas]:right-[calc(var(--sidebar-width)*-1)]",
        // Adjust the padding for floating and inset variants.
        variant === "floating" || variant === "inset"
          ? "p-2 group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)_+_theme(spacing.4)_+2px)]"
          : "group-data-[collapsible=icon]:w-[--sidebar-width-icon] group-data-[side=left]:border-r group-data-[side=right]:border-l",
        className
```

```
      )}
      {...props}>
      <div
        data-sidebar="sidebar"
        className="flex h-full w-full flex-col bg-sidebar group-data-[variant=floating]:rounded-lg group-data-[variant=floating]:border group-data-[variant=floating]:border-sidebar-border group-data-[variant=floating]:shadow">
        {children}
      </div>
    </div>
  </div>)
 );
})
Sidebar.displayName = "Sidebar"

const SidebarTrigger = React.forwardRef(({ className, onClick, asChild = false, ...props }, ref) => {
 const { toggleSidebar } = useSidebar()

 return (
  (<Button
   ref={ref}
   data-sidebar="trigger"
   variant="ghost"
   size="icon"
   className={cn("h-7 w-7", className)}
   onClick={(event) => {
    onClick?.(event)
    toggleSidebar()
```

```
    }}
    asChild={asChild}
    {...props}>
    {asChild ? (
      <PanelLeft />
    ) : (
      <>
        <PanelLeft />
        <span className="sr-only">Toggle Sidebar</span>
      </>
    )}
  </Button>)
 );
})
SidebarTrigger.displayName = "SidebarTrigger"

const SidebarRail = React.forwardRef(({ className, ...props }, ref) => {
 const { toggleSidebar } = useSidebar()

 return (
  (<button
    ref={ref}
    data-sidebar="rail"
    aria-label="Toggle Sidebar"
    tabIndex={-1}
    onClick={toggleSidebar}
    title="Toggle Sidebar"
```

```
    className={cn(
      "absolute inset-y-0 z-20 hidden w-4 -translate-x-1/2 transition-all ease-linear after:absolute after:inset-y-0 after:left-1/2 after:w-[2px] hover:after:bg-sidebar-border group-data-[side=left]:-right-4 group-data-[side=right]:left-0 sm:flex",
      "[[data-side=left]_&]:cursor-w-resize [[data-side=right]_&]:cursor-e-resize",
      "[[data-side=left][data-state=collapsed]_&]:cursor-e-resize [[data-side=right][data-state=collapsed]_&]:cursor-w-resize",
      "group-data-[collapsible=offcanvas]:translate-x-0 group-data-[collapsible=offcanvas]:after:left-full group-data-[collapsible=offcanvas]:hover:bg-sidebar",
      "[[data-side=left][data-collapsible=offcanvas]_&]:-right-2",
      "[[data-side=right][data-collapsible=offcanvas]_&]:-left-2",
      className
    )}
    {...props} />)
  );
})
SidebarRail.displayName = "SidebarRail"

const SidebarInset = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<main
      ref={ref}
      className={cn(
        "relative flex min-h-svh flex-1 flex-col bg-background",
        "peer-data-[variant=inset]:min-h-[calc(100svh-theme(spacing.4))] md:peer-data-[variant=inset]:m-2 md:peer-data-[state=collapsed]:peer-data-[variant=inset]:ml-2 md:peer-data-[variant=inset]:ml-0 md:peer-data-[variant=inset]:rounded-xl md:peer-data-[variant=inset]:shadow",
        className
      )}
```

```
    {...props} />)
  );
})
SidebarInset.displayName = "SidebarInset"

const SidebarInput = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<Input
      ref={ref}
      data-sidebar="input"
      className={cn(
        "h-8 w-full bg-background shadow-none focus-visible:ring-2 focus-visible:ring-sidebar-ring",
        className
      )}
      {...props} />)
  );
})
SidebarInput.displayName = "SidebarInput"

const SidebarHeader = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<div
      ref={ref}
      data-sidebar="header"
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props} />)
  );
```

```
})
SidebarHeader.displayName = "SidebarHeader"

const SidebarFooter = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<div
      ref={ref}
      data-sidebar="footer"
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props} />)
  );
})
SidebarFooter.displayName = "SidebarFooter"

const SidebarSeparator = React.forwardRef(({ className, ...props }, ref) => {
  return (
    (<Separator
      ref={ref}
      data-sidebar="separator"
      className={cn("mx-2 w-auto bg-sidebar-border", className)}
      {...props} />)
  );
})
SidebarSeparator.displayName = "SidebarSeparator"

const SidebarContent = React.forwardRef(({ className, ...props }, ref) => {
  return (
```

```
   (<div
    ref={ref}
    data-sidebar="content"
    className={cn(
      "flex min-h-0 flex-1 flex-col gap-2 overflow-auto group-data-[collapsible=icon]:overflow-
hidden",
      className
    )}
    {...props} />)
  );
})
SidebarContent.displayName = "SidebarContent"

const SidebarGroup = React.forwardRef(({ className, ...props }, ref) => {
  return (
   (<div
    ref={ref}
    data-sidebar="group"
    className={cn("relative flex w-full min-w-0 flex-col p-2", className)}
    {...props} />)
  );
})
SidebarGroup.displayName = "SidebarGroup"

const SidebarGroupLabel = React.forwardRef(({ className, asChild = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "div"

  return (
```

```
   (<Comp
    ref={ref}
    data-sidebar="group-label"
    className={cn(
     "flex h-8 shrink-0 items-center rounded-md px-2 text-xs font-medium text-sidebar-foreground/70 outline-none ring-sidebar-ring transition-[margin,opacity] duration-200 ease-linear focus-visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
     "group-data-[collapsible=icon]:-mt-8 group-data-[collapsible=icon]:opacity-0",
     className
    )}
    {...props} />)
  );
})
SidebarGroupLabel.displayName = "SidebarGroupLabel"

const SidebarGroupAction = React.forwardRef(({ className, asChild = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "button"

  return (
   (<Comp
    ref={ref}
    data-sidebar="group-action"
    className={cn(
     "absolute right-3 top-3.5 flex aspect-square w-5 items-center justify-center rounded-md p-0 text-sidebar-foreground outline-none ring-sidebar-ring transition-transform hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
     // Increases the hit area of the button on mobile.
     "after:absolute after:-inset-2 after:md:hidden",
     "group-data-[collapsible=icon]:hidden",
```

```
      className
    )}
    {...props} />)
  );
})
SidebarGroupAction.displayName = "SidebarGroupAction"

const SidebarGroupContent = React.forwardRef(({ className, ...props }, ref) => (
  <div
    ref={ref}
    data-sidebar="group-content"
    className={cn("w-full text-sm", className)}
    {...props} />
))
SidebarGroupContent.displayName = "SidebarGroupContent"

const SidebarMenu = React.forwardRef(({ className, ...props }, ref) => (
  <ul
    ref={ref}
    data-sidebar="menu"
    className={cn("flex w-full min-w-0 flex-col gap-1", className)}
    {...props} />
))
SidebarMenu.displayName = "SidebarMenu"

const SidebarMenuItem = React.forwardRef(({ className, ...props }, ref) => (
  <li
```

```
  ref={ref}
  data-sidebar="menu-item"
  className={cn("group/menu-item relative", className)}
  {...props} />
))
SidebarMenuItem.displayName = "SidebarMenuItem"

const sidebarMenuButtonVariants = cva(
 "peer/menu-button flex w-full items-center gap-2 overflow-hidden rounded-md p-2 text-left text-sm outline-none ring-sidebar-ring transition-[width,height,padding] hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none disabled:opacity-50 group-has-[[data-sidebar=menu-action]]/menu-item:pr-8 aria-disabled:pointer-events-none aria-disabled:opacity-50 data-[active=true]:bg-sidebar-accent data-[active=true]:font-medium data-[active=true]:text-sidebar-accent-foreground data-[state=open]:hover:bg-sidebar-accent data-[state=open]:hover:text-sidebar-accent-foreground group-data-[collapsible=icon]:!size-8 group-data-[collapsible=icon]:!p-2 [&>span:last-child]:truncate [&>svg]:size-4 [&>svg]:shrink-0",
 {
  variants: {
   variant: {
    default: "hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
    outline:
     "bg-background shadow-[0_0_0_1px_hsl(var(--sidebar-border))] hover:bg-sidebar-accent hover:text-sidebar-accent-foreground hover:shadow-[0_0_0_1px_hsl(var(--sidebar-accent))]",
   },
   size: {
    default: "h-8 text-sm",
    sm: "h-7 text-xs",
    lg: "h-12 text-sm group-data-[collapsible=icon]:!p-0",
   },
```

```
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
)

const SidebarMenuButton = React.forwardRef((
  {
    asChild = false,
    isActive = false,
    variant = "default",
    size = "default",
    tooltip,
    className,
    ...props
  },
  ref
) => {
  const Comp = asChild ? Slot : "button"
  const { isMobile, state } = useSidebar()

  const button = (
    <Comp
      ref={ref}
      data-sidebar="menu-button"
```

```
    data-size={size}
    data-active={isActive}
    className={cn(sidebarMenuButtonVariants({ variant, size }), className)}
    {...props} />
  )

  if (!tooltip) {
   return button
  }

  if (typeof tooltip === "string") {
   tooltip = {
    children: tooltip,
   }
  }

  return (
   (<Tooltip>
    <TooltipTrigger asChild>{button}</TooltipTrigger>
    <TooltipContent
     side="right"
     align="center"
     hidden={state !== "collapsed" || isMobile}
     {...tooltip} />
   </Tooltip>)
  );
})
```

```
SidebarMenuButton.displayName = "SidebarMenuButton"


const SidebarMenuAction = React.forwardRef(({ className, asChild = false, showOnHover = false, ...props }, ref) => {
  const Comp = asChild ? Slot : "button"


  return (
    (<Comp
      ref={ref}
      data-sidebar="menu-action"
      className={cn(
        "absolute right-1 top-1.5 flex aspect-square w-5 items-center justify-center rounded-md p-0 text-sidebar-foreground outline-none ring-sidebar-ring transition-transform hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 peer-hover/menu-button:text-sidebar-accent-foreground [&>svg]:size-4 [&>svg]:shrink-0",
        // Increases the hit area of the button on mobile.
        "after:absolute after:-inset-2 after:md:hidden",
        "peer-data-[size=sm]/menu-button:top-1",
        "peer-data-[size=default]/menu-button:top-1.5",
        "peer-data-[size=lg]/menu-button:top-2.5",
        "group-data-[collapsible=icon]:hidden",
        showOnHover &&
        "group-focus-within/menu-item:opacity-100 group-hover/menu-item:opacity-100 data-[state=open]:opacity-100 peer-data-[active=true]/menu-button:text-sidebar-accent-foreground md:opacity-0",
        className
      )}
      {...props} />)
  );
```

```
})
SidebarMenuAction.displayName = "SidebarMenuAction"


const SidebarMenuBadge = React.forwardRef(({ className, ...props }, ref) => (
 <div
  ref={ref}
  data-sidebar="menu-badge"
  className={cn(
   "pointer-events-none absolute right-1 flex h-5 min-w-5 select-none items-center justify-center rounded-md px-1 text-xs font-medium tabular-nums text-sidebar-foreground",
   "peer-hover/menu-button:text-sidebar-accent-foreground peer-data-[active=true]/menu-button:text-sidebar-accent-foreground",
   "peer-data-[size=sm]/menu-button:top-1",
   "peer-data-[size=default]/menu-button:top-1.5",
   "peer-data-[size=lg]/menu-button:top-2.5",
   "group-data-[collapsible=icon]:hidden",
   className
  )}
  {...props} />
))
SidebarMenuBadge.displayName = "SidebarMenuBadge"


const SidebarMenuSkeleton = React.forwardRef(({ className, showIcon = false, ...props }, ref) => {
 // Random width between 50 to 90%.
 const width = React.useMemo(() => {
  return `${Math.floor(Math.random() * 40) + 50}%`;
 }, [])
```

```
 return (
  (<div
    ref={ref}
    data-sidebar="menu-skeleton"
    className={cn("flex h-8 items-center gap-2 rounded-md px-2", className)}
    {...props}>
    {showIcon && (
      <Skeleton className="size-4 rounded-md" data-sidebar="menu-skeleton-icon" />
    )}
    <Skeleton
      className="h-4 max-w-[--skeleton-width] flex-1"
      data-sidebar="menu-skeleton-text"
      style={
        {
          "--skeleton-width": width
        }
      } />
  </div>)
 );
})
SidebarMenuSkeleton.displayName = "SidebarMenuSkeleton"

const SidebarMenuSub = React.forwardRef(({ className, ...props }, ref) => (
 <ul
  ref={ref}
  data-sidebar="menu-sub"
  className={cn(
```

```
    "mx-3.5 flex min-w-0 translate-x-px flex-col gap-1 border-l border-sidebar-border px-2.5 py-0.5",
    "group-data-[collapsible=icon]:hidden",
    className
   )}
  {...props} />
))
SidebarMenuSub.displayName = "SidebarMenuSub"

const SidebarMenuSubItem = React.forwardRef(({ ...props }, ref) => <li ref={ref} {...props} />)
SidebarMenuSubItem.displayName = "SidebarMenuSubItem"

const SidebarMenuSubButton = React.forwardRef(
 ({ asChild = false, size = "md", isActive, className, ...props }, ref) => {
  const Comp = asChild ? Slot : "a"

  return (
   (<Comp
    ref={ref}
    data-sidebar="menu-sub-button"
    data-size={size}
    data-active={isActive}
    className={cn(
     "flex h-7 min-w-0 -translate-x-px items-center gap-2 overflow-hidden rounded-md px-2 text-sidebar-foreground outline-none ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none disabled:opacity-50 aria-disabled:pointer-events-none aria-disabled:opacity-50 [&>span:last-child]:truncate [&>svg]:size-4 [&>svg]:shrink-0 [&>svg]:text-sidebar-accent-foreground",
     "data-[active=true]:bg-sidebar-accent data-[active=true]:text-sidebar-accent-foreground",
```

```
        size === "sm" && "text-xs",
        size === "md" && "text-sm",
        "group-data-[collapsible=icon]:hidden",
        className
      )}
      {...props} />)
  );
 }
)
SidebarMenuSubButton.displayName = "SidebarMenuSubButton"

export {
 Sidebar,
 SidebarContent,
 SidebarFooter,
 SidebarGroup,
 SidebarGroupAction,
 SidebarGroupContent,
 SidebarGroupLabel,
 SidebarHeader,
 SidebarInput,
 SidebarInset,
 SidebarMenu,
 SidebarMenuAction,
 SidebarMenuBadge,
 SidebarMenuButton,
 SidebarMenuItem,
```

```
  SidebarMenuSkeleton,
  SidebarMenuSub,
  SidebarMenuSubButton,
  SidebarMenuSubItem,
  SidebarProvider,
  SidebarRail,
  SidebarSeparator,
  SidebarTrigger,
  useSidebar,
}
```

src/components/ui/skeleton.jsx

```
import { cn } from "@/lib/utils"

function Skeleton({
  className,
  ...props
}) {
  return (
    (<div
      className={cn("animate-pulse rounded-md bg-primary/10", className)}
      {...props} />)
  );
}

export { Skeleton }
```

src/components/ui/slider.jsx

```
import * as React from "react"
import * as SliderPrimitive from "@radix-ui/react-slider"

import { cn } from "@/lib/utils"

const Slider = React.forwardRef(({ className, ...props }, ref) => (
  <SliderPrimitive.Root
    ref={ref}
    className={cn("relative flex w-full touch-none select-none items-center", className)}
    {...props}>
    <SliderPrimitive.Track
      className="relative h-1.5 w-full grow overflow-hidden rounded-full bg-primary/20">
      <SliderPrimitive.Range className="absolute h-full bg-primary" />
    </SliderPrimitive.Track>
    <SliderPrimitive.Thumb
      className="block h-4 w-4 rounded-full border border-primary/50 bg-background shadow
transition-colors focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring
disabled:pointer-events-none disabled:opacity-50" />
  </SliderPrimitive.Root>
))
Slider.displayName = SliderPrimitive.Root.displayName

export { Slider }
```

src/components/ui/sonner.jsx

```
"use client";
import { useTheme } from "next-themes"
```

```
import { Toaster as Sonner } from "sonner"

const Toaster = ({
  ...props
}) => {
  const { theme = "system" } = useTheme()

  return (
    (<Sonner
      theme={theme}
      className="toaster group"
      toastOptions={{
        classNames: {
          toast:
            "group toast group-[.toaster]:bg-background group-[.toaster]:text-foreground group-
[.toaster]:border-border group-[.toaster]:shadow-lg",
          description: "group-[.toast]:text-muted-foreground",
          actionButton:
            "group-[.toast]:bg-primary group-[.toast]:text-primary-foreground",
          cancelButton:
            "group-[.toast]:bg-muted group-[.toast]:text-muted-foreground",
        },
      }}
      {...props} />)
  );
}

export { Toaster }
```

src/components/ui/switch.jsx

```
import * as React from "react"
import * as SwitchPrimitives from "@radix-ui/react-switch"

import { cn } from "@/lib/utils"

const Switch = React.forwardRef(({ className, ...props }, ref) => (
  <SwitchPrimitives.Root
    className={cn(
      "peer inline-flex h-5 w-9 shrink-0 cursor-pointer items-center rounded-full border-2 border-transparent shadow-sm transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 focus-visible:ring-offset-background disabled:cursor-not-allowed disabled:opacity-50 data-[state=checked]:bg-primary data-[state=unchecked]:bg-input",
      className
    )}
    {...props}
    ref={ref}>
    <SwitchPrimitives.Thumb
      className={cn(
        "pointer-events-none block h-4 w-4 rounded-full bg-background shadow-lg ring-0 transition-transform data-[state=checked]:translate-x-4 data-[state=unchecked]:translate-x-0"
      )} />
  </SwitchPrimitives.Root>
))
Switch.displayName = SwitchPrimitives.Root.displayName

export { Switch }
```

src/components/ui/table.jsx

```
import * as React from "react"

import { cn } from "@/lib/utils"

const Table = React.forwardRef(({ className, ...props }, ref) => (
 <div className="relative w-full overflow-auto">
  <table
   ref={ref}
   className={cn("w-full caption-bottom text-sm", className)}
   {...props} />
 </div>
))
Table.displayName = "Table"

const TableHeader = React.forwardRef(({ className, ...props }, ref) => (
 <thead ref={ref} className={cn("[&_tr]:border-b", className)} {...props} />
))
TableHeader.displayName = "TableHeader"

const TableBody = React.forwardRef(({ className, ...props }, ref) => (
 <tbody
  ref={ref}
  className={cn("[&_tr:last-child]:border-0", className)}
  {...props} />
))
```

```
TableBody.displayName = "TableBody"


const TableFooter = React.forwardRef(({ className, ...props }, ref) => (
  <tfoot
    ref={ref}
    className={cn("border-t bg-muted/50 font-medium [&>tr]:last:border-b-0", className)}
    {...props} />
))
TableFooter.displayName = "TableFooter"


const TableRow = React.forwardRef(({ className, ...props }, ref) => (
  <tr
    ref={ref}
    className={cn(
      "border-b transition-colors hover:bg-muted/50 data-[state=selected]:bg-muted",
      className
    )}
    {...props} />
))
TableRow.displayName = "TableRow"


const TableHead = React.forwardRef(({ className, ...props }, ref) => (
  <th
    ref={ref}
    className={cn(
      "h-10 px-2 text-left align-middle font-medium text-muted-foreground
[&:has([role=checkbox])]:pr-0 [&>[role=checkbox]]:translate-y-[2px]",
      className
```

```
    )}
    {...props} />
))
TableHead.displayName = "TableHead"

const TableCell = React.forwardRef(({ className, ...props }, ref) => (
  <td
    ref={ref}
    className={cn(
      "p-2 align-middle [&:has([role=checkbox])]:pr-0 [&>[role=checkbox]]:translate-y-[2px]",
      className
    )}
    {...props} />
))
TableCell.displayName = "TableCell"

const TableCaption = React.forwardRef(({ className, ...props }, ref) => (
  <caption
    ref={ref}
    className={cn("mt-4 text-sm text-muted-foreground", className)}
    {...props} />
))
TableCaption.displayName = "TableCaption"

export {
  Table,
  TableHeader,
```

```
  TableBody,
  TableFooter,
  TableHead,
  TableRow,
  TableCell,
  TableCaption,
}
```

src/components/ui/tabs.jsx

```
import * as React from "react"
import * as TabsPrimitive from "@radix-ui/react-tabs"

import { cn } from "@/lib/utils"

const Tabs = TabsPrimitive.Root

const TabsList = React.forwardRef(({ className, ...props }, ref) => (
  <TabsPrimitive.List
    ref={ref}
    className={cn(
      "inline-flex h-9 items-center justify-center rounded-lg bg-muted p-1 text-muted-foreground",
      className
    )}
    {...props} />
))
TabsList.displayName = TabsPrimitive.List.displayName
```

```
const TabsTrigger = React.forwardRef(({ className, ...props }, ref) => (
  <TabsPrimitive.Trigger
    ref={ref}
    className={cn(
      "inline-flex items-center justify-center whitespace-nowrap rounded-md px-3 py-1 text-sm font-medium ring-offset-background transition-all focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:pointer-events-none disabled:opacity-50 data-[state=active]:bg-background data-[state=active]:text-foreground data-[state=active]:shadow",
      className
    )}
    {...props} />
))
TabsTrigger.displayName = TabsPrimitive.Trigger.displayName

const TabsContent = React.forwardRef(({ className, ...props }, ref) => (
  <TabsPrimitive.Content
    ref={ref}
    className={cn(
      "mt-2 ring-offset-background focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2",
      className
    )}
    {...props} />
))
TabsContent.displayName = TabsPrimitive.Content.displayName

export { Tabs, TabsList, TabsTrigger, TabsContent }
```

src/components/ui/textarea.jsx

```
import * as React from "react"


import { cn } from "@/lib/utils"


const Textarea = React.forwardRef(({ className, ...props }, ref) => {
 return (
  (<textarea
    className={cn(
     "flex min-h-[60px] w-full rounded-md border border-input bg-transparent px-3 py-2 text-base shadow-sm placeholder:text-muted-foreground focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:cursor-not-allowed disabled:opacity-50 md:text-sm",
      className
    )}
    ref={ref}
    {...props} />)
 );
})
Textarea.displayName = "Textarea"


export { Textarea }


src/components/ui/toast.jsx
import * as React from "react";
import * as ToastPrimitives from "@radix-ui/react-toast";
import { cva } from "class-variance-authority";
import { X } from "lucide-react";
import { cn } from "@/lib/utils";
```

```
const ToastProvider = ToastPrimitives.Provider;


const ToastViewport = React.forwardRef(({ className, ...props }, ref) => (
 <ToastPrimitives.Viewport
  ref={ref}
  className={cn(
   "fixed top-0 z-[100] flex max-h-screen w-full flex-col-reverse p-4 sm:bottom-0 sm:right-0 sm:top-auto sm:flex-col md:max-w-[420px]",
   className
  )}
  {...props}
 />
));
ToastViewport.displayName = ToastPrimitives.Viewport.displayName;


const toastVariants = cva(
 "group pointer-events-auto relative flex w-full items-center justify-between space-x-4 overflow-hidden rounded-md border p-6 pr-8 shadow-lg transition-all data-[swipe=cancel]:translate-x-0 data-[swipe=end]:translate-x-[var(--radix-toast-swipe-end-x)] data-[swipe=move]:translate-x-[var(--radix-toast-swipe-move-x)] data-[swipe=move]:transition-none data-[state=open]:animate-in data-[state=closed]:animate-out data-[swipe=end]:animate-out data-[state=closed]:fade-out-80 data-[state=closed]:slide-out-to-right-full data-[state=open]:slide-in-from-top-full data-[state=open]:sm:slide-in-from-bottom-full",
 {
  variants: {
   variant: {
    default: "border bg-background text-foreground",
    destructive:
     "destructive group border-destructive bg-destructive text-destructive-foreground",
```

```
    },
   },
   defaultVariants: {
    variant: "default",
   },
  }
);

const Toast = React.forwardRef(({ className, variant, ...props }, ref) => {
 return (
  <ToastPrimitives.Root
   ref={ref}
   className={cn(toastVariants({ variant }), className)}
   {...props}
  />
 );
});
Toast.displayName = ToastPrimitives.Root.displayName;

const ToastAction = React.forwardRef(({ className, ...props }, ref) => (
 <ToastPrimitives.Action
  ref={ref}
  className={cn(
   "inline-flex h-8 shrink-0 items-center justify-center rounded-md border bg-transparent px-3 text-sm font-medium ring-offset-background transition-colors hover:bg-secondary focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none disabled:opacity-50 group-[.destructive]:border-muted/40 group-[.destructive]:hover:border-destructive/30 group-[.destructive]:hover:bg-destructive group-[.destructive]:hover:text-destructive-foreground group-[.destructive]:focus:ring-destructive",
```

```
    className
  )}
  {...props}
 />
));
ToastAction.displayName = ToastPrimitives.Action.displayName;


const ToastClose = React.forwardRef(({ className, ...props }, ref) => (
 <ToastPrimitives.Close
  ref={ref}
  className={cn(
   "absolute right-2 top-2 rounded-md p-1 text-foreground/50 opacity-0 transition-opacity
hover:text-foreground focus:opacity-100 focus:outline-none focus:ring-2 group-hover:opacity-100
group-[.destructive]:text-red-300 group-[.destructive]:hover:text-red-50 group-
[.destructive]:focus:ring-red-400 group-[.destructive]:focus:ring-offset-red-600",
    className
  )}
  toast-close=""
  {...props}
 >
  <X className="h-4 w-4" />
 </ToastPrimitives.Close>
));
ToastClose.displayName = ToastPrimitives.Close.displayName;


const ToastTitle = React.forwardRef(({ className, ...props }, ref) => (
 <ToastPrimitives.Title
  ref={ref}
```

```
    className={cn("text-sm font-semibold", className)}
    {...props}
  />
));
ToastTitle.displayName = ToastPrimitives.Title.displayName;

const ToastDescription = React.forwardRef(({ className, ...props }, ref) => (
  <ToastPrimitives.Description
    ref={ref}
    className={cn("text-sm opacity-90", className)}
    {...props}
  />
));
ToastDescription.displayName = ToastPrimitives.Description.displayName;

export {
  ToastProvider,
  ToastViewport,
  Toast,
  ToastTitle,
  ToastDescription,
  ToastClose,
  ToastAction,
};
```

src/components/ui/toaster.jsx

```
import { useToast } from "@/components/ui/use-toast";
import {
  Toast,
  ToastClose,
  ToastDescription,
  ToastProvider,
  ToastTitle,
  ToastViewport,
} from "@/components/ui/toast";

export function Toaster() {
  const { toasts } = useToast();

  return (
    <ToastProvider>
      {toasts.map(function ({ id, title, description, action, ...props }) {
        return (
          <Toast key={id} {...props}>
            <div className="grid gap-1">
              {title && <ToastTitle>{title}</ToastTitle>}
              {description && (
                <ToastDescription>{description}</ToastDescription>
              )}
            </div>
            {action}
            <ToastClose />
```

```
        </Toast>
      );
    })}
    <ToastViewport />
  </ToastProvider>
 );
}
```

src/components/ui/toggle-group.jsx

```
"use client";
import * as React from "react"
import * as ToggleGroupPrimitive from "@radix-ui/react-toggle-group"

import { cn } from "@/lib/utils"
import { toggleVariants } from "@/components/ui/toggle"

const ToggleGroupContext = React.createContext({
 size: "default",
 variant: "default",
})

const ToggleGroup = React.forwardRef(({ className, variant, size, children, ...props }, ref) => (
 <ToggleGroupPrimitive.Root
  ref={ref}
  className={cn("flex items-center justify-center gap-1", className)}
  {...props}>
  <ToggleGroupContext.Provider value={{ variant, size }}>
```

```
    {children}
   </ToggleGroupContext.Provider>
  </ToggleGroupPrimitive.Root>
))

ToggleGroup.displayName = ToggleGroupPrimitive.Root.displayName

const ToggleGroupItem = React.forwardRef(({ className, children, variant, size, ...props }, ref) => {
  const context = React.useContext(ToggleGroupContext)

  return (
    (<ToggleGroupPrimitive.Item
      ref={ref}
      className={cn(toggleVariants({
        variant: context.variant || variant,
        size: context.size || size,
      }), className)}
      {...props}>
      {children}
    </ToggleGroupPrimitive.Item>)
  );
})

ToggleGroupItem.displayName = ToggleGroupPrimitive.Item.displayName

export { ToggleGroup, ToggleGroupItem }
```

src/components/ui/toggle.jsx

```
import * as React from "react"

import * as TogglePrimitive from "@radix-ui/react-toggle"

import { cva } from "class-variance-authority";


import { cn } from "@/lib/utils"


const toggleVariants = cva(

  "inline-flex items-center justify-center gap-2 rounded-md text-sm font-medium transition-colors hover:bg-muted hover:text-muted-foreground focus-visible:outline-none focus-visible:ring-1 focus-visible:ring-ring disabled:pointer-events-none disabled:opacity-50 data-[state=on]:bg-accent data-[state=on]:text-accent-foreground [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",

 {

   variants: {

    variant: {

     default: "bg-transparent",

     outline:

       "border border-input bg-transparent shadow-sm hover:bg-accent hover:text-accent-foreground",

    },

    size: {

     default: "h-9 px-2 min-w-9",

     sm: "h-8 px-1.5 min-w-8",

     lg: "h-10 px-2.5 min-w-10",

    },

   },

   defaultVariants: {

    variant: "default",

    size: "default",
```

```
    },
  }
)

const Toggle = React.forwardRef(({ className, variant, size, ...props }, ref) => (
  <TogglePrimitive.Root
    ref={ref}
    className={cn(toggleVariants({ variant, size, className }))}
    {...props} />
))

Toggle.displayName = TogglePrimitive.Root.displayName

export { Toggle, toggleVariants }
```

src/components/ui/tooltip.jsx

```
"use client"

import * as React from "react"
import * as TooltipPrimitive from "@radix-ui/react-tooltip"

import { cn } from "@/lib/utils"

const TooltipProvider = TooltipPrimitive.Provider

const Tooltip = TooltipPrimitive.Root
```

```
const TooltipTrigger = TooltipPrimitive.Trigger


const TooltipContent = React.forwardRef(({ className, sideOffset = 4, ...props }, ref) => (
 <TooltipPrimitive.Portal>
  <TooltipPrimitive.Content
   ref={ref}
   sideOffset={sideOffset}
   className={cn(
    "z-50 overflow-hidden rounded-md bg-primary px-3 py-1.5 text-xs text-primary-foreground animate-in fade-in-0 zoom-in-95 data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
    className
   )}
   {...props} />
 </TooltipPrimitive.Portal>
))
TooltipContent.displayName = TooltipPrimitive.Content.displayName


export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider }
```

src/components/ui/use-responsive-image.jsx

```
import * as React from "react"
import { useSize } from "../../hooks/use-size"
import { cn } from "../../lib/utils"
import { DEFAULT_TRANSFORM_WIDTH, getImagePreviewClassName } from "./image-helpers"


export function useResponsiveImage({ parsed, fittingType, focalPoint, quality, className, onLoad, onSourceChange }, parentRef) {
```

```
 const wrapperRef = React.useRef(null)
 const imgRef = React.useRef(null)
 const size = useSize(wrapperRef)
 const [loaded, setLoaded] = React.useState(false)

 React.useImperativeHandle(parentRef, () => imgRef.current)
 React.useEffect(() => setLoaded(false), [parsed.baseUrl])
 React.useEffect(() => {
  const wrapper = wrapperRef.current
  const replace = (event) => onSourceChange(
   event.detail.src, getImagePreviewClassName(className, wrapper.className, cn("inline-block relative", className))
  )
  wrapper.addEventListener("base44:image-replace", replace)
  return () => wrapper.removeEventListener("base44:image-replace", replace)
 }, [className, onSourceChange])

 const crop = fittingType !== "fit"
 // Wait for useSize's pre-paint measurement before requesting a transform.
 const options = size && {
  width: size.width || DEFAULT_TRANSFORM_WIDTH,
  height: size.height || undefined,
  crop,
  focalPoint: crop ? focalPoint : undefined,
  quality,
 }

 return {
```

```
    wrapperRef, imgRef, loaded, options,
    handleLoad: (event) => {
      setLoaded(true)
      onLoad?.(event)
    },
  }
}
```

src/components/ui/use-toast.jsx

```
// Inspired by react-hot-toast library
import { useState, useEffect } from "react";

const TOAST_LIMIT = 20;
const TOAST_REMOVE_DELAY = 1000000;

const actionTypes = {
  ADD_TOAST: "ADD_TOAST",
  UPDATE_TOAST: "UPDATE_TOAST",
  DISMISS_TOAST: "DISMISS_TOAST",
  REMOVE_TOAST: "REMOVE_TOAST",
};

let count = 0;

function genId() {
  count = (count + 1) % Number.MAX_VALUE;
  return count.toString();
```

```
}

const toastTimeouts = new Map();

const addToRemoveQueue = (toastId) => {
 if (toastTimeouts.has(toastId)) {
  return;
 }

 const timeout = setTimeout(() => {
  toastTimeouts.delete(toastId);
  dispatch({
   type: actionTypes.REMOVE_TOAST,
   toastId,
  });
 }, TOAST_REMOVE_DELAY);

 toastTimeouts.set(toastId, timeout);
};

const _clearFromRemoveQueue = (toastId) => {
 const timeout = toastTimeouts.get(toastId);
 if (timeout) {
  clearTimeout(timeout);
  toastTimeouts.delete(toastId);
 }
};
```

```
export const reducer = (state, action) => {
  switch (action.type) {
    case actionTypes.ADD_TOAST:
      return {
        ...state,
        toasts: [action.toast, ...state.toasts].slice(0, TOAST_LIMIT),
      };

    case actionTypes.UPDATE_TOAST:
      return {
        ...state,
        toasts: state.toasts.map((t) =>
          t.id === action.toast.id ? { ...t, ...action.toast } : t
        ),
      };

    case actionTypes.DISMISS_TOAST: {
      const { toastId } = action;

      // ! Side effects ! - This could be extracted into a dismissToast() action,
      // but I'll keep it here for simplicity
      if (toastId) {
        addToRemoveQueue(toastId);
      } else {
        state.toasts.forEach((toast) => {
          addToRemoveQueue(toast.id);
```

```
    });
  }

  return {
    ...state,
    toasts: state.toasts.map((t) =>
      t.id === toastId || toastId === undefined
        ? {
            ...t,
            open: false,
          }
        : t
    ),
  };
}
case actionTypes.REMOVE_TOAST:
  if (action.toastId === undefined) {
    return {
      ...state,
      toasts: [],
    };
  }
  return {
    ...state,
    toasts: state.toasts.filter((t) => t.id !== action.toastId),
  };
}
```

```
};

const listeners = [];

let memoryState = { toasts: [] };

function dispatch(action) {
 memoryState = reducer(memoryState, action);
 listeners.forEach((listener) => {
  listener(memoryState);
 });
}

function toast({ ...props }) {
 const id = genId();

 const update = (props) =>
  dispatch({
   type: actionTypes.UPDATE_TOAST,
   toast: { ...props, id },
  });

 const dismiss = () =>
  dispatch({ type: actionTypes.DISMISS_TOAST, toastId: id });

 dispatch({
  type: actionTypes.ADD_TOAST,
```

```
    toast: {
      ...props,
      id,
      open: true,
      onOpenChange: (open) => {
        if (!open) dismiss();
      },
    },
  });

  return {
    id,
    dismiss,
    update,
  };
}

function useToast() {
  const [state, setState] = useState(memoryState);

  useEffect(() => {
    listeners.push(setState);
    return () => {
      const index = listeners.indexOf(setState);
      if (index > -1) {
        listeners.splice(index, 1);
      }
```

```
  };
 }, [state]);

 return {
  ...state,
  toast,
  dismiss: (toastId) => dispatch({ type: actionTypes.DISMISS_TOAST, toastId }),
 };
}

export { useToast, toast };
```

src/components/AuthLayout.jsx

```
import React from "react";

export default function AuthLayout({ icon: Icon, title, subtitle, footer, children }) {
 return (
  <div className="min-h-screen flex items-center justify-center bg-background px-4">
   <div className="w-full max-w-md">
    <div className="text-center mb-10">
     <div className="inline-flex items-center justify-center w-14 h-14 rounded-2xl bg-primary mb-
4">
      <Icon className="w-7 h-7 text-primary-foreground" aria-hidden="true" />
     </div>
     <h1 className="text-3xl font-bold tracking-tight text-foreground">{title}</h1>
     {subtitle && <p className="text-muted-foreground mt-2">{subtitle}</p>}
    </div>
    <div className="bg-card rounded-2xl shadow-sm border border-border p-8">
```

```
        {children}
      </div>
      {footer && (
        <p className="text-center text-sm text-muted-foreground mt-6">{footer}</p>
      )}
    </div>
  </div>
 );
}
```

src/components/ClaimDetailModal.jsx

```
import { useEffect, useState } from "react";
import {
 Dialog,
 DialogContent,
 DialogDescription,
 DialogHeader,
 DialogTitle,
} from "@/components/ui/dialog";
import { Image } from "@/components/ui/image";
import StatusBadge from "@/components/StatusBadge";
import { formatPeso } from "@/lib/taxEngine";
import { format } from "date-fns";
import { base44 } from "@/api/base44Client";
import { FileCheck2, ImageOff } from "lucide-react";

function ReceiptPreview({ receiptUrl }) {
```

```
const [src, setSrc] = useState(null);
const [loading, setLoading] = useState(true);

useEffect(() => {
 let cancelled = false;
 setLoading(true);
 setSrc(null);
 if (!receiptUrl) {
  setLoading(false);
  return;
 }
 if (receiptUrl.startsWith("http")) {
  setSrc(receiptUrl);
  setLoading(false);
  return;
 }
 base44.integrations.Core.CreateFileSignedUrl({ file_uri: receiptUrl })
  .then((r) => {
   if (!cancelled) setSrc(r.signed_url);
  })
  .catch(() => {})
  .finally(() => {
   if (!cancelled) setLoading(false);
  });
 return () => {
  cancelled = true;
 };
```

```
}, [receiptUrl]);


if (loading) {
  return (
    <div className="flex h-48 items-center justify-center rounded-lg bg-slate-100 text-xs text-muted-foreground">
      Loading receipt...
    </div>
  );
}
if (!src) {
  return (
    <div className="flex h-48 flex-col items-center justify-center gap-2 rounded-lg border border-dashed bg-slate-50 text-xs text-muted-foreground">
      <ImageOff className="h-5 w-5" />
      No receipt attached
    </div>
  );
}
return (
  <div className="overflow-hidden rounded-lg border bg-white">
    <Image
      src={src}
      alt="Official receipt"
      className="h-56 w-full object-contain"
      fittingType="fit"
    />
  </div>
```

```
  );
}

function BreakdownRow({ label, value, muted }) {
  return (
    <div className="flex items-center justify-between px-4 py-2.5 text-sm">
      <span className="text-muted-foreground">{label}</span>
      <span className={` tabular-nums ${muted ? "text-muted-foreground" : "font-semibold"}` }>
        {value}
      </span>
    </div>
  );
}

export default function ClaimDetailModal({ claim, open, onOpenChange, children }) {
  const [history, setHistory] = useState([]);

  useEffect(() => {
    if (!open || !claim) return;
    let cancelled = false;
    base44.entities.Approvals.filter(
      { reference_id: claim.reference_id },
      { sort: "processed_at", limit: 50 }
    )
      .then((page) => {
        if (!cancelled) setHistory(page.items ?? []);
      })
```

```
    .catch(() => {
      if (!cancelled) setHistory([]);
    });
  return () => {
    cancelled = true;
  };
 }, [open, claim]);

 if (!claim) return null;

 return (
  <Dialog open={open} onOpenChange={onOpenChange}>
    <DialogContent className="pointer-events-auto max-h-[90vh] overflow-y-auto sm:max-w-
2xl">
      <DialogHeader>
        <div className="flex flex-wrap items-center gap-3">
          <DialogTitle className="font-heading">{claim.title}</DialogTitle>
          <StatusBadge status={claim.current_status} />
        </div>
        <DialogDescription>
          {claim.reference_id} · {claim.category}
        </DialogDescription>
      </DialogHeader>

      <div className="grid grid-cols-2 gap-3 rounded-lg border bg-slate-50/60 px-4 py-3 text-sm">
        <div>
          <p className="text-xs text-muted-foreground">Filed by</p>
          <p className="font-medium">{claim.requestor_name}</p>
```

```
        </div>
        <div>
          <p className="text-xs text-muted-foreground">Submitted</p>
          <p className="font-medium">
            {format(
              new Date(claim.submitted_at || claim.created_date),
              "MMM d, yyyy · h:mm a"
            )}
          </p>
        </div>
        <div>
          <p className="text-xs text-muted-foreground">Payout Method</p>
          <p className="font-medium">{claim.payout_method || "—"}</p>
        </div>
        <div>
          <p className="text-xs text-muted-foreground">Disbursed</p>
          <p className="font-medium">
            {claim.paid_at
              ? format(new Date(claim.paid_at), "MMM d, yyyy · h:mm a")
              : "—"}
          </p>
        </div>
      </div>

      <div className="overflow-hidden rounded-lg border">
        <div className="border-b bg-slate-50 px-4 py-2 text-xs font-semibold uppercase tracking-wider text-muted-foreground">
          Tax Breakdown (PHP)
```

```
        </div>
        <div className="divide-y">
          <BreakdownRow label="Gross Amount" value={formatPeso(claim.gross_amount)} />
          <BreakdownRow
            label="Net Amount (after VAT)"
            value={formatPeso(claim.net_amount)}
          />
          <BreakdownRow
            label="12% VAT"
            value={claim.is_vatable ? formatPeso(claim.vat_amount) : "— (non-VAT)"}
            muted={!claim.is_vatable}
          />
          <BreakdownRow
            label={`EWT (${claim.ewt_rate}%)`}
            value={formatPeso(claim.ewt_amount)}
          />
          <div className="flex items-center justify-between bg-primary px-4 py-3 text-primary-foreground">
            <span className="text-xs font-semibold uppercase tracking-wider">
              Final Reimbursable
            </span>
            <span className="font-heading text-lg font-bold tabular-nums">
              {formatPeso(claim.final_reimbursable_amount)}
            </span>
          </div>
        </div>
      </div>
```

```
      <div>
        <p className="mb-2 text-xs font-semibold uppercase tracking-wider text-muted-
foreground">
          Receipt Photo
        </p>
        <ReceiptPreview receiptUrl={claim.receipt_url} />
      </div>

      {history.length > 0 && (
        <div>
          <h4 className="mb-2 flex items-center gap-1.5 text-sm font-semibold">
            <FileCheck2 className="h-4 w-4 text-primary" /> Approval Trail
          </h4>
          <ul className="space-y-2">
            {history.map((h) => (
              <li key={h.id} className="rounded-lg border bg-slate-50/60 px-3 py-2 text-sm">
                <p className="font-medium">
                  {h.action}
                  <span className="font-normal text-muted-foreground">
                    {" "}
                    · {h.approver_name} ·{" "}
                    {format(new Date(h.processed_at), "MMM d, yyyy · h:mm a")}
                  </span>
                </p>
                {h.comments && (
                  <p className="mt-0.5 text-xs text-muted-foreground">“{h.comments}”</p>
                )}
              </li>
```

```
          ))}
        </ul>
      </div>
    )}

    {children}
   </DialogContent>
  </Dialog>
 );
}
```

src/components/GoogleIcon.jsx

```
import React from "react";

export default function GoogleIcon({ className = "w-5 h-5" }) {
 return (
  <svg className={className} viewBox="0 0 24 24" aria-hidden="true">
   <path d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92a5.06 5.06 0 01-2.2 3.32v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.1z" fill="#4285F4" />
   <path d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z" fill="#34A853" />
   <path d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z" fill="#FBBC05" />
   <path d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z" fill="#EA4335" />
  </svg>
 );
}
```

src/components/Layout.jsx

```
import { Link, NavLink, Outlet } from "react-router-dom";
import {
  PhilippinePeso,
  User,
  ClipboardCheck,
  Landmark,
  LayoutDashboard,
  PlusCircle,
  ReceiptText,
  FileCheck2,
  BarChart3,
  LogOut,
} from "lucide-react";
import { cn } from "@/lib/utils";
import { Button } from "@/components/ui/button";
import { base44 } from "@/api/base44Client";
import { ROLES, useRole } from "@/lib/RoleContext";
import NotificationBell from "@/components/NotificationBell";

const NAV_ITEMS = [
  { to: "/", label: "Dashboard", icon: LayoutDashboard },
  { to: "/new-claim", label: "New Claim", icon: PlusCircle },
  { to: "/claims", label: "Claims", icon: ReceiptText },
  { to: "/review", label: "Review", icon: FileCheck2 },
  { to: "/reports", label: "Reports", icon: BarChart3 },
];
```

```
const ROLE_ICONS = {
  Employee: User,
  "Area Manager": ClipboardCheck,
  "Branch Manager / Teller": Landmark,
};

const ROLE_SHORT = {
  Employee: "Employee",
  "Area Manager": "Area Mgr",
  "Branch Manager / Teller": "Teller",
};

function NavList({ className }) {
  return (
    <nav className={cn("items-center gap-1", className)}>
      {NAV_ITEMS.map((item) => (
        <NavLink
          key={item.to}
          to={item.to}
          end={item.to === "/"}
          className={({ isActive }) =>
            cn(
              "flex items-center gap-1.5 rounded-full px-3 py-1.5 text-sm font-medium transition-colors",
              isActive
                ? "bg-primary text-primary-foreground"
                : "text-muted-foreground hover:bg-slate-100 hover:text-foreground"
```

```
        )
       }
      >
       <item.icon className="h-4 w-4" />
       {item.label}
      </NavLink>
    ))}
   </nav>
 );
}

export default function Layout() {
 const { role, setRole, me, isAdmin } = useRole();
 const displayName = me?.full_name || me?.email || "";
 const initial =
  (me?.full_name || me?.email || "?").trim().charAt(0).toUpperCase() || "?";

 return (
  <div className="min-h-screen bg-slate-50/70">
   <header className="sticky top-0 z-40 border-b bg-white/90 backdrop-blur supports-
[backdrop-filter]:bg-white/75">
    <div className="mx-auto max-w-7xl px-4 sm:px-6">
     <div className="flex h-16 items-center justify-between gap-3">
      <Link to="/" className="flex items-center gap-3">
       <div className="flex h-9 w-9 items-center justify-center rounded-xl bg-primary text-
primary-foreground shadow-sm">
        <PhilippinePeso className="h-5 w-5" />
       </div>
```

```
 <div className="hidden sm:block">
  <p className="font-heading text-sm font-bold leading-tight">Smart Reimbursement</p>
  <p className="text-[11px] leading-tight text-muted-foreground">
   &amp;amp; Local Tax Portal · PHP
  </p>
 </div>
</Link>

<NavList className="hidden lg:flex" />

<div className="flex items-center gap-3">
 {isAdmin && (
  <div
   className="hidden items-center gap-1 rounded-full border bg-slate-100/80 p-1 md:flex"
   role="group"
   aria-label="Preview as role (admin)"
   title="Preview as another role (admin)"
  >
   {ROLES.map((r) => {
    const Icon = ROLE_ICONS[r];
    const active = role === r;
    return (
     <button
      key={r}
      type="button"
      onClick={() => setRole(r)}
      className={cn(
```

```
            "flex items-center gap-1.5 rounded-full px-3 py-1.5 text-xs font-semibold transition-all",
            active
              ? "bg-primary text-primary-foreground shadow-sm"
              : "text-muted-foreground hover:text-foreground"
          )}
        >
          <Icon className="h-3.5 w-3.5" />
          {ROLE_SHORT[r]}
        </button>
      );
    })}
  </div>
)}

<div className="hidden items-center gap-2 sm:flex">
  <div className="flex h-8 w-8 items-center justify-center rounded-full bg-primary/10 text-sm font-bold text-primary">
    {initial}
  </div>
  <div className="max-w-[160px]">
    <p className="truncate text-xs font-semibold leading-tight">{displayName}</p>
    <p className="truncate text-[11px] leading-tight text-muted-foreground">{role}</p>
  </div>
</div>

<NotificationBell />

<Button
```

```
            variant="outline"
            size="sm"
            onClick={() => base44.auth.logout()}
            title="Sign out"
           >
            <LogOut className="h-3.5 w-3.5" />
            <span className="hidden sm:inline">Sign out</span>
           </Button>
          </div>
         </div>

         <div className="-mx-4 overflow-x-auto px-4 pb-2 lg:hidden">
          <NavList className="flex" />
         </div>
        </div>
      </header>

      <main className="mx-auto max-w-7xl px-4 py-8 sm:px-6">
       <Outlet />
      </main>
     </div>
   );
}
src/components/NotificationBell.jsx
import { useEffect, useState } from "react";
import { Bell, CheckCheck } from "lucide-react";
import { base44 } from "@/api/base44Client";
```

```
import { Button } from "@/components/ui/button";
import { Popover, PopoverContent, PopoverTrigger } from "@/components/ui/popover";
import { cn } from "@/lib/utils";
import { useRole } from "@/lib/RoleContext";

export default function NotificationBell() {
 const { me } = useRole();
 const email = me?.email;
 const [alerts, setAlerts] = useState([]);
 const [open, setOpen] = useState(false);

 const load = async () => {
  if (!email) return;
  try {
   const { items } = await base44.entities.PortalAlerts.filter(
    { recipient_email: email },
    { sort: "-created_date", limit: 20 }
   );
   setAlerts(items ?? []);
  } catch {
   /* bell stays empty when alerts cannot be loaded */
  }
 };

 useEffect(() => {
  load();
 }, [email]);
```

```
 useEffect(() => base44.entities.PortalAlerts.subscribe(() => load()), [email]);


 const unread = alerts.filter((a) => !a.is_read).length;


 const markAllRead = async () => {
  const ids = alerts.filter((a) => !a.is_read).map((a) => a.id);
  if (ids.length === 0) return;
  setAlerts((prev) => prev.map((a) => ({ ...a, is_read: true })));
  await base44.entities.PortalAlerts.bulkUpdate(ids.map((id) => ({ id, is_read: true })));
 };


 return (
  <Popover open={open} onOpenChange={(o) => { setOpen(o); if (o) load(); }}>
   <PopoverTrigger asChild>
    <Button variant="outline" size="sm" className="relative" title="Portal alerts">
     <Bell className="h-3.5 w-3.5" />
     {unread > 0 && (
      <span className="absolute -right-1.5 -top-1.5 flex h-4 min-w-[16px] items-center justify-
center rounded-full bg-destructive px-1 text-[10px] font-bold leading-none text-destructive-
foreground">
       {unread}
      </span>
     )}
    </Button>
   </PopoverTrigger>
   <PopoverContent align="end" className="w-[min(20rem,90vw)] p-0">
    <div className="flex items-center justify-between border-b px-3 py-2">
```

```
 <p className="text-sm font-semibold">Portal alerts</p>
 <Button
  variant="ghost"
  size="sm"
  className="h-7 gap-1 px-2 text-xs"
  onClick={markAllRead}
  disabled={unread === 0}
 >
  <CheckCheck className="h-3.5 w-3.5" /> Mark read
 </Button>
</div>
<div className="max-h-80 overflow-y-auto">
 {alerts.length === 0 ? (
  <p className="px-3 py-6 text-center text-xs text-muted-foreground">No alerts yet.</p>
 ) : (
  alerts.map((a) => (
   <div
    key={a.id}
    className={cn("border-b px-3 py-2.5 last:border-b-0", !a.is_read && "bg-primary/5")}
   >
    <p className="text-xs font-semibold">
     {a.claim_reference} · {a.claim_title}
    </p>
    <p className="mt-0.5 text-xs leading-relaxed text-muted-foreground">{a.message}</p>
    <p className="mt-1 text-[10px] uppercase tracking-wide text-muted-foreground">
     {a.created_date ? new Date(a.created_date).toLocaleString("en-PH") : ""}
    </p>
```

```
          </div>
         ))
        )}
      </div>
    </PopoverContent>
  </Popover>
 );
}
```

src/components/ProtectedRoute.jsx

```
import { useEffect } from 'react';
import { Outlet } from 'react-router-dom';
import { useAuth } from '@/lib/AuthContext';
import UserNotRegisteredError from '@/components/UserNotRegisteredError';

const DefaultFallback = () => (
 <div className="fixed inset-0 flex items-center justify-center">
  <div className="w-8 h-8 border-4 border-slate-200 border-t-slate-800 rounded-full animate-spin"></div>
 </div>
);

export default function ProtectedRoute({ fallback = <DefaultFallback />, unauthenticatedElement }) {
 const { isAuthenticated, isLoadingAuth, authChecked, authError, checkUserAuth } = useAuth();

 useEffect(() => {
  if (!authChecked && !isLoadingAuth) {
```

```
    checkUserAuth();
   }
  }, [authChecked, isLoadingAuth, checkUserAuth]);

  if (isLoadingAuth || !authChecked) {
   return fallback;
  }

  if (authError) {
   if (authError.type === 'user_not_registered') {
    return <UserNotRegisteredError />;
   }
   return unauthenticatedElement;
  }

  if (!isAuthenticated) {
   return unauthenticatedElement;
  }

  return <Outlet />;
}
```

src/components/RegisterDetailsForm.jsx

```
import React, { useState } from "react";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
```

```
import {
  Select,
  SelectContent,
  SelectItem,
  SelectTrigger,
  SelectValue,
} from "@/components/ui/select";
import { Briefcase, Lock, Loader2, Mail, User } from "lucide-react";
import {
  ROLE_AREA_MANAGER,
  ROLE_EMPLOYEE,
  ROLE_TELLER,
} from "@/lib/RoleContext";

export const REGISTRATION_ROLES = [
  { value: ROLE_EMPLOYEE, label: "Employee (Requestor)" },
  { value: ROLE_AREA_MANAGER, label: "Area Manager (Approver)" },
  { value: ROLE_TELLER, label: "Branch Manager / Teller" },
];

export default function RegisterDetailsForm({ loading, error, onSubmit }) {
  const [fullName, setFullName] = useState("");
  const [email, setEmail] = useState("");
  const [department, setDepartment] = useState("");
  const [portalRole, setPortalRole] = useState("");
  const [password, setPassword] = useState("");
  const [confirmPassword, setConfirmPassword] = useState("");
```

```
const [localError, setLocalError] = useState("");


const submit = (e) => {
 e.preventDefault();
 setLocalError("");
 if (!fullName.trim()) {
  setLocalError("Please enter your full name.");
  return;
 }
 if (!department.trim()) {
  setLocalError("Please enter your department.");
  return;
 }
 if (!portalRole) {
  setLocalError("Please select your role.");
  return;
 }
 if (password !== confirmPassword) {
  setLocalError("Passwords do not match.");
  return;
 }
 onSubmit({
  full_name: fullName.trim(),
  email: email.trim(),
  department: department.trim(),
  portal_role: portalRole,
  password,
```

```
  });
};

const message = localError || error;

return (
  <form onSubmit={submit} className="space-y-4">
    {message && (
      <div className="rounded-lg bg-destructive/10 p-3 text-sm text-destructive">{message}</div>
    )}

    <div className="space-y-2">
      <Label htmlFor="full_name">Full Name</Label>
      <div className="relative">
        <User
          className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
          aria-hidden="true"
        />
        <Input
          id="full_name"
          autoComplete="name"
          autoFocus
          placeholder="Juan Dela Cruz"
          value={fullName}
          onChange={(e) => setFullName(e.target.value)}
          className="h-12 pl-10"
          required
```

```
  />
 </div>
</div>

<div className="space-y-2">
 <Label htmlFor="email">Email Address</Label>
 <div className="relative">
  <Mail
   className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
   aria-hidden="true"
  />
  <Input
   id="email"
   type="email"
   autoComplete="email"
   placeholder="you@example.com"
   value={email}
   onChange={(e) => setEmail(e.target.value)}
   className="h-12 pl-10"
   required
  />
 </div>
</div>

<div className="space-y-2">
 <Label htmlFor="department">Department</Label>
 <div className="relative">
```

```
  <Briefcase
    className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
    aria-hidden="true"
  />
  <Input
    id="department"
    placeholder="e.g. Finance, Sales, Operations"
    value={department}
    onChange={(e) => setDepartment(e.target.value)}
    className="h-12 pl-10"
    required
  />
 </div>
</div>

<div className="space-y-2">
 <Label>Role</Label>
 <Select value={portalRole} onValueChange={setPortalRole}>
  <SelectTrigger className="h-12">
   <SelectValue placeholder="Select your role" />
  </SelectTrigger>
  <SelectContent>
   {REGISTRATION_ROLES.map((r) => (
     <SelectItem key={r.value} value={r.value}>
      {r.label}
     </SelectItem>
   ))}
```

```
  </SelectContent>
 </Select>
</div>

<div className="space-y-2">
 <Label htmlFor="password">Password</Label>
 <div className="relative">
  <Lock
   className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
   aria-hidden="true"
  />
  <Input
   id="password"
   type="password"
   autoComplete="new-password"
   placeholder="••••••••"
   value={password}
   onChange={(e) => setPassword(e.target.value)}
   className="h-12 pl-10"
   required
  />
 </div>
</div>

<div className="space-y-2">
 <Label htmlFor="confirm">Confirm Password</Label>
 <div className="relative">
```

```
   <Lock
    className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
    aria-hidden="true"
   />
   <Input
    id="confirm"
    type="password"
    autoComplete="new-password"
    placeholder="••••••••"
    value={confirmPassword}
    onChange={(e) => setConfirmPassword(e.target.value)}
    className="h-12 pl-10"
    required
   />
  </div>
</div>

<Button type="submit" className="h-12 w-full font-medium" disabled={loading}>
 {loading ? (
  <>
   <Loader2 className="mr-2 h-4 w-4 animate-spin" />
   Creating account...
  </>
 ) : (
  "Create account"
 )}
</Button>
```

```
  </form>
 );
}
```

src/components/RequireRole.jsx

```
import { Outlet } from "react-router-dom";
import { useRole } from "@/lib/RoleContext";
import RoleSelection from "@/pages/RoleSelection";

export default function RequireRole() {
 const { role, accountMobile, ready } = useRole();

 if (!ready) {
  return (
   <div className="fixed inset-0 flex items-center justify-center">
    <div className="h-8 w-8 animate-spin rounded-full border-4 border-slate-200 border-t-
primary" />
   </div>
  );
 }

 if (!role) return <RoleSelection mode="role" />;
 if (!accountMobile) return <RoleSelection mode="mobile" />;
 return <Outlet />;
}
```

src/components/ScrollToTop.jsx

```
import { useEffect } from "react";
import { useLocation, useNavigationType } from "react-router-dom";
```

```
const getHashId = (hash) => {
  const rawId = hash.slice(1);

  try {
    return decodeURIComponent(rawId);
  } catch {
    return rawId;
  }
};

export default function ScrollToTop() {
  const { pathname, hash } = useLocation();
  const navigationType = useNavigationType();

  useEffect(() => {
    if (navigationType === "POP") return;

    if (hash) {
      const id = getHashId(hash);
      const timer = window.setTimeout(() => {
        document.getElementById(id)?.scrollIntoView({ behavior: "smooth" });
      }, 50);
      return () => window.clearTimeout(timer);
    }

    window.scrollTo({ top: 0, left: 0, behavior: "instant" });
```

```
  }, [pathname, hash, navigationType]);

  return null;
}
```

src/components/StatusBadge.jsx

```
import { cn } from "@/lib/utils";

const STATUS_META = {
  "Pending Manager Approval": {
    label: "Pending Approval",
    classes: "bg-orange-50 text-orange-700 border-orange-200",
    dot: "bg-orange-500",
  },
  "Pending Payment": {
    label: "Pending Payment",
    classes: "bg-blue-50 text-blue-700 border-blue-200",
    dot: "bg-blue-500",
  },
  "Paid/Disbursed": {
    label: "Paid",
    classes: "bg-emerald-50 text-emerald-700 border-emerald-200",
    dot: "bg-emerald-500",
  },
  Rejected: {
    label: "Rejected",
    classes: "bg-red-50 text-red-700 border-red-200",
```

```
    dot: "bg-red-500",
  },
};

export default function StatusBadge({ status, className }) {
  const meta = STATUS_META[status] || {
    label: status,
    classes: "bg-slate-100 text-slate-700 border-slate-200",
    dot: "bg-slate-400",
  };

  return (
    <span
      className={cn(
        "inline-flex shrink-0 items-center gap-1.5 rounded-full border px-2.5 py-0.5 text-xs font-medium",
        meta.classes,
        className
      )}
    >
      <span className={cn("h-1.5 w-1.5 rounded-full", meta.dot)} />
      {meta.label}
    </span>
  );
}
```

src/components/UserNotRegisteredError.jsx

```
import React from 'react';


const UserNotRegisteredError = () => {
 return (
  <div className="flex flex-col items-center justify-center min-h-screen bg-gradient-to-b from-white to-slate-50">
   <div className="max-w-md w-full p-8 bg-white rounded-lg shadow-lg border border-slate-100">
    <div className="text-center">
     <div className="inline-flex items-center justify-center w-16 h-16 mb-6 rounded-full bg-orange-100">
      <svg className="w-8 h-8 text-orange-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
       <path strokeLinecap="round" strokeLinejoin="round" strokeWidth="2" d="M12 9v2m0 4h.01m-6.938 4h13.856c1.54 0 2.502-1.667 1.732-3L13.732 4c-.77-1.333-2.694-1.333-3.464 0L3.34 16c-.77 1.333.192 3 1.732 3z" />
      </svg>
     </div>
     <h1 className="text-3xl font-bold text-slate-900 mb-4">Access Restricted</h1>
     <p className="text-slate-600 mb-8">
      You are not registered to use this application. Please contact the app administrator to request access.
     </p>
     <div className="p-4 bg-slate-50 rounded-md text-sm text-slate-600">
      <p>If you believe this is an error, you can:</p>
      <ul className="list-disc list-inside mt-2 space-y-1">
       <li>Verify you are logged in with the correct account</li>
       <li>Contact the app administrator for access</li>
       <li>Try logging out and back in again</li>
```

```
        </ul>
       </div>
      </div>
     </div>
    </div>
  );
};

export default UserNotRegisteredError;
```

HOOKS

src/hooks/use-mobile.jsx

```
import * as React from "react"

const MOBILE_BREAKPOINT = 768

export function useIsMobile() {
 const [isMobile, setIsMobile] = React.useState(undefined)

 React.useEffect(() => {
  const mql = window.matchMedia(`(max-width: ${MOBILE_BREAKPOINT - 1}px)`)
  const onChange = () => {
   setIsMobile(window.innerWidth < MOBILE_BREAKPOINT)
  }
  mql.addEventListener("change", onChange)
  setIsMobile(window.innerWidth < MOBILE_BREAKPOINT)
  return () => mql.removeEventListener("change", onChange);
```

```
  }, [])

  return !!isMobile
}
```

src/hooks/use-size.jsx

```
import * as React from "react"

export function useSize(ref) {
  const [size, setSize] = React.useState(null)

  // useLayoutEffect (not useEffect): the initial measurement must land before
  // the browser paints, so consumers can render their real content on the
  // very first painted frame instead of a guess. A ResizeObserver's first
  // callback arrives too late for that — by then an <img> src guess has
  // already been dispatched to the network.
  React.useLayoutEffect(() => {
    const element = ref.current
    if (!element) return

    const rect = element.getBoundingClientRect()
    setSize({ width: rect.width, height: rect.height })

    const observer = new ResizeObserver(([entry]) => {
      const { width, height } = entry.contentRect
      setSize({ width, height })
    })
```

```
  observer.observe(element)
  return () => observer.disconnect()
 }, [ref])

 return size
}
```

LIB

src/lib/app-params.js

```
import { getAccessToken } from '@base44/sdk';

const isNode = typeof window === 'undefined';

const isClearAccessTokenRequested = () =>
  !isNode && new URLSearchParams(window.location.search).get("clear_access_token") ===
'true';

const clearStoredAccessToken = () => {
  window.localStorage.removeItem('base44_access_token');
  window.localStorage.removeItem('token');
}

const getAppParams = () => {
  if (isClearAccessTokenRequested()) {
    clearStoredAccessToken();
  }
  return {
```

```
    appId: import.meta.env.VITE_BASE44_APP_ID,
    token: getAccessToken(),
    functionsVersion: (!isNode && new
URLSearchParams(window.location.search).get("functions_version")?.trim()) ||
import.meta.env.VITE_BASE44_FUNCTIONS_VERSION,
    appBaseUrl: import.meta.env.VITE_BASE44_APP_BASE_URL,
  }
}

export const appParams = {
  ...getAppParams()
}
```

src/lib/AuthContext.jsx

```
import React, { createContext, useState, useContext, useEffect } from 'react';
import { base44 } from '@/api/base44Client';
import { appParams } from '@/lib/app-params';

const AuthContext = createContext();

export const AuthProvider = ({ children }) => {
  const [user, setUser] = useState(null);
  const [isAuthenticated, setIsAuthenticated] = useState(false);
  const [isLoadingAuth, setIsLoadingAuth] = useState(true);
  const [isLoadingPublicSettings, setIsLoadingPublicSettings] = useState(true);
  const [authError, setAuthError] = useState(null);
  const [authChecked, setAuthChecked] = useState(false);
```

```
 const [appPublicSettings, setAppPublicSettings] = useState(null); // Contains only { id, public_settings }

 useEffect(() => {
  checkAppState();
 }, []);

 const checkAppState = async () => {
  try {
   setIsLoadingPublicSettings(true);
   setAuthError(null);

   try {
    const publicSettings = await base44.app.getPublicSettings();
    setAppPublicSettings(publicSettings);

    // If we got the app public settings successfully, check if user is authenticated
    if (appParams.token) {
     await checkUserAuth();
    } else {
     setIsLoadingAuth(false);
     setIsAuthenticated(false);
     setAuthChecked(true);
    }
    setIsLoadingPublicSettings(false);
   } catch (appError) {
    console.error('App state check failed:', appError);
```

```
// Handle app-level errors
if (appError.status === 403 && appError.data?.extra_data?.reason) {
  const reason = appError.data.extra_data.reason;
  if (reason === 'auth_required') {
    setAuthError({
      type: 'auth_required',
      message: 'Authentication required'
    });
  } else if (reason === 'user_not_registered') {
    setAuthError({
      type: 'user_not_registered',
      message: 'User not registered for this app'
    });
  } else {
    setAuthError({
      type: reason,
      message: appError.message
    });
  }
} else {
  setAuthError({
    type: 'unknown',
    message: appError.message || 'Failed to load app'
  });
}
setIsLoadingPublicSettings(false);
setIsLoadingAuth(false);
```

```
    }
  } catch (error) {
    console.error('Unexpected error:', error);
    setAuthError({
      type: 'unknown',
      message: error.message || 'An unexpected error occurred'
    });
    setIsLoadingPublicSettings(false);
    setIsLoadingAuth(false);
  }
};

const checkUserAuth = async () => {
  try {
    // Now check if the user is authenticated
    setIsLoadingAuth(true);
    const currentUser = await base44.auth.me();
    setUser(currentUser);
    setIsAuthenticated(true);
    setIsLoadingAuth(false);
    setAuthChecked(true);
  } catch (error) {
    console.error('User auth check failed:', error);
    setIsLoadingAuth(false);
    setIsAuthenticated(false);
    setAuthChecked(true);
```

```
    // If user auth fails, it might be an expired token
    if (error.status === 401 || error.status === 403) {
      setAuthError({
        type: 'auth_required',
        message: 'Authentication required'
      });
    }
  }
};

const logout = (shouldRedirect = true) => {
  setUser(null);
  setIsAuthenticated(false);

  if (shouldRedirect) {
    // Use the SDK's logout method which handles token cleanup and redirect
    base44.auth.logout(window.location.href);
  } else {
    // Just remove the token without redirect
    base44.auth.logout();
  }
};

const navigateToLogin = () => {
  // Use the SDK's redirectToLogin method
  base44.auth.redirectToLogin(window.location.href);
};
```

```
  return (
    <AuthContext.Provider value={{
      user,
      isAuthenticated,
      isLoadingAuth,
      isLoadingPublicSettings,
      authError,
      appPublicSettings,
      authChecked,
      logout,
      navigateToLogin,
      checkUserAuth,
      checkAppState
    }}>
      {children}
    </AuthContext.Provider>
  );
};

export const useAuth = () => {
  const context = useContext(AuthContext);
  if (!context) {
    throw new Error('useAuth must be used within an AuthProvider');
  }
  return context;
};
```

src/lib/authMfa.js

```
import { appParams } from '@/lib/app-params';
import { base44 } from '@/api/base44Client';

function authPath(suffix) {
  if (!/^[a-f0-9]{24}$/i.test(appParams.appId)) throw new Error('Invalid app ID');
  return `/api/apps/${appParams.appId}/auth/${suffix}`;
}

async function post(suffix, body, token) {
  const response = await fetch(authPath(suffix), {
    method: 'POST',
    credentials: 'include',
    headers: { 'Content-Type': 'application/json', ...(token ? { Authorization: `Bearer ${token}` } : {}) },
    body: JSON.stringify(body),
  });
  const result = await response.json();
  if (!response.ok) throw new Error(result.error?.message || result.detail || 'Unable to sign in');
  return result;
}

export async function loginWithMfa(email, password) {
  const result = await post('login', { email, password });
  if (result.access_token) base44.auth.setToken(result.access_token);
  return result;
}
```

```
export async function continueMfa(result, returnTo) {
  const encode = bytes => btoa(String.fromCharCode(...bytes)).replace(/\+/g, '-').replace(/\//g, '_').replace(/=+$/, '');
  const verifier = encode(crypto.getRandomValues(new Uint8Array(32)));
  const challenge = encode(new Uint8Array(await crypto.subtle.digest('SHA-256', new TextEncoder().encode(verifier))));
  const { code } = await post('mfa/handoff', { code_challenge: challenge }, result.mfa_session_token);
  sessionStorage.setItem(`app-mfa-pkce:${appParams.appId}`, verifier);
  const url = new URL('/auth/mfa', window.location.origin);
  url.search = new URLSearchParams({ app_id: appParams.appId, mfa_code: code, from_url: returnTo });
  window.location.assign(url.href);
}

// provider: 'google' | 'microsoft' | 'facebook' | 'apple'
export async function loginWithSocial(provider, returnTo) {
  const response = await fetch(`/api/apps/public/login-info/by-id/${appParams.appId}`);
  if (!response.ok) throw new Error('Unable to load sign-in options');
  const info = await response.json();
  if (info.auth_config?.mfa_policy !== 'required') return base44.auth.loginWithProvider(provider, returnTo);
  const url = new URL('/auth/mfa', window.location.origin);
  url.search = new URLSearchParams({ app_id: appParams.appId, oauth_start: provider, from_url: returnTo });
  window.location.assign(url.href);
}
```

```
export function loginWithGoogle(returnTo) {
  return loginWithSocial('google', returnTo);
}
```

src/lib/authReturnTo.js

```
// Shared by the auth pages (Login, Register, and any page that resumes a flow
// after sign-in, e.g. the MCP OAuth consent page). Keep the redirect
// validation in one place — it is security-sensitive and easy to drift.

// Resolve ?returnTo= to a safe same-origin path, else "/".
//
// The same-origin check alone is not enough: a value like /.//evil.com or
// /\evil.com parses same-origin but normalizes to a protocol-relative
// //evil.com when assigned to location.href — an open redirect. So require the
// resolved path to be exactly one leading slash (no "//" prefix, no backslash).
export function safeReturnTo() {
  const raw = new URLSearchParams(window.location.search).get("returnTo");
  if (!raw) return "/";
  try {
    const url = new URL(raw, window.location.origin);
    if (url.origin !== window.location.origin) return "/";
    // Only access_token/clear_access_token are still URL-read by app-params.js, but the
    // whole bootstrap set stays stripped: one going back to a URL read must not silently
    // become injectable again. Normal app-flow params (e.g. the OAuth consent ctx) are kept.
    for (const p of ["access_token", "clear_access_token", "app_id", "app_base_url",
"functions_version", "from_url"]) {
      url.searchParams.delete(p);
    }
```

```
    const path = url.pathname + url.search;
    if (!path.startsWith("/") || path.startsWith("//") || path.includes("\\")) return "/";
    return path;
  } catch {
    return "/";
  }
}
```

src/lib/mobile.js

```
// Normalizes Philippine mobile numbers to the +63 format the SMS gateway
// expects, e.g. +639171234567. Accepts 09XXXXXXXXX, 639XXXXXXXXX and
// +639XXXXXXXXX with spaces or dashes. Returns null when not a valid PH number.
export function normalizeMobile(raw) {
  if (typeof raw !== "string") return null;
  const digits = raw.replace(/\D+/g, "");
  let local = null;
  if (/^0\d{10}$/.test(digits)) local = digits.slice(1);
  else if (/^63\d{10}$/.test(digits)) local = digits.slice(2);
  else if (/^9\d{9}$/.test(digits)) local = digits;
  if (!local) return null;
  return `+63${local}`;
}
```

src/lib/PageNotFound.jsx

```
import { useLocation } from 'react-router-dom';
import { base44 } from '@/api/base44Client';
import { useQuery } from '@tanstack/react-query';
```

```
export default function PageNotFound({}) {
  const location = useLocation();
  const pageName = location.pathname.substring(1);

  const { data: authData, isFetched } = useQuery({
    queryKey: ['user'],
    queryFn: async () => {
      try {
        const user = await base44.auth.me();
        return { user, isAuthenticated: true };
      } catch (error) {
        return { user: null, isAuthenticated: false };
      }
    }
  });

  return (
    <div className="min-h-screen flex items-center justify-center p-6 bg-slate-50">
      <div className="max-w-md w-full">
        <div className="text-center space-y-6">
          {/* 404 Error Code */}
          <div className="space-y-2">
            <h1 className="text-7xl font-light text-slate-300">404</h1>
            <div className="h-0.5 w-16 bg-slate-200 mx-auto"></div>
          </div>
```

```
        {/* Main Message */}
        <div className="space-y-3">
          <h2 className="text-2xl font-medium text-slate-800">
            Page Not Found
          </h2>
          <p className="text-slate-600 leading-relaxed">
            The page <span className="font-medium text-slate-700">"{pageName}"</span> could not be found in this application.
          </p>
        </div>

        {/* Admin Note */}
        {isFetched && authData.isAuthenticated && authData.user?.role === 'admin' && (
          <div className="mt-8 p-4 bg-slate-100 rounded-lg border border-slate-200">
            <div className="flex items-start space-x-3">
              <div className="flex-shrink-0 w-5 h-5 rounded-full bg-orange-100 flex items-center justify-center mt-0.5">
                <div className="w-2 h-2 rounded-full bg-orange-400"></div>
              </div>
              <div className="text-left space-y-1">
                <p className="text-sm font-medium text-slate-700">Admin Note</p>
                <p className="text-sm text-slate-600 leading-relaxed">
                  This could mean that the AI hasn't implemented this page yet. Ask it to implement it in the chat.
                </p>
              </div>
            </div>
          </div>
```

```
        )}

        {/* Action Button */}
        <div className="pt-6">
          <button
            onClick={() => window.location.href = '/'}
            className="inline-flex items-center px-4 py-2 text-sm font-medium text-slate-700 bg-white border border-slate-200 rounded-lg hover:bg-slate-50 hover:border-slate-300 transition-colors duration-200 focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-slate-500"
          >
            <svg className="w-4 h-4 mr-2" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M3 12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 001 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 001-1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6" />
            </svg>
            Go Home
          </button>
        </div>
      </div>
    </div>
  </div>
  )
}
```

src/lib/query-client.js

```
import { QueryClient } from '@tanstack/react-query';

export const queryClientInstance = new QueryClient({
```

```
  defaultOptions: {
    queries: {
      refetchOnWindowFocus: false,
      retry: 1,
    },
  },
});
```

src/lib/RoleContext.jsx

```
import { createContext, useContext, useEffect, useState } from "react";
import { base44 } from "@/api/base44Client";
import { normalizeMobile } from "@/lib/mobile";

export const ROLE_EMPLOYEE = "Employee";
export const ROLE_AREA_MANAGER = "Area Manager";
export const ROLE_TELLER = "Branch Manager / Teller";

export const ROLES = [ROLE_EMPLOYEE, ROLE_AREA_MANAGER, ROLE_TELLER];

const OVERRIDE_KEY = "portal_role_override";

const RoleContext = createContext({
 role: null,
 me: null,
 isAdmin: false,
 ready: false,
 setRole: () => {},
```

```
  chooseRole: async () => {},
  accountMobile: null,
  saveMobile: async () => {},
});

export function RoleProvider({ children }) {
  const [me, setMe] = useState(null);
  const [ready, setReady] = useState(false);
  const [override, setOverride] = useState(() => {
    try {
      return localStorage.getItem(OVERRIDE_KEY);
    } catch {
      return null;
    }
  });

  useEffect(() => {
    base44.auth
      .me()
      .then(setMe)
      .catch(() => setMe(null))
      .finally(() => setReady(true));
  }, []);

  const isAdmin = me?.role === "admin";
  const accountRoleRaw = me?.portal_role ?? me?.data?.portal_role;
  const accountRole = ROLES.includes(accountRoleRaw) ? accountRoleRaw : null;
```

```
const accountMobile = normalizeMobile(me?.mobile_number ?? me?.data?.mobile_number);
const role = isAdmin && override ? override : accountRole;

// Keep this user's entry in the portal directory in sync with their chosen
// role, so claim notifications reach every Area Manager account.
useEffect(() => {
 if (!me?.id || !accountRole) return;
 let cancelled = false;
 (async () => {
  try {
   const { items } = await base44.entities.PortalDirectory.filter(
    { user_id: me.id },
    { limit: 1 }
   );
   const current = items?.[0];
   if (cancelled) return;
   if (!current) {
    await base44.entities.PortalDirectory.create({
     user_id: me.id,
     user_email: me.email,
     portal_role: accountRole,
     mobile_number: accountMobile ?? null,
    });
   } else if (
    current.portal_role !== accountRole ||
    current.user_email !== me.email ||
    current.mobile_number !== (accountMobile ?? null)
```

```
    ) {
      await base44.entities.PortalDirectory.update(current.id, {
        portal_role: accountRole,
        user_email: me.email,
        mobile_number: accountMobile ?? null,
      });
    }
  } catch {
    /* directory sync is best-effort */
  }
 })();
 return () => {
  cancelled = true;
 };
}, [me?.id, accountRole, accountMobile]);

// Admin-only: preview the app under a different role without changing any account.
const setRole = (r) => {
 setOverride(r);
 try {
  localStorage.setItem(OVERRIDE_KEY, r);
 } catch {
  /* storage unavailable */
 }
};

// First sign-in: the user picks their role and mobile number, saved on their
```

```
  // own account record.
  const chooseRole = async (r, mobileNumber) => {
    const payload = { portal_role: r };
    if (mobileNumber) payload.mobile_number = mobileNumber;
    const updated = await base44.auth.updateMe(payload);
    setMe(updated ?? { ...me, portal_role: r, ...(mobileNumber ? { mobile_number: mobileNumber } :
{}) });
  };

  // Update the mobile number on this account (SMS alert target).
  const saveMobile = async (mobileNumber) => {
    const updated = await base44.auth.updateMe({ mobile_number: mobileNumber });
    setMe(updated ?? { ...me, mobile_number: mobileNumber });
  };

  return (
    <RoleContext.Provider
      value={{ role, me, isAdmin, ready, accountMobile, setRole, chooseRole, saveMobile }}
    >
      {children}
    </RoleContext.Provider>
  );
}

export const useRole = () => useContext(RoleContext);
```

src/lib/taxEngine.js

```
// Philippine Peso tax engine — VAT-inclusive computation for reimbursements.
```

```
// Rule: if VATable, Net = Gross / 1.12 and VAT = Gross - Net; else Net = Gross, VAT = 0.
// EWT = Net * ewt_rate. Final Reimbursable = Net - EWT.

export const STATUS_PENDING_APPROVAL = "Pending Manager Approval";
export const STATUS_PENDING_PAYMENT = "Pending Payment";
export const STATUS_PAID = "Paid/Disbursed";
export const STATUS_REJECTED = "Rejected";

export const EXPENSE_CATEGORIES = [
  "Office Supplies",
  "Transportation",
  "Meals & Entertainment",
  "Courier & Postage",
  "Printing & Materials",
  "Utilities",
  "Medical",
  "Training & Seminars",
  "Other",
];

export const EWT_RATES = [0, 1, 2, 5];

export function computeTaxBreakdown(grossAmount, isVatable, ewtRatePercent) {
  const gross = Number(grossAmount) || 0;
  const net = isVatable ? gross / 1.12 : gross;
  const vat = isVatable ? gross - net : 0;
  const ewtRate = Number(ewtRatePercent) || 0;
```

```
  const ewt = net * (ewtRate / 100);
  const finalReimbursable = net - ewt;

  const round = (n) => Math.round(n * 100) / 100;

  return {
    gross: round(gross),
    net: round(net),
    vat: round(vat),
    ewtRate,
    ewt: round(ewt),
    finalReimbursable: round(finalReimbursable),
  };
}

const pesoFormatter = new Intl.NumberFormat("en-PH", {
  style: "currency",
  currency: "PHP",
});

export function formatPeso(value) {
  return pesoFormatter.format(Number(value) || 0);
}

export function computeTotals(claims = []) {
  const sum = (list, field) => list.reduce((acc, c) => acc + (Number(c[field]) || 0), 0);
  const pending = claims.filter((c) => c.current_status === STATUS_PENDING_APPROVAL);
```

```
  const paid = claims.filter((c) => c.current_status === STATUS_PAID);

  return {
    claimCount: claims.length,
    totalSubmitted: sum(claims, "gross_amount"),
    pendingCount: pending.length,
    pendingAmount: sum(pending, "final_reimbursable_amount"),
    paidCount: paid.length,
    totalDisbursed: sum(paid, "final_reimbursable_amount"),
    totalVat: sum(claims, "vat_amount"),
    totalEwt: sum(claims, "ewt_amount"),
  };
}

export function generateReferenceId() {
  const year = new Date().getFullYear();
  const rand = Math.random().toString(36).slice(2, 6).toUpperCase();
  return `REB-${year}-${rand}`;
}
```

src/lib/utils.js

```
import { clsx } from "clsx"
import { twMerge } from "tailwind-merge"

export function cn(...inputs) {
  return twMerge(clsx(inputs))
```

```
}

export const isIframe = window.self !== window.top;
```

PAGES

DASHBOARD

```
import { Link } from "react-router-dom";
import { Card, CardContent } from "@/components/ui/card";
import {
  PhilippinePeso,
  Clock3,
  Banknote,
  Percent,
  ReceiptText,
  ChevronRight,
} from "lucide-react";
import { useEffect, useState } from "react";
import { format } from "date-fns";
import { base44 } from "@/api/base44Client";
import StatusBadge from "@/components/StatusBadge";
import { formatPeso, computeTotals } from "@/lib/taxEngine";
import { cn } from "@/lib/utils";
import { useRole } from "@/lib/RoleContext";


export default function Dashboard() {
  const { role } = useRole();
  const [claims, setClaims] = useState([]);
```

```
const [loading, setLoading] = useState(true);


useEffect(() => {
 let cancelled = false;
 base44.entities.Reimbursements.list({ sort: "-created_date", limit: 500 })
  .then((page) => {
   if (!cancelled) setClaims(page.items ?? []);
  })
  .catch(() => {})
  .finally(() => {
   if (!cancelled) setLoading(false);
  });
 return () => {
  cancelled = true;
 };
}, []);
const totals = computeTotals(claims);
const recent = [...claims]
 .sort(
  (a, b) =>
   new Date(b.submitted_at || b.created_date) -
   new Date(a.submitted_at || a.created_date)
 )
 .slice(0, 6);


if (loading) {
 return (
```

```
    <div className="flex min-h-[50vh] items-center justify-center">
      <div className="h-8 w-8 animate-spin rounded-full border-4 border-slate-200 border-t-primary" />
    </div>
  );
 }


 const metrics = [
  {
    label: "Total Submitted",
    value: formatPeso(totals.totalSubmitted),
    sub: `${totals.claimCount} claims filed`,
    icon: PhilippinePeso,
    tone: "bg-indigo-100 text-indigo-600",
  },
  {
    label: "Pending Approvals",
    value: formatPeso(totals.pendingAmount),
    sub: `${totals.pendingCount} awaiting review`,
    icon: Clock3,
    tone: "bg-orange-100 text-orange-600",
  },
  {
    label: "Total Disbursed",
    value: formatPeso(totals.totalDisbursed),
    sub: `${totals.paidCount} claims paid`,
    icon: Banknote,
    tone: "bg-emerald-100 text-emerald-600",
```

```
  },
  {
    label: "Total 12% VAT",
    value: formatPeso(totals.totalVat),
    sub: "Input VAT across claims",
    icon: Percent,
    tone: "bg-violet-100 text-violet-600",
  },
  {
    label: "Total EWT",
    value: formatPeso(totals.totalEwt),
    sub: "Withholding tax credits",
    icon: ReceiptText,
    tone: "bg-rose-100 text-rose-600",
  },
];

return (
  <div className="space-y-8">
    <div className="flex flex-wrap items-end justify-between gap-3">
      <div>
        <h1 className="font-heading text-2xl font-bold tracking-tight sm:text-3xl">
          Reimbursement Dashboard
        </h1>
        <p className="mt-1 text-sm text-muted-foreground">
          Petty cash &amp;amp; out-of-pocket claims in Philippine Peso — live status, VAT and EWT
          totals.
```

```
        </p>
      </div>
      <p className="rounded-full bg-slate-100 px-3 py-1 text-xs font-medium text-muted-foreground">
        Viewing as <span className="font-semibold text-foreground">{role}</span>
      </p>
    </div>

    <div className="grid grid-cols-1 gap-4 sm:grid-cols-2 xl:grid-cols-5">
     {metrics.map((m) => (
      <Card key={m.label} className="border-slate-200/70 shadow-sm">
       <CardContent className="flex items-start justify-between gap-3 p-5">
        <div className="min-w-0">
         <p className="text-[11px] font-semibold uppercase tracking-wider text-muted-foreground">
          {m.label}
         </p>
         <p className="mt-2 truncate font-heading text-xl font-bold tabular-nums sm:text-2xl">
          {m.value}
         </p>
         <p className="mt-1 text-xs text-muted-foreground">{m.sub}</p>
        </div>
        <div
         className={cn(
          "flex h-10 w-10 shrink-0 items-center justify-center rounded-xl",
          m.tone
         )}
        >
```

```
        <m.icon className="h-5 w-5" />
      </div>
    </CardContent>
  </Card>
 ))}
</div>

<Card className="overflow-hidden border-slate-200/70 shadow-sm">
 <CardContent className="p-0">
  <div className="flex items-center justify-between border-b px-6 py-4">
   <h2 className="font-heading text-base font-semibold">Recent Activity</h2>
   <Link
    to="/claims"
    className="flex items-center gap-1 text-sm font-medium text-primary hover:underline"
   >
    View all claims <ChevronRight className="h-4 w-4" />
   </Link>
  </div>
  <ul className="divide-y">
   {recent.map((c) => (
    <li key={c.reference_id} className="flex flex-wrap items-center gap-3 px-6 py-3.5">
     <StatusBadge status={c.current_status} />
     <div className="min-w-0 flex-1">
      <p className="truncate text-sm font-medium">{c.title}</p>
      <p className="text-xs text-muted-foreground">
       {c.reference_id} · {c.requestor_name} ·{" "}
       {format(
```

```
              new Date(c.submitted_at || c.created_date),
              "MMM d, yyyy · h:mm a"
            )}
           </p>
          </div>
          <p className="text-sm font-semibold tabular-nums">
           {formatPeso(c.final_reimbursable_amount)}
          </p>
         </li>
        ))}
       </ul>
      </CardContent>
    </Card>
   </div>
 );
}
```

CLAIMS

```
import { useEffect, useState } from "react";
import { Search, FileSearch } from "lucide-react";
import { Card, CardContent } from "@/components/ui/card";
import { Input } from "@/components/ui/input";
import {
 Select,
 SelectContent,
 SelectItem,
 SelectTrigger,
```

```
  SelectValue,
} from "@/components/ui/select";
import StatusBadge from "@/components/StatusBadge";
import ClaimDetailModal from "@/components/ClaimDetailModal";
import { formatPeso } from "@/lib/taxEngine";
import { format } from "date-fns";
import { base44 } from "@/api/base44Client";

const STATUS_OPTIONS = [
  "Pending Manager Approval",
  "Pending Payment",
  "Paid/Disbursed",
  "Rejected",
];

export default function Claims() {
  const [search, setSearch] = useState("");
  const [status, setStatus] = useState("ALL");
  const [claims, setClaims] = useState(null);
  const [selected, setSelected] = useState(null);

  useEffect(() => {
    let cancelled = false;
    const t = setTimeout(async () => {
      const query = {};
      if (status !== "ALL") query.current_status = status;
      if (search.trim()) {
```

```
    const rx = { $regex: search.trim(), $options: "i" };
    query.$or = [{ title: rx }, { reference_id: rx }, { requestor_name: rx }];
   }
   try {
    const page = await base44.entities.Reimbursements.filter(query, {
     sort: "-created_date",
     limit: 200,
    });
    if (!cancelled) setClaims(page.items ?? []);
   } catch {
    if (!cancelled) setClaims([]);
   }
  }, 250);
  return () => {
   cancelled = true;
   clearTimeout(t);
  };
 }, [search, status]);

 return (
  <div className="space-y-8">
   <div className="flex flex-wrap items-end justify-between gap-3">
    <div>
     <h1 className="font-heading text-2xl font-bold tracking-tight sm:text-3xl">
      Claim Directory
     </h1>
     <p className="mt-1 text-sm text-muted-foreground">
```

```
        All reimbursement claims with live status and complete tax breakdowns.
       </p>
      </div>
      <div className="flex flex-wrap items-center gap-2">
       <div className="relative">
        <Search className="absolute left-3 top-1/2 h-4 w-4 -translate-y-1/2 text-muted-foreground"
/>
        <Input
         placeholder="Search title, reference or name..."
         value={search}
         onChange={(e) => setSearch(e.target.value)}
         className="w-64 pl-9"
        />
       </div>
       <Select value={status} onValueChange={setStatus}>
        <SelectTrigger className="w-44">
         <SelectValue />
        </SelectTrigger>
        <SelectContent>
         <SelectItem value="ALL">All statuses</SelectItem>
         {STATUS_OPTIONS.map((s) => (
          <SelectItem key={s} value={s}>
           {s}
          </SelectItem>
         ))}
        </SelectContent>
       </Select>
      </div>
```

```
    </div>

    <Card className="overflow-hidden border-slate-200/70 shadow-sm">
     <CardContent className="p-0">
      {claims === null ? (
       <div className="space-y-3 p-6">
        {[0, 1, 2, 3].map((i) => (
         <div key={i} className="h-14 animate-pulse rounded-lg bg-slate-100" />
        ))}
       </div>
      ) : claims.length === 0 ? (
       <div className="flex flex-col items-center gap-2 px-6 py-16 text-center text-sm text-muted-foreground">
        <FileSearch className="h-6 w-6" />
        No claims match your search.
       </div>
      ) : (
       <ul className="divide-y">
        {claims.map((c) => (
         <li key={c.id}>
          <button
           type="button"
           onClick={() => setSelected(c)}
           className="flex w-full flex-wrap items-center gap-3 px-6 py-3.5 text-left transition-colors hover:bg-slate-50"
          >
           <StatusBadge status={c.current_status} />
           <div className="min-w-0 flex-1">
```

```
            <p className="truncate text-sm font-medium">{c.title}</p>
            <p className="text-xs text-muted-foreground">
             {c.reference_id} · {c.requestor_name} · {c.category} ·{" "}
             {format(
               new Date(c.submitted_at || c.created_date),
               "MMM d, yyyy"
             )}
            </p>
           </div>
           <p className="text-sm font-semibold tabular-nums">
            {formatPeso(c.final_reimbursable_amount)}
           </p>
          </button>
         </li>
       ))}
     </ul>
   )}
  </CardContent>
</Card>

<ClaimDetailModal
  claim={selected}
  open={!!selected}
  onOpenChange={(o) => {
   if (!o) setSelected(null);
  }}
/>
```

```
  </div>
 );
}
```

Forgot Password

```
import React, { useState } from "react";
import { Link } from "react-router-dom";
import { base44 } from "@/api/base44Client";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
import { Mail, ArrowLeft, Loader2 } from "lucide-react";
import AuthLayout from "@/components/AuthLayout";

export default function ForgotPassword() {
 const [email, setEmail] = useState("");
 const [loading, setLoading] = useState(false);
 const [sent, setSent] = useState(false);

 const handleSubmit = async (e) => {
  e.preventDefault();
  setLoading(true);
  try {
   await base44.auth.resetPasswordRequest(email);
  } catch {
   // Always show success regardless
  } finally {
```

```
    setLoading(false);
    setSent(true);
  }
 };

 return (
  <AuthLayout
    icon={Mail}
    title="Reset password"
    subtitle="We'll send you a link to reset it"
    footer={
      <Link to="/login" className="text-primary font-medium hover:underline">
        <ArrowLeft className="w-3 h-3 inline mr-1" />Back to log in
      </Link>
    }
  >
    {sent ? (
      <p className="text-sm text-foreground text-center">
        If an account exists with that email, you'll receive a password reset link shortly.
      </p>
    ) : (
      <form onSubmit={handleSubmit} className="space-y-4">
        <div className="space-y-2">
          <Label htmlFor="email">Email address</Label>
          <div className="relative">
            <Mail className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-muted-foreground"
aria-hidden="true" />
            <Input
```

```
            id="email"
            type="email"
            autoComplete="email"
            autoFocus
            placeholder="you@example.com"
            value={email}
            onChange={(e) => setEmail(e.target.value)}
            className="pl-10 h-12"
            required
           />
          </div>
         </div>
         <Button type="submit" className="w-full h-12 font-medium" disabled={loading}>
          {loading ? (
           <>
            <Loader2 className="w-4 h-4 mr-2 animate-spin" />
            Sending...
           </>
          ) : (
           "Send reset link"
          )}
         </Button>
        </form>
      )}
    </AuthLayout>
  );
}
```

LOG IN

```
import React, { useState } from "react";
import { Link } from "react-router-dom";
import { base44 } from "@/api/base44Client";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
import { LogIn, Mail, Lock, Loader2 } from "lucide-react";
import AuthLayout from "@/components/AuthLayout";
import GoogleIcon from "@/components/GoogleIcon";
import { safeReturnTo } from "@/lib/authReturnTo";

export default function Login() {
 const [email, setEmail] = useState("");
 const [password, setPassword] = useState("");
 const [error, setError] = useState("");
 const [loading, setLoading] = useState(false);
 // Post-login destination (e.g. the MCP OAuth consent page sends users here
 // with returnTo so the grant flow can resume). Same-origin paths only.
 const returnTo = safeReturnTo();

 const handleSubmit = async (e) => {
  e.preventDefault();
  setError("");
  setLoading(true);
  try {
   await base44.auth.loginViaEmailPassword(email, password);
```

```
    window.location.href = returnTo;
  } catch (err) {
    setError(err.message || "Invalid email or password");
  } finally {
    setLoading(false);
  }
};

const handleGoogle = () => {
  base44.auth.loginWithProvider("google", returnTo);
};

return (
  <AuthLayout
    icon={LogIn}
    title="Welcome back"
    subtitle="Log in to your account"
    footer={
      <>
        Don't have an account?{" "}
        <Link
          to={"/register" + (returnTo !== "/" ? "?returnTo=" + encodeURIComponent(returnTo) : "")}
          className="text-primary font-medium hover:underline"
        >
          Create one
        </Link>
      </>
```

```
  }
>
  <Button
    variant="outline"
    className="w-full h-12 text-sm font-medium mb-6"
    onClick={handleGoogle}
  >
    <GoogleIcon className="w-5 h-5 mr-2" />
    Continue with Google
  </Button>

  <div className="relative mb-6">
    <div className="absolute inset-0 flex items-center">
      <div className="w-full border-t border-border" />
    </div>
    <div className="relative flex justify-center text-xs uppercase">
      <span className="bg-card px-3 text-muted-foreground">or</span>
    </div>
  </div>

  {error && (
    <div className="mb-4 p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
      {error}
    </div>
  )}

  <form onSubmit={handleSubmit} className="space-y-4">
```

```
      <div className="space-y-2">
        <Label htmlFor="email">Email</Label>
        <div className="relative">
          <Mail className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-muted-foreground"
aria-hidden="true" />
          <Input
            id="email"
            type="email"
            autoComplete="email"
            autoFocus
            placeholder="you@example.com"
            value={email}
            onChange={(e) => setEmail(e.target.value)}
            className="pl-10 h-12"
            required
          />
        </div>
      </div>
      <div className="space-y-2">
        <div className="flex items-center justify-between">
          <Label htmlFor="password">Password</Label>
          <Link to="/forgot-password" className="text-xs text-primary hover:underline">
            Forgot password?
          </Link>
        </div>
        <div className="relative">
          <Lock className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-muted-foreground"
aria-hidden="true" />
```

```
          <Input
            id="password"
            type="password"
            autoComplete="current-password"
            placeholder="••••••••"
            value={password}
            onChange={(e) => setPassword(e.target.value)}
            className="pl-10 h-12"
            required
          />
        </div>
      </div>
      <Button type="submit" className="w-full h-12 font-medium" disabled={loading}>
        {loading ? (
          <>
            <Loader2 className="w-4 h-4 mr-2 animate-spin" />
            Logging in...
          </>
        ) : (
          "Log in"
        )}
      </Button>
    </form>
  </AuthLayout>
 );
}
```

NEW CLAIM

```
import { useMemo, useState } from "react";
import { useNavigate } from "react-router-dom";
import { base44 } from "@/api/base44Client";
import {
  Card,
  CardContent,
  CardHeader,
  CardTitle,
} from "@/components/ui/card";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
import { Button } from "@/components/ui/button";
import { Switch } from "@/components/ui/switch";
import {
  Select,
  SelectContent,
  SelectItem,
  SelectTrigger,
  SelectValue,
} from "@/components/ui/select";
import { useToast } from "@/components/ui/use-toast";
import { Image } from "@/components/ui/image";
import { Calculator, Send, Upload } from "lucide-react";
import {
  computeTaxBreakdown,
  formatPeso,
```

```
  generateReferenceId,
  EXPENSE_CATEGORIES,
  EWT_RATES,
  STATUS_PENDING_APPROVAL,
} from "@/lib/taxEngine";
import { useRole } from "@/lib/RoleContext";

function BreakdownRow({ label, value }) {
  return (
    <div className="flex items-center justify-between border-b border-dashed pb-2 last:border-0">
      <span className="text-muted-foreground">{label}</span>
      <span className="font-semibold tabular-nums">{value}</span>
    </div>
  );
}

export default function NewClaim() {
  const navigate = useNavigate();
  const { toast } = useToast();
  const { me } = useRole();
  const accountName = me?.full_name || me?.email || "Employee";
  const [title, setTitle] = useState("");
  const [category, setCategory] = useState("");
  const [gross, setGross] = useState("");
  const [isVatable, setIsVatable] = useState(true);
  const [ewtRate, setEwtRate] = useState(0);
  const [receiptUri, setReceiptUri] = useState("");
```

```
const [previewUrl, setPreviewUrl] = useState("");
const [uploading, setUploading] = useState(false);
const [submitting, setSubmitting] = useState(false);

const breakdown = useMemo(
 () => computeTaxBreakdown(gross, isVatable, ewtRate),
 [gross, isVatable, ewtRate]
);

const handleFile = async (event) => {
 const file = event.target.files?.[0];
 if (!file) return;
 setPreviewUrl(URL.createObjectURL(file));
 setUploading(true);
 try {
  const { file_uri } = await base44.integrations.Core.UploadPrivateFile({ file });
  setReceiptUri(file_uri);
  toast({ title: "Receipt uploaded", description: "Stored privately with the claim." });
 } catch {
  setPreviewUrl("");
  toast({
   title: "Upload failed",
   description: "Could not upload the receipt. Please try again.",
   variant: "destructive",
  });
 } finally {
  setUploading(false);
```

```
  }
};

const submit = async () => {
  if (!title.trim()) {
    toast({ title: "Title is required", variant: "destructive" });
    return;
  }
  if (!category) {
    toast({ title: "Expense category is required", variant: "destructive" });
    return;
  }
  if (!(breakdown.gross > 0)) {
    toast({
      title: "Invalid Gross Amount",
      description: "Gross Amount must be greater than ₱0.",
      variant: "destructive",
    });
    return;
  }
  setSubmitting(true);
  try {
    const now = new Date().toISOString();
    const record = await base44.entities.Reimbursements.create({
      reference_id: generateReferenceId(),
      title: title.trim(),
      category,
```

```
      requestor_name: accountName,
      requestor_email: me?.email || "",
      gross_amount: breakdown.gross,
      is_vatable: isVatable,
      net_amount: breakdown.net,
      vat_amount: breakdown.vat,
      ewt_rate: ewtRate,
      ewt_amount: breakdown.ewt,
      final_reimbursable_amount: breakdown.finalReimbursable,
      receipt_url: receiptUri,
      current_status: STATUS_PENDING_APPROVAL,
      submitted_at: now,
    });
    let notified;
    try {
      const response = await base44.functions.invoke("notifyAreaManagers", {
        reference_id: record.reference_id,
        title: record.title,
        requestor_name: record.requestor_name,
        gross_amount: record.gross_amount,
        final_reimbursable_amount: record.final_reimbursable_amount,
      });
      notified = response?.data?.notified;
    } catch {
      toast({
        title: "Claim submitted",
        description: `${record.reference_id} is Pending Manager Approval, but the Gmail alert failed to send.`,
```

```
        variant: "destructive",
      });
      navigate("/claims");
      return;
    }
    toast({
      title: "Claim submitted",
      description:
        notified > 0
          ? `${record.reference_id} is Pending Manager Approval — ${notified} Area Manager${notified === 1 ? "" : "s"} notified via Gmail.`
          : `${record.reference_id} is Pending Manager Approval — no Area Manager accounts exist yet to notify.`,
    });
    navigate("/claims");
  } catch {
    toast({
      title: "Submission failed",
      description: "Please try again.",
      variant: "destructive",
    });
  } finally {
    setSubmitting(false);
  }
};

return (
  <div className="space-y-8">
```

```
<div>
  <h1 className="font-heading text-2xl font-bold tracking-tight sm:text-3xl">
    New Reimbursement Claim
  </h1>
  <p className="mt-1 text-sm text-muted-foreground">
    Submit an out-of-pocket or petty-cash expense in PHP with its official receipt.
  </p>
</div>

<div className="grid gap-6 lg:grid-cols-[1fr_340px]">
  <Card className="border-slate-200/70 shadow-sm">
    <CardHeader>
      <CardTitle>Expense Details</CardTitle>
    </CardHeader>
    <CardContent className="space-y-5">
      <div className="grid gap-4 sm:grid-cols-2">
        <div className="space-y-2">
          <Label htmlFor="requestor">Filed by</Label>
          <Input
            id="requestor"
            value={accountName}
            readOnly
            className="bg-slate-50 text-muted-foreground"
          />
        </div>
        <div className="space-y-2">
          <Label htmlFor="title">Claim Title</Label>
```

```
 <Input
  id="title"
  placeholder="e.g. Office supplies — National Bookstore"
  value={title}
  onChange={(e) => setTitle(e.target.value)}
 />
</div>
<div className="space-y-2">
 <Label>Expense Category</Label>
 <Select value={category} onValueChange={setCategory}>
  <SelectTrigger>
   <SelectValue placeholder="Select category" />
  </SelectTrigger>
  <SelectContent>
   {EXPENSE_CATEGORIES.map((c) => (
    <SelectItem key={c} value={c}>
     {c}
    </SelectItem>
   ))}
  </SelectContent>
 </Select>
</div>
<div className="space-y-2">
 <Label htmlFor="gross">Gross Amount (PHP)</Label>
 <Input
  id="gross"
  type="number"
```

```
    min="0"
    step="0.01"
    placeholder="0.00"
    value={gross}
    onChange={(e) => setGross(e.target.value)}
   />
  </div>
</div>

<div className="flex items-center justify-between gap-4 rounded-lg border px-4 py-3">
  <div>
   <Label htmlFor="vatable">VATable (12% VAT included)</Label>
   <p className="text-xs text-muted-foreground">
    Net = Gross ÷ 1.12 when enabled.
   </p>
  </div>
  <Switch id="vatable" checked={isVatable} onCheckedChange={setIsVatable} />
</div>

<div className="space-y-2">
  <Label>EWT Rate (Expanded Withholding Tax)</Label>
  <Select value={String(ewtRate)} onValueChange={(v) => setEwtRate(Number(v))}>
   <SelectTrigger>
    <SelectValue />
   </SelectTrigger>
   <SelectContent>
    {EWT_RATES.map((r) => (
```

```
      <SelectItem key={r} value={String(r)}>
       {r}%
      </SelectItem>
     ))}
    </SelectContent>
   </Select>
  </div>

  <div className="space-y-2">
   <Label>Official Receipt Photo</Label>
   <label className="flex cursor-pointer flex-col items-center justify-center gap-2 rounded-lg border border-dashed px-4 py-8 text-center text-sm text-muted-foreground transition-colors hover:border-primary hover:text-foreground">
    <input type="file" accept="image/*" className="hidden" onChange={handleFile} />
    <Upload className="h-5 w-5" />
    {uploading
     ? "Uploading receipt..."
     : previewUrl
      ? "Replace receipt photo"
      : "Click to upload the official receipt (OR)"}
   </label>
   {previewUrl && (
    <Image
     src={previewUrl}
     alt="Receipt preview"
     className="h-40 w-full rounded-lg border object-contain"
     fittingType="fit"
    />
```

```
        )}
      </div>
    </CardContent>
  </Card>

  <div className="space-y-4 lg:sticky lg:top-24 lg:self-start">
    <Card className="border-slate-200/70 shadow-sm">
      <CardHeader className="pb-3">
        <CardTitle className="flex items-center gap-2 text-sm">
          <Calculator className="h-4 w-4 text-primary" /> Live Tax Breakdown
        </CardTitle>
      </CardHeader>
      <CardContent className="space-y-2.5 text-sm">
        <BreakdownRow label="Gross Amount" value={formatPeso(breakdown.gross)} />
        <BreakdownRow label="Net Amount (after VAT)" value={formatPeso(breakdown.net)} />
        <BreakdownRow label="12% VAT" value={formatPeso(breakdown.vat)} />
        <BreakdownRow label={`EWT (${breakdown.ewtRate}%)`}
value={formatPeso(breakdown.ewt)} />
        <div className="flex items-center justify-between rounded-lg bg-primary px-4 py-3 text-
primary-foreground">
          <span className="text-xs font-semibold uppercase tracking-wider">
            Final Reimbursable
          </span>
          <span className="font-heading text-lg font-bold tabular-nums">
            {formatPeso(breakdown.finalReimbursable)}
          </span>
        </div>
        <p className="text-xs text-muted-foreground">
```

```
            Amounts recalculate automatically per BIR VAT-inclusive rules.
          </p>
        </CardContent>
      </Card>
      <Button onClick={submit} disabled={submitting || uploading} className="w-full" size="lg">
        <Send className="h-4 w-4" />
        {submitting ? "Submitting…" : "Submit Claim"}
      </Button>
    </div>
  </div>
 );
}
```

OAuthConsent

```
import React, { useEffect, useState } from "react";
import { appParams } from "@/lib/app-params";
import { Button } from "@/components/ui/button";
import { ShieldCheck, Loader2 } from "lucide-react";
import AuthLayout from "@/components/AuthLayout";

const OPERATION_VERBS = { read: "view", create: "create", update: "edit", delete: "delete" };
const COLLAPSED_DATA_ROWS = 6;

// Entity tools arrive one per operation; show each entity once, naming only the
// operations it actually grants.
function groupTools(tools) {
```

```
 const operationsByEntity = new Map();
 const agents = [];
 const actions = [];
 for (const tool of tools) {
  if (tool.kind === "entity" && tool.entity) {
   if (!operationsByEntity.has(tool.entity)) operationsByEntity.set(tool.entity, []);
   operationsByEntity.get(tool.entity).push(tool.operation);
  } else if (tool.kind === "agent") {
   agents.push(tool);
  } else {
   actions.push(tool);
  }
 }
 const data = [...operationsByEntity].map(([entity, operations]) => ({
  entity,
  operations: Object.keys(OPERATION_VERBS).filter((op) => operations.includes(op)),
 }));
 return { data, agents, actions };
}

const humanize = (name) =>
 name.split(/[_-]+/).filter(Boolean).map((word) => word[0].toUpperCase() + word.slice(1)).join(" ") ||
name;

// "View, create and delete records" — delete is emphasized so it doesn't hide
// among harmless verbs.
function OperationSummary({ operations }) {
 return (
```

```
    <>
      {operations.map((op, i) => {
        const verb = OPERATION_VERBS[op];
        const separator = i === 0 ? "" : i === operations.length - 1 ? " and " : ", ";
        return (
          <React.Fragment key={op}>
            {separator}
            <span className={op === "delete" ? "font-medium text-destructive" : undefined}>
              {i === 0 ? verb[0].toUpperCase() + verb.slice(1) : verb}
            </span>
          </React.Fragment>
        );
      })}{" "}
      records
    </>
  );
}

function ToolSection({ title, children }) {
  return (
    <section>
      <h3 className="text-xs font-medium uppercase tracking-wide text-muted-foreground mb-2">{title}</h3>
      <ul className="divide-y divide-border rounded-lg border border-border">{children}</ul>
    </section>
  );
}
```

```
function ToolRow({ title, children }) {
  return (
    <li className="flex flex-col gap-0.5 px-3 py-2">
      <span className="font-medium text-foreground">{title}</span>
      {children && <span className="text-muted-foreground">{children}</span>}
    </li>
  );
}

// App-side OAuth consent page for the app's MCP server. The platform redirects
// AI clients here (see base44/mcp/config.json `consent_path`) with an opaque
// `ctx` handle — the authorization request itself lives on the server. This page
// gates on the app-user session, fetches the display info for that handle, shows
// the categories of access being granted, and posts the approve/deny decision.
// Do not change the fetch calls, headers, or the `ctx` handle handling — styling
// and copy are safe to edit.
export default function OAuthConsent() {
  const ctx = new URLSearchParams(window.location.search).get("ctx");
  const [info, setInfo] = useState(null);
  const [checking, setChecking] = useState(true);
  const [submitting, setSubmitting] = useState(false);
  const [decided, setDecided] = useState("");
  const [error, setError] = useState("");
  const [reconnect, setReconnect] = useState("");
  const [showAllData, setShowAllData] = useState(false);

  useEffect(() => {
```

```
(async () => {
 let redirecting = false;
 try {
  if (!ctx) {
   setError("This authorization link is invalid or has expired.");
   return;
  }
  // Resolve the handle first: a dead handle must never render
  // approve/deny, and the response carries the app's configured login
  // route for the signed-out redirect below. Send the session (cookie +
  // bearer token) so the server can list the granted tools for a
  // signed-in user — the same auth the approve/deny call sends; without
  // it the display request is anonymous and shows no tools.
  const infoHeaders = {};
  if (appParams.token) infoHeaders.Authorization = "Bearer " + appParams.token;
  const res = await fetch(
   `/api/apps/${appParams.appId}/mcp/consent-info?handle=${encodeURIComponent(ctx)}`,
   { credentials: "include", headers: infoHeaders },
  );
  if (!res.ok) {
   setError("This authorization link is invalid or has expired.");
   return;
  }
  const data = await res.json();
  // Gate on the server's auth result, NOT base44.auth.isAuthenticated():
  // the SDK check runs the bearer path, so a cookie-only session (platform
  // login/SSO, or a private app with a stale localStorage token) would read
```

```
  // as signed-out and redirect — even though /consent-info just
  // authenticated this same request via its cookie fallback. data.authenticated
  // keeps the redirect decision in agreement with what the server returned.
  if (!data.authenticated) {
    // The short handle rides back in returnTo; login_path is
    // owner-configured and validated server-side as a same-origin path.
    // Send from_url too: a custom-auth app coerced to platform auth (e.g.
    // public_without_login under workspace SSO) serves the platform login,
    // which honors from_url rather than returnTo. Rebuild the query from
    // `ctx` alone — never forward window.location.search raw: the platform
    // resume returns from_url verbatim, so crafted extras on the consent
    // link (app_base_url, access_token, ...) would ride through the login
    // round-trip and app-params.js would persist them into the freshly
    // authenticated session.
    const returnTo =
      window.location.pathname + "?ctx=" + encodeURIComponent(ctx);
    const encoded = encodeURIComponent(returnTo);
    redirecting = true; // keep the spinner while the browser navigates
    window.location.href =
      (data.login_path || "/login") + "?returnTo=" + encoded + "&from_url=" + encoded;
    return;
  }
  setInfo(data);
} catch (e) {
  setError("Could not load this authorization request. Please try again.");
} finally {
  if (!redirecting) setChecking(false);
```

```
  }
 })();
}, [ctx]);

const respond = async (action) => {
 setSubmitting(true);
 setError("");
 try {
  const headers = { "Content-Type": "application/json" };
  // Cookie-backed sessions carry no token; sending "Bearer null" would
  // shadow the valid cookie, so add the header only when a token exists.
  if (appParams.token) headers.Authorization = "Bearer " + appParams.token;
  const res = await fetch(`/api/apps/${appParams.appId}/mcp/authorize-grant`, {
   method: "POST",
   credentials: "include",
   headers,
   body: JSON.stringify({ ctx, action }),
  });
  if (!res.ok) {
   // 401 = the session expired before the (single-use, still-unconsumed)
   // handle was spent; retrying the same controls re-sends the dead session
   // forever. Send the user back through login preserving `ctx` — the same
   // redirect the initial signed-out path uses — so they can return and
   // approve the still-valid handle.
   if (res.status === 401) {
    const returnTo = window.location.pathname + "?ctx=" + encodeURIComponent(ctx);
    const encoded = encodeURIComponent(returnTo);
```

```
        window.location.href =
          ((info && info.login_path) || "/login") + "?returnTo=" + encoded + "&from_url=" + encoded;
        return;
      }
      // These all come AFTER the single-use handle is atomically consumed
      // (409 tool set changed; 403 host/resource/app mismatch; 404 access
      // gone; 400 malformed/handle already used), so retrying can only 404.
      // Show a terminal reconnect state, not an impossible "try again".
      if ([400, 403, 404, 409].includes(res.status)) {
        let detail = "";
        try { detail = (await res.json()).detail; } catch (_) { /* keep default */ }
        setReconnect(detail || "This authorization can no longer be completed. Reconnect from your AI client to try again.");
        setSubmitting(false);
        return;
      }
      throw new Error("Could not complete authorization. Please try again.");
    }
    const data = await res.json();
    window.location.href = data.redirect_url;
    if (!/^https?:/i.test(data.redirect_url)) {
      // Custom-scheme redirect (native AI clients, e.g. cursor://): browsers
      // may block or not visibly navigate, so show a terminal state instead
      // of an eternal spinner.
      setDecided(action);
      setSubmitting(false);
    }
  } catch (e) {
```

```
   setError(e.message);
   setSubmitting(false);
  }
};

if (checking) {
  return (
    <AuthLayout icon={ShieldCheck} title="Authorize access">
      <div className="flex items-center justify-center py-6 text-muted-foreground">
        <Loader2 className="w-5 h-5 mr-2 animate-spin" aria-hidden="true" />
        Loading…
      </div>
    </AuthLayout>
  );
}

const client = (info && info.client_name) || "An AI client";
const appName = (info && info.app_name) || "this app";

if (decided) {
  return (
    <AuthLayout
      icon={ShieldCheck}
      title={decided === "approve" ? "Access granted" : "Access denied"}
      subtitle={`You can return to ${client} and close this window.`}
    />
  );
```

```
}

// Terminal: the authorization request is no longer valid (tool set changed +
// handle consumed). Retrying can't succeed, so show reconnect guidance with
// no approve/deny controls.
if (reconnect) {
  return (
    <AuthLayout icon={ShieldCheck} title="Reconnect required">
      <div className="p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
        {reconnect}
      </div>
    </AuthLayout>
  );
}

// No consent details means nothing trustworthy to approve: a failed
// consent-info load (expired handle, rate limit, transient error) renders
// the error alone, never the approve/deny controls.
if (error && !info) {
  return (
    <AuthLayout icon={ShieldCheck} title="Authorize access">
      <div className="p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
        {error}
      </div>
    </AuthLayout>
  );
}
```

```
 const tools = Array.isArray(info.tools) ? info.tools : [];
 const { data, agents, actions } = groupTools(tools);

 return (
  <AuthLayout
   icon={ShieldCheck}
   title="Authorize access"
   subtitle={` ${client} wants to access ${appName} on your behalf `}
  >
   {error && (
    <div className="mb-4 p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
     {error}
    </div>
   )}

   <p className="text-sm font-medium text-foreground mb-3">
    {tools.length ? ` ${client} will be able to: ` : "No tools requested"}
   </p>
   {tools.length > 0 && (
    <div className="space-y-4 text-sm mb-6">
     {data.length > 0 && (
      <ToolSection title={` Data (${data.length}) `}>
       {(showAllData ? data : data.slice(0, COLLAPSED_DATA_ROWS)).map(({ entity, operations })
=> (
        <ToolRow key={entity} title={entity}>
         <OperationSummary operations={operations} />
        </ToolRow>
```

```
  ))}
  {data.length > COLLAPSED_DATA_ROWS && (
   <li className="px-3 py-2">
    <button
     type="button"
     className="text-sm font-medium text-primary hover:underline"
     onClick={() => setShowAllData((shown) => !shown)}
    >
     {showAllData ? "Show less" : `Show all ${data.length}` }
    </button>
   </li>
  )}
 </ToolSection>
)}
{agents.length > 0 && (
 <ToolSection title="Agents">
  {agents.map((tool) => (
   <ToolRow key={tool.name} title={tool.agent ? humanize(tool.agent) : tool.title || tool.name}>
    {tool.description}
   </ToolRow>
  ))}
 </ToolSection>
)}
{actions.length > 0 && (
 <ToolSection title="Actions">
  {actions.map((tool) => (
   <ToolRow key={tool.name} title={tool.title || tool.name}>
```

```
          {tool.description}
        </ToolRow>
      ))}
    </ToolSection>
  )}
 </div>
)}

<div className="flex gap-3">
 <Button
  variant="outline"
  className="flex-1 h-12 font-medium"
  disabled={submitting}
  onClick={() => respond("deny")}
 >
  Deny
 </Button>
 <Button
  className="flex-1 h-12 font-medium"
  disabled={submitting}
  onClick={() => respond("approve")}
 >
  {submitting ? <Loader2 className="w-4 h-4 mr-2 animate-spin" /> : null}
  Approve
 </Button>
</div>
</AuthLayout>
```

);

REGISTER

```
import React, { useState } from "react";
import { Link } from "react-router-dom";
import { base44 } from "@/api/base44Client";
import { Button } from "@/components/ui/button";
import { Loader2, Mail, UserPlus } from "lucide-react";
import { InputOTP, InputOTPGroup, InputOTPSlot } from "@/components/ui/input-otp";
import AuthLayout from "@/components/AuthLayout";
import GoogleIcon from "@/components/GoogleIcon";
import RegisterDetailsForm from "@/components/RegisterDetailsForm";
import { toast } from "@/components/ui/use-toast";
import { safeReturnTo } from "@/lib/authReturnTo";
import { continueMfa } from "@/lib/authMfa";
import { ROLE_AREA_MANAGER } from "@/lib/RoleContext";

export default function Register() {
  const [account, setAccount] = useState(null);
  const [error, setError] = useState("");
  const [loading, setLoading] = useState(false);
  const [showOtp, setShowOtp] = useState(false);
  const [otpCode, setOtpCode] = useState("");

  const destination = (portalRole) =>
    portalRole === ROLE_AREA_MANAGER ? "/review" : safeReturnTo();
```

```
// Save the registration details onto this user's account record.
const saveProfile = async (details) => {
  await base44.auth.updateMe({
    department: details.department,
    portal_role: details.portal_role,
  });
  try {
    await base44.auth.updateMe({ full_name: details.full_name });
  } catch {
    /* the platform may keep its own account name */
  }
};

const handleRegister = async (details) => {
  setError("");
  setLoading(true);
  try {
    await base44.auth.register({ email: details.email, password: details.password });
    setAccount(details);
    setShowOtp(true);
  } catch (err) {
    setError(err.message || "Registration failed");
  } finally {
    setLoading(false);
  }
};
```

```
const handleVerify = async () => {
 setError("");
 setLoading(true);
 const target = destination(account.portal_role);
 try {
  const result = await base44.auth.verifyOtp({ email: account.email, otpCode });
  if (result?.mfa_required) {
   try {
    await continueMfa(result, target);
   } catch {
    window.location.href = "/login";
   }
   return;
  }
  if (result?.access_token) {
   base44.auth.setToken(result.access_token);
  }
  try {
   await saveProfile(account);
  } catch {
   /* the role gate will collect the remaining details at first sign-in */
  }
  window.location.href = target;
 } catch (err) {
  setError(err.message || "Invalid verification code");
  setLoading(false);
 }
```

```
};

const handleResend = async () => {
 setError("");
 try {
  await base44.auth.resendOtp(account.email);
  toast({
   title: "Code sent",
   description: "Check your email for the new code.",
  });
 } catch (err) {
  setError(err.message || "Failed to resend code");
 }
};

const handleGoogle = () => {
 base44.auth.loginWithProvider("google", safeReturnTo());
};

if (showOtp) {
 return (
  <AuthLayout
   icon={Mail}
   title="Verify your email"
   subtitle={`We sent a code to ${account.email}`}
  >
   {error && (
```

```
 <div className="mb-4 p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
  {error}
 </div>
)}
<div className="flex justify-center mb-6">
 <InputOTP
  maxLength={6}
  value={otpCode}
  onChange={setOtpCode}
  autoFocus
  autoComplete="one-time-code"
 >
  <InputOTPGroup>
   <InputOTPSlot index={0} />
   <InputOTPSlot index={1} />
   <InputOTPSlot index={2} />
   <InputOTPSlot index={3} />
   <InputOTPSlot index={4} />
   <InputOTPSlot index={5} />
  </InputOTPGroup>
 </InputOTP>
</div>
<Button
 className="w-full h-12 font-medium"
 onClick={handleVerify}
 disabled={loading || otpCode.length < 6}
>
```

```
      {loading ? (
        <>
          <Loader2 className="w-4 h-4 mr-2 animate-spin" />
          Verifying...
        </>
      ) : (
        "Verify"
      )}
    </Button>
    <p className="text-center text-sm text-muted-foreground mt-4">
      Didn't receive the code?{" "}
      <button onClick={handleResend} className="text-primary font-medium hover:underline">
        Resend
      </button>
    </p>
  </AuthLayout>
 );
}

return (
 <AuthLayout
  icon={UserPlus}
  title="Create your account"
  subtitle="Register to file, approve, and settle reimbursement claims"
  footer={
   <>
    Already have an account?{" "}
```

```
      <Link
        to={"/login" + (safeReturnTo() !== "/" ? "?returnTo=" + encodeURIComponent(safeReturnTo()) :
"")}
        className="text-primary font-medium hover:underline"
      >
        Log in
      </Link>
    </>
  }
>
  <Button
    variant="outline"
    className="w-full h-12 text-sm font-medium mb-6"
    onClick={handleGoogle}
  >
    <GoogleIcon className="w-5 h-5 mr-2" />
    Continue with Google
  </Button>

  <div className="relative mb-6">
    <div className="absolute inset-0 flex items-center">
      <div className="w-full border-t border-border" />
    </div>
    <div className="relative flex justify-center text-xs uppercase">
      <span className="bg-card px-3 text-muted-foreground">or</span>
    </div>
  </div>
```

```
    <RegisterDetailsForm loading={loading} error={error} onSubmit={handleRegister} />
   </AuthLayout>
  );
}
```

REPORTS

```
import { useEffect, useState } from "react";
import { Card, CardContent } from "@/components/ui/card";
import { base44 } from "@/api/base44Client";
import { format } from "date-fns";
import { formatPeso, STATUS_PAID } from "@/lib/taxEngine";
import { BarChart3 } from "lucide-react";

export default function Reports() {
  const [groups, setGroups] = useState(null);

  useEffect(() => {
    let cancelled = false;
    base44.entities.Reimbursements
      .filter({ current_status: STATUS_PAID }, { sort: "-paid_at", limit: 500 })
      .then((page) => {
        if (cancelled) return;
        const items = page.items ?? [];
        const map = new Map();
        items.forEach((c) => {
          const d = new Date(c.paid_at || c.submitted_at || c.created_date);
          const key = format(d, "yyyy-MM");
```

```
      if (!map.has(key)) {
        map.set(key, {
          key,
          month: format(d, "MMMM yyyy"),
          count: 0,
          gross: 0,
          vat: 0,
          ewt: 0,
          disbursed: 0,
        });
      }
      const g = map.get(key);
      g.count += 1;
      g.gross += Number(c.gross_amount) || 0;
      g.vat += Number(c.vat_amount) || 0;
      g.ewt += Number(c.ewt_amount) || 0;
      g.disbursed += Number(c.final_reimbursable_amount) || 0;
    });
    setGroups([...map.values()].sort((a, b) => b.key.localeCompare(a.key)));
  })
  .catch(() => {
    if (!cancelled) setGroups([]);
  });
 return () => {
  cancelled = true;
 };
}, []);
```

```
const totals = (groups ?? []).reduce(
 (acc, g) => ({
  count: acc.count + g.count,
  gross: acc.gross + g.gross,
  vat: acc.vat + g.vat,
  ewt: acc.ewt + g.ewt,
  disbursed: acc.disbursed + g.disbursed,
 }),
 { count: 0, gross: 0, vat: 0, ewt: 0, disbursed: 0 }
);

return (
 <div className="space-y-8">
  <div>
   <h1 className="font-heading text-2xl font-bold tracking-tight sm:text-3xl">
    BIR Tax Report
   </h1>
   <p className="mt-1 text-sm text-muted-foreground">
    Monthly aggregation of 12% VAT and EWT from disbursed claims for Philippine tax
    reporting. Logs are recorded permanently when a payout is released.
   </p>
  </div>

  {groups === null ? (
   <div className="space-y-3">
    {[0, 1, 2].map((i) => (
```

```
        <div key={i} className="h-14 animate-pulse rounded-lg bg-slate-100" />
       ))}
      </div>
    ) : groups.length === 0 ? (
     <Card className="border-slate-200/70 shadow-sm">
      <CardContent className="flex flex-col items-center gap-2 py-16 text-center text-sm text-muted-foreground">
       <BarChart3 className="h-6 w-6" />
       No disbursed payouts yet — monthly totals appear here once tellers release payouts.
      </CardContent>
     </Card>
    ) : (
     <div className="overflow-x-auto rounded-xl border border-slate-200/70 bg-white shadow-sm">
      <table className="w-full text-sm">
       <thead className="bg-slate-50 text-left text-xs uppercase tracking-wider text-muted-foreground">
        <tr>
         <th className="px-4 py-3 font-semibold">Month</th>
         <th className="px-4 py-3 font-semibold">Claims Paid</th>
         <th className="px-4 py-3 font-semibold">Gross (PHP)</th>
         <th className="px-4 py-3 font-semibold">12% VAT</th>
         <th className="px-4 py-3 font-semibold">EWT Withheld</th>
         <th className="px-4 py-3 font-semibold">Net Disbursed</th>
        </tr>
       </thead>
       <tbody className="divide-y">
        {groups.map((g) => (
```

```
            <tr key={g.key} className="hover:bg-slate-50/60">
              <td className="px-4 py-3 font-medium">{g.month}</td>
              <td className="px-4 py-3">{g.count}</td>
              <td className="px-4 py-3 tabular-nums">{formatPeso(g.gross)}</td>
              <td className="px-4 py-3 tabular-nums">{formatPeso(g.vat)}</td>
              <td className="px-4 py-3 tabular-nums">{formatPeso(g.ewt)}</td>
              <td className="px-4 py-3 font-semibold tabular-nums">
                {formatPeso(g.disbursed)}
              </td>
            </tr>
          ))}
        </tbody>
        <tfoot className="border-t-2 bg-slate-50 font-semibold">
          <tr>
            <td className="px-4 py-3">Grand Total</td>
            <td className="px-4 py-3">{totals.count}</td>
            <td className="px-4 py-3 tabular-nums">{formatPeso(totals.gross)}</td>
            <td className="px-4 py-3 tabular-nums">{formatPeso(totals.vat)}</td>
            <td className="px-4 py-3 tabular-nums">{formatPeso(totals.ewt)}</td>
            <td className="px-4 py-3 tabular-nums">{formatPeso(totals.disbursed)}</td>
          </tr>
        </tfoot>
      </table>
    </div>
  )}
 </div>
);
```

```
}
```

RESET PASSWORD

```
import React, { useState } from "react";
import { Link, useSearchParams } from "react-router-dom";
import { base44 } from "@/api/base44Client";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
import { Lock, Loader2, AlertTriangle } from "lucide-react";
import AuthLayout from "@/components/AuthLayout";

export default function ResetPassword() {
  const [searchParams] = useSearchParams();
  const resetToken = searchParams.get("token");

  const [newPassword, setNewPassword] = useState("");
  const [confirmPassword, setConfirmPassword] = useState("");
  const [error, setError] = useState("");
  const [loading, setLoading] = useState(false);

  const handleSubmit = async (e) => {
    e.preventDefault();
    setError("");
    if (newPassword !== confirmPassword) {
      setError("Passwords do not match");
      return;
```

```
  }
  setLoading(true);
  try {
    await base44.auth.resetPassword({ resetToken, newPassword });
    window.location.href = "/login";
  } catch (err) {
    setError(err.message || "Failed to reset password");
  } finally {
    setLoading(false);
  }
};

if (!resetToken) {
  return (
    <AuthLayout
      icon={AlertTriangle}
      title="Invalid reset link"
      subtitle="This password reset link is missing or invalid"
      footer={
        <Link to="/forgot-password" className="text-primary font-medium hover:underline">
          Request a new link
        </Link>
      }
    >
      <p className="text-sm text-foreground text-center">
        The link you used appears to be incomplete. Please request a new password reset email.
      </p>
```

```
    </AuthLayout>
  );
 }


 return (
  <AuthLayout
    icon={Lock}
    title="New password"
    subtitle="Enter your new password below"
  >
    {error && (
      <div className="mb-4 p-3 rounded-lg bg-destructive/10 text-destructive text-sm">
        {error}
      </div>
    )}
    <form onSubmit={handleSubmit} className="space-y-4">
      <div className="space-y-2">
        <Label htmlFor="password">New Password</Label>
        <div className="relative">
          <Lock className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-muted-foreground"
aria-hidden="true" />
          <Input
            id="password"
            type="password"
            autoComplete="new-password"
            autoFocus
            placeholder="••••••••"
            value={newPassword}
```

```
            onChange={(e) => setNewPassword(e.target.value)}
            className="pl-10 h-12"
            required
          />
        </div>
      </div>
      <div className="space-y-2">
        <Label htmlFor="confirm">Confirm Password</Label>
        <div className="relative">
          <Lock className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-muted-foreground"
aria-hidden="true" />
          <Input
            id="confirm"
            type="password"
            autoComplete="new-password"
            placeholder="••••••••"
            value={confirmPassword}
            onChange={(e) => setConfirmPassword(e.target.value)}
            className="pl-10 h-12"
            required
          />
        </div>
      </div>
      <Button type="submit" className="w-full h-12 font-medium" disabled={loading}>
        {loading ? (
          <>
            <Loader2 className="w-4 h-4 mr-2 animate-spin" />
            Resetting...
```

```
          </>
        ) : (
          "Reset password"
        )}
      </Button>
    </form>
  </AuthLayout>
 );
}
```

REVIEW

```
import { useEffect, useState } from "react";
import { base44 } from "@/api/base44Client";
import { Card, CardContent } from "@/components/ui/card";
import { Button } from "@/components/ui/button";
import { Textarea } from "@/components/ui/textarea";
import {
 Select,
 SelectContent,
 SelectItem,
 SelectTrigger,
 SelectValue,
} from "@/components/ui/select";
import ClaimDetailModal from "@/components/ClaimDetailModal";
import { useToast } from "@/components/ui/use-toast";
import { cn } from "@/lib/utils";
import {
```

```
  formatPeso,
  STATUS_PENDING_APPROVAL,
  STATUS_PENDING_PAYMENT,
  STATUS_PAID,
  STATUS_REJECTED,
} from "@/lib/taxEngine";
import { ROLE_AREA_MANAGER, ROLE_TELLER, useRole } from "@/lib/RoleContext";
import {
  Banknote,
  ClipboardCheck,
  Inbox,
  Landmark,
  ThumbsDown,
  ThumbsUp,
} from "lucide-react";

function QueueSection({ title, subtitle, icon: Icon, tone, claims, actionLabel, onSelect }) {
  return (
    <Card className="overflow-hidden border-slate-200/70 shadow-sm">
      <CardContent className="p-0">
        <div className="flex items-center gap-3 border-b px-6 py-4">
          <div className={cn("flex h-9 w-9 shrink-0 items-center justify-center rounded-lg", tone)}>
            <Icon className="h-5 w-5" />
          </div>
          <div className="min-w-0">
            <h2 className="font-heading text-base font-semibold">{title}</h2>
            <p className="text-xs text-muted-foreground">{subtitle}</p>
```

```
      </div>
      <span className="ml-auto rounded-full bg-slate-100 px-2.5 py-0.5 text-xs font-semibold text-muted-foreground">
        {claims.length}
      </span>
    </div>
    {claims.length === 0 ? (
      <div className="flex flex-col items-center gap-2 px-6 py-10 text-center text-sm text-muted-foreground">
        <Inbox className="h-5 w-5" />
        No claims in this queue right now.
      </div>
    ) : (
      <ul className="divide-y">
        {claims.map((c) => (
          <li key={c.id} className="flex flex-wrap items-center gap-3 px-6 py-3.5">
            <div className="min-w-0 flex-1">
              <p className="truncate text-sm font-medium">{c.title}</p>
              <p className="text-xs text-muted-foreground">
                {c.reference_id} · {c.requestor_name} · {c.category}
              </p>
            </div>
            <p className="text-sm font-semibold tabular-nums">
              {formatPeso(c.final_reimbursable_amount)}
            </p>
            <Button size="sm" variant="outline" onClick={() => onSelect(c)}>
              {actionLabel}
            </Button>
```

```
          </li>
        ))}
      </ul>
    )}
   </CardContent>
  </Card>
 );
}

export default function Review() {
 const { role, me } = useRole();
 const actorName = me?.full_name || me?.email || role;
 const { toast } = useToast();
 const [pendingApproval, setPendingApproval] = useState([]);
 const [pendingPayment, setPendingPayment] = useState([]);
 const [loading, setLoading] = useState(true);
 const [activeClaim, setActiveClaim] = useState(null);
 const [comment, setComment] = useState("");
 const [payoutMethod, setPayoutMethod] = useState("Cash");
 const [processing, setProcessing] = useState(false);

 const canApprove = role === ROLE_AREA_MANAGER;
 const canDisburse = role === ROLE_TELLER;

 const loadQueues = async () => {
  setLoading(true);
  try {
```

```
    const [a, p] = await Promise.all([
      base44.entities.Reimbursements.filter(
        { current_status: STATUS_PENDING_APPROVAL },
        { sort: "-created_date", limit: 200 }
      ),
      base44.entities.Reimbursements.filter(
        { current_status: STATUS_PENDING_PAYMENT },
        { sort: "-created_date", limit: 200 }
      ),
    ]);
    setPendingApproval(a.items ?? []);
    setPendingPayment(p.items ?? []);
  } catch {
    /* queues show empty on load failure */
  } finally {
    setLoading(false);
  }
};

useEffect(() => {
  loadQueues();
}, []);

const closeModal = () => {
  setActiveClaim(null);
  setComment("");
  setPayoutMethod("Cash");
```

```
};

const approve = async () => {
 if (!activeClaim) return;
 setProcessing(true);
 try {
  await base44.entities.Reimbursements.update(activeClaim.id, {
   current_status: STATUS_PENDING_PAYMENT,
  });
  await base44.entities.Approvals.create({
   reimbursement_id: activeClaim.id,
   reference_id: activeClaim.reference_id,
   approver_name: actorName,
   action: "Approved",
   comments: comment.trim() || "Approved for payment.",
   processed_at: new Date().toISOString(),
  });
  let alerts = 0;
  let sms = 0;
  try {
   const res = await base44.functions.invoke("notifyClaimApproved", {
    claim_id: activeClaim.id,
   });
   alerts = res?.data?.alerts ?? 0;
   sms = res?.data?.sms ?? 0;
  } catch {
   /* the approval stands even if notifications fail */
```

```
    }
    toast({
     title: "Claim approved",
     description:
      alerts > 0
       ? `${activeClaim.reference_id} forwarded for payout — ${alerts} portal alert${
          alerts === 1 ? "" : "s"
        } and ${sms} SMS sent.`
       : `${activeClaim.reference_id} routed to the Teller queue (Pending Payment).`,
    });
    closeModal();
    await loadQueues();
  } catch {
    toast({ title: "Action failed", description: "Please try again.", variant: "destructive" });
  } finally {
    setProcessing(false);
  }
};

const reject = async () => {
  if (!activeClaim || !comment.trim()) return;
  setProcessing(true);
  try {
    await base44.entities.Reimbursements.update(activeClaim.id, {
     current_status: STATUS_REJECTED,
    });
    await base44.entities.Approvals.create({
```

```
    reimbursement_id: activeClaim.id,
    reference_id: activeClaim.reference_id,
    approver_name: actorName,
    action: "Rejected",
    comments: comment.trim(),
    processed_at: new Date().toISOString(),
   });
   toast({
    title: "Claim rejected",
    description: `${activeClaim.reference_id} returned to the requestor with comments.`,
   });
   closeModal();
   await loadQueues();
  } catch {
   toast({ title: "Action failed", description: "Please try again.", variant: "destructive" });
  } finally {
   setProcessing(false);
  }
};

const disburse = async () => {
 if (!activeClaim) return;
 const paidAt = new Date().toISOString();
 setProcessing(true);
 try {
  await base44.entities.Reimbursements.update(activeClaim.id, {
   current_status: STATUS_PAID,
```

```
      payout_method: payoutMethod,
      paid_at: paidAt,
    });
    await base44.entities.Approvals.create({
      reimbursement_id: activeClaim.id,
      reference_id: activeClaim.reference_id,
      approver_name: actorName,
      action: "Disbursed",
      comments: `Payout of ${formatPeso(
        activeClaim.final_reimbursable_amount
      )} released via ${payoutMethod}. BIR tax log recorded permanently.`,
      processed_at: paidAt,
    });
    toast({
      title: "Payout disbursed",
      description: `${activeClaim.reference_id} marked Paid/Disbursed — BIR tax log recorded.`,
    });
    closeModal();
    await loadQueues();
  } catch {
    toast({ title: "Action failed", description: "Please try again.", variant: "destructive" });
  } finally {
    setProcessing(false);
  }
};

if (loading) {
```

```
  return (
    <div className="flex min-h-[50vh] items-center justify-center">
      <div className="h-8 w-8 animate-spin rounded-full border-4 border-slate-200 border-t-primary" />
    </div>
  );
}

return (
  <div className="space-y-8">
    <div className="flex flex-wrap items-end justify-between gap-3">
      <div>
        <h1 className="font-heading text-2xl font-bold tracking-tight sm:text-3xl">
          Manager Review &amp;amp; Payout
        </h1>
        <p className="mt-1 text-sm text-muted-foreground">
          Approvals by the Area Manager, payouts by the Branch Manager / Teller — permissions
          follow your selected role.
        </p>
      </div>
      <p className="rounded-full bg-slate-100 px-3 py-1 text-xs font-medium text-muted-foreground">
        Acting as <span className="font-semibold text-foreground">{role}</span>
      </p>
    </div>

    <div className="space-y-6">
      <QueueSection
```

```
        title="Pending Manager Approval"
        subtitle="Area Manager queue — inspect receipt and approve or reject"
        icon={ClipboardCheck}
        tone="bg-orange-100 text-orange-600"
        claims={pendingApproval}
        actionLabel="Review"
        onSelect={setActiveClaim}
      />
      <QueueSection
        title="Pending Payment"
        subtitle="Teller queue — audit tax computation and disburse payout"
        icon={Landmark}
        tone="bg-blue-100 text-blue-600"
        claims={pendingPayment}
        actionLabel="Process Payout"
        onSelect={setActiveClaim}
      />
    </div>

    <ClaimDetailModal claim={activeClaim} open={!!activeClaim} onOpenChange={(o) => !o &&
closeModal()}>
      {activeClaim?.current_status === STATUS_PENDING_APPROVAL && (
        <div className="mt-5 space-y-3 border-t pt-4">
          <Textarea
            placeholder="Comments — required when rejecting a claim..."
            value={comment}
            onChange={(e) => setComment(e.target.value)}
          />
```

```
  <div className="flex flex-wrap items-center gap-2">
   <Button
    className="bg-emerald-600 hover:bg-emerald-700"
    disabled={!canApprove || processing}
    onClick={approve}
   >
    <ThumbsUp className="h-4 w-4" /> Approve
   </Button>
   <Button
    variant="destructive"
    disabled={!canApprove || processing || !comment.trim()}
    onClick={reject}
   >
    <ThumbsDown className="h-4 w-4" /> Reject
   </Button>
  </div>
  {!canApprove && (
   <p className="text-xs text-muted-foreground">
    Only the Area Manager can approve or reject claims — switch roles in the header.
   </p>
  )}
 </div>
)}
{activeClaim?.current_status === STATUS_PENDING_PAYMENT && (
 <div className="mt-5 space-y-3 border-t pt-4">
  <div className="flex flex-wrap items-center gap-2">
   <Select value={payoutMethod} onValueChange={setPayoutMethod}>
```

```
            <SelectTrigger className="w-44">
              <SelectValue />
            </SelectTrigger>
            <SelectContent>
              <SelectItem value="Cash">Cash</SelectItem>
              <SelectItem value="Bank Transfer">Bank Transfer</SelectItem>
            </SelectContent>
          </Select>
          <Button
            className="bg-emerald-600 hover:bg-emerald-700"
            disabled={!canDisburse || processing}
            onClick={disburse}
          >
            <Banknote className="h-4 w-4" /> Disburse &amp;amp; Mark Paid
          </Button>
        </div>
        {!canDisburse && (
          <p className="text-xs text-muted-foreground">
            Only the Branch Manager / Teller can disburse payouts — switch roles in the header.
          </p>
        )}
      </div>
    )}
  </ClaimDetailModal>
 </div>
);
}
```

ROLE SELECTION

```
import { useState } from "react";
import { Card, CardContent } from "@/components/ui/card";
import { Button } from "@/components/ui/button";
import { Input } from "@/components/ui/input";
import { Label } from "@/components/ui/label";
import { User, ClipboardCheck, Landmark, PhilippinePeso, Phone } from "lucide-react";
import { cn } from "@/lib/utils";
import { ROLES, useRole } from "@/lib/RoleContext";
import { normalizeMobile } from "@/lib/mobile";

const ROLE_INFO = {
 Employee: {
  icon: User,
  tone: "bg-indigo-100 text-indigo-600",
  desc: "Submit claims with receipt photos and track their status in real time.",
 },
 "Area Manager": {
  icon: ClipboardCheck,
  tone: "bg-orange-100 text-orange-600",
  desc: "Review claims, inspect receipts, and approve or reject with comments.",
 },
 "Branch Manager / Teller": {
  icon: Landmark,
  tone: "bg-blue-100 text-blue-600",
  desc: "Audit tax computations, disburse payouts, and view BIR tax reports.",
```

```
  },
};

const PHONE_ERROR =
  "Enter a valid Philippine mobile number, e.g. +639171234567 — claim updates are texted to it.";

export default function RoleSelection({ mode = "role" }) {
  const { me, accountMobile, chooseRole, saveMobile } = useRole();
  const [phone, setPhone] = useState(accountMobile || "+63");
  const [saving, setSaving] = useState(null);
  const [error, setError] = useState("");

  const displayName = me?.full_name || me?.email || "there";

  const persist = async (save, key) => {
    const normalized = normalizeMobile(phone);
    if (!normalized) {
      setError(PHONE_ERROR);
      return;
    }
    setSaving(key);
    setError("");
    try {
      await save(normalized);
    } catch {
      setError("Could not save your details. Please try again.");
    } finally {
```

```
    setSaving(null);
  }
 };

 const phoneField = (
  <div className="space-y-2">
   <Label htmlFor="mobile">Mobile Number (+63)</Label>
   <Input
    id="mobile"
    type="tel"
    placeholder="+639171234567"
    value={phone}
    onChange={(e) => setPhone(e.target.value)}
   />
   <p className="text-xs text-muted-foreground">
    SMS alerts about your claims are sent to this number.
   </p>
  </div>
 );

 if (mode === "mobile") {
  return (
   <div className="flex min-h-screen items-center justify-center bg-slate-50/70 px-4 py-12">
    <div className="w-full max-w-md space-y-6">
     <div className="text-center">
      <div className="mx-auto flex h-12 w-12 items-center justify-center rounded-2xl bg-primary
text-primary-foreground shadow-sm">
       <PhilippinePeso className="h-6 w-6" />
```

```
        </div>
        <h1 className="mt-4 font-heading text-2xl font-bold tracking-tight">
          One more step, {displayName}
        </h1>
        <p className="mt-1 text-sm text-muted-foreground">
          Add your mobile number to receive SMS alerts when your claims are
          approved or paid out.
        </p>
      </div>
      <Card className="border-slate-200/70 shadow-sm">
        <CardContent className="space-y-4 p-6">
          {phoneField}
          {error && <p className="text-sm text-destructive">{error}</p>}
          <Button
            className="w-full"
            disabled={saving === "mobile"}
            onClick={() => persist(saveMobile, "mobile")}
          >
            <Phone className="h-4 w-4" />
            {saving === "mobile" ? "Saving..." : "Save & Continue"}
          </Button>
        </CardContent>
      </Card>
    </div>
  </div>
 );
}
```

```
 return (
  <div className="flex min-h-screen items-center justify-center bg-slate-50/70 px-4 py-12">
   <div className="w-full max-w-3xl space-y-8">
    <div className="text-center">
     <div className="mx-auto flex h-12 w-12 items-center justify-center rounded-2xl bg-primary
text-primary-foreground shadow-sm">
      <PhilippinePeso className="h-6 w-6" />
     </div>
     <h1 className="mt-4 font-heading text-2xl font-bold tracking-tight sm:text-3xl">
      Welcome, {displayName}
     </h1>
     <p className="mt-1 text-sm text-muted-foreground">
      Choose the role you hold in the reimbursement workflow — this sets what you can do in
      the portal.
     </p>
    </div>

    <Card className="border-slate-200/70 shadow-sm">
     <CardContent className="space-y-4 p-6">
      {phoneField}
      {error && <p className="text-sm text-destructive">{error}</p>}
     </CardContent>
    </Card>

    <div className="grid gap-4 sm:grid-cols-3">
     {ROLES.map((r) => {
      const info = ROLE_INFO[r];
```

```
        return (
          <button
            key={r}
            type="button"
            disabled={!!saving}
            onClick={() => persist((m) => chooseRole(r, m), r)}
            className="group text-left"
          >
            <Card className="h-full border-slate-200/70 shadow-sm transition-all group-hover:-translate-y-0.5 group-hover:border-primary/40 group-hover:shadow-md">
              <CardContent className="space-y-3 p-5">
                <div className={cn("flex h-10 w-10 items-center justify-center rounded-xl", info.tone)}>
                  <info.icon className="h-5 w-5" />
                </div>
                <p className="font-heading text-sm font-bold">{r}</p>
                <p className="text-xs leading-relaxed text-muted-foreground">{info.desc}</p>
                <p className="text-xs font-semibold text-primary">
                  {saving === r ? "Saving…" : saving ? "" : "Select this role →"}
                </p>
              </CardContent>
            </Card>
          </button>
        );
      })}
    </div>
  </div>
</div>
);
```

}

UTILS

src/utils/index.ts

```
export function createPageUrl(pageName: string) {
   return '/' + pageName.replace(/ /g, '-');
}
```

src/App.jsx

```
import { Toaster } from "@/components/ui/toaster"
import { QueryClientProvider } from '@tanstack/react-query'
import { queryClientInstance } from '@/lib/query-client'
import { BrowserRouter as Router, Navigate, Route, Routes } from 'react-router-dom';
import PageNotFound from './lib/PageNotFound';
import { AuthProvider, useAuth } from '@/lib/AuthContext';
import UserNotRegisteredError from '@/components/UserNotRegisteredError';
import ScrollToTop from './components/ScrollToTop';
// Add page imports here
import { RoleProvider } from '@/lib/RoleContext';
import Layout from '@/components/Layout';
import Dashboard from '@/pages/Dashboard';
import NewClaim from '@/pages/NewClaim';
import Claims from '@/pages/Claims';
import Review from '@/pages/Review';
import Reports from '@/pages/Reports';
import Login from '@/pages/Login';
import Register from '@/pages/Register';
import ForgotPassword from '@/pages/ForgotPassword';
```

```
import ResetPassword from '@/pages/ResetPassword';
import ProtectedRoute from '@/components/ProtectedRoute';
import RequireRole from '@/components/RequireRole';

const AuthenticatedApp = () => {
  const { isLoadingAuth, isLoadingPublicSettings, authError, navigateToLogin } = useAuth();

  // Show loading spinner while checking app public settings or auth
  if (isLoadingPublicSettings || isLoadingAuth) {
    return (
      <div className="fixed inset-0 flex items-center justify-center">
        <div className="w-8 h-8 border-4 border-slate-200 border-t-slate-800 rounded-full animate-spin"></div>
      </div>
    );
  }

  // Handle authentication errors
  if (authError) {
    if (authError.type === 'user_not_registered') {
      return <UserNotRegisteredError />;
    } else if (authError.type === 'auth_required') {
      // Redirect to login automatically
      navigateToLogin();
      return null;
    }
  }
```

```
 // Render the main app
 return (
  <Routes>
   {/* Add your page Route elements here */}
   <Route path="/login" element={<Login />} />
   <Route path="/register" element={<Register />} />
   <Route path="/forgot-password" element={<ForgotPassword />} />
   <Route path="/reset-password" element={<ResetPassword />} />
   <Route element={<ProtectedRoute unauthenticatedElement={<Navigate to="/login" replace />}
/>}>
    <Route element={<RequireRole />}>
     <Route element={<Layout />}>
      <Route path="/" element={<Dashboard />} />
      <Route path="/new-claim" element={<NewClaim />} />
      <Route path="/claims" element={<Claims />} />
      <Route path="/review" element={<Review />} />
      <Route path="/reports" element={<Reports />} />
     </Route>
    </Route>
   </Route>
   <Route path="*" element={<PageNotFound />} />
  </Routes>
 );
};

function App() {

 return (
```

```
   <AuthProvider>
    <QueryClientProvider client={queryClientInstance}>
     <RoleProvider>
     <Router>
      <ScrollToTop />
      <AuthenticatedApp />
     </Router>
     <Toaster />
     </RoleProvider>
    </QueryClientProvider>
   </AuthProvider>
  )
}

export default App
```

src/index.css

```
@import
url('https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700;800&fa
mily=Inter:wght@400;500;600;700&display=swap');

@tailwind base;
@tailwind components;
@tailwind utilities;

@layer base {
  :root {
    --background: 0 0% 100%;
```

--foreground: 0 0% 3.9%;

--card: 0 0% 100%;

--card-foreground: 0 0% 3.9%;

--popover: 0 0% 100%;

--popover-foreground: 0 0% 3.9%;

--primary: 174 72% 29%;

--primary-foreground: 0 0% 100%;

--secondary: 0 0% 96.1%;

--secondary-foreground: 0 0% 9%;

--muted: 0 0% 96.1%;

--muted-foreground: 0 0% 45.1%;

--accent: 0 0% 96.1%;

--accent-foreground: 0 0% 9%;

--destructive: 0 84.2% 60.2%;

--destructive-foreground: 0 0% 98%;

--border: 0 0% 89.8%;

--input: 0 0% 89.8%;

--ring: 174 60% 36%;

--chart-1: 12 76% 61%;

--chart-2: 173 58% 39%;

--chart-3: 197 37% 24%;

--chart-4: 43 74% 66%;

--chart-5: 27 87% 67%;

--radius: 0.625rem;

--font-heading: "Plus Jakarta Sans", ui-sans-serif, system-ui, sans-serif;

--font-body: "Inter", ui-sans-serif, system-ui, sans-serif;

--font-display: ui-sans-serif, system-ui, sans-serif;

```
  --font-mono: ui-monospace, SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono",
"Courier New", monospace;
  --sidebar-background: 0 0% 98%;
  --sidebar-foreground: 240 5.3% 26.1%;
  --sidebar-primary: 240 5.9% 10%;
  --sidebar-primary-foreground: 0 0% 98%;
  --sidebar-accent: 240 4.8% 95.9%;
  --sidebar-accent-foreground: 240 5.9% 10%;
  --sidebar-border: 220 13% 91%;
  --sidebar-ring: 217.2 91.2% 59.8%;
 }

 .dark {
  --background: 0 0% 3.9%;
  --foreground: 0 0% 98%;
  --card: 0 0% 3.9%;
  --card-foreground: 0 0% 98%;
  --popover: 0 0% 3.9%;
  --popover-foreground: 0 0% 98%;
  --primary: 0 0% 98%;
  --primary-foreground: 0 0% 9%;
  --secondary: 0 0% 14.9%;
  --secondary-foreground: 0 0% 98%;
  --muted: 0 0% 14.9%;
  --muted-foreground: 0 0% 63.9%;
  --accent: 0 0% 14.9%;
  --accent-foreground: 0 0% 98%;
  --destructive: 0 62.8% 30.6%;
```

```
    --destructive-foreground: 0 0% 98%;
    --border: 0 0% 14.9%;
    --input: 0 0% 14.9%;
    --ring: 0 0% 83.1%;
    --chart-1: 220 70% 50%;
    --chart-2: 160 60% 45%;
    --chart-3: 30 80% 55%;
    --chart-4: 280 65% 60%;
    --chart-5: 340 75% 55%;
    --sidebar-background: 240 5.9% 10%;
    --sidebar-foreground: 240 4.8% 95.9%;
    --sidebar-primary: 224.3 76.3% 48%;
    --sidebar-primary-foreground: 0 0% 100%;
    --sidebar-accent: 240 3.7% 15.9%;
    --sidebar-accent-foreground: 240 4.8% 95.9%;
    --sidebar-border: 240 3.7% 15.9%;
    --sidebar-ring: 217.2 91.2% 59.8%;
  }
}


@layer base {
  * {
    @apply border-border outline-ring/50;
  }

  body {
    @apply bg-background text-foreground font-body;
```

```
 }
}
```

src/main.jsx

```
import React from 'react'
import ReactDOM from 'react-dom/client'
import App from '@/App.jsx'
import '@/index.css'

ReactDOM.createRoot(document.getElementById('root')).render(
  <App />
)
```

.gitignore

```
#env
.env
.env.*

# Logs
/logs
*.log
npm-debug.log*
yarn-debug.log*
yarn-error.log*
pnpm-debug.log*
lerna-debug.log*
```

```
node_modules
dist
dist-ssr
*.local

# Nitro build output, once this app has a server. Both are regenerated by
# every build, and the deploy runs one before reading them.
.output
.wrangler

# Editor directories and files
.vscode/*
!.vscode/extensions.json
.idea
.DS_Store
*.suo
*.ntvs*
*.njsproj
*.sln
*.sw?

.env
.vite

# Local link to a Base44 app, written by `base44 link`
base44/.app.jsonc
```

.npmrc

Supply-chain cooldown: never install a version published in the last 7 days.

Maps internally to `before = now - 7 days`, so npm picks the newest version

that is at least a week old. Applies to `npm install` and `npm audit fix`.

A freshly-compromised release is most likely to be live (and not yet pulled)

within its first days, so we skip that window.

min-release-age=7

AGENTS.md

Our own scope is exempt: the window guards against someone else's release

being compromised, and holding @base44/* back a week only delays every app

from picking up an SDK we just published ourselves. Transitive dependencies

of these packages are NOT exempt — they still serve the full window.

min-release-age-exclude=@base44/*

AGENTS.md

AGENTS.md

Project Context

This is a Base44 app repository. Treat it as user-owned application code, keep changes focused on the user's request, and preserve existing project conventions.

Start with `README.md` for local setup, environment variables, and publish workflow.

Base44 References

- CLI overview: https://docs.base44.com/developers/references/cli/get-started/overview.md

- Agent skills: https://docs.base44.com/developers/backend/overview/skills.md

If your agent supports Agent Skills, install or update Base44 skills before Base44-specific work:

```bash
npx skills add base44/skills
```

Key Files

- `src/`: frontend application source.

- `src/api/base44Client.js`: frontend Base44 SDK client.

- `vite.config.js`: Vite config and Base44 Vite plugin setup.

- `.env.local`: local-only environment values; never commit secrets.

Working Notes

- Use `base44 dev` as the default local development command when you need the local Base44 backend. It can run the backend and frontend together.

- When docs or code mention the frontend being started automatically, that usually means the Base44 project config includes `site.serveCommand`, for example `"serveCommand": "npm run dev"` in `base44/config.jsonc`.

- Use `npm run dev` only for frontend-only work against the hosted Base44 backend.

- Prefer the existing Base44 CLI workflow over adding new npm scripts for Base44-specific tasks.

- Reuse the existing SDK client and Vite plugin patterns before adding new Base44 integration paths.

- Run the relevant checks from `package.json` before finishing code changes.

CLAUDE.md

```
# See AGENTS.md

Follow the instructions in `AGENTS.md`.
```

components.json

```
{
 "$schema": "https://ui.shadcn.com/schema.json",
 "style": "new-york",
 "rsc": false,
 "tsx": false,
 "tailwind": {
  "config": "tailwind.config.js",
  "css": "src/index.css",
  "baseColor": "neutral",
  "cssVariables": true,
  "prefix": ""
 },
 "aliases": {
  "components": "@/components",
  "utils": "@/lib/utils",
  "ui": "@/components/ui",
  "lib": "@/lib",
  "hooks": "@/hooks"
 },
 "iconLibrary": "lucide"
```

```
}
```

eslint.config.js

```
import globals from "globals";
import pluginJs from "@eslint/js";
import pluginReact from "eslint-plugin-react";
import pluginReactHooks from "eslint-plugin-react-hooks";
import pluginUnusedImports from "eslint-plugin-unused-imports";

export default [
 {
  files: [
   "src/components/**/*.{js,mjs,cjs,jsx}",
   "src/pages/**/*.{js,mjs,cjs,jsx}",
   "src/Layout.jsx",
  ],
  ignores: ["src/lib/**/*", "src/components/ui/**/*"],
  ...pluginJs.configs.recommended,
  ...pluginReact.configs.flat.recommended,
  languageOptions: {
   globals: globals.browser,
   parserOptions: {
    ecmaVersion: 2022,
    sourceType: "module",
    ecmaFeatures: {
     jsx: true,
    },
```

```
  },
},
settings: {
  react: {
    version: "detect",
  },
},
plugins: {
  react: pluginReact,
  "react-hooks": pluginReactHooks,
  "unused-imports": pluginUnusedImports,
},
rules: {
  "no-unused-vars": "off",
  "react/jsx-uses-vars": "error",
  "react/jsx-uses-react": "error",
  "unused-imports/no-unused-imports": "error",
  "unused-imports/no-unused-vars": [
    "warn",
    {
      vars: "all",
      varsIgnorePattern: "^_",
      args: "after-used",
      argsIgnorePattern: "^_",
    },
  ],
  "react/prop-types": "off",
```

```
    "react/react-in-jsx-scope": "off",
    "react/no-unknown-property": [
      "error",
      { ignore: ["cmdk-input-wrapper", "toast-close"] },
    ],
    "react-hooks/rules-of-hooks": "error",
  },
 },
];
```

index.html

```
<!doctype html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <link rel="icon" type="image/svg+xml" href="https://base44.com/logo_v2.svg" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="manifest" href="/manifest.json" />
  <meta name="description" content="Digitize petty cash and out-of-pocket reimbursements in Philippine Peso with automatic 12% VAT and EWT computation, digital receipts, and live status tracking." />
  <title>Smart Reimbursement &amp;amp; Local Tax Calculation Portal</title>
 </head>
 <body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
 </body>
</html>
```

jsconfig.json

```
{
  "compilerOptions": {
    "baseUrl": ".",
    "paths": {
      "@/*": ["./src/*"]
    },
    "jsx": "react-jsx",
    "module": "esnext",
    "moduleResolution": "bundler",
    "lib": ["esnext", "dom"],
    "target": "esnext",
    "checkJs": true,
    "skipLibCheck": true,
    "allowSyntheticDefaultImports": true,
    "esModuleInterop": true,
    "resolveJsonModule": true,
    "types": []
  },
  "include": ["src/components/**/*.js", "src/pages/**/*.jsx", "src/Layout.jsx"],
  "exclude": ["node_modules", "dist", "src/vite-plugins", "src/components/ui", "src/api", "src/lib"]
}
```

package-lock.json

```
{
  "name": "base44-app",
```

```
"version": "0.0.0",
"lockfileVersion": 3,
"requires": true,
"packages": {
 "": {
  "name": "base44-app",
  "version": "0.0.0",
  "dependencies": {
   "@base44/sdk": "^0.8.58",
   "@base44/vite-plugin": "^1.0.51",
   "@hello-pangea/dnd": "^17.0.0",
   "@hookform/resolvers": "^4.1.2",
   "@radix-ui/react-accordion": "^1.2.3",
   "@radix-ui/react-alert-dialog": "^1.1.6",
   "@radix-ui/react-aspect-ratio": "^1.1.2",
   "@radix-ui/react-avatar": "^1.1.3",
   "@radix-ui/react-checkbox": "^1.1.4",
   "@radix-ui/react-collapsible": "^1.1.3",
   "@radix-ui/react-context-menu": "^2.2.6",
   "@radix-ui/react-dialog": "^1.1.6",
   "@radix-ui/react-dropdown-menu": "^2.1.6",
   "@radix-ui/react-hover-card": "^1.1.6",
   "@radix-ui/react-label": "^2.1.2",
   "@radix-ui/react-menubar": "^1.1.6",
   "@radix-ui/react-navigation-menu": "^1.2.5",
   "@radix-ui/react-popover": "^1.1.6",
   "@radix-ui/react-progress": "^1.1.2",
```

"@radix-ui/react-radio-group": "^1.2.3",

"@radix-ui/react-scroll-area": "^1.2.3",

"@radix-ui/react-select": "^2.1.6",

"@radix-ui/react-separator": "^1.1.2",

"@radix-ui/react-slider": "^1.2.3",

"@radix-ui/react-slot": "^1.1.2",

"@radix-ui/react-switch": "^1.1.3",

"@radix-ui/react-tabs": "^1.1.3",

"@radix-ui/react-toast": "^1.2.2",

"@radix-ui/react-toggle": "^1.1.2",

"@radix-ui/react-toggle-group": "^1.1.2",

"@radix-ui/react-tooltip": "^1.1.8",

"@stripe/react-stripe-js": "^3.0.0",

"@stripe/stripe-js": "^5.2.0",

"@tanstack/react-query": "^5.84.1",

"canvas-confetti": "^1.9.4",

"class-variance-authority": "^0.7.1",

"clsx": "^2.1.1",

"cmdk": "^1.0.0",

"date-fns": "^3.6.0",

"embla-carousel-react": "^8.5.2",

"framer-motion": "^11.16.4",

"html2canvas": "^1.4.1",

"input-otp": "^1.4.2",

"jspdf": "^4.2.1",

"lodash": "^4.17.21",

"lucide-react": "^0.475.0",

```
  "moment": "^2.31.0",
  "next-themes": "^0.4.4",
  "react": "^18.2.0",
  "react-day-picker": "^8.10.1",
  "react-dom": "^18.2.0",
  "react-hook-form": "^7.54.2",
  "react-hot-toast": "^2.6.0",
  "react-leaflet": "^4.2.1",
  "react-markdown": "^9.0.1",
  "react-quill-new": "^3.8.3",
  "react-resizable-panels": "^2.1.7",
  "react-router-dom": "^7.18.4",
  "recharts": "^2.15.4",
  "sonner": "^2.0.1",
  "tailwind-merge": "^3.0.2",
  "tailwindcss-animate": "^1.0.7",
  "three": "^0.171.0",
  "vaul": "^1.1.2",
  "zod": "^3.24.2"
},
"devDependencies": {
  "@eslint/js": "^9.19.0",
  "@types/node": "^22.13.5",
  "@types/react": "^18.2.66",
  "@types/react-dom": "^18.2.22",
  "@vitejs/plugin-react": "^6.0.5",
  "autoprefixer": "^10.4.20",
```

```
      "baseline-browser-mapping": "^2.8.32",
      "eslint": "^9.19.0",
      "eslint-plugin-react": "^7.37.4",
      "eslint-plugin-react-hooks": "^5.0.0",
      "eslint-plugin-react-refresh": "^0.4.18",
      "eslint-plugin-unused-imports": "^4.3.0",
      "globals": "^15.14.0",
      "nitro": "^3.0.260610-beta",
      "postcss": "^8.5.3",
      "tailwindcss": "^3.4.17",
      "typescript": "^5.8.2",
      "vite": "^8.2.0"
    }
  },
  "node_modules/@alloc/quick-lru": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
    "integrity": "sha512-
UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfdGQ85jglMW6juS3+z5
TsKLw==",
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
```

```
  "node_modules/@babel/code-frame": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
    "integrity": "sha512-
Aup7aUOfpbAUg2ROOJN6Iw5f9DMBlzu0mIkm/malLQFN/YQgO48wCj0Kxa3sEHJvPVFg7siR+qRInw
Xd2qhQKw==",
    "license": "MIT",
    "dependencies": {
      "@babel/helper-validator-identifier": "^7.29.7",
      "js-tokens": "^4.0.0",
      "picocolors": "^1.1.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/generator": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.7.tgz",
    "integrity": "sha512-
DkXD5OJQaAQIdZ1bt3UZdEnHAn9Imd3IVBdX03UFe+ony9Ojw5pzr9YVKGDY1jt+Gcn/FnGkNf8r+Vj
5NOJWtQ==",
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.29.7",
      "@babel/types": "^7.29.7",
      "@jridgewell/gen-mapping": "^0.3.12",
      "@jridgewell/trace-mapping": "^0.3.28",
      "jsesc": "^3.0.2"
```

```
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-globals": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.29.7.tgz",
    "integrity": "sha512-
3nQVUAtvkKH9zahfWgw96Jc/uFOmjACE1kQz82E2lqWmHBgjzbNlsC22nuQTfahmWeQtTq5nQ/4N
nd2A1wj4zA==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-string-parser": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-
7.29.7.tgz",
    "integrity": "sha512-
Pb5ijPrZ89GDH8223L4UP8i6QApWxs04RbPQJTeWDV0/keR2E36MeKnyr6LYmUUvqRRI+Iv87SuF1W
6ErINzYw==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-identifier": {
```

```
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.29.7.tgz",
    "integrity": "sha512-qehxGkRj55h/ff8EMaJ+cYhyaKlHIxqYDn682wQD7RNp9UujOQsHog2uS0r2vzr4pW+sXf90NeeayjcNaX3fFg==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/parser": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.7.tgz",
    "integrity": "sha512-hnORnjP/1P/zFEndoeX+n+t1RwWRJiJpM/jO7FW32Kn9r5+sJB2JWOdYo4L6k78j15eCwY3Gm/7364B1EMwtNg==",
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.29.7"
    },
    "bin": {
      "parser": "bin/babel-parser.js"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@babel/runtime": {
```

```
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/runtime/-/runtime-7.28.6.tgz",
    "integrity": "sha512-
05WQkdpL9COIMz4LjTxGpPNCdlpyimKppYNoJ5Di5EUObifl8t4tuLuUBBZEpoLYOmfvlWrsp9fCl0Ho
PRVTdA==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/template": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.29.7.tgz",
    "integrity": "sha512-
puq+Gf35oI24FeN11LkoUQFqv9uwNeWpxXZi/Ji3rRIoKAzKnxRaZ+Gkj0vKS9ZCiTESfng1N9LyOyXvo
+m+Gg==",
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.7",
      "@babel/parser": "^7.29.7",
      "@babel/types": "^7.29.7"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/traverse": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.7.tgz",
```

```
    "integrity": "sha512-
EhlfNQtZ+NK22w5BM61ciuiq1m58ed33Wr1Xan//ZRTy6hgjnwyCffRYwzsGXdASJSUJ1guZILsErh1eQ
cl+zw==",
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.7",
      "@babel/generator": "^7.29.7",
      "@babel/helper-globals": "^7.29.7",
      "@babel/parser": "^7.29.7",
      "@babel/template": "^7.29.7",
      "@babel/types": "^7.29.7",
      "debug": "^4.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/types": {
    "version": "7.29.7",
    "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.7.tgz",
    "integrity": "sha512-
4zBIxpPzowiZpusoFkyGVwakdRJUyuH5PxQ/PrqghfdFWWasvnCdPfQXHrenDai+gyLARulZjZowCOj6f
jT4pA==",
    "license": "MIT",
    "dependencies": {
      "@babel/helper-string-parser": "^7.29.7",
      "@babel/helper-validator-identifier": "^7.29.7"
    },
    "engines": {
```

```
      "node": ">=6.9.0"
    }
  },
  "node_modules/@base44/sdk": {
    "version": "0.8.58",
    "resolved": "https://registry.npmjs.org/@base44/sdk/-/sdk-0.8.58.tgz",
    "integrity": "sha512-
wIEmzbBASqfXPefLv/MghpMz4gWUjW2hb/8Pp9r1c0vDdnrzqgHFvNchZaHeqa4fkM+OQZ9/vfq6Sjo
3W4zW0w==",
    "license": "MIT",
    "dependencies": {
      "axios": "^1.20.0",
      "partysocket": "^0.0.23",
      "socket.io-client": "^4.8.3",
      "uuid": "^13.0.2"
    }
  },
  "node_modules/@base44/vite-plugin": {
    "version": "1.0.51",
    "resolved": "https://registry.npmjs.org/@base44/vite-plugin/-/vite-plugin-1.0.51.tgz",
    "integrity": "sha512-
RJMVLlOpgk9XAFbFiOevDa93VSrcLEb+T82JjT1S1lsAk/iFb+NCe66pzS3/CZWhIu/Ti5OhNCARLKJS6l
whnw==",
    "license": "MIT",
    "dependencies": {
      "@babel/generator": "^7.28.5",
      "@babel/parser": "^7.28.5",
      "@babel/traverse": "^7.28.5",
      "@babel/types": "^7.28.5"
```

```
    }
   },
   "node_modules/@emnapi/core": {
    "version": "2.0.0-alpha.3",
    "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-2.0.0-alpha.3.tgz",
    "integrity": "sha512-
AZypUeJ/yByuxyS7BlSNRDOMLMlROYtjYdIAuBmJssVz1UJDSeYxLrdizhXCFYhedC5bqd/ASy8EuNXb
VVXp9g==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
     "@emnapi/wasi-threads": "2.0.1",
     "tslib": "^2.4.0"
    }
   },
   "node_modules/@emnapi/runtime": {
    "version": "2.0.0-alpha.3",
    "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-2.0.0-alpha.3.tgz",
    "integrity": "sha512-
hFPAhMUjJD9BSyCANEISPOogeXC9Zo9ZQl7L6vKnaVsMkCtzznaW/naYypeyl0Gv5rYfWYsZbpixTMpj
DJzQeA==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
     "tslib": "^2.4.0"
    }
   },
```

```
  "node_modules/@emnapi/wasi-threads": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-2.0.1.tgz",
    "integrity": "sha512-
9DsSk+o5NBX0CCJT8s0EROGSGxjR/tKu6aBTaVyq+SjAEQH4XcdcRxPBRzsBLizTTJ49MJjF+jgu3qnO
9GLQcQ==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils": {
    "version": "4.9.1",
    "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
    "integrity": "sha512-
phrYmNiYppR7znFEdqgfWHXR6NCkZEK7hwWDHZUjit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxC
COY1hexsQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "eslint-visitor-keys": "^3.4.3"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
```

```
    },
    "peerDependencies": {
      "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
    "integrity": "sha512-
wpc+LXeiyiisxPlEkUzU6svyS1frIO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdI+uY6wMUl8/a2G+
iag==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint-community/regexpp": {
    "version": "4.12.2",
    "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
    "integrity": "sha512-
EriSTlt5OC9/7SXkRSCAhfSxxoSUgBm33OH+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmycbxMq4ew==",
    "dev": true,
    "license": "MIT",
    "engines": {
```

```
      "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
    }
  },
  "node_modules/@eslint/config-array": {
    "version": "0.21.1",
    "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.1.tgz",
    "integrity": "sha512-
aw1gNayWpdI/jSYVgzN5pL0cfzU02GT3NBpeT/DXbx1/1x7ZKxFPd9bwrzygx/qiwIQiJ1sw/zD8qY/kRvl
GHA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/object-schema": "^2.1.7",
      "debug": "^4.3.1",
      "minimatch": "^3.1.2"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/config-helpers": {
    "version": "0.4.2",
    "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.4.2.tgz",
    "integrity": "sha512-
gBrxN88gOIf3R7ja5K9slwNayVcZgK6SOUORm2uBzTeIEfeVaIhOpCtTox3P6R7o2jLFwLFTLnC7kU/R
GcYEgw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
```

```
      "@eslint/core": "^0.17.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/core": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.17.0.tgz",
    "integrity": "sha512-
yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY54IfdN8qD8Toa6g1iloph1fxQNkjOxrrp
Q==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@types/json-schema": "^7.0.15"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/eslintrc": {
    "version": "3.3.3",
    "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.3.tgz",
    "integrity": "sha512-
Kr+LPIUVKz2qkx1HAMH8q1q6azbqBAsXJUxBl/ODDuVPX45Z9DfwB8tPjTi6nNZ8BuM3nbJxC5zCAg5
elnBUTQ==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "ajv": "^6.12.4",
      "debug": "^4.3.2",
      "espree": "^10.0.1",
      "globals": "^14.0.0",
      "ignore": "^5.2.0",
      "import-fresh": "^3.2.1",
      "js-yaml": "^4.1.1",
      "minimatch": "^3.1.2",
      "strip-json-comments": "^3.1.1"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint/eslintrc/node_modules/globals": {
    "version": "14.0.0",
    "resolved": "https://registry.npmjs.org/globals/-/globals-14.0.0.tgz",
    "integrity": "sha512-
oahGvuMGQlPw/ivIYBjVSrWAfWLBeku5tpPE2fOPLi+WHffIWbuh2tCjhyQhTBPMf5E9jDEH4FOmTYg
YwbKwtQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18"
```

```
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/@eslint/js": {
    "version": "9.39.2",
    "resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.39.2.tgz",
    "integrity": "sha512-
q1mjIoW1VX4IvSocvM/vbTiveKC4k9eLrajNEuSsmjymSDEbpGddtpfOoN7YGAqBK3NG+uqo8ia4PDT
t8buCYA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "url": "https://eslint.org/donate"
    }
  },
  "node_modules/@eslint/object-schema": {
    "version": "2.1.7",
    "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-2.1.7.tgz",
    "integrity": "sha512-
VtAOaymWVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrfF+VK+fyG33kChz3nnK+SU5/NeHOqrTEH
S8sXO3OA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
```

```
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/plugin-kit": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.4.1.tgz",
    "integrity": "sha512-
43/qtrDUokr7LJqoF2c3+RInu/t4zfrpYdoSDfYyhg52rwLV6TnOvdG4fXm7IkSB3wErkcmJS9iEhjVtOSEjj
A==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^0.17.0",
      "levn": "^0.4.1"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@floating-ui/core": {
    "version": "1.7.4",
    "resolved": "https://registry.npmjs.org/@floating-ui/core/-/core-1.7.4.tgz",
    "integrity": "sha512-
C3HlldsBxszvm5McXlB8PeOEWfBhcGBTZGkGlWc2U0KFY5IwG5OQEuQ8rq52DZmcHDlPLd+YFBK
+cZcytwIFWg==",
    "license": "MIT",
    "dependencies": {
      "@floating-ui/utils": "^0.2.10"
    }
```

```
  },
  "node_modules/@floating-ui/dom": {
   "version": "1.7.5",
   "resolved": "https://registry.npmjs.org/@floating-ui/dom/-/dom-1.7.5.tgz",
   "integrity": "sha512-
N0bD2kIPInNHUHehXhMke1rBGs1dwqvC9O9KYMyyjK7iXt7GAhnro7UlcuYcGdS/yYOlq0MAVgrow8I
bWJwyqg==",
   "license": "MIT",
   "dependencies": {
    "@floating-ui/core": "^1.7.4",
    "@floating-ui/utils": "^0.2.10"
   }
  },
  "node_modules/@floating-ui/react-dom": {
   "version": "2.1.7",
   "resolved": "https://registry.npmjs.org/@floating-ui/react-dom/-/react-dom-2.1.7.tgz",
   "integrity": "sha512-
0tLRojf/1Go2JgEVm+3Frg9A3IW8bJgKgdO0BN5RkF//ufuz2joZM63Npau2ff3J6lUVYgDSNzNkR+aH3I
Vfjg==",
   "license": "MIT",
   "dependencies": {
    "@floating-ui/dom": "^1.7.5"
   },
   "peerDependencies": {
    "react": ">=16.8.0",
    "react-dom": ">=16.8.0"
   }
  },
  "node_modules/@floating-ui/utils": {
```

```
    "version": "0.2.10",
    "resolved": "https://registry.npmjs.org/@floating-ui/utils/-/utils-0.2.10.tgz",
    "integrity": "sha512-
aGTxbpbg8/b5JfU1HXSrbH3wXZuLPJcNEcZQFMxLs3oSzgtVu6nFPkbbGGUvBcUjKV2YyB9Wxxabo+
HEH9tcRQ==",
    "license": "MIT"
  },
  "node_modules/@hello-pangea/dnd": {
    "version": "17.0.0",
    "resolved": "https://registry.npmjs.org/@hello-pangea/dnd/-/dnd-17.0.0.tgz",
    "integrity": "sha512-
LDDPOix/5N0j5QZxubiW9T0M0+1PR0rTDWeZF5pu1Tz91UQnuVK4qQ/EjY83Qm2QeX0eM8qDXANf
Dh3VVqtR4Q==",
    "license": "Apache-2.0",
    "dependencies": {
      "@babel/runtime": "^7.25.6",
      "css-box-model": "^1.2.1",
      "memoize-one": "^6.0.0",
      "raf-schd": "^4.0.3",
      "react-redux": "^9.1.2",
      "redux": "^5.0.1",
      "use-memo-one": "^1.1.3"
    },
    "peerDependencies": {
      "react": "^18.0.0",
      "react-dom": "^18.0.0"
    }
  },
  "node_modules/@hookform/resolvers": {
```

```
    "version": "4.1.3",
    "resolved": "https://registry.npmjs.org/@hookform/resolvers/-/resolvers-4.1.3.tgz",
    "integrity": "sha512-
Jsv6UOWYTrEFJ/01ZrnwVXs7KDvP8Xlo115i++5PWvNkNvkrsTfGiLS6w+eJ57CYtUtDQalUWovCZDHF
J8u1VQ==",
    "license": "MIT",
    "dependencies": {
      "@standard-schema/utils": "^0.3.0"
    },
    "peerDependencies": {
      "react-hook-form": "^7.0.0"
    }
  },
  "node_modules/@humanfs/core": {
    "version": "0.19.2",
    "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.2.tgz",
    "integrity": "sha512-
UhXNm+CFMWcbChXywFwkmhqjs3PRCmcSa/hfBgLIb7oQ5HNb1wS0icWsGtSAUNgefHeI+eBrA8I
1fxmbHsGdvA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanfs/types": "^0.15.0"
    },
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanfs/node": {
```

```
    "version": "0.16.8",
    "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.8.tgz",
    "integrity": "sha512-
gE1eQNZ3R++kTzFUpdGlpmy8kDZD/MLyHqDwqjkVQI0JMdI1D51sy1H958PNXYkM2rAac7e5/CnIKZ
rHtPh3BQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
     "@humanfs/core": "^0.19.2",
     "@humanfs/types": "^0.15.0",
     "@humanwhocodes/retry": "^0.4.0"
    },
    "engines": {
     "node": ">=18.18.0"
    }
   },
   "node_modules/@humanfs/types": {
    "version": "0.15.0",
    "resolved": "https://registry.npmjs.org/@humanfs/types/-/types-0.15.0.tgz",
    "integrity": "sha512-
ZZ1w0aoQkwuUuC7Yf+7sdeaNfqQiiLcSRbfI08oAxqLtpXQr9AIVX7Ay7HLDuiLYAaFPu8oBYNq/QIi9U
RHJ3Q==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
     "node": ">=18.18.0"
    }
   },
   "node_modules/@humanwhocodes/module-importer": {
```

```
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
    "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZBOpCkjfK0y4oVVVJwIuDVBRMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=12.22"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/nzakas"
    }
  },
  "node_modules/@humanwhocodes/retry": {
    "version": "0.4.3",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
    "integrity": "sha512-bV0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywNTnVJCArCZE2FWqpvIatKu7VMRLWlR1EazvVhDyhQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=18.18"
    },
    "funding": {
      "type": "github",
```

```
      "url": "https://github.com/sponsors/nzakas"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-
2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKC
BbA==",
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-
bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9Qv
mKWdopKw==",
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
```

```
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB0Og==",
    "license": "MIT"
   },
   "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
    "license": "MIT",
    "dependencies": {
     "@jridgewell/resolve-uri": "^3.1.0",
     "@jridgewell/sourcemap-codec": "^1.4.14"
    }
   },
   "node_modules/@napi-rs/wasm-runtime": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.2.2.tgz",
    "integrity": "sha512-JfB4kuJQjaoHuCTseIINHtHWeJnvgEcxjwA5t/Y00ZgaOO1Crz3fjT/p8kT28zA/Caz7oiUMn3d6H2yOVCVwuw==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
     "@tybys/wasm-util": "^0.10.3"
```

```
    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=23.5.0"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/Brooooooklyn"
    },
    "peerDependencies": {
      "@emnapi/core": "^1.7.1 || ^2.0.0-alpha.3",
      "@emnapi/runtime": "^1.7.1 || ^2.0.0-alpha.3"
    }
  },
  "node_modules/@nodelib/fs.scandir": {
    "version": "2.1.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
    "integrity": "sha512-
vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3
MyqYuMBf62g==",
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "2.0.5",
      "run-parallel": "^1.1.9"
    },
    "engines": {
      "node": ">= 8"
    }
  },
```

```
  "node_modules/@nodelib/fs.stat": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
    "integrity": "sha512-
RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1Seaq
vY4+A==",
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.walk": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
    "integrity": "sha512-
oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XA
s1lnznocSg==",
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.scandir": "2.1.5",
      "fastq": "^1.6.0"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@oxc-project/types": {
    "version": "0.142.0",
    "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.142.0.tgz",
```

```
    "integrity": "sha512-
7W+2q5AKQVU36fkaryontrHn3YDt1RyUYXatw9i5H8ocYe2sPKSFB6eS8WNPeRKiN1qAWWZUPm7g
wFzJGrccqQ==",

    "dev": true,

    "license": "MIT",

    "funding": {

      "url": "https://github.com/sponsors/Boshen"

    }

  },

  "node_modules/@radix-ui/number": {

    "version": "1.1.1",

    "resolved": "https://registry.npmjs.org/@radix-ui/number/-/number-1.1.1.tgz",

    "integrity": "sha512-
MkKCwxlXTgz6CFoJx3pCwn07GKp36+aZyu/u2Ln2VrA5DcdyCZkASEDBTd8x5whTQQL5CiYf4prXKLc
gQdv29g==",

    "license": "MIT"

  },

  "node_modules/@radix-ui/primitive": {

    "version": "1.1.3",

    "resolved": "https://registry.npmjs.org/@radix-ui/primitive/-/primitive-1.1.3.tgz",

    "integrity": "sha512-
JTF99U/6XIjCBo0wqkU5sK10glYe27MRRsfwoiq5zzOEZLHU3A3KCMa5X/azekYRCJ0HlwI0crAXS/5dE
HTzDg==",

    "license": "MIT"

  },

  "node_modules/@radix-ui/react-accordion": {

    "version": "1.2.12",

    "resolved": "https://registry.npmjs.org/@radix-ui/react-accordion/-/react-accordion-1.2.12.tgz",
```

```
    "integrity": "sha512-
T4nygeh9YE9dLRPhAHSeOZi7HBXo+0kYIPJXayZfvWOWA0+n3dESrZbjfDPUABkUNym6Hd+f2IR113
To8D2GPA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-collapsible": "1.1.12",
      "@radix-ui/react-collection": "1.1.7",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-id": "1.1.1",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
```

```
    }
  },
  "node_modules/@radix-ui/react-alert-dialog": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-alert-dialog/-/react-alert-dialog-1.1.15.tgz",
    "integrity": "sha512-oTVLkEw5GpdRe29BqJ0LSDFWI3qu0vR1M0mUkOQWDIUnY/QIkLpgDMWuKxP94c2NAC2LGcgVhG1ImF3jkZ5wXw==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-dialog": "1.1.15",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-slot": "1.2.3"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
```

```
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-alert-dialog/node_modules/@radix-ui/react-slot": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-arrow": {
    "version": "1.1.7",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-arrow/-/react-arrow-1.1.7.tgz",
```

"integrity": "sha512-F+M1tLhO+mlQaOWspE8Wstg+z6PwxwRd8oQ8IXceWz92kfAmalTRf0EjrouQeo7QssEPfCn05B4Ihs1K9WQ/7w==",

"license": "MIT",

"dependencies": {

"@radix-ui/react-primitive": "2.1.3"

},

"peerDependencies": {

"@types/react": "*",

"@types/react-dom": "*",

"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",

"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"

},

"peerDependenciesMeta": {

"@types/react": {

"optional": true

},

"@types/react-dom": {

"optional": true

}

}

},

"node_modules/@radix-ui/react-aspect-ratio": {

"version": "1.1.8",

"resolved": "https://registry.npmjs.org/@radix-ui/react-aspect-ratio/-/react-aspect-ratio-1.1.8.tgz",

"integrity": "sha512-5nZrJTF7gH+e0nZS7/QxFz6tJV4VimhQb1avEgtsJxvvIp5JilL+c58HICsKzPxghdwaDt48hEfPM1au4zGy+w==",

```
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-primitive": "2.1.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-aspect-ratio/node_modules/@radix-ui/react-primitive": {
    "version": "2.1.4",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.4.tgz",
    "integrity": "sha512-
9hQc4+GNVtJAIEPEqlYqW5RiYdrr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3k
h1jrhg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-slot": "1.2.4"
```

```
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-avatar": {
    "version": "1.1.11",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-avatar/-/react-avatar-1.1.11.tgz",
    "integrity": "sha512-
0Qk603AHGV28BOBO34p7IgD5m+V5Sg/YovfayABkoDDBM5d3NCx0Mp4gGrjzLGes1jV5eNOE1r3it
qOR33VC6Q==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-context": "1.1.3",
      "@radix-ui/react-primitive": "2.1.4",
      "@radix-ui/react-use-callback-ref": "1.1.1",
      "@radix-ui/react-use-is-hydrated": "0.1.0",
```

```
      "@radix-ui/react-use-layout-effect": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-avatar/node_modules/@radix-ui/react-context": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-context/-/react-context-1.1.3.tgz",
    "integrity": "sha512-
ieIFACdMpYfMEjF0rEf5KLvfVyIkOz6PDGyNnP+u+4xQ6jny3VCgA4OgXOwNx2aUkxn8zx9fiVcM8CfFY
v9Lxw==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
```

```
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-avatar/node_modules/@radix-ui/react-primitive": {
    "version": "2.1.4",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.4.tgz",
    "integrity": "sha512-
9hQc4+GNVtJAIEPEqlYqW5RiYdrr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3k
h1jrhg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-slot": "1.2.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
```

```
    }
   }
  },
  "node_modules/@radix-ui/react-checkbox": {
   "version": "1.3.3",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-checkbox/-/react-checkbox-1.3.3.tgz",
   "integrity": "sha512-
wBbpv+NQftHDdG86Qc0pIyXk5IR3tM8Vd0nWLKDcX8nNn4nXFOFwsKuqw2okA/1D/mpaAkmuyndr
PJTYDNZtFw==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/primitive": "1.1.3",
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-context": "1.1.2",
    "@radix-ui/react-presence": "1.1.5",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-use-controllable-state": "1.2.2",
    "@radix-ui/react-use-previous": "1.1.1",
    "@radix-ui/react-use-size": "1.1.1"
   },
   "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
```

```
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
 },
 "node_modules/@radix-ui/react-collapsible": {
  "version": "1.1.12",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-collapsible/-/react-collapsible-1.1.12.tgz",
  "integrity": "sha512-Uu+mSh4agx2ib1uIGPP4/CKNULyajb3p92LsVXmH2EHVMTfZWpll88XJ0j4W0z3f8NK1eYl1+Mf/szHPmcHzyA==",
  "license": "MIT",
  "dependencies": {
   "@radix-ui/primitive": "1.1.3",
   "@radix-ui/react-compose-refs": "1.1.2",
   "@radix-ui/react-context": "1.1.2",
   "@radix-ui/react-id": "1.1.1",
   "@radix-ui/react-presence": "1.1.5",
   "@radix-ui/react-primitive": "2.1.3",
   "@radix-ui/react-use-controllable-state": "1.2.2",
   "@radix-ui/react-use-layout-effect": "1.1.1"
  },
  "peerDependencies": {
   "@types/react": "*",
   "@types/react-dom": "*",
```

```
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-collection": {
    "version": "1.1.7",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-collection/-/react-collection-1.1.7.tgz",
    "integrity": "sha512-
Fh9rGN0MoI4ZFUNyfFVNU4y9LUz93u9/0K+yLgA2bwRojxM8JU1DyvvMBabnZPBgMWREAJvU2jjVzq
+LrFUglw==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-slot": "1.2.3"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
```

```
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-collection/node_modules/@radix-ui/react-slot": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
```

```
      "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-compose-refs": {
   "version": "1.1.2",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-compose-refs/-/react-compose-refs-1.1.2.tgz",
   "integrity": "sha512-z4eqJvfiNnFMHIIvXP3CY57y2WJs5g2v3X0zm9mEJkrkNv4rDxu+sg9Jh8EkXyeqBkB7SOcboo9dMVqhyrACIg==",
   "license": "MIT",
   "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-context": {
   "version": "1.1.2",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-context/-/react-context-1.1.2.tgz",
   "integrity": "sha512-jCi/QKUM2r1Ju5a3J64TH2A5SpKAgh0LpknyqdQ4m6DCV0xJ2HG1xARRwNGPQfi1SLdLWZ1OJz6F4OMBBNiGJA==",
   "license": "MIT",
```

```
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-context-menu": {
    "version": "2.2.16",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-context-menu/-/react-context-menu-2.2.16.tgz",
    "integrity": "sha512-O8morBEW+HsVG28gYDZPTrT9UUovQUUue5YO836tiTJhuIWBm/zQHc7j388sHWtdH/xUZurK9olD2+pcqx5ww==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-menu": "2.1.16",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-callback-ref": "1.1.1",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
```

```
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-dialog": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-dialog/-/react-dialog-1.1.15.tgz",
    "integrity": "sha512-
TCglVRtzlffRNxRMEyR36DGBLJpeusFcgMVD9PZEzAKnUs1lKCgX5u9BmC2Yg+LL9MgZDugFFs1Vl+J
p4t/PGw==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-dismissable-layer": "1.1.11",
      "@radix-ui/react-focus-guards": "1.1.3",
      "@radix-ui/react-focus-scope": "1.1.7",
      "@radix-ui/react-id": "1.1.1",
```

```
    "@radix-ui/react-portal": "1.1.9",
    "@radix-ui/react-presence": "1.1.5",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-slot": "1.2.3",
    "@radix-ui/react-use-controllable-state": "1.2.2",
    "aria-hidden": "^1.2.4",
    "react-remove-scroll": "^2.6.3"
  },
  "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
  },
  "peerDependenciesMeta": {
    "@types/react": {
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
},
"node_modules/@radix-ui/react-dialog/node_modules/@radix-ui/react-slot": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
```

```
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-direction": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-direction/-/react-direction-1.1.1.tgz",
    "integrity": "sha512-
1UEWRX6jnOA2y4H5WczZ44gOOjTEmlqv1uNW4GAJEO5+bauCBhv8snY65Iw5/VOS/ghKN9gr2KjnL
KxrsvoMVw==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
```

```
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-dismissable-layer": {
    "version": "1.1.11",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-dismissable-layer/-/react-dismissable-layer-1.1.11.tgz",
    "integrity": "sha512-Nqcp+t5cTB8BinFkZgXiMJniQH0PsUt2k51FUhbdfeKvc4ACcG2uQniY/8+h1Yv6Kza4Q7lD7PQV0z0oicE0Mg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-callback-ref": "1.1.1",
      "@radix-ui/react-use-escape-keydown": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
```

```
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
 },
 "node_modules/@radix-ui/react-dropdown-menu": {
  "version": "2.1.16",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-dropdown-menu/-/react-dropdown-menu-2.1.16.tgz",
  "integrity": "sha512-1PLGQEynI/3OX/ftV54COn+3Sud/Mn8vALg2rWnBLnRaGtJDduNW/22XjlGgPdpcIbiQxjKtb7BkcjP00nqfJw==",
  "license": "MIT",
  "dependencies": {
   "@radix-ui/primitive": "1.1.3",
   "@radix-ui/react-compose-refs": "1.1.2",
   "@radix-ui/react-context": "1.1.2",
   "@radix-ui/react-id": "1.1.1",
   "@radix-ui/react-menu": "2.1.16",
   "@radix-ui/react-primitive": "2.1.3",
   "@radix-ui/react-use-controllable-state": "1.2.2"
  },
  "peerDependencies": {
   "@types/react": "*",
   "@types/react-dom": "*",
   "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
```

```
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-focus-guards": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-focus-guards/-/react-focus-guards-1.1.3.tgz",
    "integrity": "sha512-0rFg/Rj2Q62NCm62jZw0QX7a3sz6QCQU0LpZdNrJX8byRGaGVTqbrW9jAoIAHyMQqsNpeZ81YgSizOt5WXq0Pw==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
```

```
  },
  "node_modules/@radix-ui/react-focus-scope": {
   "version": "1.1.7",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-focus-scope/-/react-focus-scope-1.1.7.tgz",
   "integrity": "sha512-t2ODlkXBQyn7jkl6TNaw/MtVEVvIGelJDCG41Okq/KwUsJBwQ4XVZsHAVUkK4mBv3ewiAS3PGuUWuY2BoK4ZUw==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-use-callback-ref": "1.1.1"
   },
   "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    },
    "@types/react-dom": {
     "optional": true
    }
   }
```

```
  },
  "node_modules/@radix-ui/react-hover-card": {
   "version": "1.1.15",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-hover-card/-/react-hover-card-1.1.15.tgz",
   "integrity": "sha512-
qgTkjNT1CfKMoP0rcasmlH2r1DAiYicWsDsufxl940sT2wHNEWWv6FMWIQXWhVdmC1d/HYfbhQx6
0KYyAtKxjg==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/primitive": "1.1.3",
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-context": "1.1.2",
    "@radix-ui/react-dismissable-layer": "1.1.11",
    "@radix-ui/react-popper": "1.2.8",
    "@radix-ui/react-portal": "1.1.9",
    "@radix-ui/react-presence": "1.1.5",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-use-controllable-state": "1.2.2"
   },
   "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
```

```
    },
    "@types/react-dom": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-id": {
   "version": "1.1.1",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-id/-/react-id-1.1.1.tgz",
   "integrity": "sha512-
kGkGegYIdQsOb4XjsfM97rXsiHaBwco+hFI66oO4s9LU+PLAC5oJ7khdOVFxkhsmlbpUqDAvXw11CluXP+jkHg==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/react-use-layout-effect": "1.1.1"
   },
   "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-label": {
   "version": "2.1.8",
```

```
    "resolved": "https://registry.npmjs.org/@radix-ui/react-label/-/react-label-2.1.8.tgz",
    "integrity": "sha512-
FmXs37I6hSBVDlO4y764TNz1rLgKwjJMQ0EGte6F3Cb3f4bIuHB/iLa/8I9VKkmOy+gNHq8rql3j686AC
VV21A==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/react-primitive": "2.1.4"
    },
    "peerDependencies": {
     "@types/react": "*",
     "@types/react-dom": "*",
     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
     "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
     "@types/react": {
      "optional": true
     },
     "@types/react-dom": {
      "optional": true
     }
    }
   },
   "node_modules/@radix-ui/react-label/node_modules/@radix-ui/react-primitive": {
    "version": "2.1.4",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.4.tgz",
    "integrity": "sha512-
9hQc4+GNVtJAIEPEqlYqW5RiYdrr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3k
h1jrhg==",
```

```
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-slot": "1.2.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-menu": {
    "version": "2.1.16",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-menu/-/react-menu-2.1.16.tgz",
    "integrity": "sha512-
72F2T+PLlphrqLcAotYPp0uJMr5SjP5SL01wfEspJbru5Zs5vQaSHb4VB3ZMJPimgHHCHG7gMOeOB9
H3Hdmtxg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
```

```
  "@radix-ui/react-collection": "1.1.7",
  "@radix-ui/react-compose-refs": "1.1.2",
  "@radix-ui/react-context": "1.1.2",
  "@radix-ui/react-direction": "1.1.1",
  "@radix-ui/react-dismissable-layer": "1.1.11",
  "@radix-ui/react-focus-guards": "1.1.3",
  "@radix-ui/react-focus-scope": "1.1.7",
  "@radix-ui/react-id": "1.1.1",
  "@radix-ui/react-popper": "1.2.8",
  "@radix-ui/react-portal": "1.1.9",
  "@radix-ui/react-presence": "1.1.5",
  "@radix-ui/react-primitive": "2.1.3",
  "@radix-ui/react-roving-focus": "1.1.11",
  "@radix-ui/react-slot": "1.2.3",
  "@radix-ui/react-use-callback-ref": "1.1.1",
  "aria-hidden": "^1.2.4",
  "react-remove-scroll": "^2.6.3"
},
"peerDependencies": {
  "@types/react": "*",
  "@types/react-dom": "*",
  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
  "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
},
"peerDependenciesMeta": {
  "@types/react": {
    "optional": true
```

```
    },
    "@types/react-dom": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-menu/node_modules/@radix-ui/react-slot": {
   "version": "1.2.3",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
   "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/react-compose-refs": "1.1.2"
   },
   "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-menubar": {
   "version": "1.1.16",
```

```
    "resolved": "https://registry.npmjs.org/@radix-ui/react-menubar/-/react-menubar-1.1.16.tgz",
    "integrity": "sha512-
EB1FktTz5xRRi2Er974AUQZWg2yVBb1yjip38/lgwtCVRd3a+maUoGHN/xs9Yv8SY8QwbSEb+YrxGad
VWbEutA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-collection": "1.1.7",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-id": "1.1.1",
      "@radix-ui/react-menu": "2.1.16",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-roving-focus": "1.1.11",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
```

```
      "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-navigation-menu": {
   "version": "1.2.14",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-navigation-menu/-/react-navigation-menu-1.2.14.tgz",
   "integrity": "sha512-YB9mTFQvCOAQMHU+C/jVl96WmuWeltyUEpRJJky51huhds5W2FQr1J8D/16sQlf0ozxkPK8uF3niQMdUwZPv5w==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/primitive": "1.1.3",
    "@radix-ui/react-collection": "1.1.7",
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-context": "1.1.2",
    "@radix-ui/react-direction": "1.1.1",
    "@radix-ui/react-dismissable-layer": "1.1.11",
    "@radix-ui/react-id": "1.1.1",
    "@radix-ui/react-presence": "1.1.5",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-use-callback-ref": "1.1.1",
    "@radix-ui/react-use-controllable-state": "1.2.2",
    "@radix-ui/react-use-layout-effect": "1.1.1",
    "@radix-ui/react-use-previous": "1.1.1",
    "@radix-ui/react-visually-hidden": "1.2.3"
   },
```

```
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-popover": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-popover/-/react-popover-1.1.15.tgz",
    "integrity": "sha512-
kr0X2+6Yy/vJzLYJUPCZEc8SfQcf+1COFoAqauJm74umQhta9M7lNJHP7QQS3vkvcGLQUbWpMzwrX
YwrYztHKA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-dismissable-layer": "1.1.11",
      "@radix-ui/react-focus-guards": "1.1.3",
```

```
    "@radix-ui/react-focus-scope": "1.1.7",
    "@radix-ui/react-id": "1.1.1",
    "@radix-ui/react-popper": "1.2.8",
    "@radix-ui/react-portal": "1.1.9",
    "@radix-ui/react-presence": "1.1.5",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-slot": "1.2.3",
    "@radix-ui/react-use-controllable-state": "1.2.2",
    "aria-hidden": "^1.2.4",
    "react-remove-scroll": "^2.6.3"
  },
  "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
  },
  "peerDependenciesMeta": {
    "@types/react": {
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
},
"node_modules/@radix-ui/react-popover/node_modules/@radix-ui/react-slot": {
```

```
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-popper": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-popper/-/react-popper-1.2.8.tgz",
    "integrity": "sha512-
0NJQ4LFFUuWkE7Oxf0htBKS6zLkkjBH+hM1uk7Ng705ReR8m/uelduy1DBo0PyBXPKVnBA6YBlU94
MBGXrSBCw==",
    "license": "MIT",
    "dependencies": {
      "@floating-ui/react-dom": "^2.0.0",
      "@radix-ui/react-arrow": "1.1.7",
```

```
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-context": "1.1.2",
    "@radix-ui/react-primitive": "2.1.3",
    "@radix-ui/react-use-callback-ref": "1.1.1",
    "@radix-ui/react-use-layout-effect": "1.1.1",
    "@radix-ui/react-use-rect": "1.1.1",
    "@radix-ui/react-use-size": "1.1.1",
    "@radix-ui/rect": "1.1.1"
  },
  "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
  },
  "peerDependenciesMeta": {
    "@types/react": {
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
},
"node_modules/@radix-ui/react-portal": {
  "version": "1.1.9",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-portal/-/react-portal-1.1.9.tgz",
```

```
    "integrity": "sha512-
bpIxvq03if6UNwXZ+HTK71JLh4APvnXntDc6XOX8UVq4XQOVl7lwok0AvIl+b8zgCw3fSaVTZMpAPPag
XbKmHQ==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/react-primitive": "2.1.3",
     "@radix-ui/react-use-layout-effect": "1.1.1"
    },
    "peerDependencies": {
     "@types/react": "*",
     "@types/react-dom": "*",
     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
     "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
     "@types/react": {
      "optional": true
     },
     "@types/react-dom": {
      "optional": true
     }
    }
   },
   "node_modules/@radix-ui/react-presence": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-presence/-/react-presence-1.1.5.tgz",
    "integrity": "sha512-
/jfEwNDdQVBCNvjkGit4h6pMOzq8bHkopq458dPt2lMjx+eBQUohZNG9A7DtO/O5ukSbxuaNGXMjHi
cgwy6rQQ==",
```

```
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-use-layout-effect": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-primitive": {
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.3.tgz",
    "integrity": "sha512-
m9gTwRkhy2lvCPe6QJp4d3G1TYEUHn/FzJUtq9MjH46an1wJU+GdoGC5VLof8RX8Ft/DlpshApkhsw
DLZzHIcQ==",
    "license": "MIT",
    "dependencies": {
```

```
      "@radix-ui/react-slot": "1.2.3"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-primitive/node_modules/@radix-ui/react-slot": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
```

```
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-progress": {
    "version": "1.1.8",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-progress/-/react-progress-1.1.8.tgz",
    "integrity": "sha512-
+gISHcSPUJ7ktBy9RnTqbdKW78bcGke3t6taawyZ71pio1JewwGSJizycs7rLhGTvMJYCQB1DBK4KQsx
s7U8dA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-context": "1.1.3",
      "@radix-ui/react-primitive": "2.1.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
```

```
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
},
"node_modules/@radix-ui/react-progress/node_modules/@radix-ui/react-context": {
  "version": "1.1.3",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-context/-/react-context-1.1.3.tgz",
  "integrity": "sha512-
ieIFACdMpYfMEjF0rEf5KLvfVyIkOz6PDGyNnP+u+4xQ6jny3VCgA4OgXOwNx2aUkxn8zx9fiVcM8CfFY
v9Lxw==",
  "license": "MIT",
  "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
  },
  "peerDependenciesMeta": {
    "@types/react": {
      "optional": true
    }
  }
},
"node_modules/@radix-ui/react-progress/node_modules/@radix-ui/react-primitive": {
  "version": "2.1.4",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.4.tgz",
```

```
    "integrity": "sha512-
9hQc4+GNVtJAIEPEqlYqW5RiYdrr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3k
h1jrhg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-slot": "1.2.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-radio-group": {
    "version": "1.3.8",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-radio-group/-/react-radio-group-
1.3.8.tgz",
    "integrity": "sha512-
VBKYIYImA5zsxACdisNQ3BjCBfmbGH3kQlnFVqlWU4tXwjy7cGX8ta80BcrO+WJXIn5iBylEH3K6ZTle
e//lgQ==",
```

```
"license": "MIT",
"dependencies": {
  "@radix-ui/primitive": "1.1.3",
  "@radix-ui/react-compose-refs": "1.1.2",
  "@radix-ui/react-context": "1.1.2",
  "@radix-ui/react-direction": "1.1.1",
  "@radix-ui/react-presence": "1.1.5",
  "@radix-ui/react-primitive": "2.1.3",
  "@radix-ui/react-roving-focus": "1.1.11",
  "@radix-ui/react-use-controllable-state": "1.2.2",
  "@radix-ui/react-use-previous": "1.1.1",
  "@radix-ui/react-use-size": "1.1.1"
},
"peerDependencies": {
  "@types/react": "*",
  "@types/react-dom": "*",
  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
  "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
},
"peerDependenciesMeta": {
  "@types/react": {
    "optional": true
  },
  "@types/react-dom": {
    "optional": true
  }
}
```

```
  },
  "node_modules/@radix-ui/react-roving-focus": {
    "version": "1.1.11",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-roving-focus/-/react-roving-focus-1.1.11.tgz",
    "integrity": "sha512-7A6S9jSgm/S+7MdtNDSb+IU859vQqJ/QAtcYQcfFC6W8RS4IxIZDldLR0xqCFZ6DCyrQLjLPsxtTNch5jVA4lA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-collection": "1.1.7",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-id": "1.1.1",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-callback-ref": "1.1.1",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
```

```
      "optional": true
    },
    "@types/react-dom": {
      "optional": true
    }
  }
 },
 "node_modules/@radix-ui/react-scroll-area": {
  "version": "1.2.10",
  "resolved": "https://registry.npmjs.org/@radix-ui/react-scroll-area/-/react-scroll-area-1.2.10.tgz",
  "integrity": "sha512-
tAXIa1g3sM5CGpVT0uIbUx/U3Gs5N8T52IICuCtObaos1S8fzsrPXG5WObkQN3S6NVl6wKgPhAIiBGb
Wnvc97A==",
  "license": "MIT",
  "dependencies": {
   "@radix-ui/number": "1.1.1",
   "@radix-ui/primitive": "1.1.3",
   "@radix-ui/react-compose-refs": "1.1.2",
   "@radix-ui/react-context": "1.1.2",
   "@radix-ui/react-direction": "1.1.1",
   "@radix-ui/react-presence": "1.1.5",
   "@radix-ui/react-primitive": "2.1.3",
   "@radix-ui/react-use-callback-ref": "1.1.1",
   "@radix-ui/react-use-layout-effect": "1.1.1"
  },
  "peerDependencies": {
   "@types/react": "*",
   "@types/react-dom": "*",
```

```
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-select": {
    "version": "2.2.6",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-select/-/react-select-2.2.6.tgz",
    "integrity": "sha512-
I30RydO+bnn2PQztvo25tswPH+wFBjehVGtmagkU78yMdwTwVf12wnAOF+AeP8S2N8xD+5UPbGhk
UfPyvT+mwQ==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/number": "1.1.1",
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-collection": "1.1.7",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-dismissable-layer": "1.1.11",
      "@radix-ui/react-focus-guards": "1.1.3",
```

```
  "@radix-ui/react-focus-scope": "1.1.7",
  "@radix-ui/react-id": "1.1.1",
  "@radix-ui/react-popper": "1.2.8",
  "@radix-ui/react-portal": "1.1.9",
  "@radix-ui/react-primitive": "2.1.3",
  "@radix-ui/react-slot": "1.2.3",
  "@radix-ui/react-use-callback-ref": "1.1.1",
  "@radix-ui/react-use-controllable-state": "1.2.2",
  "@radix-ui/react-use-layout-effect": "1.1.1",
  "@radix-ui/react-use-previous": "1.1.1",
  "@radix-ui/react-visually-hidden": "1.2.3",
  "aria-hidden": "^1.2.4",
  "react-remove-scroll": "^2.6.3"
},
"peerDependencies": {
  "@types/react": "*",
  "@types/react-dom": "*",
  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
  "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
},
"peerDependenciesMeta": {
  "@types/react": {
    "optional": true
  },
  "@types/react-dom": {
    "optional": true
  }
```

```
    }
   },
   "node_modules/@radix-ui/react-select/node_modules/@radix-ui/react-slot": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
     "@types/react": "*",
     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
     "@types/react": {
      "optional": true
     }
    }
   },
   "node_modules/@radix-ui/react-separator": {
    "version": "1.1.8",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-separator/-/react-separator-1.1.8.tgz",
    "integrity": "sha512-
sDvqVY4itsKwwSMEe0jtKgfTh+72Sy3gPmQpjqcQneqQ4PFmr/1I0YA+2/puilhggCe2gJcx5EBAYFkWk
dpa5g==",
    "license": "MIT",
```

```
    "dependencies": {
      "@radix-ui/react-primitive": "2.1.4"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-separator/node_modules/@radix-ui/react-primitive": {
    "version": "2.1.4",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-primitive-2.1.4.tgz",
    "integrity": "sha512-
9hQc4+GNVtJAIEPEqlYqW5RiYdrr8ea5XQ0ZOnD6fgru+83kqT15mq2OCcbe8KnjRZl5vF3ks69AKz3k
h1jrhg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-slot": "1.2.4"
    },
```

```
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-slider": {
    "version": "1.3.6",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slider/-/react-slider-1.3.6.tgz",
    "integrity": "sha512-
JPYb1GuM1bxfjMRlNLE+BcmBC8onfCi60Blk7OBqi2MLTFdS+8401U4uFjnwkOr49BLmXxLC6JHkvAs
x5OJvHw==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/number": "1.1.1",
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-collection": "1.1.7",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
```

```
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-controllable-state": "1.2.2",
      "@radix-ui/react-use-layout-effect": "1.1.1",
      "@radix-ui/react-use-previous": "1.1.1",
      "@radix-ui/react-use-size": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-slot": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.4.tgz",
    "integrity": "sha512-
Jl+bCv8HxKnlTLVrcDE8zTMJ09R9/ukw4qBs/oZClOfoQk/cOTbDn+NceXfV7j09YPVQUryJPHurafcSg6
EVKA==",
```

```
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-switch": {
    "version": "1.2.6",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-switch/-/react-switch-1.2.6.tgz",
    "integrity": "sha512-
bByzr1+ep1zk4VubeEVViV592vu2lHE2BZY5OnzehZqOOgogN80+mNtCqPkhn2gklJqOpxWgPoYTSn
hBCqpOXQ==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-use-controllable-state": "1.2.2",
      "@radix-ui/react-use-previous": "1.1.1",
```

```
      "@radix-ui/react-use-size": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-tabs": {
    "version": "1.1.13",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-tabs/-/react-tabs-1.1.13.tgz",
    "integrity": "sha512-
7xdcatg7/U+7+Udyoj2zodtI9H/IIopqo+YOIcZOq1nJwXWBZ9p8xiu5llXlekDbZkca79a/fozEYQXIA4sW
6A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
```

```
      "@radix-ui/react-id": "1.1.1",
      "@radix-ui/react-presence": "1.1.5",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-roving-focus": "1.1.11",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-toast": {
    "version": "1.2.15",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-toast/-/react-toast-1.2.15.tgz",
    "integrity": "sha512-
3OSz3TacUWy4WtOXV38DggwxoqJK4+eDkNMl5Z/MJZaoUPaP4/9lf81xXMe1I2ReTAptverZUpbPY4w
WwWyL5g==",
    "license": "MIT",
```

```
"dependencies": {
  "@radix-ui/primitive": "1.1.3",
  "@radix-ui/react-collection": "1.1.7",
  "@radix-ui/react-compose-refs": "1.1.2",
  "@radix-ui/react-context": "1.1.2",
  "@radix-ui/react-dismissable-layer": "1.1.11",
  "@radix-ui/react-portal": "1.1.9",
  "@radix-ui/react-presence": "1.1.5",
  "@radix-ui/react-primitive": "2.1.3",
  "@radix-ui/react-use-callback-ref": "1.1.1",
  "@radix-ui/react-use-controllable-state": "1.2.2",
  "@radix-ui/react-use-layout-effect": "1.1.1",
  "@radix-ui/react-visually-hidden": "1.2.3"
},
"peerDependencies": {
  "@types/react": "*",
  "@types/react-dom": "*",
  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
  "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
},
"peerDependenciesMeta": {
  "@types/react": {
    "optional": true
  },
  "@types/react-dom": {
    "optional": true
  }
```

```
    }
   },
   "node_modules/@radix-ui/react-toggle": {
    "version": "1.1.10",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-toggle/-/react-toggle-1.1.10.tgz",
    "integrity": "sha512-
lS1odchhFTeZv3xwHH31YPObmJn8gOg7Lq12inrr0+BH/l3Tsq32VfjqH1oh80ARM3mlkfMic15n0kg4s
D1poQ==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/primitive": "1.1.3",
     "@radix-ui/react-primitive": "2.1.3",
     "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
     "@types/react": "*",
     "@types/react-dom": "*",
     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
     "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
     "@types/react": {
      "optional": true
     },
     "@types/react-dom": {
      "optional": true
     }
    }
```

```
  },
  "node_modules/@radix-ui/react-toggle-group": {
    "version": "1.1.11",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-toggle-group/-/react-toggle-group-1.1.11.tgz",
    "integrity": "sha512-5umnS0T8JQzQT6HbPyO7Hh9dgd82NmS36DQr+X/YJ9ctFNCiiQd6IJAYYZ33LUwm8M+taCz5t2ui29fHZc4Y6Q==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-direction": "1.1.1",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-roving-focus": "1.1.11",
      "@radix-ui/react-toggle": "1.1.10",
      "@radix-ui/react-use-controllable-state": "1.2.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
```

```
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-tooltip": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-tooltip/-/react-tooltip-1.2.8.tgz",
    "integrity": "sha512-
tY7sVt1yL9ozIxvmbtN5qtmH2krXcBCfjEiCgKGLqunJHvgvZG2Pcl2oQ3kbcZARb1BGEHdkLzcYGO8y
nVlieg==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/primitive": "1.1.3",
      "@radix-ui/react-compose-refs": "1.1.2",
      "@radix-ui/react-context": "1.1.2",
      "@radix-ui/react-dismissable-layer": "1.1.11",
      "@radix-ui/react-id": "1.1.1",
      "@radix-ui/react-popper": "1.2.8",
      "@radix-ui/react-portal": "1.1.9",
      "@radix-ui/react-presence": "1.1.5",
      "@radix-ui/react-primitive": "2.1.3",
      "@radix-ui/react-slot": "1.2.3",
      "@radix-ui/react-use-controllable-state": "1.2.2",
      "@radix-ui/react-visually-hidden": "1.2.3"
    },
    "peerDependencies": {
      "@types/react": "*",
```

```
      "@types/react-dom": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-tooltip/node_modules/@radix-ui/react-slot": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-slot/-/react-slot-1.2.3.tgz",
    "integrity": "sha512-
aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjufOlwA+c20/8jngo7xcrg
8A==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-compose-refs": "1.1.2"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
```

```
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-use-callback-ref": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-callback-ref/-/react-use-callback-ref-1.1.1.tgz",
    "integrity": "sha512-FkBMwD+qbGQeMu1cOHnuGB6x4yzPjho8ap5WtbEJ26umhgqVXbhekKUQO+hZEL1vU92a3wHwdp0HAcqAUF5iDg==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-use-controllable-state": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-controllable-state/-/react-use-controllable-state-1.2.2.tgz",
```

```
    "integrity": "sha512-
BjasUjixPFdS+NKkypcyyN5Pmg83Olst0+c6vGov0diwTEo6mgdqVR6hxcEgFuh4QrAs7Rc+9KuGJ9TV
Cj0Zzg==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/react-use-effect-event": "0.0.2",
     "@radix-ui/react-use-layout-effect": "1.1.1"
    },
    "peerDependencies": {
     "@types/react": "*",
     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
     "@types/react": {
      "optional": true
     }
    }
   },
   "node_modules/@radix-ui/react-use-effect-event": {
    "version": "0.0.2",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-effect-event/-/react-use-effect-
event-0.0.2.tgz",
    "integrity": "sha512-
Qp8WbZOBe+blgpuUT+lw2xheLP8q0oatc9UpmiemEICxGvFLYmHm9QowVZGHtJlGbS6A6yJ3iViad/
2cVjnOiA==",
    "license": "MIT",
    "dependencies": {
     "@radix-ui/react-use-layout-effect": "1.1.1"
    },
```

```
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-use-escape-keydown": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-escape-keydown/-/react-use-escape-keydown-1.1.1.tgz",
    "integrity": "sha512-Il0+boE7w/XebUHyBjroE+DbByORGR9KKmITzbR7MyQ4akpORYP/ZmbhAr0DG7RmmBqoOnZdy2QlvajJ2QA59g==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-use-callback-ref": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
```

```
    }
   }
  },
  "node_modules/@radix-ui/react-use-is-hydrated": {
   "version": "0.1.0",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-use-is-hydrated/-/react-use-is-hydrated-0.1.0.tgz",
   "integrity": "sha512-U+UORVEq+cTnRIaostJv9AGdV3G6Y+zbVd+12e18jQ5A3c0xL03IhnHuiU4UV69wolOQp5GfR58NW/EgdQhwOA==",
   "license": "MIT",
   "dependencies": {
    "use-sync-external-store": "^1.5.0"
   },
   "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    }
   }
  },
  "node_modules/@radix-ui/react-use-layout-effect": {
   "version": "1.1.1",
   "resolved": "https://registry.npmjs.org/@radix-ui/react-use-layout-effect/-/react-use-layout-effect-1.1.1.tgz",
```

```
    "integrity": "sha512-
RbJRS4UWQFkzHTTwVymMTUv8EqYhOp8dOOviLj2ugtTiXRaRQS7GLGxZTLL1jWhMeoSCf5zmcZkq
Tl9IiYfXcQ==",

    "license": "MIT",

    "peerDependencies": {

     "@types/react": "*",

     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"

    },

    "peerDependenciesMeta": {

     "@types/react": {

       "optional": true

     }

    }

   },

   "node_modules/@radix-ui/react-use-previous": {

    "version": "1.1.1",

    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-previous/-/react-use-previous-
1.1.1.tgz",

    "integrity": "sha512-
2dHfToCj/pzca2Ck724OZ5L0EVrr3eHRNsG/b3xQJLA2hZpVCS99bLAX+hm1IHXDEnzU6by5z/5MIY7
94/a8NQ==",

    "license": "MIT",

    "peerDependencies": {

     "@types/react": "*",

     "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"

    },

    "peerDependenciesMeta": {

     "@types/react": {

       "optional": true
```

```
      }
    }
  },
  "node_modules/@radix-ui/react-use-rect": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-rect/-/react-use-rect-1.1.1.tgz",
    "integrity": "sha512-
QTYuDesS0VtuHNNvMh+CjlKJ4LJickCMUAqjlE3+j8w+RlRpwyX3apEQKGFzbZGdo7XNG1tXa+bQqIE
7HIXT2w==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/rect": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-use-size": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-use-size/-/react-use-size-1.1.1.tgz",
    "integrity": "sha512-
ewrXRDTAqAXlkl6t/fkXWNAhFX9I+CkKlw6zjEwk86RSPKwZr3xpBRso655aqYafwtnbpHLj6toFzmd6x
dVptQ==",
```

```
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-use-layout-effect": "1.1.1"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/react-visually-hidden": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-visually-hidden/-/react-visually-hidden-1.2.3.tgz",
    "integrity": "sha512-pzJq12tEaaIhqjbzpCuv/OypJY/BPavOofm+dbab+MHLajy277+1lLm6JFcGgF5eskJ6mquGirhXY2GD/8u8Ug==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-primitive": "2.1.3"
    },
    "peerDependencies": {
      "@types/react": "*",
      "@types/react-dom": "*",
```

```
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "@types/react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@radix-ui/rect": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/rect/-/rect-1.1.1.tgz",
    "integrity": "sha512-
HPwpGIzkl28mWyZqG52jiqDJ12waP11Pa1lGoiyUkIEuMLBP0oeK/C89esbXrxsky5we7dfd8U58nm0
SgAWpVw==",
    "license": "MIT"
  },
  "node_modules/@react-leaflet/core": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/@react-leaflet/core/-/core-2.1.0.tgz",
    "integrity": "sha512-
Qk7Pfu8BSarKGqILj4x7bCSZ1pjuAPZ+qmRwH5S7mDS91VSbVVsJSrW4qA+GPrro8t69gFYVMWb1Z
c4yFmPiVg==",
    "license": "Hippocratic-2.1",
    "peerDependencies": {
      "leaflet": "^1.9.0",
```

```
      "react": "^18.0.0",
      "react-dom": "^18.0.0"
    }
  },
  "node_modules/@rolldown/binding-android-arm64": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.2.1.tgz",
    "integrity": "sha512-02hOeOSryYxVrOIphmLAsqnCJWxwlzFk+pEt/N/i6OgT3lShHO7xGCU5cpgchRDHboAEbSjzgGh+O/u1GswQmA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-darwin-arm64": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.2.1.tgz",
```

```
    "integrity": "sha512-
fMsTOnN0OjFm3CyppWPitKnc8UlliVARUULW6cfU6AIqjdtgmSFWSk9vecHzZduv/yMWIHDlRhM1e8
Iff9uAfA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-darwin-x64": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-
1.2.1.tgz",
    "integrity": "sha512-
1wjKdz/XLGKHaTNHjQveQ/B23TKx4ItAqm1JbyVuvNPc4Ze0Fb48s49TAd/2zcplPl8okE/UbTgmlVfwT7
eFeQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
```

```
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-freebsd-x64": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.2.1.tgz",
    "integrity": "sha512-Fa0jHR07E7YBN4vOEsbVf2briYNsuOowfLJaXULZM0ldMlaCaj2LJgLMbMe4iacRyZmvR8efFhgR9wKuGclQUg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-arm-gnueabihf": {
```

```
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gnueabihf-1.2.1.tgz",
    "integrity": "sha512-pzkgu1SSHGgRRyRZ4fbmSgmajbVt+epaLP99NDjFft69v/ypfTi6swBMiVdh2EkQ0OSnHE1lZDM7DRGkyAzUpA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-arm64-gnu": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-1.2.1.tgz",
    "integrity": "sha512-Ql5SEDY8cbiYWHx0VO4vIc3UlS6a32vXHjU8Qy/17adEmZlPuByJg13UEvo9c/UCiUkdcVWY83C+b+JrwnNyUg==",
    "cpu": [
      "arm64"
    ],
```

```
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-arm64-musl": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.2.1.tgz",
    "integrity": "sha512-Sm41FyCeXqmYcERoYOCbGIL5hNfd8w9LQ7Y61Bev48HkcjaJqV/iiVOaiDxjVTRMS+QKrZmD8cfPt4uMVnvM+A==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
```

```
    }
   },
   "node_modules/@rolldown/binding-linux-ppc64-gnu": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-linux-ppc64-gnu-1.2.1.tgz",
    "integrity": "sha512-2x+WhXTGl9yJYPbltW/BSEPTVz9OIWQyER4N+gJEDWkkn904eRcBzELqh/Hf7K0w/ubGbKNMv0ZC+94QK/IFEg==",
    "cpu": [
     "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
     "linux"
    ],
    "engines": {
     "node": "^20.19.0 || >=22.12.0"
    }
   },
   "node_modules/@rolldown/binding-linux-s390x-gnu": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.2.1.tgz",
    "integrity": "sha512-eEjmQpuRQayHPWWnywaWHkFT3ToPbP3RYy42VVd/B9aBGDA+Ol25EIWHxKQST3IiWJjikCWUF7KtbfqwZrzVwQ==",
```

```
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-x64-gnu": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.2.1.tgz",
    "integrity": "sha512-/Orga1fZYkLc/56jBICcHrKchl8Z2UKdDSr3LG9ToWO1lQ6a4Livk9Xz+9WN91zsz5QR3XQz2NNoSDEvP6qadw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
```

```
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-linux-x64-musl": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.2.1.tgz",
    "integrity": "sha512-xxBJRL+0q0Kce7orznGWLuylHDY65vuARXZRpX+hPdv+DqK2c3NlCsVA98tlWzWNEE7yPqA/1NQ5nnCrj49Y5A==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-openharmony-arm64": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-openharmony-arm64-1.2.1.tgz",
```

```
    "integrity": "sha512-
M6AdXIXw3s+/8XpKMzdGDEXGS1S7kwUsy+rcTIUIOx5Ge4nXKCtAFHFV9YKkXvGcC5WMoTjAteLzls
QROVI0Yw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-wasm32-wasi": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-wasm32-wasi/-/binding-wasm32-
wasi-1.2.1.tgz",
    "integrity": "sha512-
/TX0SoRGojHzSAHpfVBbavRVSazg5U3h3Y3VXfcc0cdugq6kxdqw8LPGFiPr+/7gE/60zRcsOY2Vi9b9e
T0jww==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/core": "2.0.0-alpha.3",
      "@emnapi/runtime": "2.0.0-alpha.3",
```

```
      "@napi-rs/wasm-runtime": "^1.2.0"
    },
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=23.5.0"
    }
  },
  "node_modules/@rolldown/binding-win32-arm64-msvc": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msvc-1.2.1.tgz",
    "integrity": "sha512-EvRrivJieyHG+AO9lleZWgq+g0+S7oV2C51yuqlcyU/R9net+sI4Pj0F+lUoP2bEr6TWX3SqFaaS0SzfLxSzkw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    }
  },
  "node_modules/@rolldown/binding-win32-x64-msvc": {
    "version": "1.2.1",
```

"resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.2.1.tgz",

"integrity": "sha512-Z4eCmn5QJ/5+azF9knpLWKfVd9aidn0mAe9TpJgvBLId9Ax3t0+JVxBmT25Bv7NBbVW1TZyKjQjQReouMeH5UQ==",

"cpu": [

"x64"

],

"dev": true,

"license": "MIT",

"optional": true,

"os": [

"win32"

],

"engines": {

"node": "^20.19.0 || >=22.12.0"

}

},

"node_modules/@rolldown/pluginutils": {

"version": "1.0.1",

"resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.1.tgz",

"integrity": "sha512-2j9bGt5Jh8hj+vPtgzPtl72j0yRxHAyumoo6TNfAjsLB04UtpSvPbPcDcBMxz7n+9CYB0c1GxQFxYRg2jimqGw==",

"dev": true,

"license": "MIT"

},

"node_modules/@socket.io/component-emitter": {

"version": "3.1.2",

"resolved": "https://registry.npmjs.org/@socket.io/component-emitter/-/component-emitter-3.1.2.tgz",

"integrity": "sha512-9BCxFwvbGg/RsZK9tjXd8s4UcwR0MWeFQ1XEKIQVVvAGJyINdrqKMcTRyLoK8Rse1GjzLV9cwjWV1olXRWEXVA==",

"license": "MIT"

},

"node_modules/@standard-schema/utils": {

"version": "0.3.0",

"resolved": "https://registry.npmjs.org/@standard-schema/utils/-/utils-0.3.0.tgz",

"integrity": "sha512-e7Mew686owMaPJVNNLs55PUvgz371nKgwsc4vxE49zsODpJEnxgxRo2y/OKrqueavXgZNMDVj3DdHFlaSAeU8g==",

"license": "MIT"

},

"node_modules/@stripe/react-stripe-js": {

"version": "3.10.0",

"resolved": "https://registry.npmjs.org/@stripe/react-stripe-js/-/react-stripe-js-3.10.0.tgz",

"integrity": "sha512-UPqHZwMwDzGSax0ZI7XlxR3tZSpgIiZdk3CiwjbTK978phwR/fFXeAXQcN/h8wTAjR4ZIAzdII9DbOqJhuJdeg==",

"license": "MIT",

"dependencies": {

"prop-types": "^15.7.2"

},

"peerDependencies": {

"@stripe/stripe-js": ">=1.44.1 <8.0.0",

"react": ">=16.8.0 <20.0.0",

"react-dom": ">=16.8.0 <20.0.0"

}

```
  },
  "node_modules/@stripe/stripe-js": {
   "version": "5.10.0",
   "resolved": "https://registry.npmjs.org/@stripe/stripe-js/-/stripe-js-5.10.0.tgz",
   "integrity": "sha512-
PTigkxMdMUP6B5ISS7jMqJAKhgrhZwjprDqR1eATtFfh0OpKVNp110xiH+goeVdrJ29/4LeZJR4FaHHWs
tsu0A==",
   "license": "MIT",
   "engines": {
    "node": ">=12.16"
   }
  },
  "node_modules/@tanstack/query-core": {
   "version": "5.90.20",
   "resolved": "https://registry.npmjs.org/@tanstack/query-core/-/query-core-5.90.20.tgz",
   "integrity": "sha512-
OMD2HLpNouXEfZJWcKeVKUgQ5n+n3A2JFmBaScpNDUqSrQSjiveC7dKMe53uJUg1nDG16ttFPz2xf
ilz6i2uVg==",
   "license": "MIT",
   "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/tannerlinsley"
   }
  },
  "node_modules/@tanstack/react-query": {
   "version": "5.90.21",
   "resolved": "https://registry.npmjs.org/@tanstack/react-query/-/react-query-5.90.21.tgz",
```

```
    "integrity": "sha512-
0Lu6y5t+tvlTJMTO7oh5NSpJfpg/5D41LlThfepTixPYkJ0sE2Jj0m0f6yYqujBwIXlId87e234+MxG3D3g7k
g==",
    "license": "MIT",
    "dependencies": {
      "@tanstack/query-core": "5.90.20"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/tannerlinsley"
    },
    "peerDependencies": {
      "react": "^18 || ^19"
    }
  },
  "node_modules/@tybys/wasm-util": {
    "version": "0.10.3",
    "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.3.tgz",
    "integrity": "sha512-
F3fo1MYrRJYL3zER0OUOmkutjr1Vp23m7OsSgp7nq4SP6OqX6C/56XFIPAl5bt3zaBRjmW7SGz3u/6L
wFpYcOg==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@types/d3-array": {
```

```
    "version": "3.2.2",
    "resolved": "https://registry.npmjs.org/@types/d3-array/-/d3-array-3.2.2.tgz",
    "integrity": "sha512-
hOLWVbm7uRza0BYXpIIW5pxfrKe0W+D5lrFiAEYR+pb6w3N2SwSMaJbXdUfSEv+dT4MfHBLtn5js0L
AWaO6otw==",
    "license": "MIT"
  },
  "node_modules/@types/d3-color": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/@types/d3-color/-/d3-color-3.1.3.tgz",
    "integrity": "sha512-
iO90scth9WAbmgv7ogoq57O9YpKmFBbmoEoCHDB2xMBY0+/KVrqAaCDyCE16dUspeOvIxFFRI+0s
EtqDqy2b4A==",
    "license": "MIT"
  },
  "node_modules/@types/d3-ease": {
    "version": "3.0.2",
    "resolved": "https://registry.npmjs.org/@types/d3-ease/-/d3-ease-3.0.2.tgz",
    "integrity": "sha512-
NcV1JjO5oDzoK26oMzbILE6HW7uVXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9tCzv+CeefZQHJt5S
RgK154RtiA==",
    "license": "MIT"
  },
  "node_modules/@types/d3-interpolate": {
    "version": "3.0.4",
    "resolved": "https://registry.npmjs.org/@types/d3-interpolate/-/d3-interpolate-3.0.4.tgz",
    "integrity": "sha512-
mgLPETlrpVV1YRJIglr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkpG/uAQS5AmbA48q2IAolK
Ko1MA==",
    "license": "MIT",
```

```
    "dependencies": {
      "@types/d3-color": "*"
    }
  },
  "node_modules/@types/d3-path": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/@types/d3-path/-/d3-path-3.1.1.tgz",
    "integrity": "sha512-
VMZBYyQvbGmWyWVea0EHs/BwLgxc+MKi1zLDCONksozI4YJMcTt8ZEuIR4Sb1MMTE8MMW49v0Iw
I5+b7RmfWlg==",
    "license": "MIT"
  },
  "node_modules/@types/d3-scale": {
    "version": "4.0.9",
    "resolved": "https://registry.npmjs.org/@types/d3-scale/-/d3-scale-4.0.9.tgz",
    "integrity": "sha512-
dLmtwB8zkAeO/juAMfnV+sItKjlsw2lKdZVVy6LRr0cBmegxSABiLEpGVmSJJ8O08i4+sGR6qQtb6WtuwJdvVw==",
    "license": "MIT",
    "dependencies": {
      "@types/d3-time": "*"
    }
  },
  "node_modules/@types/d3-shape": {
    "version": "3.1.8",
    "resolved": "https://registry.npmjs.org/@types/d3-shape/-/d3-shape-3.1.8.tgz",
    "integrity": "sha512-
lae0iWfcDeR7qt7rA88BNiqdvPS5pFVPpo5OfjElwNaT2yyekbM0C9vK+yqBqEmHr6lDkRnYNoTBYlAgJa7a4w==",
```

```
    "license": "MIT",
    "dependencies": {
      "@types/d3-path": "*"
    }
  },
  "node_modules/@types/d3-time": {
    "version": "3.0.4",
    "resolved": "https://registry.npmjs.org/@types/d3-time/-/d3-time-3.0.4.tgz",
    "integrity": "sha512-
yuzZug1nkAAaBlBBikKZTgzCeA+k1uy4ZFwWANOfKw5z5LRhV0gNA7gNkKm7HoK+HRN0wX3EkxGk
0fpbWhmB7g==",
    "license": "MIT"
  },
  "node_modules/@types/d3-timer": {
    "version": "3.0.2",
    "resolved": "https://registry.npmjs.org/@types/d3-timer/-/d3-timer-3.0.2.tgz",
    "integrity": "sha512-
Ps3T8E8dZDam6fUyNiMkekK3XUsaUEik+idO9/YjPtfj2qruF8tFBXS7XhtE4iIXBLxhmLjP3SXpLhVf21I9
Lw==",
    "license": "MIT"
  },
  "node_modules/@types/debug": {
    "version": "4.1.12",
    "resolved": "https://registry.npmjs.org/@types/debug/-/debug-4.1.12.tgz",
    "integrity": "sha512-
vIChWdVG3LG1SMxEvI/AK+FWJthlrqlTu7fbrlywTkkaONwk/UAGaULXRlf8vkzFBLVm0zkMdCquhL5a
OjhXPQ==",
    "license": "MIT",
    "dependencies": {
```

```
      "@types/ms": "*"
    }
  },
  "node_modules/@types/estree": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
    "integrity": "sha512-
GhdPgy1el4/ImP05X05Uw4cw2/M93BCUmnEvWZNStlCzEKME4Fkk+YpoA5OiHNQmoS7Cafb8Xa3
Pya8m1Qrzeg==",
    "license": "MIT"
  },
  "node_modules/@types/estree-jsx": {
    "version": "1.0.5",
    "resolved": "https://registry.npmjs.org/@types/estree-jsx/-/estree-jsx-1.0.5.tgz",
    "integrity": "sha512-
52CcUVNFyfb1A2ALocQw/Dd1BQFNmSdkuC3BkZ6iqhdMfQz7JWOFRuJFloOzjk+6WijU56m9oKXF
AXc7o3Towg==",
    "license": "MIT",
    "dependencies": {
      "@types/estree": "*"
    }
  },
  "node_modules/@types/hast": {
    "version": "3.0.4",
    "resolved": "https://registry.npmjs.org/@types/hast/-/hast-3.0.4.tgz",
    "integrity": "sha512-
WPs+bbQw5aCj+x6laNGWLH3wviHtoCv/P3+otBhbOhJgG8qtpdAMlTCxLtsTWA7LH1Oh/bFCHsBn0
TPS5m30EQ==",
    "license": "MIT",
```

```
    "dependencies": {
      "@types/unist": "*"
    }
  },
  "node_modules/@types/json-schema": {
    "version": "7.0.15",
    "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
    "integrity": "sha512-
5+fP8P8MFNC+AyZCDxrB2pkZFPGzqQWUzpSeuuVLvm8VMcorNYavBqoFcxK8bQz4Qsbn4oUEEem
4wDLfcysGHA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/mdast": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/@types/mdast/-/mdast-4.0.4.tgz",
    "integrity": "sha512-
kGaNbPh1k7AFzgpud/gMdvIm5xuECykRR+JnWKQno9TAXVa6WIVCGTPvYGekIDL4uwCZQSYbUxNB
Sb1aUo79oA==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "*"
    }
  },
  "node_modules/@types/ms": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/@types/ms/-/ms-2.1.0.tgz",
```

```
    "integrity": "sha512-
GsCCIZDE/p3i96vtEqx+7dBUGXrc7zeSK3wwPHIaRThS+9OhWIXRqzs4d6k1SVU8g91DrNRWxWUG
hp5KXQb2VA==",
    "license": "MIT"
  },
  "node_modules/@types/node": {
    "version": "22.19.11",
    "resolved": "https://registry.npmjs.org/@types/node/-/node-22.19.11.tgz",
    "integrity": "sha512-
BH7YwL6rA93ReqeQS1c4bsPpcfOmJasG+Fkr6Y59q83f9M1WcBRHR2vM+P9eOisYRcN3ujQoiZY8u
k5W+1WL8w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "undici-types": "~6.21.0"
    }
  },
  "node_modules/@types/pako": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/@types/pako/-/pako-2.0.4.tgz",
    "integrity": "sha512-
VWDCbrLeVXJM9fihYodcLiIv0ku+AlOa/TQ1SvYOaBuyrSKgEcro95LJyIsJ4vSo6BXIxOKxiJAat04CmST
9Fw==",
    "license": "MIT"
  },
  "node_modules/@types/prop-types": {
    "version": "15.7.15",
    "resolved": "https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz",
```

```
    "integrity": "sha512-
F6bEyamV9jKGAFBEmlQnesRPGOQqS2+Uwi0Em15xenOxHaf2hv6L8YCVn3rPdPJOiJfPiCnLIRyvwV
aqMY3MIw==",
    "license": "MIT"
  },
  "node_modules/@types/raf": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/@types/raf/-/raf-3.4.3.tgz",
    "integrity": "sha512-
c4YAvMedbPZ5tEyxzQdMoOhhJ4RD3rngZIdwC2/qDN3d7JpEhB6fiBRKVY1lg5B7Wk+uPBjn5f39j1/2
MY1oOw==",
    "license": "MIT",
    "optional": true
  },
  "node_modules/@types/react": {
    "version": "18.3.28",
    "resolved": "https://registry.npmjs.org/@types/react/-/react-18.3.28.tgz",
    "integrity": "sha512-
z9VXpC7MWrhfWipitjNdgCauoMLRdIILQsAEV+ZesIzBq/oUlxk0m3ApZuMFCXdnS4U7KrI+l3WRUEG
Q8K1QKw==",
    "license": "MIT",
    "dependencies": {
      "@types/prop-types": "*",
      "csstype": "^3.2.2"
    }
  },
  "node_modules/@types/react-dom": {
    "version": "18.3.7",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz",
```

"integrity": "sha512-MEe3UeoENYVFXzoXEWsvcpg6ZvlrFNlOQ7EOsvhI3CfAXwzPfO8Qwuxd40nepsYKqyyVQnTdEfv68q91yLcKrQ==",

"devOptional": true,

"license": "MIT",

"peerDependencies": {

"@types/react": "^18.0.0"

}

},

"node_modules/@types/trusted-types": {

"version": "2.0.7",

"resolved": "https://registry.npmjs.org/@types/trusted-types/-/trusted-types-2.0.7.tgz",

"integrity": "sha512-ScaPdn1dQczgbl0QFTeTOmVHFULt394XJgOQNoyVhZ6r2vLnMLJfBPd53SB52T/3G36VI1/g2MZaX0cwDuXsfw==",

"license": "MIT",

"optional": true

},

"node_modules/@types/unist": {

"version": "3.0.3",

"resolved": "https://registry.npmjs.org/@types/unist/-/unist-3.0.3.tgz",

"integrity": "sha512-ko/gIFJRv177XgZsZcBwnqJN5x/Gien8qNOn0D5bQU/zAzVf9Zt3BlcUiLqhV9y4ARk0GbT3tnUiPNgnTXzc/Q==",

"license": "MIT"

},

"node_modules/@types/use-sync-external-store": {

"version": "0.0.6",

"resolved": "https://registry.npmjs.org/@types/use-sync-external-store/-/use-sync-external-store-0.0.6.tgz",

```
    "integrity": "sha512-
zFDAD+tlpf2r4asuHEj0XH6pY6i0g5NeAHPn+15wk3BV6JA69eERFXC1gyGThDkVa1zCyKr5jox1+2Lb
V/AMLg==",
    "license": "MIT"
  },
  "node_modules/@ungap/structured-clone": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/@ungap/structured-clone/-/structured-clone-1.3.0.tgz",
    "integrity": "sha512-
WmoN8qaIAo7WTYWbAZuG8PYEhn5fkz7dZrqTBZ7dtt//lL2Gwms1IcnQ5yHqjDfX8Ft5j4YzDM23f87
zBfDe9g==",
    "license": "ISC"
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "6.0.5",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.0.5.tgz",
    "integrity": "sha512-
BOVzne/NL162sMdResB25mUv+vWMF5NoAjNf09TeGlE7ZpszZWSD3winycicLJw72yeVsoCn/2kOhE
uCvEShMA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@rolldown/pluginutils": "^1.0.1"
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    },
    "peerDependencies": {
      "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
```

```
      "babel-plugin-react-compiler": "^1.0.0",
      "vite": "^8.0.0"
    },
    "peerDependenciesMeta": {
      "@rolldown/plugin-babel": {
        "optional": true
      },
      "babel-plugin-react-compiler": {
        "optional": true
      }
    }
  },
  "node_modules/acorn": {
    "version": "8.15.0",
    "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.15.0.tgz",
    "integrity": "sha512-
NZyJarBfL7nWwIq+FDL6Zp/yHEhePMNnnJ0y3qfieCrmNvYct8uvtiV41UvlSe6apAfk0fY1FbWx+Nwfm
pvtTg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "acorn": "bin/acorn"
    },
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/acorn-jsx": {
```

```
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
    "integrity": "sha512-
rq9s+JNhf0IChjtDXxllJ7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFD
XgQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
    }
  },
  "node_modules/agent-base": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/agent-base/-/agent-base-6.0.2.tgz",
    "integrity": "sha512-
RZNwNclF7+MS/8bDg70amg32dyeZGZxiDuQmZxKLAlQjr3jGyLx+4Kkk58UO7D2QdgFIQCovuSuZE
Sne6RG6XQ==",
    "license": "MIT",
    "dependencies": {
      "debug": "4"
    },
    "engines": {
      "node": ">= 6.0.0"
    }
  },
  "node_modules/ajv": {
    "version": "6.15.0",
    "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.15.0.tgz",
```

```
    "integrity": "sha512-
fgFx7Hfoq60ytK2c7DhnF8jIvzYgOMxfugjLOSMHjLIPgenqa7S7oaagATUq99mV6IYvN2tRmC0wnTYX6
iPbMw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "fast-deep-equal": "^3.1.1",
     "fast-json-stable-stringify": "^2.0.0",
     "json-schema-traverse": "^0.4.1",
     "uri-js": "^4.2.2"
    },
    "funding": {
     "type": "github",
     "url": "https://github.com/sponsors/epoberezkin"
    }
   },
   "node_modules/ansi-styles": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
    "integrity": "sha512-
zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIheZ
JQSEg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "color-convert": "^2.0.1"
    },
    "engines": {
     "node": ">=8"
```

```
    },
    "funding": {
      "url": "https://github.com/chalk/ansi-styles?sponsor=1"
    }
  },
  "node_modules/any-promise": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
    "integrity": "sha512-
7UvmKalWRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX9O
B4MZR1b2A==",
    "license": "MIT"
  },
  "node_modules/anymatch": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
    "integrity": "sha512-
KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutk
iHQXvTr1Rw==",
    "license": "ISC",
    "dependencies": {
      "normalize-path": "^3.0.0",
      "picomatch": "^2.0.4"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/arg": {
```

```
    "version": "5.0.2",
    "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
    "integrity": "sha512-
PYjyFOLKQ9y57JvQ6QLo8dAgNqswh8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1k
Q/I9HUGg==",
    "license": "MIT"
  },
  "node_modules/argparse": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
    "integrity": "sha512-
8+9WqebbFzpX9OR+Wa6O29asIogeRMzcGtAINdpMHHyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEB
g3DvurK3Q==",
    "dev": true,
    "license": "Python-2.0"
  },
  "node_modules/aria-hidden": {
    "version": "1.2.6",
    "resolved": "https://registry.npmjs.org/aria-hidden/-/aria-hidden-1.2.6.tgz",
    "integrity": "sha512-
ik3ZgC9dY/lYVVM++OISsaYDeg1tb0VtP5uL3ouh1koGOaUMDPpbFIei4JkFimWUFPn90sbMNMXQAI
VOlnYKJA==",
    "license": "MIT",
    "dependencies": {
      "tslib": "^2.0.0"
    },
    "engines": {
      "node": ">=10"
    }
```

```
  },
  "node_modules/array-buffer-byte-length": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz",
    "integrity": "sha512-LHE+8BuR7RYGDKvnrmcuSq3tDcKv9OFEXQt/HpbZhY7V6h0zlUXutnAD82GiFx9rdieCMjkvtcsPqBwgUl1Iiw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "is-array-buffer": "^3.0.5"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array-includes": {
    "version": "3.1.9",
    "resolved": "https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz",
    "integrity": "sha512-FmeCCAenzH0KH381SPT5FZmiA/TmpndpcaShhfgEN9eCVjnFBqq3l1xrI42y8+PPLI6hypzou4GXw00WHmPBLQ==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.24.0",
      "es-object-atoms": "^1.1.1",
      "get-intrinsic": "^1.3.0",
      "is-string": "^1.1.1",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.findlast": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-
1.2.5.tgz",
    "integrity": "sha512-
CVvd6FHg1Z3POpBLxO6E6zr+rSKEQ9L6rZHAaY7lLfhKsWYUBBOuMs0e9o24oopj6H+geRCX0YJ+TJ
LBK2eHyQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
```

```
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.2",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.0.0",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.flat": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/array.prototype.flat/-/array.prototype.flat-1.3.3.tgz",
    "integrity": "sha512-
rwG/ja1neyLqCuGZ5YYrznA62D4mZXg0i1cIskIUKSiqF3Cje9/wXAls9B9s1Wa2fomMsIv8czB8jZcPm
xCXFg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.flatmap": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/array.prototype.flatmap/-/array.prototype.flatmap-1.3.3.tgz",
    "integrity": "sha512-Y7Wt51eKJSyi80hFrJCePGGNo5ktJCslFuboqJsbf57CCPcm5zztluPlc4/aD8sWsKvlwatezpV4U1efk8kpjg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
```

```
  "node_modules/array.prototype.tosorted": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/array.prototype.tosorted/-/array.prototype.tosorted-1.1.4.tgz",
    "integrity": "sha512-p6Fx8B7b7ZhL/gmUsAy0D15WhvDccw3mnGNbZpi3pmeJdxtWsj2jEaI4Y6oo3XiHfzuSgPwKc04MYt6KgvC/wA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.3",
      "es-errors": "^1.3.0",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/arraybuffer.prototype.slice": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tgz",
    "integrity": "sha512-BNoCY6SXXPQ7gF2opIP4GBE+Xw7U+pHMYKuzjgCN3GwiaIR09UUeKfheyIry77QtrCBlC0KK0q5/TER/tYh3PQ==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "array-buffer-byte-length": "^1.0.1",
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6",
      "is-array-buffer": "^3.0.4"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/async-function": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz",
    "integrity": "sha512-
hsU18Ae8CDTR6Kgu9DYf0EbCr/a5iGL0rytQDobUcdpYOKokk8LEjVphnXkDkgpi0wYVsqrXuP0bZxJa
TqdgoA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
```

```
  "node_modules/asynckit": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
    "integrity": "sha512-
Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2
MjW0Q==",
    "license": "MIT"
  },
  "node_modules/autoprefixer": {
    "version": "10.4.24",
    "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.24.tgz",
    "integrity": "sha512-
uHZg7N9ULTVbutaIsDRoUkoS8/h3bdsmVJYZ5l3wv8Cp/6UIIoRDm90hZ+BwxUj/hGBEzLxdHNSKuF
pn8WOyZw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/autoprefixer"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
```

```
    "license": "MIT",
    "dependencies": {
      "browserslist": "^4.28.1",
      "caniuse-lite": "^1.0.30001766",
      "fraction.js": "^5.3.4",
      "picocolors": "^1.1.1",
      "postcss-value-parser": "^4.2.0"
    },
    "bin": {
      "autoprefixer": "bin/autoprefixer"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    },
    "peerDependencies": {
      "postcss": "^8.1.0"
    }
  },
  "node_modules/available-typed-arrays": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/available-typed-arrays/-/available-typed-arrays-1.0.7.tgz",
    "integrity": "sha512-
wvUjBtSGN7+7SjNpq/9M2Tg350UZD3q62IFZLbRAR1bSMlCo1ZaeW+BJ+D090e4hIIZLBcTDWe4Mh
4jvUDajzQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "possible-typed-array-names": "^1.0.0"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/axios": {
    "version": "1.20.0",
    "resolved": "https://registry.npmjs.org/axios/-/axios-1.20.0.tgz",
    "integrity": "sha512-
r8aOh8j9cGKpgQAqpzrUHnSIc6a59Y3Xf/cv8sy1DrHCkZHzQGEuoq1tARk6qSyDdtQGSDgpb9kFlruz
Pvrgwg==",
    "license": "MIT",
    "dependencies": {
      "follow-redirects": "^1.16.0",
      "form-data": "^4.0.6",
      "https-proxy-agent": "^5.0.1",
      "proxy-from-env": "^2.1.0"
    }
  },
  "node_modules/bail": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/bail/-/bail-2.0.2.tgz",
    "integrity": "sha512-
0xO6mYd7JB2YesxDKplafRpsiOzPt9V02ddPCLbY1xYGPOX24NTyN50qnUxgCPcSoYMhKpAuBTjQoR
ZCAkUDRw==",
    "license": "MIT",
```

```
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/balanced-match": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",
    "integrity": "sha512-
3oSeUO0TMV67hN1AmbXsK4yaqU7tjiHlbxRDZOpH0KW9+CeX4bRAaX0Anxt0tx2MrpRpWwQaPwIl
ISEJhYU5Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/base64-arraybuffer": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/base64-arraybuffer/-/base64-arraybuffer-1.0.2.tgz",
    "integrity": "sha512-
I3yl4r9QB5ZRY3XuJVEPfc2XhZO6YweFPI+UovAzn+8/hb3oJ6lnysaFcjVpkCPfVWFUDvoZ8kmVDP7W
yRtYtQ==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.6.0"
    }
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.11.27",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-
2.11.27.tgz",
```

```
    "integrity": "sha512-
ElY12DaROGuan+lMmZ8Cvo/ZUbXPe7Enc/9VU/b1T3Kp4dwytRcNdR8DoSJN5SNJT/CuvcCA0DHD
VmMOCePdRQ==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity": "sha512-
Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYzavmylwuLWQOf3
hl0jjMMIw==",
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/brace-expansion": {
    "version": "1.1.21",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.21.tgz",
```

```
    "integrity": "sha512-
9zeA+KLZNNzglF2TPKRQEDyx6Yby7daAkuy8MiPzpXPsYDWi/DRM8jmwUDxokQjYqBpv5DgPiwD4h4
ZZSy1Ujw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "balanced-match": "^1.0.0",
     "concat-map": "0.0.1"
    }
   },
   "node_modules/braces": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
    "integrity": "sha512-
yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/lxc1BzfM
pxvA==",
    "license": "MIT",
    "dependencies": {
     "fill-range": "^7.1.1"
    },
    "engines": {
     "node": ">=8"
    }
   },
   "node_modules/browserslist": {
    "version": "4.29.3",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.29.3.tgz",
```

"integrity": "sha512-1R4kiYKXGViqEN0CnoDrXc1StD9niAwu+j2dukWzrD4bJgsD4lDmEp0CRbc6E/vYJIfTHwPmwyaKtVSudICdPA==",

"dev": true,

"funding": [

{

"type": "opencollective",

"url": "https://opencollective.com/browserslist"

},

{

"type": "tidelift",

"url": "https://tidelift.com/funding/github/npm/browserslist"

},

{

"type": "github",

"url": "https://github.com/sponsors/ai"

}

],

"license": "MIT",

"dependencies": {

"baseline-browser-mapping": "^2.11.26",

"caniuse-lite": "^1.0.30001813",

"electron-to-chromium": "^1.5.439",

"node-releases": "^2.0.57",

"update-browserslist-db": "^1.3.3"

},

"bin": {

"browserslist": "cli.js"

```
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/call-bind": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/call-bind/-/call-bind-1.0.8.tgz",
    "integrity": "sha512-
oKlSFMcMwpUg2ednkhQ454wfWiU/ul3CkJe/PEHcTKuiX6RpbehUiFMXu13HalGZxfUwCQzZG747YX
Bn1im9ww==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.0",
      "es-define-property": "^1.0.0",
      "get-intrinsic": "^1.2.4",
      "set-function-length": "^1.2.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
```

"resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",

"integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==",

"license": "MIT",

"dependencies": {

"es-errors": "^1.3.0",

"function-bind": "^1.1.2"

},

"engines": {

"node": ">= 0.4"

}

},

"node_modules/call-bound": {

"version": "1.0.4",

"resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",

"integrity": "sha512-+ys997U96po4Kx/ABpBCqhA9EuxJaQWDQg7295H4hBphv3IZg0boBKuwYpt4YXp6MZ5AmZQnU/tyMTlRpaSejg==",

"dev": true,

"license": "MIT",

"dependencies": {

"call-bind-apply-helpers": "^1.0.2",

"get-intrinsic": "^1.3.0"

},

"engines": {

"node": ">= 0.4"

},

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/callsites": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
    "integrity": "sha512-
P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTu
E7ssaQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/camelcase-css": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-
QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iO
Y+2aA==",
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001814",
```

```
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001814.tgz",
    "integrity": "sha512-
/Uaf1lAzr59XcMpW0o96WoEfr+VXK2OX4U9AgFoiSHsVJ4HppnIFUjtYzsyDH2+tgANaQb2/oxYGwCP
apN1FpA==",
    "dev": true,
    "funding": [
     {
       "type": "opencollective",
       "url": "https://opencollective.com/browserslist"
     },
     {
       "type": "tidelift",
       "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
     },
     {
       "type": "github",
       "url": "https://github.com/sponsors/ai"
     }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/canvas-confetti": {
    "version": "1.9.4",
    "resolved": "https://registry.npmjs.org/canvas-confetti/-/canvas-confetti-1.9.4.tgz",
    "integrity": "sha512-
yxQbJkAVrFXWNbTUjPqjF7G+g6pDotOUHGbkZq2NELZUMDpiJ85rIEazVb8GTaAptNW2miJAXbs1Bti
oA251Pw==",
    "license": "ISC",
    "funding": {
```

```
      "type": "donate",
      "url": "https://www.paypal.me/kirilvatev"
    }
  },
  "node_modules/canvg": {
    "version": "3.0.11",
    "resolved": "https://registry.npmjs.org/canvg/-/canvg-3.0.11.tgz",
    "integrity": "sha512-
5ON+q7jCTgMp9cjpu4Jo6XbvfYwSB2Ow3kzHKfIyJfaCAOHLbdKPQqGKgfED/R5B+3TFFfe8pegYA+b
423SRyA==",
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@babel/runtime": "^7.12.5",
      "@types/raf": "^3.4.0",
      "core-js": "^3.8.3",
      "raf": "^3.4.1",
      "regenerator-runtime": "^0.13.7",
      "rgbcolor": "^1.0.1",
      "stackblur-canvas": "^2.0.0",
      "svg-pathdata": "^6.0.3"
    },
    "engines": {
      "node": ">=10.0.0"
    }
  },
  "node_modules/ccount": {
    "version": "2.0.1",
```

```
    "resolved": "https://registry.npmjs.org/ccount/-/ccount-2.0.1.tgz",
    "integrity": "sha512-
eyrF0jiFpY+3drT6383f1qhkbGsLSifNAjA61IUjZjmLCWjItY6LB9ft9YhoDgwfmclB2zhu51Lc7+95b8NR
Ag==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/chalk": {
    "version": "4.1.2",
    "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
    "integrity": "sha512-
oKnbhFyRIXpUuez8iBMmyEa4nbj4IOQyuhc/wy9kY7/WVPcwIO9VA668Pu8RkO7+0G76SLROeyw9C
pQ061i4mA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.1.0",
      "supports-color": "^7.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/chalk?sponsor=1"
    }
  },
```

```
  "node_modules/character-entities": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/character-entities/-/character-entities-2.0.2.tgz",
    "integrity": "sha512-
shx7oQ0Awen/BRIdkjkvz54PnEEI/EjwXDSIZp86/KKdbafHh1Df/RYGBhn4hbe2+uKC9FnT5UCEdyPz3
ai9hQ==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/character-entities-html4": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/character-entities-html4/-/character-entities-html4-
2.1.0.tgz",
    "integrity": "sha512-
1v7fgQRj6hnSwFpq1Eu0ynr/CDEw0rXo2B61qXrLNdHZmPKgb7fqS1a2JwF0rISo9q77jDI8VMEHoAp
n8qDoZA==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/character-entities-legacy": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/character-entities-legacy/-/character-entities-legacy-
3.0.0.tgz",
```

"integrity": "sha512-RpPp0asT/6ufRm//AJVwpViZbGM/MkjQFxJccQRHmISF/22NBtsHqAWmL+/pmkPWoIUJdWyeVleTl1wydHATVQ==",

"license": "MIT",

"funding": {

"type": "github",

"url": "https://github.com/sponsors/wooorm"

}

},

"node_modules/character-reference-invalid": {

"version": "2.0.1",

"resolved": "https://registry.npmjs.org/character-reference-invalid/-/character-reference-invalid-2.0.1.tgz",

"integrity": "sha512-iBZ4F4wRbyORVsu0jPV7gXkOsGYjGHPmAyv+HiHG8gi5PtC9KI2j1+v8/tlibRvjoWX027ypmG/n0HtO5t7unw==",

"license": "MIT",

"funding": {

"type": "github",

"url": "https://github.com/sponsors/wooorm"

}

},

"node_modules/chokidar": {

"version": "3.6.0",

"resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",

"integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",

"license": "MIT",

"dependencies": {

```
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    },
    "funding": {
      "url": "https://paulmillr.com/funding/"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/chokidar/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-
AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkG
z4aS9Zow==",
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
```

```
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/class-variance-authority": {
    "version": "0.7.1",
    "resolved": "https://registry.npmjs.org/class-variance-authority/-/class-variance-authority-0.7.1.tgz",
    "integrity": "sha512-Ka+9Trutv7G8M6WT6SeiRWz792K5qEqIGEGzXKhAE6xOWAY6pPH8U+9IY3oCMv6kqTmLsv7Xh/2w2RigkePMsg==",
    "license": "Apache-2.0",
    "dependencies": {
      "clsx": "^2.1.1"
    },
    "funding": {
      "url": "https://polar.sh/cva"
    }
  },
  "node_modules/clsx": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
    "integrity": "sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOVo2B7bjWSbHedGl5e0ZWaq65kOGgUSNesEIDkB9ISbTg/JK9dhCZA==",
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
```

```
  },
  "node_modules/cmdk": {
   "version": "1.1.1",
   "resolved": "https://registry.npmjs.org/cmdk/-/cmdk-1.1.1.tgz",
   "integrity": "sha512-
Vsv7kFaXm+ptHDMZ7izaRsP70GgrW9NBNGswt9OZaVBLlE0SNpDq8eu/VGXyF9r7M0azK3Wy7OlY
XsuyYLFzHg==",
   "license": "MIT",
   "dependencies": {
    "@radix-ui/react-compose-refs": "^1.1.1",
    "@radix-ui/react-dialog": "^1.1.6",
    "@radix-ui/react-id": "^1.1.0",
    "@radix-ui/react-primitive": "^2.0.2"
   },
   "peerDependencies": {
    "react": "^18 || ^19 || ^19.0.0-rc",
    "react-dom": "^18 || ^19 || ^19.0.0-rc"
   }
  },
  "node_modules/color-convert": {
   "version": "2.0.1",
   "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
   "integrity": "sha512-
RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38
ZHCaElKQ==",
   "dev": true,
   "license": "MIT",
   "dependencies": {
    "color-name": "~1.1.4"
```

```
    },
    "engines": {
      "node": ">=7.0.0"
    }
  },
  "node_modules/color-name": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
    "integrity": "sha512-
dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff4O8yVp5Bf0efS8uEoYo5q4Fx7dY9Og
QGXgAsQA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/combined-stream": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
    "integrity": "sha512-
FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zOYwxh8lDdnvmMOe
/+5cdoEdg==",
    "license": "MIT",
    "dependencies": {
      "delayed-stream": "~1.0.0"
    },
    "engines": {
      "node": ">= 0.8"
    }
  },
  "node_modules/comma-separated-tokens": {
```

```
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/comma-separated-tokens/-/comma-separated-tokens-2.0.3.tgz",
    "integrity": "sha512-Fu4hJdvzeylCfQPp9SGWidpzrMs7tTrlu6Vb8XGaRGck8QSNZJJp538Wrb60Lax4fPwR64ViY468OIUTbRlGZg==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/commander": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
    "integrity": "sha512-NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA==",
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/concat-map": {
    "version": "0.0.1",
    "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
    "integrity": "sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRljaA7EXHaXZ8wsHdodFvbkhKmqg==",
    "dev": true,
```

```
    "license": "MIT"
  },
  "node_modules/consola": {
    "version": "3.4.2",
    "resolved": "https://registry.npmjs.org/consola/-/consola-3.4.2.tgz",
    "integrity": "sha512-
5IKcdX0nnYavi6G7TtOhwkYzyjfJlatbjMjuLSfE2kYT5pMDOilZ4OvMhi637CcDICTmz3wARPoyhqyX1Y
+XvA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^14.18.0 || >=16.10.0"
    }
  },
  "node_modules/cookie": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
    "integrity": "sha512-
ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadylyhFldcqS
idQ==",
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/express"
    }
  },
```

```
  "node_modules/core-js": {
    "version": "3.48.0",
    "resolved": "https://registry.npmjs.org/core-js/-/core-js-3.48.0.tgz",
    "integrity": "sha512-
zpEHTy1fjTMZCKLHUZoVeylt9XrzaIN2rbPXEt0k+q7JE5CkCZdo6bNq55bn24a69CH7ErAVLKijxJja4fw
+UQ==",
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/core-js"
    }
  },
  "node_modules/cross-spawn": {
    "version": "7.0.6",
    "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
    "integrity": "sha512-
uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3
OzKUd3vA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "path-key": "^3.1.0",
      "shebang-command": "^2.0.0",
      "which": "^2.0.1"
    },
    "engines": {
      "node": ">= 8"
```

```
    }
   },
   "node_modules/crossws": {
    "version": "0.4.10",
    "resolved": "https://registry.npmjs.org/crossws/-/crossws-0.4.10.tgz",
    "integrity": "sha512-
pz3oubH/dt12KjqsUB0IuXW4nwRDQ583iDsP4555Cpdqx0NoU7pGlWBcayyFI8f/l/idRpgjMEfwuOxS
WJYlIA==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
     "srvx": ">=0.11.5"
    },
    "peerDependenciesMeta": {
     "srvx": {
      "optional": true
     }
    }
   },
   "node_modules/css-box-model": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/css-box-model/-/css-box-model-1.2.1.tgz",
    "integrity": "sha512-
a7Vr4Q/kd/aw96bnJG332W9V9LkJO69JRcaCYDUqjp6/z0w6VcZjgAcTbgFxEPfBgdnAwlh3iwu+hLopa
+fUw==",
    "license": "MIT",
    "dependencies": {
     "tiny-invariant": "^1.0.6"
    }
```

```
  },
  "node_modules/css-line-break": {
   "version": "2.1.0",
   "resolved": "https://registry.npmjs.org/css-line-break/-/css-line-break-2.1.0.tgz",
   "integrity": "sha512-
FHcKFCZcAha3LwfVBhCQbW2nCNbkZXn7KVUJcsT5/P8YmfsVja0FMPJr0B903j/E69HUphKiV9iQArX
8SDYA4w==",
   "license": "MIT",
   "dependencies": {
    "utrie": "^1.0.2"
   }
  },
  "node_modules/cssesc": {
   "version": "3.0.0",
   "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
   "integrity": "sha512-
/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5Eb
FoAz/Vg==",
   "license": "MIT",
   "bin": {
    "cssesc": "bin/cssesc"
   },
   "engines": {
    "node": ">=4"
   }
  },
  "node_modules/csstype": {
   "version": "3.2.3",
   "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
```

```
    "integrity": "sha512-
z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/
0kCiOYpAIQ==",

    "license": "MIT"

  },

  "node_modules/d3-array": {

    "version": "3.2.4",

    "resolved": "https://registry.npmjs.org/d3-array/-/d3-array-3.2.4.tgz",

    "integrity": "sha512-
tdQAmyA18i4J7wprpYq8ClcxZy3SC31QMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZUWe+oq8HBvk9Jjpi
byEV4Jg==",

    "license": "ISC",

    "dependencies": {

      "internmap": "1 - 2"

    },

    "engines": {

      "node": ">=12"

    }

  },

  "node_modules/d3-color": {

    "version": "3.1.0",

    "resolved": "https://registry.npmjs.org/d3-color/-/d3-color-3.1.0.tgz",

    "integrity": "sha512-
zg/chbXyeBtMQ1LbD/WSoW2DpC3I0mpmPdW+ynRTj/x2DAWYrIY7qeZIHidozwV24m4iavr15lNwlw
LxRmOxhA==",

    "license": "ISC",

    "engines": {

      "node": ">=12"

    }
```

```
  },
  "node_modules/d3-ease": {
   "version": "3.0.1",
   "resolved": "https://registry.npmjs.org/d3-ease/-/d3-ease-3.0.1.tgz",
   "integrity": "sha512-
wR/XK3D3XcLIZwpbvQwQ5fK+8Ykds1ip7A2Txe0yxncXSdq1L9skcG7blcedkOX+ZcgxGAmLX1FrRGb
ADwzi0w==",
   "license": "BSD-3-Clause",
   "engines": {
    "node": ">=12"
   }
  },
  "node_modules/d3-format": {
   "version": "3.1.2",
   "resolved": "https://registry.npmjs.org/d3-format/-/d3-format-3.1.2.tgz",
   "integrity": "sha512-
AJDdYOdnyRDV5b6ArilzCPPwc1ejkHcoyFarqlPqT7zRYjhavcT3uSrqcMvsgh2CgoPbK3RCwyHaVyxYc
P2Arg==",
   "license": "ISC",
   "engines": {
    "node": ">=12"
   }
  },
  "node_modules/d3-interpolate": {
   "version": "3.0.1",
   "resolved": "https://registry.npmjs.org/d3-interpolate/-/d3-interpolate-3.0.1.tgz",
   "integrity": "sha512-
3bYs1rOD33uo8aqJfKP3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+FRYaAOWX5SJATX6
k1PWz72g==",
```

```
    "license": "ISC",
    "dependencies": {
      "d3-color": "1 - 3"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-path": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/d3-path/-/d3-path-3.1.0.tgz",
    "integrity": "sha512-
p3KP5HCf/bvjBSSKuXid6Zqijx7wIfNW+J/maPs+iwR35at5JCbLUT0LzF1cnjbCHWhqzQTIN2Jpe8pRe
bIEFQ==",
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-scale": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/d3-scale/-/d3-scale-4.0.2.tgz",
    "integrity": "sha512-
GZW464g1SH7ag3Y7hXjf8RoUuAFIqklOAq3MRl4OaWabTFJY9PN/E1YklhXLh+OQ3fM9yS2nOkCoS+
WLZ6kvxQ==",
    "license": "ISC",
    "dependencies": {
      "d3-array": "2.10.0 - 3",
      "d3-format": "1 - 3",
```

```
      "d3-interpolate": "1.2.0 - 3",
      "d3-time": "2.1.1 - 3",
      "d3-time-format": "2 - 4"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-shape": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/d3-shape/-/d3-shape-3.2.0.tgz",
    "integrity": "sha512-
SaLBuwGm3MOViRq2ABk3eLoxwZELpH6zhl3FbAoJ7Vm1gofKx6El1Ib5z23NUEhF9AsGl7y+dzLe5C
w2AArGTA==",
    "license": "ISC",
    "dependencies": {
      "d3-path": "^3.1.0"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-time": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/d3-time/-/d3-time-3.1.0.tgz",
    "integrity": "sha512-
VqKjzBLejbSMT4IgbmVgDjpkYrNWUYJnbCGo874u7MMKIWsILRX+OpX/gTk8MqjpT1A/c6HY2dCA77
ZN0lkQ2Q==",
    "license": "ISC",
```

```
    "dependencies": {
      "d3-array": "2 - 3"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-time-format": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/d3-time-format/-/d3-time-format-4.1.0.tgz",
    "integrity": "sha512-
dJxPBlzC7NugB2PDLwo9Q8JiTR3M3e4/XANkreKSUxF8vvXKqm1Yfq4Q5dl8budlunRVlUUaDUgFt7e
A8D6NLg==",
    "license": "ISC",
    "dependencies": {
      "d3-time": "1 - 3"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-timer": {
    "version": "3.0.1",
    "resolved": "https://registry.npmjs.org/d3-timer/-/d3-timer-3.0.1.tgz",
    "integrity": "sha512-
ndfJ/JxxMd3nw31uyKoY2naivF+r29V+Lc0svZxe1JvvIRmi8hUsrMvdOwgS1o6uBHmiz91geQ0ylPP0aj
1VUA==",
    "license": "ISC",
    "engines": {
```

```
      "node": ">=12"
    }
  },
  "node_modules/data-view-buffer": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz",
    "integrity": "sha512-
EmKO5V3OLXh1rtK2wgXRansaK1/mtVdTUEiEI0W8RkvgT05kfxaH29PliLnpLP73yYO6142Q72QNa8
Wx/A5CqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/data-view-byte-length": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-length-1.0.2.tgz",
    "integrity": "sha512-
tuhGbE6CfTM9+5ANGf+oQb72Ky/0+s3xKUpHvShfiz2RxMFgFPjsXuRLBVMtvMs15awe45SRb83D6w
H4ew6wlQ==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/inspect-js"
    }
  },
  "node_modules/data-view-byte-offset": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-offset-1.0.1.tgz",
    "integrity": "sha512-
BS8PfmtDGnrgYdOonGZQdLZslWIeCGFP9tpan0hi1Co2Zr2NKADsvGYA8XxuG/4UWgJ6Cjtv+YJnB6
MM69QGlQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.1"
    },
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/date-fns": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/date-fns/-/date-fns-3.6.0.tgz",
    "integrity": "sha512-
fRHTG8g/Gif+kSh50gaGEdToemgfj74aRX3swtiouboip5JDLAyDE9F11nHMIcvOaXeOC6D7SpNhi7uF
yB7Uww==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/kossnocorp"
    }
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-
RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAj
NbcqA==",
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
```

```
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/decimal.js-light": {
    "version": "2.5.1",
    "resolved": "https://registry.npmjs.org/decimal.js-light/-/decimal.js-light-2.5.1.tgz",
    "integrity": "sha512-
qIMFpTMZmny+MMIitAB6D7iVPEorVw6YQRWkvarTkT4tBeSLLiHzcwj6q0MmYSFCiVpiqPJTJEYIrpcPz
VEIvg==",
    "license": "MIT"
  },
  "node_modules/decode-named-character-reference": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/decode-named-character-reference/-/decode-named-
character-reference-1.3.0.tgz",
    "integrity": "sha512-
GtpQYB283KrPp6nRw50q3U9/VfOutZOe103qlN7BPP6Ad27xYnOIWv4lPzo8HCAL+mMZofJ9KEy30f
q6MfaK6Q==",
    "license": "MIT",
    "dependencies": {
      "character-entities": "^2.0.0"
    },
    "funding": {
      "type": "github",
```

```
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/deep-is": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
    "integrity": "sha512-
oIPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3
t8a/bQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/define-data-property": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz",
    "integrity": "sha512-
rBMvIzlpA8v6E+SJZoo++HAYqsLrkg7MSfIinMPFhmkorw7X+dOXVJQs+QT69zGkzMyfDnIMN2Wid1+
NbL3T+A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-define-property": "^1.0.0",
      "es-errors": "^1.3.0",
      "gopd": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
```

```
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/define-properties": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz",
    "integrity": "sha512-
8QmQKqEASLd5nx0U1B1okLElbUuuttJ/AnYmRXbbbGDWh6uS208EjD4Xqq/I9wK7u0v6O08XhTWnt
5XtEbR6Dg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-data-property": "^1.0.1",
      "has-property-descriptors": "^1.0.0",
      "object-keys": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/delayed-stream": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
    "integrity": "sha512-
ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
```

```
    "license": "MIT",
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/dequal": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/dequal/-/dequal-2.0.3.tgz",
    "integrity": "sha512-
0je+qPKHEMohvfRTCEo3CrPG6cAzAYgmzKyxRiYSSDkS6eGJdyVJm7WaYA5ECaAD9wLB2T4EEeymA
5aFVcYXCA==",
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/detect-libc": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
    "integrity": "sha512-
Btj2BOOO83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of7io4
mzihBtQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/detect-node-es": {
```

```
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/detect-node-es/-/detect-node-es-1.1.0.tgz",
    "integrity": "sha512-
ypdmJU/TbBby2Dxibuv7ZLW3Bs1QEmM7nHjEANfohJLvE0XVujisn1qPJcZxg+qDucsr+bP6fLD1rPS3
AhJ7EQ==",
    "license": "MIT"
  },
  "node_modules/devlop": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/devlop/-/devlop-1.1.0.tgz",
    "integrity": "sha512-
RWmIqhcFf1lRYBvNmr7qTNuyCt/7/ns2jbpp1+PalgE/rDQcBT0fioSMUpJ93irlUhC5hrg4cYqe6U+0Im
W0rA==",
    "license": "MIT",
    "dependencies": {
      "dequal": "^2.0.0"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/didyoumean": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
    "integrity": "sha512-
gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgsdAA5SIifona8
9YtRATDzw==",
    "license": "Apache-2.0"
```

```
  },
  "node_modules/dlv": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
    "integrity": "sha512-
+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJ
UQkjXwA==",
    "license": "MIT"
  },
  "node_modules/doctrine": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz",
    "integrity": "sha512-
35mSku4ZXK0vfCuHEDAwt55dg2jNajHZ1odvF+8SSr82EsZY4QmXfuWso8oEd8zRhVObSN18aM0Cj
SdoBX7zIw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "esutils": "^2.0.2"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/dom-helpers": {
    "version": "5.2.1",
    "resolved": "https://registry.npmjs.org/dom-helpers/-/dom-helpers-5.2.1.tgz",
```

```
    "integrity": "sha512-
nRCa7CK3VTrM2NmGkIy4cbK7IZlgBE/PYMn55rrXefr5xXDP0LdtfPnblFDoVdcAfsIJ7or6iqAUnx0CCG
IWQA==",
    "license": "MIT",
    "dependencies": {
     "@babel/runtime": "^7.8.7",
     "csstype": "^3.0.2"
    }
   },
   "node_modules/dompurify": {
    "version": "3.4.16",
    "resolved": "https://registry.npmjs.org/dompurify/-/dompurify-3.4.16.tgz",
    "integrity": "sha512-
sqo+pNp3qRhCIpbgRi1y8Tgk27Bo2Ry7w0dC1NBeNTdZChWjz9Xb/KOoZbRP/R6pQZ80Qw8YhXw13
hWWBbMRnQ==",
    "license": "(MPL-2.0 OR Apache-2.0)",
    "optional": true,
    "optionalDependencies": {
     "@types/trusted-types": "^2.0.7"
    }
   },
   "node_modules/dunder-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
    "integrity": "sha512-
KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe
4UY7ct+A==",
    "license": "MIT",
    "dependencies": {
```

```
      "call-bind-apply-helpers": "^1.0.1",
      "es-errors": "^1.3.0",
      "gopd": "^1.2.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.444",
    "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.444.tgz",
    "integrity": "sha512-5ss/uJfoDYDHT0lfJzT6FbcskIzROIOPf0BbbFkGcvDzoJU7i//9GDrwwIHQVmIsrAGiF3ihpADBRIsrEFt1rQ==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/embla-carousel": {
    "version": "8.6.0",
    "resolved": "https://registry.npmjs.org/embla-carousel/-/embla-carousel-8.6.0.tgz",
    "integrity": "sha512-SjWyZBHJPbqxHOzckOfo8lHisEaJWmwd23XppYFYVh10bU66/Pn5tkVkbkCMZVdbUE5eTCI2nD8OylP4Z+uwkA==",
    "license": "MIT"
  },
  "node_modules/embla-carousel-react": {
    "version": "8.6.0",
    "resolved": "https://registry.npmjs.org/embla-carousel-react/-/embla-carousel-react-8.6.0.tgz",
```

```
    "integrity": "sha512-
0/PjqU7geVmo6F734pmPqpyHqiM99olvyecY7zdweCw+6tKEXnrE90pBiBbMMU8s5tICemzpQ3hi5E
pxzGW+JA==",

    "license": "MIT",

    "dependencies": {

     "embla-carousel": "8.6.0",

     "embla-carousel-reactive-utils": "8.6.0"

    },

    "peerDependencies": {

     "react": "^16.8.0 || ^17.0.1 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"

    }

   },

   "node_modules/embla-carousel-reactive-utils": {

    "version": "8.6.0",

    "resolved": "https://registry.npmjs.org/embla-carousel-reactive-utils/-/embla-carousel-reactive-
utils-8.6.0.tgz",

    "integrity": "sha512-
fMVUDUEx0/uIEDM0Mz3dHznDhfX+znCCDCeIophYb1QGVM7YThSWX+wz11zlYwWFOr74b4QLGg
0hrGPJeG2s4A==",

    "license": "MIT",

    "peerDependencies": {

     "embla-carousel": "8.6.0"

    }

   },

   "node_modules/engine.io-client": {

    "version": "6.6.6",

    "resolved": "https://registry.npmjs.org/engine.io-client/-/engine.io-client-6.6.6.tgz",

    "integrity": "sha512-
iY6QdftLQ9pyiPoX082bpf/u1UewnOaJrtJIF9T0++QB34lZrj0uP+Q/bj8AlUsAxqhnkTV2BS8SBZSxOmo
V5Q==",
```

```
    "license": "MIT",
    "dependencies": {
      "@socket.io/component-emitter": "~3.1.0",
      "debug": "~4.4.1",
      "engine.io-parser": "~5.2.1",
      "ws": "~8.21.0",
      "xmlhttprequest-ssl": "~2.1.1"
    }
  },
  "node_modules/engine.io-parser": {
    "version": "5.2.3",
    "resolved": "https://registry.npmjs.org/engine.io-parser/-/engine.io-parser-5.2.3.tgz",
    "integrity": "sha512-
HqD3yTBfnBxIrbnM1DoD6Pcq8NECnh8d4As1Qgh0z5Gg3jRRIqijury0CL3ghu/edArpUYiYqQiDUQBIs
4np3Q==",
    "license": "MIT",
    "engines": {
      "node": ">=10.0.0"
    }
  },
  "node_modules/env-runner": {
    "version": "0.1.16",
    "resolved": "https://registry.npmjs.org/env-runner/-/env-runner-0.1.16.tgz",
    "integrity": "sha512-
2LRJM4P2KLX6J83QZZrMqvgCDt/D5ea7wPcI3yYiy5cG/9rX5QwdwZFx0D7ktWnjdRyZxYjttGGorb5nF
qb1CA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
  "crossws": "^0.4.8",
  "exsolve": "^1.1.0",
  "httpxy": "^0.5.4",
  "srvx": "^0.11.19"
},
"bin": {
  "env-runner": "dist/cli.mjs"
},
"peerDependencies": {
  "@netlify/runtime": "^4.1.23",
  "@vercel/queue": ">=0.2.0",
  "miniflare": "^4.20260515.0",
  "wrangler": "^4.0.0"
},
"peerDependenciesMeta": {
  "@netlify/runtime": {
    "optional": true
  },
  "@vercel/queue": {
    "optional": true
  },
  "miniflare": {
    "optional": true
  },
  "wrangler": {
    "optional": true
  }
```

```
    }
  },
  "node_modules/es-abstract": {
    "version": "1.24.1",
    "resolved": "https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.1.tgz",
    "integrity": "sha512-
zHXBLhP+QehSSbsS9Pt23Gg964240DPd6QCf8WpkqEXxQ7fhdZzYsocOr5u7apWonsS5EjZDmTF+/
slGMyasvw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array-buffer-byte-length": "^1.0.2",
      "arraybuffer.prototype.slice": "^1.0.4",
      "available-typed-arrays": "^1.0.7",
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "data-view-buffer": "^1.0.2",
      "data-view-byte-length": "^1.0.2",
      "data-view-byte-offset": "^1.0.1",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "es-set-tostringtag": "^2.1.0",
      "es-to-primitive": "^1.3.0",
      "function.prototype.name": "^1.1.8",
      "get-intrinsic": "^1.3.0",
      "get-proto": "^1.0.1",
      "get-symbol-description": "^1.1.0",
```

"globalthis": "^1.0.4",

"gopd": "^1.2.0",

"has-property-descriptors": "^1.0.2",

"has-proto": "^1.2.0",

"has-symbols": "^1.1.0",

"hasown": "^2.0.2",

"internal-slot": "^1.1.0",

"is-array-buffer": "^3.0.5",

"is-callable": "^1.2.7",

"is-data-view": "^1.0.2",

"is-negative-zero": "^2.0.3",

"is-regex": "^1.2.1",

"is-set": "^2.0.3",

"is-shared-array-buffer": "^1.0.4",

"is-string": "^1.1.1",

"is-typed-array": "^1.1.15",

"is-weakref": "^1.1.1",

"math-intrinsics": "^1.1.0",

"object-inspect": "^1.13.4",

"object-keys": "^1.1.1",

"object.assign": "^4.1.7",

"own-keys": "^1.0.1",

"regexp.prototype.flags": "^1.5.4",

"safe-array-concat": "^1.1.3",

"safe-push-apply": "^1.0.0",

"safe-regex-test": "^1.1.0",

"set-proto": "^1.0.0",

```
      "stop-iteration-iterator": "^1.1.0",
      "string.prototype.trim": "^1.2.10",
      "string.prototype.trimend": "^1.0.9",
      "string.prototype.trimstart": "^1.0.8",
      "typed-array-buffer": "^1.0.3",
      "typed-array-byte-length": "^1.0.3",
      "typed-array-byte-offset": "^1.0.4",
      "typed-array-length": "^1.0.7",
      "unbox-primitive": "^1.1.0",
      "which-typed-array": "^1.1.19"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-
e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8EnT69eqdYGmRpJwiPV
YNrCaW3g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
```

```
  },
  "node_modules/es-errors": {
   "version": "1.3.0",
   "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
   "integrity": "sha512-
Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNU
LS6csw==",
   "license": "MIT",
   "engines": {
    "node": ">= 0.4"
   }
  },
  "node_modules/es-iterator-helpers": {
   "version": "1.2.2",
   "resolved": "https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-helpers-1.2.2.tgz",
   "integrity": "sha512-
BrUQ0cPTB/IwXj23HtwHjS9n7O4h9FX94b4xc5zlTHxeLgTAdzYUDyy6KdExAl9lbN5rtfe44xpjpmj9grx
s5w==",
   "dev": true,
   "license": "MIT",
   "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.24.1",
    "es-errors": "^1.3.0",
    "es-set-tostringtag": "^2.1.0",
    "function-bind": "^1.1.2",
    "get-intrinsic": "^1.3.0",
```

```
      "globalthis": "^1.0.4",
      "gopd": "^1.2.0",
      "has-property-descriptors": "^1.0.2",
      "has-proto": "^1.2.0",
      "has-symbols": "^1.1.0",
      "internal-slot": "^1.1.0",
      "iterator.prototype": "^1.1.5",
      "safe-array-concat": "^1.1.3"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
    "integrity": "sha512-
FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+Pe6FGJzWhXQotPv73jT
aldXA==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-set-tostringtag": {
```

```
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
    "integrity": "sha512-
j6vWzfrGVfyXxge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNWbVRdVlmGZQL2Y
S3yR8bIUA==",
    "license": "MIT",
    "dependencies": {
     "es-errors": "^1.3.0",
     "get-intrinsic": "^1.2.6",
     "has-tostringtag": "^1.0.2",
     "hasown": "^2.0.2"
    },
    "engines": {
     "node": ">= 0.4"
    }
   },
   "node_modules/es-shim-unscopables": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/es-shim-unscopables/-/es-shim-unscopables-1.1.0.tgz",
    "integrity": "sha512-
d9T8ucsEhh8Bi1woXCf+TIKDIROLG5WCkxg8geBCbvk22kzwC5G2OnXVMO6FUsvQlgUUXQ2iteph
WDLqDzbeCw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "hasown": "^2.0.2"
    },
    "engines": {
     "node": ">= 0.4"
```

```
    }
   },
   "node_modules/es-to-primitive": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.0.tgz",
    "integrity": "sha512-
w+5mJ3GuFL+NjVtJlvydShqE1eN3h3PbI7/5LAsYJP/2qtuMXjfL2LpHSRqo4b4eSF5K/DH1JXKUAHSB
2UW50g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "is-callable": "^1.2.7",
     "is-date-object": "^1.0.5",
     "is-symbol": "^1.0.4"
    },
    "engines": {
     "node": ">= 0.4"
    },
    "funding": {
     "url": "https://github.com/sponsors/ljharb"
    }
   },
   "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-
WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bj
e/jA==",
    "dev": true,
```

```
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/escape-string-regexp": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
    "integrity": "sha512-
TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKk
JWdgA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/eslint": {
    "version": "9.39.2",
    "resolved": "https://registry.npmjs.org/eslint/-/eslint-9.39.2.tgz",
    "integrity": "sha512-
LEyamqS7W5HB3ujJyvi0HQK/dtVINZvd5mAAp9eT5S/ujByGjiZLCzPcHVzuXbpJDJF/cxwHlfceVUDZ2l
nSTw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

"@eslint-community/eslint-utils": "^4.8.0",

"@eslint-community/regexpp": "^4.12.1",

"@eslint/config-array": "^0.21.1",

"@eslint/config-helpers": "^0.4.2",

"@eslint/core": "^0.17.0",

"@eslint/eslintrc": "^3.3.1",

"@eslint/js": "9.39.2",

"@eslint/plugin-kit": "^0.4.1",

"@humanfs/node": "^0.16.6",

"@humanwhocodes/module-importer": "^1.0.1",

"@humanwhocodes/retry": "^0.4.2",

"@types/estree": "^1.0.6",

"ajv": "^6.12.4",

"chalk": "^4.0.0",

"cross-spawn": "^7.0.6",

"debug": "^4.3.2",

"escape-string-regexp": "^4.0.0",

"eslint-scope": "^8.4.0",

"eslint-visitor-keys": "^4.2.1",

"espree": "^10.4.0",

"esquery": "^1.5.0",

"esutils": "^2.0.2",

"fast-deep-equal": "^3.1.3",

"file-entry-cache": "^8.0.0",

"find-up": "^5.0.0",

"glob-parent": "^6.0.2",

"ignore": "^5.2.0",

```
    "imurmurhash": "^0.1.4",
    "is-glob": "^4.0.0",
    "json-stable-stringify-without-jsonify": "^1.0.1",
    "lodash.merge": "^4.6.2",
    "minimatch": "^3.1.2",
    "natural-compare": "^1.4.0",
    "optionator": "^0.9.3"
  },
  "bin": {
    "eslint": "bin/eslint.js"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://eslint.org/donate"
  },
  "peerDependencies": {
    "jiti": "*"
  },
  "peerDependenciesMeta": {
    "jiti": {
      "optional": true
    }
  }
},
"node_modules/eslint-plugin-react": {
```

```
    "version": "7.37.5",
    "resolved": "https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-react-7.37.5.tgz",
    "integrity": "sha512-
Qteup0SqU15kdocexFNAJMvCJEfa2xUKNV4CC1xsVMrIIqEy3SQ/rqyxCWNzfrd3/ldy6HMlD2e0JDVp
Dg2qIA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "array-includes": "^3.1.8",
     "array.prototype.findlast": "^1.2.5",
     "array.prototype.flatmap": "^1.3.3",
     "array.prototype.tosorted": "^1.1.4",
     "doctrine": "^2.1.0",
     "es-iterator-helpers": "^1.2.1",
     "estraverse": "^5.3.0",
     "hasown": "^2.0.2",
     "jsx-ast-utils": "^2.4.1 || ^3.0.0",
     "minimatch": "^3.1.2",
     "object.entries": "^1.1.9",
     "object.fromentries": "^2.0.8",
     "object.values": "^1.2.1",
     "prop-types": "^15.8.1",
     "resolve": "^2.0.0-next.5",
     "semver": "^6.3.1",
     "string.prototype.matchall": "^4.0.12",
     "string.prototype.repeat": "^1.0.0"
    },
    "engines": {
```

```
      "node": ">=4"
    },
    "peerDependencies": {
      "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9.7"
    }
  },
  "node_modules/eslint-plugin-react-hooks": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-5.2.0.tgz",
    "integrity": "sha512-+f15FfK64YQwZdJNELETdn5ibXEUQmW1DZL6KXhNnc2heoy/sg9VJJeT7n8TlMWouzWqSWavFkIhHyIbIAEapg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "peerDependencies": {
      "eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0"
    }
  },
  "node_modules/eslint-plugin-react-refresh": {
    "version": "0.4.26",
    "resolved": "https://registry.npmjs.org/eslint-plugin-react-refresh/-/eslint-plugin-react-refresh-0.4.26.tgz",
    "integrity": "sha512-1RETEylht2O6FM/MvgnyvT+8K21wLqDNg4qD51Zj3guhjt433XbnnkVttHMyaVyAFD03QSV4LPS5iE3VQmO7XQ==",
```

```
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "eslint": ">=8.40"
    }
  },
  "node_modules/eslint-plugin-unused-imports": {
    "version": "4.4.1",
    "resolved": "https://registry.npmjs.org/eslint-plugin-unused-imports/-/eslint-plugin-unused-imports-4.4.1.tgz",
    "integrity": "sha512-oZGYUz1X3sRMGUB+0cZyK2VcvRX5lm/vB56PgNNcU+7ficUCKm66oZWKUubXWnOuPjQ8PvmXtCViXBMONPe7tQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@typescript-eslint/eslint-plugin": "^8.0.0-0 || ^7.0.0 || ^6.0.0 || ^5.0.0",
      "eslint": "^10.0.0 || ^9.0.0 || ^8.0.0"
    },
    "peerDependenciesMeta": {
      "@typescript-eslint/eslint-plugin": {
        "optional": true
      }
    }
  },
  "node_modules/eslint-scope": {
    "version": "8.4.0",
    "resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-8.4.0.tgz",
```

```
    "integrity": "sha512-
sNXOfKCn74rt8RICKMvJS7XKV/Xk9kA7DyJr8mJik3S7Cwgy3qlkkmyS2uQB3jiJg6VNdZd/pDBJu0nvG
2NlTg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
     "esrecurse": "^4.3.0",
     "estraverse": "^5.2.0"
    },
    "engines": {
     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
     "url": "https://opencollective.com/eslint"
    }
   },
   "node_modules/eslint-visitor-keys": {
    "version": "4.2.1",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-4.2.1.tgz",
    "integrity": "sha512-
Uhdk5sfqcee/9H/rCOJikYz67o0a2Tw2hGRPOG2Y1R2dg7brRe1uG0yaNQDHu+TO/uQPF/5eCapvYS
mHUjt7JQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
     "url": "https://opencollective.com/eslint"
```

```
    }
   },
   "node_modules/espree": {
    "version": "10.4.0",
    "resolved": "https://registry.npmjs.org/espree/-/espree-10.4.0.tgz",
    "integrity": "sha512-
j6PAQ2uUr79PZhBjP5C5fhl8e39FmRnOjsD5lGnWrFU8i2G776tBK7+nP8KuQUTTyAZUwfQqXAgrVH
5MbH9CYQ==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
     "acorn": "^8.15.0",
     "acorn-jsx": "^5.3.2",
     "eslint-visitor-keys": "^4.2.1"
    },
    "engines": {
     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
     "url": "https://opencollective.com/eslint"
    }
   },
   "node_modules/esquery": {
    "version": "1.7.0",
    "resolved": "https://registry.npmjs.org/esquery/-/esquery-1.7.0.tgz",
    "integrity": "sha512-
Ap6G0WQwcU/LHsvLwON1fAQX9Zp0A2Y6Y/cJBl9r/JbW90Zyg4/zbG6zzKa2OTALELarYHmKu0Ghp
M5EO+7T0g==",
    "dev": true,
```

```
    "license": "BSD-3-Clause",
    "dependencies": {
      "estraverse": "^5.1.0"
    },
    "engines": {
      "node": ">=0.10"
    }
  },
  "node_modules/esrecurse": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
    "integrity": "sha512-
KmfKL3b6G+RXvP8N1vr3Tq1kL/oCFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmk
ti6/Tag==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "estraverse": "^5.2.0"
    },
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/estraverse": {
    "version": "5.3.0",
    "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
    "integrity": "sha512-
MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeiINEbX36ZdNlfU/7A9f3gUw49B
3oQsvwBA==",
```

```
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/estree-util-is-identifier-name": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/estree-util-is-identifier-name/-/estree-util-is-identifier-name-3.0.0.tgz",
    "integrity": "sha512-hFtqIDZTIUZ9BXLb8y4pYGyk6+wekIivNVTcmvk8NoOh+VeRn5y6cEHzbURrWbfp1fIqdVipilzj+lfaadNZmg==",
    "license": "MIT",
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/esutils": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
    "integrity": "sha512-kVscqXk4OCp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSwK41WyTxalN1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=0.10.0"
```

```
    }
  },
  "node_modules/event-target-shim": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/event-target-shim/-/event-target-shim-6.0.2.tgz",
    "integrity": "sha512-
8q3LsZjRezbFZ2PN+uP+Q7pnHUMmAOziU2vA2OwoFaKIXxlxl38IylhSSgUorWu/rf4er67w0ikBqjBFk/
pomA==",
    "license": "MIT",
    "engines": {
      "node": ">=10.13.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/mysticatea"
    }
  },
  "node_modules/eventemitter3": {
    "version": "5.0.4",
    "resolved": "https://registry.npmjs.org/eventemitter3/-/eventemitter3-5.0.4.tgz",
    "integrity": "sha512-
mlsTRyGaPBjPedk6Bvw+aqbsXDtoAyAzm5MO7JgU+yVRyMQ5O8bD4Kcci7BS85f93veegeCPkL8R4
GLClnjLFw==",
    "license": "MIT"
  },
  "node_modules/exsolve": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/exsolve/-/exsolve-1.1.1.tgz",
```

```
    "integrity": "sha512-
9U/jZUgjnSGyntRr6y5Muu1MJcwFl6kPu7k8qLF0IMNfLqvw0NZ4nnVDq0RVoZ0RvCyumib4Ez3KYrVfi
lrw+g==",

    "dev": true,

    "license": "MIT"

  },

  "node_modules/extend": {

    "version": "3.0.2",

    "resolved": "https://registry.npmjs.org/extend/-/extend-3.0.2.tgz",

    "integrity": "sha512-
fjquC59cD7CyW6urNXK0FBufkZcoiGG80wTuPujX590cB5Ttln20E2UB4S/WARVqhXffZl2LNgS+gQdP
Ilim/g==",

    "license": "MIT"

  },

  "node_modules/fast-deep-equal": {

    "version": "3.1.3",

    "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",

    "integrity": "sha512-
f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gDOnKNAYG5hswO7BLKj09Hc5HYNz9cGI++xlpDCIgDaitV
s03ATR84Q==",

    "dev": true,

    "license": "MIT"

  },

  "node_modules/fast-diff": {

    "version": "1.3.0",

    "resolved": "https://registry.npmjs.org/fast-diff/-/fast-diff-1.3.0.tgz",

    "integrity": "sha512-
VxPP4NqbUjj6MaAOafWeUn2cXWLcCtljklUtZf0Ind4XQ+QPtmA0b18zZy0jIQx+ExRVCR/ZQpBmik5l
XshNsw==",

    "license": "Apache-2.0"
```

```
  },
  "node_modules/fast-equals": {
   "version": "5.4.0",
   "resolved": "https://registry.npmjs.org/fast-equals/-/fast-equals-5.4.0.tgz",
   "integrity": "sha512-
jt2DW/aNFNwke7AUd+Z+e6pz39KO5rzdbbFCg2sGafS4mk13MI7Z8O5z9cADNn5lhGODIgLwug6TZ
O2ctf7kcw==",
   "license": "MIT",
   "engines": {
    "node": ">=6.0.0"
   }
  },
  "node_modules/fast-glob": {
   "version": "3.3.3",
   "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
   "integrity": "sha512-
7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ
2TCvYLg==",
   "license": "MIT",
   "dependencies": {
    "@nodelib/fs.stat": "^2.0.2",
    "@nodelib/fs.walk": "^1.2.3",
    "glob-parent": "^5.1.2",
    "merge2": "^1.3.0",
    "micromatch": "^4.0.8"
   },
   "engines": {
    "node": ">=8.6.0"
   }
```

```
  },
  "node_modules/fast-glob/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-
AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkG
z4aS9Zow==",
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fast-json-stable-stringify": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-
2.1.0.tgz",
    "integrity": "sha512-
lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqlkwjCV8x
vwHw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fast-levenshtein": {
    "version": "2.0.6",
    "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
```

```
    "integrity": "sha512-
DCXu6Ifhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERSOXWQdMhU9Ig/PYrzyw/ul9jOIyh0N4M0tbC
5hodg8dw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fast-png": {
    "version": "6.4.0",
    "resolved": "https://registry.npmjs.org/fast-png/-/fast-png-6.4.0.tgz",
    "integrity": "sha512-
kAqZq1TlgBjZcLr5mcN6NP5Rv4V2f22z00c3g8vRrwkcqjerx7BEhPbOnWCPqaHUl2XWQBJQvOT/FQ
hdMT7X/Q==",
    "license": "MIT",
    "dependencies": {
      "@types/pako": "^2.0.3",
      "iobuffer": "^5.3.2",
      "pako": "^2.1.0"
    }
  },
  "node_modules/fastq": {
    "version": "1.20.1",
    "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
    "integrity": "sha512-
GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13lOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6m
HFThxXxw==",
    "license": "ISC",
    "dependencies": {
      "reusify": "^1.0.4"
    }
```

```
  },
  "node_modules/fflate": {
    "version": "0.8.3",
    "resolved": "https://registry.npmjs.org/fflate/-/fflate-0.8.3.tgz",
    "integrity": "sha512-
tbZNuJrLwGUp3zshBtdy4W+ORxZuIh8a5ilyIEQDC5rY1f3U20JMry0Ll3WBzU58EZKsEuJFXhb5gwv8
CsPvgA==",
    "license": "MIT"
  },
  "node_modules/file-entry-cache": {
    "version": "8.0.0",
    "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
    "integrity": "sha512-
XXTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmblZEF7N7swHYQS6/Zfk7SRwx4D5j3CH211YNRco1
DEMNVfZCnQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "flat-cache": "^4.0.0"
    },
    "engines": {
      "node": ">=16.0.0"
    }
  },
  "node_modules/fill-range": {
    "version": "7.1.1",
    "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
```

```
    "integrity": "sha512-
YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hB
W0yg==",

    "license": "MIT",

    "dependencies": {

      "to-regex-range": "^5.0.1"

    },

    "engines": {

      "node": ">=8"

    }

  },

  "node_modules/find-up": {

    "version": "5.0.0",

    "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",

    "integrity": "sha512-
78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRi
W6nGng==",

    "dev": true,

    "license": "MIT",

    "dependencies": {

      "locate-path": "^6.0.0",

      "path-exists": "^4.0.0"

    },

    "engines": {

      "node": ">=10"

    },

    "funding": {

      "url": "https://github.com/sponsors/sindresorhus"

    }
```

```
  },
  "node_modules/flat-cache": {
    "version": "4.0.1",
    "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-4.0.1.tgz",
    "integrity": "sha512-
f7ccFPK3SXFHpx15UIGyRJ/FJQctuKZ0zVuN3frBo4HnK3cay9VEW0R6yPYFHC0AgqhukPzKjq22t5D
mAyqGyw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "flatted": "^3.2.9",
      "keyv": "^4.5.4"
    },
    "engines": {
      "node": ">=16"
    }
  },
  "node_modules/flatted": {
    "version": "3.4.2",
    "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
    "integrity": "sha512-
PjDse7RzhcPkIJwy5t7KPWQSZ9cAbzQXcafsetQoD7sOJRQlGikNbx7yZp2OotDnJyrDcbyRq3Ttb18iY
OqkxA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/follow-redirects": {
    "version": "1.16.0",
    "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.16.0.tgz",
```

```
    "integrity": "sha512-
y5rN/uOsadFT/JfYwhxRS5R7Qce+g3zG97+JrtFZlC9klX/W5hD7iiLzScI4nZqUS7DNUdhPgw4xI8W2Lu
XlUw==",
    "funding": [
     {
       "type": "individual",
       "url": "https://github.com/sponsors/RubenVerborgh"
     }
    ],
    "license": "MIT",
    "engines": {
     "node": ">=4.0"
    },
    "peerDependenciesMeta": {
     "debug": {
       "optional": true
     }
    }
   },
   "node_modules/for-each": {
    "version": "0.3.5",
    "resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
    "integrity": "sha512-
dKx12eRCVIzqCxFGplyFKJMPvLEWgmNtUrpTiJIR5u97zEhRG8ySrtboPHZXx7daLxQVrl643cTzbab2tk
Qjxg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "is-callable": "^1.2.7"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/form-data": {
    "version": "4.0.6",
    "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.6.tgz",
    "integrity": "sha512-
vKatAh4SlVfgbv+YtmhiRjhEMJsYpsG1Y2rMQtR+SVSbytsSD1YGzDIcrAJmdFec88u/+VoGmxnl+80gL
1tRCQ==",
    "license": "MIT",
    "dependencies": {
      "asynckit": "^0.4.0",
      "combined-stream": "^1.0.8",
      "es-set-tostringtag": "^2.1.0",
      "hasown": "^2.0.4",
      "mime-types": "^2.1.35"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fraction.js": {
    "version": "5.3.4",
```

```
    "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
    "integrity": "sha512-
1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5
RyWDQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/rawify"
    }
  },
  "node_modules/framer-motion": {
    "version": "11.18.2",
    "resolved": "https://registry.npmjs.org/framer-motion/-/framer-motion-11.18.2.tgz",
    "integrity": "sha512-
5F5Och7wrvtLVElIpclDT0CBzMVg3dL22B64aZwHtsIY8RB4mXICLrkajK4G9R+ieSAGcgrLeae2SeUTg
2pr6w==",
    "license": "MIT",
    "dependencies": {
      "motion-dom": "^11.18.1",
      "motion-utils": "^11.18.1",
      "tslib": "^2.4.0"
    },
    "peerDependencies": {
      "@emotion/is-prop-valid": "*",
      "react": "^18.0.0 || ^19.0.0",
```

```
      "react-dom": "^18.0.0 || ^19.0.0"
    },
    "peerDependenciesMeta": {
      "@emotion/is-prop-valid": {
        "optional": true
      },
      "react": {
        "optional": true
      },
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-
5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XN
oJwzlhffQw==",
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
```

```
    }
  },
  "node_modules/function-bind": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
    "integrity": "sha512-
7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oVO0F744iUgR
82nJMfG2SA==",
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/function.prototype.name": {
    "version": "1.1.8",
    "resolved": "https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-
1.1.8.tgz",
    "integrity": "sha512-
e5iwyodOHhbMr/yNrc7fDYG4qlbIvI5gajyzPnb5TCwyhjApznQh1BMFou9b30SevY43gCJKXycoCBjMb
suW0Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "functions-have-names": "^1.2.3",
      "hasown": "^2.0.2",
      "is-callable": "^1.2.7"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/functions-have-names": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz",
    "integrity": "sha512-xckBUXyTIqT97tq2x2AMb+g163b5JFysYk0x4qxNFwbfQkmNZoiRHb6sPzI9/QV33WeuvVYBUIiD4NzNIyqaRQ==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/generator-function": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/generator-function/-/generator-function-2.0.1.tgz",
    "integrity": "sha512-SFdFmIJi+ybC0vjlHN0ZGVGHc3lgE0DxPAT0djjVg+kjOnSqclqmj0KQ7ykTOLP6YxoqOvuAODGdcHJn+43q3g==",
    "dev": true,
    "license": "MIT",
```

```
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-intrinsic": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
    "integrity": "sha512-
9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98
CQ==",
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "function-bind": "^1.1.2",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
```

```
    }
  },
  "node_modules/get-nonce": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-nonce/-/get-nonce-1.0.1.tgz",
    "integrity": "sha512-
FJhYRoDaiatfEkUK8HKlicmu/3SGFD51q3itKDGoSTysQJBnfOcxU5GxnhE1E6soB76MbT0MBtnKJuXy
Ax+96Q==",
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/get-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
    "integrity": "sha512-
sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFPNc9IcoOC4ODfKHfx
Fmp0g==",
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-symbol-description": {
```

```
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/get-symbol-description/-/get-symbol-description-1.1.0.tgz",
    "integrity": "sha512-w9UMqWwJxHNOvoNzSJ2oPF5wvYcvP7jUvYzhp67yEhTi17ZDBBC1z9pTdGuzjD+EFIqLSYRweZjqfiPzQ06Ebg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/glob-parent": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
    "integrity": "sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.3"
```

```
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/globals": {
    "version": "15.15.0",
    "resolved": "https://registry.npmjs.org/globals/-/globals-15.15.0.tgz",
    "integrity": "sha512-
7ACyT3wmyp3I61S4fG682L0VA2RGD9otkqGJIwNUMF1SWUombIIk+af1unuDYgMm082aHYwD+mz
Jvv9Iu8dsgg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/globalthis": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz",
    "integrity": "sha512-
DpLKbNU4WylpxJykQujfCcwYWiV/Jhm50Goo0wrVILAv5jOr9d+H+UR3PhSCD2rCCEIg0uc+G+muBT
wD54JhDQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
      "define-properties": "^1.2.1",
      "gopd": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/goober": {
    "version": "2.1.18",
    "resolved": "https://registry.npmjs.org/goober/-/goober-2.1.18.tgz",
    "integrity": "sha512-
2vFqsaDVIT9Gz7N6kAL++pLpp41l3PfDuusHcjnGLfR6+huZkl6ziX+zgVC3ZxpqWhzH6pyDdGrCeDh
MIvwaxw==",
    "license": "MIT",
    "peerDependencies": {
      "csstype": "^3.0.10"
    }
  },
  "node_modules/gopd": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
    "integrity": "sha512-
ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIBOijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3OO6Rfa93
xsRg==",
    "license": "MIT",
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/h3": {
    "version": "2.0.1-rc.22",
    "resolved": "https://registry.npmjs.org/h3/-/h3-2.0.1-rc.22.tgz",
    "integrity": "sha512-
Esv0DMIuPkCTSWCA0vO73vcTqwzH1wjSrAO1TXNu/K3up1sZHa9EKMapbmxCDYBeymC3fVTk4qxp
7ogQWQ+KgA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "rou3": "^0.8.1",
      "srvx": "^0.11.15"
    },
    "bin": {
      "h3": "bin/h3.mjs"
    },
    "engines": {
      "node": ">=20.11.1"
    },
    "peerDependencies": {
      "crossws": "^0.4.1"
    },
    "peerDependenciesMeta": {
```

```
      "crossws": {
        "optional": true
      }
    }
  },
  "node_modules/has-bigints": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
    "integrity": "sha512-
R3pbpkcIqv2Pm3dUwgjclDRVmWpTJW2DcMzcIhEXEx1oh/CEMObMm3KLmRJOdvhM7o4uQBnwr8
pzRK2sJWIqfg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-flag": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
    "integrity": "sha512-
EykJT/Q1KjTWctppgIAgfSO0tKVuZUjhgMr17kqTumMl6Afv3EISleU7qZUzoXDFTAHTDC4NOoG/ZxU3
EvlMPQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
```

```
      "node": ">=8"
    }
  },
  "node_modules/has-property-descriptors": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz",
    "integrity": "sha512-55JNKuIW+vq4Ke1BjOTjM2YctQlvCT7GFzHwmfZPGo5wnrgkid0YQtnAleFSqumZm4az3n2BS+erby5ipJdgrg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-define-property": "^1.0.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-proto": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz",
    "integrity": "sha512-KIL7eQPfHQRC8+XluaIw7BHUwwqL19bQn4hzNgdr+1wXoU0KKj6rufu47lhY7KbJR2C6T6+PfyN0Ea7wkSS+qQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.0"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-symbols": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
    "integrity": "sha512-
1cDNdwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68io
mhjUoKUqlPQ==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity": "sha512-
NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/Vq
dVsO47Dlw==",
    "license": "MIT",
```

```
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.4.tgz",
    "integrity": "sha512-
T2UbfbBEF32wiepXIsMlTW9+dDYC6wMh/t/vYA4tuOMKqWz/n3vr1NFSxQiyP+zk2mXsoMA/i/7qV6L
Kut1t1A==",
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/hast-util-to-jsx-runtime": {
    "version": "2.3.6",
    "resolved": "https://registry.npmjs.org/hast-util-to-jsx-runtime/-/hast-util-to-jsx-runtime-
2.3.6.tgz",
```

"integrity": "sha512-zl6s8LwNyo1P9uw+XJGvZtdFF1GdAkOg8ujOw+4Pyb76874fLps4ueHXDhXWdk6YHQ6OgUtinliG7RsYvCbbBg==",

"license": "MIT",

"dependencies": {

"@types/estree": "^1.0.0",

"@types/hast": "^3.0.0",

"@types/unist": "^3.0.0",

"comma-separated-tokens": "^2.0.0",

"devlop": "^1.0.0",

"estree-util-is-identifier-name": "^3.0.0",

"hast-util-whitespace": "^3.0.0",

"mdast-util-mdx-expression": "^2.0.0",

"mdast-util-mdx-jsx": "^3.0.0",

"mdast-util-mdxjs-esm": "^2.0.0",

"property-information": "^7.0.0",

"space-separated-tokens": "^2.0.0",

"style-to-js": "^1.0.0",

"unist-util-position": "^5.0.0",

"vfile-message": "^4.0.0"

},

"funding": {

"type": "opencollective",

"url": "https://opencollective.com/unified"

}

},

"node_modules/hast-util-whitespace": {

"version": "3.0.0",

```
    "resolved": "https://registry.npmjs.org/hast-util-whitespace/-/hast-util-whitespace-3.0.0.tgz",
    "integrity": "sha512-
88JUN06ipLwsnv+dVn+OIYOvAuvBMy/Qoi6O7mQHxdPXpjy+Cd6xRkWwux7DKO+4sYILtLBRIKgsdp
S2gQc7qw==",
    "license": "MIT",
    "dependencies": {
     "@types/hast": "^3.0.0"
    },
    "funding": {
     "type": "opencollective",
     "url": "https://opencollective.com/unified"
    }
   },
   "node_modules/hookable": {
    "version": "6.1.1",
    "resolved": "https://registry.npmjs.org/hookable/-/hookable-6.1.1.tgz",
    "integrity": "sha512-
U9LYDy1CwhMCnprUfeAZWZGByVbhd54hwepegYTK7Pi5NvqEj63ifz5z+xuknehT7i6NIZRu89Ay1AZ
mRsLEQ==",
    "dev": true,
    "license": "MIT"
   },
   "node_modules/html-url-attributes": {
    "version": "3.0.1",
    "resolved": "https://registry.npmjs.org/html-url-attributes/-/html-url-attributes-3.0.1.tgz",
    "integrity": "sha512-
ol6UPyBWqsrO6EJySPz2O7ZSr856WDrEzM5zMqp+FJJLGMW35cLYmmZnl0vztAZxRUoNZJFTCohfjuI
J8I4QBQ==",
    "license": "MIT",
```

```
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/html2canvas": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/html2canvas/-/html2canvas-1.4.1.tgz",
    "integrity": "sha512-
fPU6BHNpsyIhr8yyMpTLLxAbkaK8ArIBcmZIRiBLiDhjeqvXolaEmDGmELFuX9I4xDcaKKcJl+TKZLqruB
bmWA==",
    "license": "MIT",
    "dependencies": {
      "css-line-break": "^2.1.0",
      "text-segmentation": "^1.0.3"
    },
    "engines": {
      "node": ">=8.0.0"
    }
  },
  "node_modules/https-proxy-agent": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-5.0.1.tgz",
    "integrity": "sha512-
dFcAjpTQFgoLMzC2VwU+C/CbS7uRL0lWmxDITmqm7C+7F0Odmj6s9l6alZc6AELXhrnggM2CeWSX
HGOdX2YtwA==",
    "license": "MIT",
    "dependencies": {
      "agent-base": "6",
```

```
      "debug": "4"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/httpxy": {
    "version": "0.5.5",
    "resolved": "https://registry.npmjs.org/httpxy/-/httpxy-0.5.5.tgz",
    "integrity": "sha512-
uDjmnPyp1q4Sgzf3w+J/Fc6UqcCEj0x4Wjp7OqK5dGhNeDgpyrAmnS6ey8QWrX3SWDon2DMKf9sB
a5X9+CVyMA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/ignore": {
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
    "integrity": "sha512-
hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdigLvegy8kDuJAS8uRlpkkcQpyEXL0Z/pjDy5HBmMjR
CJ2gq+g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/import-fresh": {
    "version": "3.3.1",
```

```
    "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
    "integrity": "sha512-
TR3KfrTZTYLPB6jUjfx6MF9WcWrHL9su5TObK4ZkYgBdWKPOFoSoQIdEuTuR82pmtxH2spWG9h6et
wfr1pLBqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "parent-module": "^1.0.0",
      "resolve-from": "^4.0.0"
    },
    "engines": {
      "node": ">=6"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/imurmurhash": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
    "integrity": "sha512-
JmXMZ6wuvDmLiHEml9ykzqO6lwFbof0GG4IkcGaENdCRDDmMVnny7s5HsIgHCbaq0w2MyPhDqk
hTUgS2LU2PHA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.8.19"
    }
  },
```

```
  "node_modules/inline-style-parser": {
    "version": "0.2.7",
    "resolved": "https://registry.npmjs.org/inline-style-parser/-/inline-style-parser-0.2.7.tgz",
    "integrity": "sha512-
Nb2ctOyNR8DqQoR0OwRG95uNWIC0C1lCgf5Naz5H6Ji72KZ8OcFZLz2P5sNgwlyoJ8Yif11oMuYs5p
BQa86csA==",
    "license": "MIT"
  },
  "node_modules/input-otp": {
    "version": "1.4.2",
    "resolved": "https://registry.npmjs.org/input-otp/-/input-otp-1.4.2.tgz",
    "integrity": "sha512-
l3jWwYNvrEa6NTCt7BECfCm48GvwuZzkoeG3gBL2w4CHeOXW3eKFmf9UNYkNfYc3mxMrthMnxjIE
07MT0zLBQA==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc"
    }
  },
  "node_modules/internal-slot": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
    "integrity": "sha512-
4gd7VpWNQNB4UKKCFFVcp1AVv+FMOgs9NKzjHKusc8jTMhd5eL1NqQqOpE0KzMds804/yHlglp3u
xgluOqAPLw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
      "es-errors": "^1.3.0",
      "hasown": "^2.0.2",
      "side-channel": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/internmap": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/internmap/-/internmap-2.0.3.tgz",
    "integrity": "sha512-
5Hh7Y1wQbvY5ooGgPbDaL5iYLAPzMTUrjMulskHLH6wnv/A+1q5rgEaiuqEjB+oxGXIVZs1FF+R/KPN3
ZSQYYg==",
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/iobuffer": {
    "version": "5.4.0",
    "resolved": "https://registry.npmjs.org/iobuffer/-/iobuffer-5.4.0.tgz",
    "integrity": "sha512-
DRebOWuqDvxunfkNJAlc3IzWIPD5xVxwUNbHr7xKB8E6aLJxIPfNX3CoMJghcFjpv6RWQsrcJbghtEw
SPoJqMA==",
    "license": "MIT"
  },
  "node_modules/is-alphabetical": {
    "version": "2.0.1",
```

```
    "resolved": "https://registry.npmjs.org/is-alphabetical/-/is-alphabetical-2.0.1.tgz",
    "integrity": "sha512-
FWyyY60MeTNyeSRpkM2Iry0G9hpr7/9kD40mD/cGQEuilcZYS4okz8SN2Q6rLCJ8gbCt6fN+rC+6tMG
S99LaxQ==",
    "license": "MIT",
    "funding": {
     "type": "github",
     "url": "https://github.com/sponsors/wooorm"
    }
   },
   "node_modules/is-alphanumerical": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/is-alphanumerical/-/is-alphanumerical-2.0.1.tgz",
    "integrity": "sha512-
hmbYhX/9MUMF5uh7tOXyK/n0ZvWpad5caBA17GsC6vyuCqaWliRG5K1qS9inmUhEMaOBIW7/whA
nSwveW/LtZw==",
    "license": "MIT",
    "dependencies": {
     "is-alphabetical": "^2.0.0",
     "is-decimal": "^2.0.0"
    },
    "funding": {
     "type": "github",
     "url": "https://github.com/sponsors/wooorm"
    }
   },
   "node_modules/is-array-buffer": {
    "version": "3.0.5",
    "resolved": "https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz",
```

"integrity": "sha512-DDfANUiiG2wC1qawP66qlTugJeL5HyzMpfr8lLK+jMQirGzNod0B12cFB/9q838Ru27sBwfw78/rdoU7RERz6A==",

"dev": true,

"license": "MIT",

"dependencies": {

"call-bind": "^1.0.8",

"call-bound": "^1.0.3",

"get-intrinsic": "^1.2.6"

},

"engines": {

"node": ">= 0.4"

},

"funding": {

"url": "https://github.com/sponsors/ljharb"

}

},

"node_modules/is-async-function": {

"version": "2.1.1",

"resolved": "https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz",

"integrity": "sha512-9dgM/cZBnNvjzaMYHVoxxfPj2QXt22Ev7SuuPrs+xav0ukGB0S6d4ydZdEiM48kLx5kDV+QBPrpVnFyefL8kkQ==",

"dev": true,

"license": "MIT",

"dependencies": {

"async-function": "^1.0.0",

"call-bound": "^1.0.3",

"get-proto": "^1.0.1",

```
      "has-tostringtag": "^1.0.2",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-bigint": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
    "integrity": "sha512-
n4ZT37wG78iz03xPRKJrHTdZbe3IicyucEtdRsV5yglwc3GyUfbAfpSeD0FJ41NbUNSt5wbhqfp1fS+Bgn
vDFQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-bigints": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
```

```
  "node_modules/is-binary-path": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
    "integrity": "sha512-
ZMERYes6pDydyuGidse7OsHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97m
mtRGXw==",
    "license": "MIT",
    "dependencies": {
      "binary-extensions": "^2.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/is-boolean-object": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz",
    "integrity": "sha512-
wa56o2/EUMYqjCjGkXri7it5FbebW5usLw/nPmCMs5DeZ7eziSYZhSmPRn0txqeW4LnAmQQU7FgqL
psEFKM4A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-callable": {
    "version": "1.2.7",
    "resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
    "integrity": "sha512-
1BC0BVFhS/p0qtw6enp8e+8OD0UrK0oFLztSjNzhcKA3WDuJxxAPXzPuPtKkjEY9UUoEWlX/8fgKeu2S
8i9JTA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-core-module": {
    "version": "2.16.1",
    "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
    "integrity": "sha512-
UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7
x23w==",
    "license": "MIT",
    "dependencies": {
      "hasown": "^2.0.2"
    },
```

```
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-data-view": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz",
    "integrity": "sha512-
RKtWF8pGmS87i2D6gqQu/l7EYRlVdfzemCJN/P3UOs//x1QE7mfhvzHIApBTRf7axvT6DMGwSwBXYC
T0nfB9xw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "get-intrinsic": "^1.2.6",
      "is-typed-array": "^1.1.13"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-date-object": {
```

```
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz",
    "integrity": "sha512-
PwwhEakHVKTdRNVOw+/Gyh0+MzlCl4R6qKvkhuvLtPMggI1WAHt9sOwZxQLSGpUaDnrdyDsomoR
gNnCfKNSXXg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-decimal": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/is-decimal/-/is-decimal-2.0.1.tgz",
    "integrity": "sha512-
AAB9hiomQs5DXWcRB1rqsxGUstbRroFOPPVAomNk/3XHR5JyEZChOyTWe2oayKnsSsr/kcGqF+z6y
uH6HHpN0A==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
```

```
  },
  "node_modules/is-extglob": {
   "version": "2.1.1",
   "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
   "integrity": "sha512-
SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl
3jsoQ==",
   "license": "MIT",
   "engines": {
    "node": ">=0.10.0"
   }
  },
  "node_modules/is-finalizationregistry": {
   "version": "1.1.1",
   "resolved": "https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz",
   "integrity": "sha512-
1pC6N8qWJbWoPtEjgcL2xyhQOP491EQjeUo3qTKcmV8YSDDJrOepfG8pcC7h/QgnQHYSv0mJ3Z/Z
WxmatVrysg==",
   "dev": true,
   "license": "MIT",
   "dependencies": {
    "call-bound": "^1.0.3"
   },
   "engines": {
    "node": ">= 0.4"
   },
   "funding": {
    "url": "https://github.com/sponsors/ljharb"
   }
```

```
  },
  "node_modules/is-generator-function": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.2.tgz",
    "integrity": "sha512-
upqt1SkGkODW9tsGNG5mtXTXtECizwtS2kA161M+gJPc1xdb/Ax629af6YrTwcOeQHbewrPNlE5Dx7
kzvXTizA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.4",
      "generator-function": "^2.0.0",
      "get-proto": "^1.0.1",
      "has-tostringtag": "^1.0.2",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-glob": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
    "integrity": "sha512-
xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrw
Rr4elSSg==",
```

```
    "license": "MIT",
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-hexadecimal": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/is-hexadecimal/-/is-hexadecimal-2.0.1.tgz",
    "integrity": "sha512-
DgZQp241c8oO6cA1SbTEWiXeoxV42vlcJxgH+B3hi1AiqqKruZR3ZGF8In3fj4+/y/7rHvlOZLZtgJ/4ttYG
Zg==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/is-map": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
    "integrity": "sha512-
1Qed0/Hr2m+YqxnM09CjA2d/i6YZNfF6R2oRAOj36eUdS6qIV/huPJNSEpKbupewFs+ZsJlxsjjPbc0/af
W6Lw==",
    "dev": true,
    "license": "MIT",
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-negative-zero": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz",
    "integrity": "sha512-
5KoIu2Ngpyek75jXodFvnafB6DJgr3u8uuK0LEZJjrU19DrMD3EVERaR8sjz8CCGgpZvxPl9SuE1GMVPF
Hx1mw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity": "sha512-
41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlb
GXYxxng==",
    "license": "MIT",
    "engines": {
```

```
      "node": ">=0.12.0"
    }
  },
  "node_modules/is-number-object": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz",
    "integrity": "sha512-
lZhclumE1G6VYD8VHe35wFaIif+CTy5SJIi5+3y4psDgWu4wPDoBhF8NxUOinEc7pHgiTsT6MaBb92rK
hhD+Xw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-plain-obj": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/is-plain-obj/-/is-plain-obj-4.1.0.tgz",
    "integrity": "sha512-
+Pgi+vMuUNkJyExiMBt5IlFoMyKnr5zhJ4Uspz58WOhBF5QoIZkFyNHIbBAtHwzVAgk5RtndVNsDRN6
1/mmDqg==",
    "license": "MIT",
```

```
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/is-regex": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
    "integrity": "sha512-
MjYsKHO5O7mCsmRGxWcLWheFqN9DJ/2TmngvjKXihe6efViPqc274+Fx/4fYj/r03+ESvBdTXK0V6tA3
rgez1g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "gopd": "^1.2.0",
      "has-tostringtag": "^1.0.2",
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
```

```
  "node_modules/is-set": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz",
    "integrity": "sha512-
iPAjerrse27/ygGLxw+EBR9agv9Y6uLeYVJMu+QNCoouJ1/1ri0mGrcWpfCqFZuzzx3WjtwxG098X+n4
OuRkPg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-shared-array-buffer": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz",
    "integrity": "sha512-
ISWac8drv4ZGfwKl5slpHG9OwPNty4jOWPRIhBpxOoD+hqITiwuipOQ2bNthAzwA3B4fIjO4Nln74N0
S9byq8A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-string": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",
    "integrity": "sha512-
BtEeSsoaQjlSPBemMQIrY1MY0uM6vnS1g5fmufYOtnxLGUZM2178PKbhsk7Ffv58IX+ZtcvoGwccYsh
0PglkAA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-symbol": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
    "integrity": "sha512-
9gGx6GTtCQM73BgmHQXfDmLtfjjTUDSyoxTCbp5WtoixAhfgsDirWIcVQ/IHpvI5Vgd5i/J5F7B9cN/Wl
VbC/w==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "has-symbols": "^1.1.0",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-typed-array": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz",
    "integrity": "sha512-
p3EcsicXjit7SaskXHs1hA91QxgTw46Fv6EFKKGS5DRFLD8yKnohjF3hxoju94b/OcMZoQukzpPpBE9u
LVKzgQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "which-typed-array": "^1.1.16"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakmap": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
    "integrity": "sha512-
K5pXYOm9wqY1RgjpL3YTkF39tni1XajUIkawTLUo9EZEVUFga5gSQJF8nNS7ZwJQ02y+1YCNYcMh+H
lf1ZqE+w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakref": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz",
    "integrity": "sha512-
6i9mGWSlqzNMEqpCp93KwRS1uUOodk2OJ6b+sq7ZPDSy2WuI5NFIxp/254TytR8ftefexkWn5xNiHU
NpPOfSew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakset": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz",
    "integrity": "sha512-
mfcwb6IzQyOKTs84CQMrOwW4gQcaTOAWJ0zzJCl2WSPDrWk/OzDaImWFH3djXhb24g4eudZfLRoz
AvPGw4d9hQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "get-intrinsic": "^1.2.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/isarray": {
```

```
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz",
    "integrity": "sha512-
xHjhDr3cNBK0BzdUJSPXZntQUx/mwMS5Rw4A7lPJ90XGAO6ISP/ePDNuo0vhqOZU+UD5JoodwCAA
oZQd3FeAKw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/isexe": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
    "integrity": "sha512-
RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2
lKsyQeIw==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/iterator.prototype": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/iterator.prototype/-/iterator.prototype-1.1.5.tgz",
    "integrity": "sha512-
H0dkQoCa3b2VEeKQBOxFph+JAbcrQdE7KC0UkqwpLmv2EC4P41QXP+rqo9wYodACiG5/WM5s9o
DApTU8utwj9g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-data-property": "^1.1.4",
      "es-object-atoms": "^1.0.0",
      "get-intrinsic": "^1.2.6",
```

```
      "get-proto": "^1.0.0",
      "has-symbols": "^1.1.0",
      "set-function-name": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-
RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4Cau
sW/PKQ==",
    "license": "MIT"
  },
  "node_modules/js-yaml": {
    "version": "4.3.2",
    "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.3.2.tgz",
    "integrity": "sha512-
SFNOvSJ+Dgf/9An904Yx+CgSlIPCkIpao4qo51lpee25TIRejdH3rhR4EZMGoNx3/TP3O+wzWuiTFl4sq
bltzA==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/puzrin"
      },
      {
```

```
      "type": "github",
      "url": "https://github.com/sponsors/nodeca"
    }
   ],
   "license": "MIT",
   "dependencies": {
    "argparse": "^2.0.1"
   },
   "bin": {
    "js-yaml": "bin/js-yaml.js"
   }
  },
  "node_modules/jsesc": {
   "version": "3.1.0",
   "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
   "integrity": "sha512-
/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw
5XuGIaA==",
   "license": "MIT",
   "bin": {
    "jsesc": "bin/jsesc"
   },
   "engines": {
    "node": ">=6"
   }
  },
  "node_modules/json-buffer": {
   "version": "3.0.1",
```

```
    "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
    "integrity": "sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5g8kcrXOZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlm9G6mI2sfSQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-schema-traverse": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
    "integrity": "sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-stable-stringify-without-jsonify": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-jsonify-1.0.1.tgz",
    "integrity": "sha512-Bdboy+l7tA3OGW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNwq6VOKYGlAu87CisVir6Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/jspdf": {
    "version": "4.2.1",
    "resolved": "https://registry.npmjs.org/jspdf/-/jspdf-4.2.1.tgz",
```

```
    "integrity": "sha512-
YyAXyvnmjTbR4bHQRLzex3CuINCDlQnBqoSYyjJwTP2x9jDLuKDzy7aKUl0hgx3uhcl7xzg32agn5vlie6
HIlQ==",
    "license": "MIT",
    "dependencies": {
     "@babel/runtime": "^7.28.6",
     "fast-png": "^6.2.0",
     "fflate": "^0.8.1"
    },
    "optionalDependencies": {
     "canvg": "^3.0.11",
     "core-js": "^3.6.0",
     "dompurify": "^3.3.1",
     "html2canvas": "^1.0.0-rc.5"
    }
   },
   "node_modules/jsx-ast-utils": {
    "version": "3.3.5",
    "resolved": "https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz",
    "integrity": "sha512-
ZZow9HBI5O6EPgSJLUb8n2NKgmVWTwCvHGwFuJlMjvLFqlGG6pjirPhtdsseaLZjSibD8eegzmYpUZw
oIlj2cQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "array-includes": "^3.1.6",
     "array.prototype.flat": "^1.3.1",
     "object.assign": "^4.1.4",
     "object.values": "^1.1.6"
```

```
    },
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/keyv": {
    "version": "4.5.4",
    "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
    "integrity": "sha512-
oxVHkHR/EJf2CNXnWxRLW6mg7JyCCUcG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjS
ujKqIpw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "json-buffer": "3.0.1"
    }
  },
  "node_modules/leaflet": {
    "version": "1.9.4",
    "resolved": "https://registry.npmjs.org/leaflet/-/leaflet-1.9.4.tgz",
    "integrity": "sha512-
nxS1ynzJOmOlHp+iL3FyWqK89GtNL8U8rvlMOsQdTTssxZwCXh8N2NB3GDQOL+YR3XnWyZAxwQi
xURb+FA74PA==",
    "license": "BSD-2-Clause",
    "peer": true
  },
  "node_modules/levn": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
```

"integrity": "sha512-
+bT2uH4E5LGE7h/n3evcS/sQUXCpIp6ym8OWJ5eV6+67Dsql/LaaT7qJBAt2rzfoa/5QBGBhxDix1dMt2
kQKQ==",

"dev": true,

"license": "MIT",

"dependencies": {

"prelude-ls": "^1.2.1",

"type-check": "~0.4.0"

},

"engines": {

"node": ">= 0.8.0"

}

},

"node_modules/lightningcss": {

"version": "1.33.0",

"resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.33.0.tgz",

"integrity": "sha512-
WkUDrojuJs0xkgGf2udWxa3yGBRxPtxUkB79i6aCZLRgc7PM8fZe9TosfPDcvEpQZbuFASnHYmRLBL
UbmLOIIA==",

"dev": true,

"license": "MPL-2.0",

"dependencies": {

"detect-libc": "^2.0.3"

},

"engines": {

"node": ">= 12.0.0"

},

"funding": {

"type": "opencollective",

```
    "url": "https://opencollective.com/parcel"
  },
  "optionalDependencies": {
    "lightningcss-android-arm64": "1.33.0",
    "lightningcss-darwin-arm64": "1.33.0",
    "lightningcss-darwin-x64": "1.33.0",
    "lightningcss-freebsd-x64": "1.33.0",
    "lightningcss-linux-arm-gnueabihf": "1.33.0",
    "lightningcss-linux-arm64-gnu": "1.33.0",
    "lightningcss-linux-arm64-musl": "1.33.0",
    "lightningcss-linux-x64-gnu": "1.33.0",
    "lightningcss-linux-x64-musl": "1.33.0",
    "lightningcss-win32-arm64-msvc": "1.33.0",
    "lightningcss-win32-x64-msvc": "1.33.0"
  }
 },
 "node_modules/lightningcss-android-arm64": {
  "version": "1.33.0",
  "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.33.0.tgz",
  "integrity": "sha512-gEpRTalKdosp4Bb8qWtc2iOgE5SeIHlpS1up9bFq2wAyYhl1UdTObYiHe98zEM9SQvSoqQZ1IQD0JNpg3Ml5pg==",
  "cpu": [
   "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
```

```
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-arm64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.33.0.tgz",
    "integrity": "sha512-Sciaz8eenNTKn9b3t7+xr0ipTp9YxKQY4npwQ3mrRuL0BAVHBLyZxofhaKBAVtzmtRZ/zTyo0/to4B1uWG/Djg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
```

```
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-
1.33.0.tgz",
    "integrity": "sha512-
Z5UPAxzrjlWNNyGy6i65cJzzvgJ5D3T6wMvs+gWpY9d7qRhANrxqAp6LhxIgZhWEw18RfJTGcRxjuLIBr
+m8XQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
```

```
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-freebsd-x64": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.33.0.tgz",
    "integrity": "sha512-QQM/Ti/hQajJwCY+RiWuCZ9sdtI/XQk7nDK5vC8kkdwixezOlDgvDx7+RT+QjK6FcFT4MpsuoBnHIo/O3StRRg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
```

```
  "node_modules/lightningcss-linux-arm-gnueabihf": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.33.0.tgz",
    "integrity": "sha512-N7FVBe6iS24MlM6R/4RBTxGhQheZGs7tiQ9U32UtF75NzP5Q7xWPRqLBCKxlRQRk3rY1jCIPLzx7WzOhuUIRLQ==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-gnu": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.33.0.tgz",
```

"integrity": "sha512-
j2v/itmy4HlNxlc6voKXYgBqNi0Ng2LShg4z7GufpEgs05P+2suBVyi9I6YHq5uoVFx9ETin3eCEhLVyXG
QnKg==",

"cpu": [

"arm64"

],

"dev": true,

"license": "MPL-2.0",

"optional": true,

"os": [

"linux"

],

"engines": {

"node": ">= 12.0.0"

},

"funding": {

"type": "opencollective",

"url": "https://opencollective.com/parcel"

}

},

"node_modules/lightningcss-linux-arm64-musl": {

"version": "1.33.0",

"resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-
arm64-musl-1.33.0.tgz",

"integrity": "sha512-
yiO5ROMuYQgXbC60yjZU5CYSFZGKXL0HFATXt9mHJn1+zW55oCtMI9NfcVhYLMFDL7gV7oBPon/E
mMMGg2OvtQ==",

"cpu": [

"arm64"

```
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-gnu": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.33.0.tgz",
    "integrity": "sha512-ar+Ju7LmcN0Jo4FpL4hpFybwNG9/3A/Br5KW2n2jyODg3MEZXaDYADdemoNS+BDNfMgKvyULj4S5tyRActuAg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
```

```
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-musl": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.33.0.tgz",
    "integrity": "sha512-RYiYbkokw0trfKqqzfF55lginwEPrD3OJDfTuJzFs1MK6iFnDenaz1fqLLtX4ITG3OktJQXOeTaw1awrBAlZPw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
```

```
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-arm64-msvc": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.33.0.tgz",
    "integrity": "sha512-1K+MPfLSFVpphzpdbfkhlWk6wBrTObBzS2T6db10PNOZgR9GoVsAWzwNyuhUYYbTp23j+4RrncfujZ4uAzXvwA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
```

```
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-x64-msvc": {
    "version": "1.33.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.33.0.tgz",
    "integrity": "sha512-OlEICDx/Xl0FqSp4bry8zFnCvGpig3Gl4gCquvYwHuqJKEC1+n9NgDniFvqHGmMv1ZkqDJrDqKKSykTDX+ehuA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lilconfig": {
```

```
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
    "integrity": "sha512-
/vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQ
Dvpzw==",
    "license": "MIT",
    "engines": {
      "node": ">=14"
    },
    "funding": {
      "url": "https://github.com/sponsors/antonk52"
    }
  },
  "node_modules/lines-and-columns": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
    "integrity": "sha512-
7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/H
kBg==",
    "license": "MIT"
  },
  "node_modules/locate-path": {
    "version": "6.0.0",
    "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
    "integrity": "sha512-
iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/MO6KCweDgPfP3elTztoKP3KtnVHxTn2N
HBSDVUw==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "p-locate": "^5.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/lodash": {
    "version": "4.18.1",
    "resolved": "https://registry.npmjs.org/lodash/-/lodash-4.18.1.tgz",
    "integrity": "sha512-
dMInicTPVE8d1e5otfwmmjlxkZoUpiVLwyeTdUsi/Caj/gfzzblBcCE5sRHV/AsjuCmxWrte2TNGSYuCeC
q+0Q==",
    "license": "MIT"
  },
  "node_modules/lodash-es": {
    "version": "4.18.1",
    "resolved": "https://registry.npmjs.org/lodash-es/-/lodash-es-4.18.1.tgz",
    "integrity": "sha512-
J8xewKD/Gk22OZbhpOVSwcs60zhd95ESDwezOFuA3/099925PdHJ7OFHNTGtajL3AlZkykD32HykiM
o+BIBI8A==",
    "license": "MIT"
  },
  "node_modules/lodash.clonedeep": {
    "version": "4.5.0",
    "resolved": "https://registry.npmjs.org/lodash.clonedeep/-/lodash.clonedeep-4.5.0.tgz",
```

```
    "integrity": "sha512-
H5ZhCF25riFd9uB5UCkVKo61m3S/xZk1x4wA6yp/L3RFP6Z/eHH1ymQcGLo7J3GMPfm0V/7m1tryH
uGVxpqEBQ==",

    "license": "MIT"

  },

  "node_modules/lodash.isequal": {

    "version": "4.5.0",

    "resolved": "https://registry.npmjs.org/lodash.isequal/-/lodash.isequal-4.5.0.tgz",

    "integrity": "sha512-
pDo3lu8Jhfjqls6GkMgpahsF9kCyayhgykjyLMNFTKWrpVdAQtYyB4muAMWozBB4ig/dtWAmsMxLEI8
wuz+DYQ==",

    "deprecated": "This package is deprecated. Use require('node:util').isDeepStrictEqual instead.",

    "license": "MIT"

  },

  "node_modules/lodash.merge": {

    "version": "4.6.2",

    "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",

    "integrity": "sha512-
0KpjqXRVvrYyCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+KlKj8YS0ZUCtRT/YUuh
yYDujIQ==",

    "dev": true,

    "license": "MIT"

  },

  "node_modules/longest-streak": {

    "version": "3.1.0",

    "resolved": "https://registry.npmjs.org/longest-streak/-/longest-streak-3.1.0.tgz",

    "integrity": "sha512-
9Ri+o0JYgehTaVBBDoMqIl8GXtbWg711O3srftcHhZ0dqnETqLaoIK0x17fUw9rFSlK/0NlsKe0Ahhyl5pX
E2g==",

    "license": "MIT",
```

```
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/loose-envify": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
    "integrity": "sha512-
lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY408EtxR
SoK3Q==",
    "license": "MIT",
    "dependencies": {
      "js-tokens": "^3.0.0 || ^4.0.0"
    },
    "bin": {
      "loose-envify": "cli.js"
    }
  },
  "node_modules/lucide-react": {
    "version": "0.475.0",
    "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-0.475.0.tgz",
    "integrity": "sha512-
NJzvVu1HwFVeZ+Gwq2q00KygM1aBhy/ZrhY9FsAgJtpB+E4R7uxRk9M2iKvHa6/vNxZydIB59htha4c2
vvwvVg==",
    "license": "ISC",
    "peerDependencies": {
      "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
```

```
  },
  "node_modules/math-intrinsics": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
    "integrity": "sha512-
/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6Xl9
LHu1g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/mdast-util-from-markdown": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/mdast-util-from-markdown/-/mdast-util-from-markdown-
2.0.2.tgz",
    "integrity": "sha512-
uZhTV/8NBuw0WHkPTrCqDOl0zVe1BIng5ZtHoDk49ME1qqcjYmmLmOf0gELgcRMxN4w2iuIeVso5/
6QymSrgmA==",
    "license": "MIT",
    "dependencies": {
      "@types/mdast": "^4.0.0",
      "@types/unist": "^3.0.0",
      "decode-named-character-reference": "^1.0.0",
      "devlop": "^1.0.0",
      "mdast-util-to-string": "^4.0.0",
      "micromark": "^4.0.0",
      "micromark-util-decode-numeric-character-reference": "^2.0.0",
      "micromark-util-decode-string": "^2.0.0",
```

```
      "micromark-util-normalize-identifier": "^2.0.0",
      "micromark-util-symbol": "^2.0.0",
      "micromark-util-types": "^2.0.0",
      "unist-util-stringify-position": "^4.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-mdx-expression": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/mdast-util-mdx-expression/-/mdast-util-mdx-expression-2.0.1.tgz",
    "integrity": "sha512-J6f+9hUp+ldTZqKRSg7Vw5V6MqjATc+3E4gf3CFNcuZNWD8XdyI6zQ8GqH7f8169MM6P7hMBRDVGnn7oHB9kXQ==",
    "license": "MIT",
    "dependencies": {
      "@types/estree-jsx": "^1.0.0",
      "@types/hast": "^3.0.0",
      "@types/mdast": "^4.0.0",
      "devlop": "^1.0.0",
      "mdast-util-from-markdown": "^2.0.0",
      "mdast-util-to-markdown": "^2.0.0"
    },
    "funding": {
      "type": "opencollective",
```

```
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-mdx-jsx": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/mdast-util-mdx-jsx/-/mdast-util-mdx-jsx-3.2.0.tgz",
    "integrity": "sha512-
lj/z8v0r6ZtsN/cGNNtemmmfoLAFZnjMbNyLzBafjzikOM+glrjNHPlf6lQDOTccj9n5b0PPihEBbhneMyG
s1Q==",
    "license": "MIT",
    "dependencies": {
      "@types/estree-jsx": "^1.0.0",
      "@types/hast": "^3.0.0",
      "@types/mdast": "^4.0.0",
      "@types/unist": "^3.0.0",
      "ccount": "^2.0.0",
      "devlop": "^1.1.0",
      "mdast-util-from-markdown": "^2.0.0",
      "mdast-util-to-markdown": "^2.0.0",
      "parse-entities": "^4.0.0",
      "stringify-entities": "^4.0.0",
      "unist-util-stringify-position": "^4.0.0",
      "vfile-message": "^4.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
```

```
  },
  "node_modules/mdast-util-mdxjs-esm": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/mdast-util-mdxjs-esm/-/mdast-util-mdxjs-esm-2.0.1.tgz",
    "integrity": "sha512-
EcmOpxsZ96CvlP03NghtH1EsLtr0n9Tm4lPUJUBccV9RwUOneqSycg19n5HGzCf+10LozMRSObtVr3
ee1WoHtg==",
    "license": "MIT",
    "dependencies": {
      "@types/estree-jsx": "^1.0.0",
      "@types/hast": "^3.0.0",
      "@types/mdast": "^4.0.0",
      "devlop": "^1.0.0",
      "mdast-util-from-markdown": "^2.0.0",
      "mdast-util-to-markdown": "^2.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-phrasing": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/mdast-util-phrasing/-/mdast-util-phrasing-4.1.0.tgz",
    "integrity": "sha512-
TqICwyvJJpBwvGAMZjj4J2n0X8QWp21b9l0o7eXyVJ25YNWYbJDVIyD1bZXE6WtV6RmKJVYmQAKWa
0zWOABz2w==",
    "license": "MIT",
    "dependencies": {
```

```
      "@types/mdast": "^4.0.0",
      "unist-util-is": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-to-hast": {
    "version": "13.2.1",
    "resolved": "https://registry.npmjs.org/mdast-util-to-hast/-/mdast-util-to-hast-13.2.1.tgz",
    "integrity": "sha512-
cctsq2wp5vTsLIcaymblUriiTcZd0CwWtCbLvrOzYCDZoWyMNV8sZ7krj09FSnsiJi3WVsHLM4k6Dq/ya
PyCXA==",
    "license": "MIT",
    "dependencies": {
      "@types/hast": "^3.0.0",
      "@types/mdast": "^4.0.0",
      "@ungap/structured-clone": "^1.0.0",
      "devlop": "^1.0.0",
      "micromark-util-sanitize-uri": "^2.0.0",
      "trim-lines": "^3.0.0",
      "unist-util-position": "^5.0.0",
      "unist-util-visit": "^5.0.0",
      "vfile": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
```

```
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-to-markdown": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/mdast-util-to-markdown/-/mdast-util-to-markdown-2.1.2.tgz",
    "integrity": "sha512-xj68wMTvGXVOKonmog6LwyJKrYXZPvlwabaryTjLh9LuvovB/KAH+kvi8Gjj+7rJjsFi23nkUxRQv1KqSroMqA==",
    "license": "MIT",
    "dependencies": {
      "@types/mdast": "^4.0.0",
      "@types/unist": "^3.0.0",
      "longest-streak": "^3.0.0",
      "mdast-util-phrasing": "^4.0.0",
      "mdast-util-to-string": "^4.0.0",
      "micromark-util-classify-character": "^2.0.0",
      "micromark-util-decode-string": "^2.0.0",
      "unist-util-visit": "^5.0.0",
      "zwitch": "^2.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/mdast-util-to-string": {
```

```
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/mdast-util-to-string/-/mdast-util-to-string-4.0.0.tgz",
    "integrity": "sha512-
0H44vDimn51F0YwvxSJSm0eCDOJTRlmN0R1yBh4HLj9wiV1Dn0QoXGbvFAWj2hSItVTlCmBF1hqKlI
yUBVFLPg==",
    "license": "MIT",
    "dependencies": {
     "@types/mdast": "^4.0.0"
    },
    "funding": {
     "type": "opencollective",
     "url": "https://opencollective.com/unified"
    }
   },
   "node_modules/memoize-one": {
    "version": "6.0.0",
    "resolved": "https://registry.npmjs.org/memoize-one/-/memoize-one-6.0.0.tgz",
    "integrity": "sha512-
rkpe71W0N0c0Xz6QD0eJETuWAJGnJ9afsl1srmwPrI+yBCkge5EycXXbYRyvL29zZVUWQCY7InPRCv
3GDXuZNw==",
    "license": "MIT"
   },
   "node_modules/merge2": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
    "integrity": "sha512-
8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA3O8tPzpczCCDgv+P2P5
y00ZJOOg==",
    "license": "MIT",
```

```
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/micromark": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/micromark/-/micromark-4.0.2.tgz",
    "integrity": "sha512-
zpe98Q6kvavpCr1NPVSCMebCKfD7CA2NqZ+rykeNhONIJBpc1tFKt9hucLGwha3jNTNI8lHpctWJWo
imVF4PfA==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "@types/debug": "^4.0.0",
      "debug": "^4.0.0",
      "decode-named-character-reference": "^1.0.0",
      "devlop": "^1.0.0",
      "micromark-core-commonmark": "^2.0.0",
      "micromark-factory-space": "^2.0.0",
```

```
      "micromark-util-character": "^2.0.0",
      "micromark-util-chunked": "^2.0.0",
      "micromark-util-combine-extensions": "^2.0.0",
      "micromark-util-decode-numeric-character-reference": "^2.0.0",
      "micromark-util-encode": "^2.0.0",
      "micromark-util-normalize-identifier": "^2.0.0",
      "micromark-util-resolve-all": "^2.0.0",
      "micromark-util-sanitize-uri": "^2.0.0",
      "micromark-util-subtokenize": "^2.0.0",
      "micromark-util-symbol": "^2.0.0",
      "micromark-util-types": "^2.0.0"
    }
  },
  "node_modules/micromark-core-commonmark": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/micromark-core-commonmark/-/micromark-core-commonmark-2.0.3.tgz",
    "integrity": "sha512-RDBrHEMSxVFLg6xvnXmb1Ayr2WzLAWjeSATAoxwKYJV94TeNavgoIdA0a9ytzDSVzBy2YKFK+emCPOEibLeCrg==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
```

```
    }
   ],
   "license": "MIT",
   "dependencies": {
    "decode-named-character-reference": "^1.0.0",
    "devlop": "^1.0.0",
    "micromark-factory-destination": "^2.0.0",
    "micromark-factory-label": "^2.0.0",
    "micromark-factory-space": "^2.0.0",
    "micromark-factory-title": "^2.0.0",
    "micromark-factory-whitespace": "^2.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-chunked": "^2.0.0",
    "micromark-util-classify-character": "^2.0.0",
    "micromark-util-html-tag-name": "^2.0.0",
    "micromark-util-normalize-identifier": "^2.0.0",
    "micromark-util-resolve-all": "^2.0.0",
    "micromark-util-subtokenize": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
   }
  },
  "node_modules/micromark-factory-destination": {
   "version": "2.0.1",
   "resolved": "https://registry.npmjs.org/micromark-factory-destination/-/micromark-factory-destination-2.0.1.tgz",
```

"integrity": "sha512-Xe6rDdJlkmbFRExpTOmRj9N3MaWmbAgdpSrBQvCFqhezUn4AHqJHbaEnfbVYYiexVSs//tqOdY/DxhjdCiJnIA==",

"funding": [

{

"type": "GitHub Sponsors",

"url": "https://github.com/sponsors/unifiedjs"

},

{

"type": "OpenCollective",

"url": "https://opencollective.com/unified"

}

],

"license": "MIT",

"dependencies": {

"micromark-util-character": "^2.0.0",

"micromark-util-symbol": "^2.0.0",

"micromark-util-types": "^2.0.0"

}

},

"node_modules/micromark-factory-label": {

"version": "2.0.1",

"resolved": "https://registry.npmjs.org/micromark-factory-label/-/micromark-factory-label-2.0.1.tgz",

"integrity": "sha512-VFMekyQExqIW7xIChcXn4ok29YE3rnuyveW3wZQWWqF4Nv9Wk5rgJ99KzPvHjkmPXF93FXIbBp6YdW3t71/7Vg==",

"funding": [

{

```
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "devlop": "^1.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
 },
 "node_modules/micromark-factory-space": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-factory-space/-/micromark-factory-space-2.0.1.tgz",
  "integrity": "sha512-zRkxjtBxxLd2Sc0d+fbnEunsTj46SWXgXciZmHq0kDYGnck/ZSGj9/wULTV95uoeYiK5hRXP2mJ98Uo4cq/LQg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
```

```
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
   ],
   "license": "MIT",
   "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-types": "^2.0.0"
   }
  },
  "node_modules/micromark-factory-title": {
   "version": "2.0.1",
   "resolved": "https://registry.npmjs.org/micromark-factory-title/-/micromark-factory-title-
2.0.1.tgz",
   "integrity": "sha512-
5bZ+3CjhAd9eChYTHsjy6TGxpOFSKgKKJPJxr293jTbfry2KDoWkhBb6TcPVB4NmzaPhMs1Frm9AZH7
OD4Cjzw==",
   "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
   ],
```

```
    "license": "MIT",
    "dependencies": {
      "micromark-factory-space": "^2.0.0",
      "micromark-util-character": "^2.0.0",
      "micromark-util-symbol": "^2.0.0",
      "micromark-util-types": "^2.0.0"
    }
  },
  "node_modules/micromark-factory-whitespace": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-factory-whitespace/-/micromark-factory-whitespace-2.0.1.tgz",
    "integrity": "sha512-Ob0nuZ3PKt/n0hORHyvoD9uZhr+Za8sFoP+OnMcnWK5lngSzALgQYKMr9RJVOWLqQYuyn6ulqGWSXdwf6F80lQ==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-factory-space": "^2.0.0",
```

```
      "micromark-util-character": "^2.0.0",
      "micromark-util-symbol": "^2.0.0",
      "micromark-util-types": "^2.0.0"
    }
  },
  "node_modules/micromark-util-character": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/micromark-util-character/-/micromark-util-character-2.1.1.tgz",
    "integrity": "sha512-wv8tdUTJ3thSFFFJKtpYKOYiGP2+v96Hvk4Tu8KpCAsTMs6yi+nVmGh1syvSCsaxz45J6Jbw+9DD6g97+NV67Q==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-symbol": "^2.0.0",
      "micromark-util-types": "^2.0.0"
    }
  },
```

```
  "node_modules/micromark-util-chunked": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-chunked/-/micromark-util-chunked-2.0.1.tgz",
    "integrity": "sha512-QUNFEOPELfmvv+4xiNg2sRYeS/P84pTW0TCgP5zc9FpXetHY0ab7SxKyAQCNCc1eK0459uoLI1y5oO5Vc1dbhA==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-symbol": "^2.0.0"
    }
  },
  "node_modules/micromark-util-classify-character": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-classify-character/-/micromark-util-classify-character-2.0.1.tgz",
    "integrity": "sha512-K0kHzM6afW/MbeWYWLjoHQv1sgg2Q9EccHEDzSkxiP/EaagNzCm7T/WMKZ3rjMbvIpvBiZgwR3dKMygtA4mG1Q==",
```

```
    "funding": [
     {
       "type": "GitHub Sponsors",
       "url": "https://github.com/sponsors/unifiedjs"
     },
     {
       "type": "OpenCollective",
       "url": "https://opencollective.com/unified"
     }
    ],
    "license": "MIT",
    "dependencies": {
     "micromark-util-character": "^2.0.0",
     "micromark-util-symbol": "^2.0.0",
     "micromark-util-types": "^2.0.0"
    }
   },
   "node_modules/micromark-util-combine-extensions": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-combine-extensions/-/micromark-util-combine-extensions-2.0.1.tgz",
    "integrity": "sha512-OnAnH8Ujmy59JcyZw8JSbK9cGpdVY44NKgSM7E9Eh7DiLS2E9RNQf0dONaGDzEG9yjEl5hcqeIsj4hfRkLH/Bg==",
    "funding": [
     {
       "type": "GitHub Sponsors",
       "url": "https://github.com/sponsors/unifiedjs"
```

```
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
   ],
   "license": "MIT",
   "dependencies": {
    "micromark-util-chunked": "^2.0.0",
    "micromark-util-types": "^2.0.0"
   }
  },
  "node_modules/micromark-util-decode-numeric-character-reference": {
   "version": "2.0.2",
   "resolved": "https://registry.npmjs.org/micromark-util-decode-numeric-character-reference/-/micromark-util-decode-numeric-character-reference-2.0.2.tgz",
   "integrity": "sha512-ccUbYk6CwVdkmCQMyr64dXz42EfHGkPQlBj5p7YVGzq8I7CtjXZJrubAYezf7Rp+bjPseiROqe7G6foFd+lEuw==",
   "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
```

```
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-symbol": "^2.0.0"
    }
  },
  "node_modules/micromark-util-decode-string": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-decode-string/-/micromark-util-decode-string-2.0.1.tgz",
    "integrity": "sha512-nDV/77Fj6eH1ynwscYTOsbK7rR//Uj0bZXBwJZRfaLEJ1iGBR6kIfNmlNqaqJf649EP0F3NWNdeJi03ellllNUQ==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "decode-named-character-reference": "^1.0.0",
      "micromark-util-character": "^2.0.0",
      "micromark-util-decode-numeric-character-reference": "^2.0.0",
```

```
      "micromark-util-symbol": "^2.0.0"
    }
  },
  "node_modules/micromark-util-encode": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-encode/-/micromark-util-encode-2.0.1.tgz",
    "integrity": "sha512-c3cVx2y4KqUnwopcO9b/SCdo2O67LwJJ/UyqGfbigahfegL9myoEFoDYZgkT7f36T0bLrM9hZTAaAyH+PCAXjw==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT"
  },
  "node_modules/micromark-util-html-tag-name": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-html-tag-name/-/micromark-util-html-tag-name-2.0.1.tgz",
    "integrity": "sha512-2cNEiYDhCWKI+Gs9T0Tiysk136SnR13hhO8yW6BGNyhOC4qYFnwF1nKfD3HFAIXA5c45RrIG1ub11GiXeYd1xA==",
```

```
    "funding": [
     {
       "type": "GitHub Sponsors",
       "url": "https://github.com/sponsors/unifiedjs"
     },
     {
       "type": "OpenCollective",
       "url": "https://opencollective.com/unified"
     }
    ],
    "license": "MIT"
   },
   "node_modules/micromark-util-normalize-identifier": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-normalize-identifier/-/micromark-util-normalize-identifier-2.0.1.tgz",
    "integrity": "sha512-sxPqmo70LyARJs0w2UclACPUUEqltCkJ6PhKdMIDuJ3gSf/Q+/GIe3WKl0Ijb/GyH9lOpUkRAO2wp0GVkLvS9Q==",
    "funding": [
     {
       "type": "GitHub Sponsors",
       "url": "https://github.com/sponsors/unifiedjs"
     },
     {
       "type": "OpenCollective",
       "url": "https://opencollective.com/unified"
     }
```

```
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-symbol": "^2.0.0"
    }
  },
  "node_modules/micromark-util-resolve-all": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-resolve-all/-/micromark-util-resolve-all-2.0.1.tgz",
    "integrity": "sha512-VdQyxFWFT2/FGJgwQnJYbe1jjQoNTS4RjglmSjTUlpUMa95Htx9NHeYW4rGDJzbjvCsl9eLjMQwGeElsqmzcHg==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-types": "^2.0.0"
    }
  },
```

```
  "node_modules/micromark-util-sanitize-uri": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/micromark-util-sanitize-uri/-/micromark-util-sanitize-uri-2.0.1.tgz",
    "integrity": "sha512-9N9IomZ/YuGGZZmQec1MbgxtlgougxTodVwDzzEouPKo3qFWvymFHWcnDi2vzV1ff6kas9ucW+o3yzJK9YB1AQ==",
    "funding": [
      {
        "type": "GitHub Sponsors",
        "url": "https://github.com/sponsors/unifiedjs"
      },
      {
        "type": "OpenCollective",
        "url": "https://opencollective.com/unified"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "micromark-util-character": "^2.0.0",
      "micromark-util-encode": "^2.0.0",
      "micromark-util-symbol": "^2.0.0"
    }
  },
  "node_modules/micromark-util-subtokenize": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/micromark-util-subtokenize/-/micromark-util-subtokenize-2.1.0.tgz",
```

"integrity": "sha512-XQLu552iSctvnEcgXw6+Sx75GflAPNED1qx7eBJ+wydBb2KCbRZe+NwvIEEMM83uml1+2WSXpBAcp9IUCgCYWA==",

"funding": [

{

"type": "GitHub Sponsors",

"url": "https://github.com/sponsors/unifiedjs"

},

{

"type": "OpenCollective",

"url": "https://opencollective.com/unified"

}

],

"license": "MIT",

"dependencies": {

"devlop": "^1.0.0",

"micromark-util-chunked": "^2.0.0",

"micromark-util-symbol": "^2.0.0",

"micromark-util-types": "^2.0.0"

}

},

"node_modules/micromark-util-symbol": {

"version": "2.0.1",

"resolved": "https://registry.npmjs.org/micromark-util-symbol/-/micromark-util-symbol-2.0.1.tgz",

"integrity": "sha512-vs5t8Apaud9N28kgCrRUdEed4UJ+wWNvicHLPxCa9ENlYuAY31M0ETy5y1vA33YoNPDFTghEbnh6efaE8h4x0Q==",

"funding": [

```
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
   ],
   "license": "MIT"
  },
  "node_modules/micromark-util-types": {
   "version": "2.0.2",
   "resolved": "https://registry.npmjs.org/micromark-util-types/-/micromark-util-types-2.0.2.tgz",
   "integrity": "sha512-
Yw0ECSpJoViF1qTU4DC6NwtC4aWGt1EkzaQB8KPPyCRR8z9TWeV0HbEFGTO+ZY1wB22zmxnJqhP
yTpOVCpeHTA==",
   "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
   ],
   "license": "MIT"
```

```
  },
  "node_modules/micromatch": {
    "version": "4.0.8",
    "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
    "integrity": "sha512-
PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEi
FCKo2BA==",
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/mime-db": {
    "version": "1.52.0",
    "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
    "integrity": "sha512-
sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1ETVlOoK
1UC2nU3gYvg==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/mime-types": {
    "version": "2.1.35",
```

```
    "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
    "integrity": "sha512-
ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL5
0hzaeXiw==",
    "license": "MIT",
    "dependencies": {
     "mime-db": "1.52.0"
    },
    "engines": {
     "node": ">= 0.6"
    }
   },
   "node_modules/minimatch": {
    "version": "3.1.5",
    "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.5.tgz",
    "integrity": "sha512-
VgjWUsnnT6n+NUk6eZq77zeFdpW2LWDzP6zFGrCbHXiYNul5Dzqk2HHQ5uFH2DNW5Xbp8+jVzae
Nt94ssEEl4w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
     "brace-expansion": "^1.1.7"
    },
    "engines": {
     "node": "*"
    }
   },
   "node_modules/moment": {
    "version": "2.31.0",
```

```
    "resolved": "https://registry.npmjs.org/moment/-/moment-2.31.0.tgz",
    "integrity": "sha512-
0acOTfMiWOheYS4eoWb80yYMb/JLvVv9SHbs2PehaDzfUG0Bw855SKyk0IKTnPGa5+U2bmi3W68l1
+sGLX/pvw==",
    "license": "MIT",
    "engines": {
     "node": "*"
    }
   },
   "node_modules/motion-dom": {
    "version": "11.18.1",
    "resolved": "https://registry.npmjs.org/motion-dom/-/motion-dom-11.18.1.tgz",
    "integrity": "sha512-
g76KvA001z+atjfxczdRtw/RXOM3OMSdd1f4DL77qCTF/+avrRJiawSG4yDibEQ215sr9kpinSlX2pCTJ9
zbhw==",
    "license": "MIT",
    "dependencies": {
     "motion-utils": "^11.18.1"
    }
   },
   "node_modules/motion-utils": {
    "version": "11.18.1",
    "resolved": "https://registry.npmjs.org/motion-utils/-/motion-utils-11.18.1.tgz",
    "integrity": "sha512-
49Kt+HKjtbJKLtgO/LKj9Ld+6vw9BjH5d9sc40R/kVyH8GLAXgT42M2NnuPcJNuA3s9ZfZBUcwIgpmZW
GEE+hA==",
    "license": "MIT"
   },
   "node_modules/ms": {
```

```
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
    "integrity": "sha512-
6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WR
TlA==",
    "license": "MIT"
  },
  "node_modules/mz": {
    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
    "integrity": "sha512-
z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCl+NDX08sCZgUc9/6MHni9IWuFLm1Z3HT
CXu2z9fN62Q==",
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0",
      "object-assign": "^4.0.1",
      "thenify-all": "^1.0.0"
    }
  },
  "node_modules/nanoid": {
    "version": "3.3.18",
    "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.18.tgz",
    "integrity": "sha512-
DTg4MJbGMWkfi6VZFdNt2/caMbQy4Ou+Op/hJQvGEWcnVfoA1QA+xzRKAzw9jD6+GVOOeYr/mIcu
DSdug6F6+w==",
    "funding": [
      {
        "type": "github",
```

```
      "url": "https://github.com/sponsors/ai"
    }
   ],
   "license": "MIT",
   "bin": {
    "nanoid": "bin/nanoid.cjs"
   },
   "engines": {
    "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
   }
  },
  "node_modules/natural-compare": {
   "version": "1.4.0",
   "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
   "integrity": "sha512-
OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5sOajh5G116R
YA1c8ZMSw==",
   "dev": true,
   "license": "MIT"
  },
  "node_modules/next-themes": {
   "version": "0.4.6",
   "resolved": "https://registry.npmjs.org/next-themes/-/next-themes-0.4.6.tgz",
   "integrity": "sha512-
pZvgD5L0IEvX5/9GWyHMf3m8BKiVQwsCMHfoFosXtXBMnaS0ZnIJ9ST4b4NqLVKDEm8QBxoNNGN
aBv2JNF6XNA==",
   "license": "MIT",
   "peerDependencies": {
    "react": "^16.8 || ^17 || ^18 || ^19 || ^19.0.0-rc",
```

```
      "react-dom": "^16.8 || ^17 || ^18 || ^19 || ^19.0.0-rc"
    }
  },
  "node_modules/nf3": {
    "version": "0.3.23",
    "resolved": "https://registry.npmjs.org/nf3/-/nf3-0.3.23.tgz",
    "integrity": "sha512-
RWVLAWozmVD3AaDmaU3qMGB3v+yNlH5d9qqStI4e/WLlNQVnJ4YErGDbYCIrGFyrHdbF6I6Baf0A
e6c7tFYmSg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/nitro": {
    "version": "3.0.260610-beta",
    "resolved": "https://registry.npmjs.org/nitro/-/nitro-3.0.260610-beta.tgz",
    "integrity": "sha512-
KPb4L5yaF/Rx/xoGMpgHRJvZhbhGiqbRKOwwPLCH9jKTKTsEUHLjnJas85AeCzaswqa8Wi52eQBtRs
ODC4PS0Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "consola": "^3.4.2",
      "crossws": "^0.4.6",
      "db0": "^0.3.4",
      "env-runner": "^0.1.12",
      "h3": "2.0.1-rc.22",
      "hookable": "^6.1.1",
      "nf3": "^0.3.17",
      "ocache": "^0.1.5",
```

```
  "ofetch": "2.0.0-alpha.3",
  "ohash": "^2.0.11",
  "rolldown": "^1.1.0",
  "srvx": "^0.11.16",
  "unenv": "2.0.0-rc.24",
  "unstorage": "2.0.0-alpha.7"
},
"bin": {
  "nitro": "dist/cli/index.mjs"
},
"engines": {
  "node": "^20.19.0 || >=22.12.0"
},
"peerDependencies": {
  "@vercel/queue": "^0.3.0",
  "dotenv": "*",
  "giget": "*",
  "jiti": "^2.7.0",
  "rollup": "^4.61.1",
  "vite": "^7 || ^8",
  "xml2js": "^0.6.2",
  "zephyr-agent": "^0.2.0"
},
"peerDependenciesMeta": {
  "@vercel/queue": {
    "optional": true
  },
```

```
    "dotenv": {
      "optional": true
    },
    "giget": {
      "optional": true
    },
    "jiti": {
      "optional": true
    },
    "rollup": {
      "optional": true
    },
    "vite": {
      "optional": true
    },
    "xml2js": {
      "optional": true
    },
    "zephyr-agent": {
      "optional": true
    }
  }
},
"node_modules/nitro/node_modules/chokidar": {
  "version": "5.0.0",
  "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-5.0.0.tgz",
```

```
    "integrity": "sha512-
TQMmc3w+5AxjpL8iIiwebF73dRDF4fBIieAqGn9RGCWaEVwQ6Fb2cGe31Yns0RRIzii5goJ1Y7xbMwo
1TxMplw==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "peer": true,
    "dependencies": {
     "readdirp": "^5.0.0"
    },
    "engines": {
     "node": ">= 20.19.0"
    },
    "funding": {
     "url": "https://paulmillr.com/funding/"
    }
   },
   "node_modules/nitro/node_modules/db0": {
    "version": "0.3.4",
    "resolved": "https://registry.npmjs.org/db0/-/db0-0.3.4.tgz",
    "integrity": "sha512-
RiXXi4WaNzPTHEOu8UPQKMooIbqOEyqA1t7Z6MsdxSCeb8iUC9ko3LcmsLmeUt2SM5bctfArZKkR
QggKZz7JNw==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
     "@electric-sql/pglite": "*",
     "@libsql/client": "*",
     "better-sqlite3": "*",
```

```
    "drizzle-orm": "*",
    "mysql2": "*",
    "sqlite3": "*"
   },
   "peerDependenciesMeta": {
    "@electric-sql/pglite": {
     "optional": true
    },
    "@libsql/client": {
     "optional": true
    },
    "better-sqlite3": {
     "optional": true
    },
    "drizzle-orm": {
     "optional": true
    },
    "mysql2": {
     "optional": true
    },
    "sqlite3": {
     "optional": true
    }
   }
  },
  "node_modules/nitro/node_modules/readdirp": {
   "version": "5.0.0",
```

```
    "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-5.0.0.tgz",
    "integrity": "sha512-
9u/XQ1pvrQtYyMpZe7DXKv2p5CNvyVwzUB6uhLAnQwHMSgKMBR62lc7AHljaeteeHXn11XTAaLLUV
ZYVZyuRBQ==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "peer": true,
    "engines": {
     "node": ">= 20.19.0"
    },
    "funding": {
     "type": "individual",
     "url": "https://paulmillr.com/funding/"
    }
   },
   "node_modules/nitro/node_modules/unstorage": {
    "version": "2.0.0-alpha.7",
    "resolved": "https://registry.npmjs.org/unstorage/-/unstorage-2.0.0-alpha.7.tgz",
    "integrity": "sha512-
ELPztchk2zgFJnakyodVY3vJWGW9jy//keJ32IOJVGUMyaPydwcA1FtVvWqT0TNRch9H+cMNEGllfVFfS
cImog==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
     "@azure/app-configuration": "^1.11.0",
     "@azure/cosmos": "^4.9.1",
     "@azure/data-tables": "^13.3.2",
     "@azure/identity": "^4.13.0",
```

```
    "@azure/keyvault-secrets": "^4.10.0",
    "@azure/storage-blob": "^12.31.0",
    "@capacitor/preferences": "^6 || ^7 || ^8",
    "@deno/kv": ">=0.13.0",
    "@netlify/blobs": "^6.5.0 || ^7.0.0 || ^8.1.0 || ^9.0.0 || ^10.0.0",
    "@planetscale/database": "^1.19.0",
    "@upstash/redis": "^1.36.2",
    "@vercel/blob": ">=0.27.3",
    "@vercel/functions": "^2.2.12 || ^3.0.0",
    "@vercel/kv": "^1.0.1",
    "aws4fetch": "^1.0.20",
    "chokidar": "^4 || ^5",
    "db0": ">=0.3.4",
    "idb-keyval": "^6.2.2",
    "ioredis": "^5.9.3",
    "lru-cache": "^11.2.6",
    "mongodb": "^6 || ^7",
    "ofetch": "*",
    "uploadthing": "^7.7.4"
  },
  "peerDependenciesMeta": {
    "@azure/app-configuration": {
      "optional": true
    },
    "@azure/cosmos": {
      "optional": true
    },
```

```
"@azure/data-tables": {
  "optional": true
},
"@azure/identity": {
  "optional": true
},
"@azure/keyvault-secrets": {
  "optional": true
},
"@azure/storage-blob": {
  "optional": true
},
"@capacitor/preferences": {
  "optional": true
},
"@deno/kv": {
  "optional": true
},
"@netlify/blobs": {
  "optional": true
},
"@planetscale/database": {
  "optional": true
},
"@upstash/redis": {
  "optional": true
},
```

```
"@vercel/blob": {
 "optional": true
},
"@vercel/functions": {
 "optional": true
},
"@vercel/kv": {
 "optional": true
},
"aws4fetch": {
 "optional": true
},
"chokidar": {
 "optional": true
},
"db0": {
 "optional": true
},
"idb-keyval": {
 "optional": true
},
"ioredis": {
 "optional": true
},
"lru-cache": {
 "optional": true
},
```

```
      "mongodb": {
        "optional": true
      },
      "ofetch": {
        "optional": true
      },
      "uploadthing": {
        "optional": true
      }
    }
  },
  "node_modules/node-exports-info": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/node-exports-info/-/node-exports-info-1.6.0.tgz",
    "integrity": "sha512-
pyFS63ptit/P5WqUkt+UUfe+4oevH+bFeIiPPdfb0pFeYEu/1ELnJu5l+5EcTKYL5M7zaAa7S8ddywgXyp
qKCw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array.prototype.flatmap": "^1.3.3",
      "es-errors": "^1.3.0",
      "object.entries": "^1.1.9",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/node-releases": {
    "version": "2.0.57",
    "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.57.tgz",
    "integrity": "sha512-
kQK9LGGFiHtrWiNhZtA7Qbw17AQz+dmsEKODRlVTXA9+e5MS/2gZEBhYJt13GrAz5/IOZKddH/0Z3T
P/Zgo+yw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/normalize-path": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
    "integrity": "sha512-
6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4W
YojCRwcwLA==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-assign": {
    "version": "4.1.1",
```

```
    "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
    "integrity": "sha512-
rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQHVe4cU
5hj+BcUg==",
    "license": "MIT",
    "engines": {
     "node": ">=0.10.0"
    }
   },
   "node_modules/object-hash": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
    "integrity": "sha512-
RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZFpWYr2a
WrklWAw==",
    "license": "MIT",
    "engines": {
     "node": ">= 6"
    }
   },
   "node_modules/object-inspect": {
    "version": "1.13.4",
    "resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
    "integrity": "sha512-
W67iLl4J2EXEGTbfeHCffrjDfitvLANg0UlX3wFUUSTx92KXRFegMHUVgSqE+wvhAbi4WqjGg9czysTV2
Epbew==",
    "dev": true,
    "license": "MIT",
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object-keys": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
    "integrity": "sha512-
NuAESUOUMrlIXOfHKzD6bpPu3tYt3xvjNdRIQ+FeT0lNb4K8WR70CaDxhuNguS2XG+GjkyMwOzsN5
ZktImfhLA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/object.assign": {
    "version": "4.1.7",
    "resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
    "integrity": "sha512-
nK28WOo+QIjBkDduTINE4JkF/UJJKyf2EJxvJKfblDpyg0Q+pkOHNTL0Qwy6NP6FhE/EnzV73BxxqcJaX
Y9anw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
```

```
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0",
      "has-symbols": "^1.1.0",
      "object-keys": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object.entries": {
    "version": "1.1.9",
    "resolved": "https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz",
    "integrity": "sha512-
8u/hfXFRBD1O0hPUjioLhoWFHRmt6tKA4/vZPyckBr18l1KE9uHrFaFaUi8MDRTpi4uak2goyPTSNJLXX
2k2Hw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
```

```
    }
  },
  "node_modules/object.fromentries": {
    "version": "2.0.8",
    "resolved": "https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz",
    "integrity": "sha512-
k6E21FzySsSK5a21KRADBd/NGneRegFO5pLHfdQLpRDETUNJueLXs3WCzyQ3tFRDYgbq3KHGXfTbi
2bs8WQ6rQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.2",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object.values": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz",
    "integrity": "sha512-
gXah6aZrcUxjWg2zR2MwouP2eHlCBzdV4pygudehaKXSGW4v2AsRQUK+lwwXhii6KFZcunEnmSUoY
p5CXibxtA==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/ocache": {
    "version": "0.1.5",
    "resolved": "https://registry.npmjs.org/ocache/-/ocache-0.1.5.tgz",
    "integrity": "sha512-
kNNnkkVQup/QDvmTz8Q84wc2ntiyoVHDxa6eHWKt5qdGAmFRBIxy83rxgCYEjW0x06UJ9E3P6VgM2
yY4rOBH4w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ohash": "^2.0.11"
    }
  },
  "node_modules/ofetch": {
```

```
    "version": "2.0.0-alpha.3",
    "resolved": "https://registry.npmjs.org/ofetch/-/ofetch-2.0.0-alpha.3.tgz",
    "integrity": "sha512-
zpYTCs2byOuft65vI3z43Dd6iSdFbOZZLb9/d21aCpx2rGastVU9dOCv0lu4ykc1Ur1anAYjDi3SUvR0vq
50JA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/ohash": {
    "version": "2.0.11",
    "resolved": "https://registry.npmjs.org/ohash/-/ohash-2.0.11.tgz",
    "integrity": "sha512-
RdR9FQrFwNBNXAr4GixM8YaRZRJ5PUWbKYbE5eOsrwAjJW0q2REGcf79oYPsLyskQCZG1PLN+S/K
1V00joZAoQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/optionator": {
    "version": "0.9.4",
    "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
    "integrity": "sha512-
6IpQ7mKUxRcZNLIObR0hz7lxsapSSIYNZJwXPGeF0mTVqGKFIXj1DQcMoT22S3ROcLyY/rz0PWaWZ9
ayWmad9g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "deep-is": "^0.1.3",
      "fast-levenshtein": "^2.0.6",
      "levn": "^0.4.1",
```

```
      "prelude-ls": "^1.2.1",
      "type-check": "^0.4.0",
      "word-wrap": "^1.2.5"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/own-keys": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz",
    "integrity": "sha512-
qFOyK5PjiWZd+QQIh+1jhdb9LpxTF0qs7Pm8o5QHYZ0M3vKqSqzsZaEB6oWlxZ+q2sJBMI/Ktgd2N5Z
wQoRHfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "get-intrinsic": "^1.2.6",
      "object-keys": "^1.1.1",
      "safe-push-apply": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
```

```
  "node_modules/p-limit": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
    "integrity": "sha512-
TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFd
uxU5Xc6uJRQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "yocto-queue": "^0.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/p-locate": {
    "version": "5.0.0",
    "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
    "integrity": "sha512-
LaNjtRWUBY++zB5nE/NwcaoMylSPk+S+ZHNB1TzdbMJMny6dynpAGt7X/tl/QYq3TIeE6nxHppbo2LG
ymrG5Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "p-limit": "^3.0.2"
    },
```

```
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/pako": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/pako/-/pako-2.1.0.tgz",
    "integrity": "sha512-
w+eufiZ1WuJYgPXbV/PO3NCMEc3xqylkKHzp8bxp1uW4qaSNQUkwmLLEc3kKsfz8lpV1F8Ht3U1Cm
+9Srog2ug==",
    "license": "(MIT AND Zlib)"
  },
  "node_modules/parent-module": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
    "integrity": "sha512-
GQ2EWRpQV8/o+Aw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2Ifi6qWV+coDGkrUKZAxE3Lot5k
csRlh+g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "callsites": "^3.0.0"
    },
    "engines": {
      "node": ">=6"
    }
```

```
  },
  "node_modules/parse-entities": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/parse-entities/-/parse-entities-4.0.2.tgz",
    "integrity": "sha512-
GG2AQYWoLgL877gQIKeRPGO1xF9+eG1ujIb5soS5gPvLQ1y2o8FL90w2QWNdf9I361Mpp7726c+lj3
U0qK1uGw==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^2.0.0",
      "character-entities-legacy": "^3.0.0",
      "character-reference-invalid": "^2.0.0",
      "decode-named-character-reference": "^1.0.0",
      "is-alphanumerical": "^2.0.0",
      "is-decimal": "^2.0.0",
      "is-hexadecimal": "^2.0.0"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/parse-entities/node_modules/@types/unist": {
    "version": "2.0.11",
    "resolved": "https://registry.npmjs.org/@types/unist/-/unist-2.0.11.tgz",
    "integrity": "sha512-
CmBKiL6NNo/OqgmMn95Fk9Whlp2mtvIv+KNpQKN2F4SjvrEesubTRWGYSg+BnWZOnlCaSTU1sMp
sBOzgbYhnsA==",
    "license": "MIT"
```

```
  },
  "node_modules/partysocket": {
   "version": "0.0.23",
   "resolved": "https://registry.npmjs.org/partysocket/-/partysocket-0.0.23.tgz",
   "integrity": "sha512-
S43vtjJ///wvzxf0Pw8yD4HVGUDiJSmP1tJQjEzYUG6L7Id63+1CTcgZ0FXTy5BGHe8CuKNyO6bYd4LpOcy4QQ==",
   "license": "ISC",
   "dependencies": {
    "event-target-shim": "^6.0.2"
   }
  },
  "node_modules/path-exists": {
   "version": "4.0.0",
   "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
   "integrity": "sha512-
ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==",
   "dev": true,
   "license": "MIT",
   "engines": {
    "node": ">=8"
   }
  },
  "node_modules/path-key": {
   "version": "3.1.1",
   "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
```

```
    "integrity": "sha512-
ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSw
LhE6Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
     "node": ">=8"
    }
   },
   "node_modules/path-parse": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
    "integrity": "sha512-
LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7lOHxryrVOn1ejG6oAp8ahvOI
QD8sw==",
    "license": "MIT"
   },
   "node_modules/pathe": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/pathe/-/pathe-2.0.3.tgz",
    "integrity": "sha512-
WUjGcAqP1gQacoQe+OBJsFA7Ld4DyXuUIjZ5cc75cLHvJ7dtNsTugphxIADwspS+AraAUePCKrSVtPL
Fj/F88w==",
    "dev": true,
    "license": "MIT"
   },
   "node_modules/performance-now": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/performance-now/-/performance-now-2.1.0.tgz",
```

"integrity": "sha512-7EAHlyLHI56VEIdK57uwHdHKIaAGbnXPiw0yWbarQZOKaKpvUIgW0jWRVLiatnM+XXlSwsanIBH/hzGMJulMow==",

"license": "MIT",

"optional": true

},

"node_modules/picocolors": {

"version": "1.1.1",

"resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",

"integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",

"license": "ISC"

},

"node_modules/picomatch": {

"version": "2.3.2",

"resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",

"integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",

"license": "MIT",

"engines": {

"node": ">=8.6"

},

"funding": {

"url": "https://github.com/sponsors/jonschlinkert"

}

},

"node_modules/pify": {

```
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
    "integrity": "sha512-
udgsAY+fTnvv7kI7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTfJ/FT1R09r9gTsjUjN
Jotuog==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/pirates": {
    "version": "4.0.7",
    "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
    "integrity": "sha512-
TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgABOevKSs
B4G/FA==",
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/possible-typed-array-names": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-
names-1.1.0.tgz",
    "integrity": "sha512-
/+5VFTchJDoVj3bhoqi6UeymcD00DAwb1nJwamzPvHEszJ4FpF6SNNbUbOS8yI56qHzdV8eK0qEfOS
iodkTdxg==",
    "dev": true,
    "license": "MIT",
```

```
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.25",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.25.tgz",
    "integrity": "sha512-
DTPx3RWSSnWyzLxQnlH0rJP+EW5ekl16ZU4/psbIhA0e53kJfdgaN5vKM+xP7yJtXVu+nfdVFmlgFDEK
Ae4Pyw==",
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.16",
      "picocolors": "^1.1.1",
```

```
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/postcss-import": {
    "version": "15.1.0",
    "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
    "integrity": "sha512-
hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8F
ALew==",
    "license": "MIT",
    "dependencies": {
      "postcss-value-parser": "^4.0.0",
      "read-cache": "^1.0.0",
      "resolve": "^1.1.7"
    },
    "engines": {
      "node": ">=14.0.0"
    },
    "peerDependencies": {
      "postcss": "^8.0.0"
    }
  },
  "node_modules/postcss-import/node_modules/resolve": {
    "version": "1.22.11",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
```

```
    "integrity": "sha512-
RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CS
pdFnMjTQ==",
    "license": "MIT",
    "dependencies": {
     "is-core-module": "^2.16.1",
     "path-parse": "^1.0.7",
     "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
     "resolve": "bin/resolve"
    },
    "engines": {
     "node": ">= 0.4"
    },
    "funding": {
     "url": "https://github.com/sponsors/ljharb"
    }
   },
   "node_modules/postcss-js": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
    "integrity": "sha512-
oIAOTqgIo7q2EOwbhb8UalYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH9OKs/qAkfoj5oB3le/7mIN
W1LCfw==",
    "funding": [
     {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
```

```
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
   ],
   "license": "MIT",
   "dependencies": {
    "camelcase-css": "^2.0.1"
   },
   "engines": {
    "node": "^12 || ^14 || >= 16"
   },
   "peerDependencies": {
    "postcss": "^8.4.21"
   }
  },
  "node_modules/postcss-load-config": {
   "version": "6.0.1",
   "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
   "integrity": "sha512-
oPtTM4oerL+UXmx+93ytZVN82RrlY/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+C
KV6Oz/g==",
   "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
```

```
 {
   "type": "github",
   "url": "https://github.com/sponsors/ai"
 }
],
"license": "MIT",
"dependencies": {
 "lilconfig": "^3.1.1"
},
"engines": {
 "node": ">= 18"
},
"peerDependencies": {
 "jiti": ">=1.21.0",
 "postcss": ">=8.0.9",
 "tsx": "^4.8.1",
 "yaml": "^2.4.2"
},
"peerDependenciesMeta": {
 "jiti": {
   "optional": true
 },
 "postcss": {
   "optional": true
 },
 "tsx": {
   "optional": true
```

```
    },
    "yaml": {
      "optional": true
    }
   }
  },
  "node_modules/postcss-nested": {
   "version": "6.2.0",
   "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
   "integrity": "sha512-
HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGlBstkpTEZfK5+AN9hfJocyBFCNiqyS4
8bpgzQ==",
   "funding": [
    {
     "type": "opencollective",
     "url": "https://opencollective.com/postcss/"
    },
    {
     "type": "github",
     "url": "https://github.com/sponsors/ai"
    }
   ],
   "license": "MIT",
   "dependencies": {
    "postcss-selector-parser": "^6.1.1"
   },
   "engines": {
    "node": ">=12.0"
```

```
    },
    "peerDependencies": {
      "postcss": "^8.2.14"
    }
  },
  "node_modules/postcss-selector-parser": {
    "version": "6.1.4",
    "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.4.tgz",
    "integrity": "sha512-bIoJLOmjCO1S9XdY/DcnR5hJxvrDir1PbGChrzXG3vw0/FOliy/fA3dmdhQ441kah4gKv+TwckGzex6wNS5cnQ==",
    "license": "MIT",
    "dependencies": {
      "cssesc": "^3.0.0",
      "util-deprecate": "^1.0.2"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/postcss-value-parser": {
    "version": "4.2.0",
    "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
    "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
    "license": "MIT"
  },
```

```
  "node_modules/prelude-ls": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
    "integrity": "sha512-
vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5eplkkarX0m9z8ppCat4mlOqUsWpyNuYgO3V
RyrYHSzX5g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/prop-types": {
    "version": "15.8.1",
    "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
    "integrity": "sha512-
oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/
2qDH5cg==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.4.0",
      "object-assign": "^4.1.1",
      "react-is": "^16.13.1"
    }
  },
  "node_modules/property-information": {
    "version": "7.1.0",
    "resolved": "https://registry.npmjs.org/property-information/-/property-information-7.1.0.tgz",
```

```
    "integrity": "sha512-
TwEZ+X+yCJmYfL7TPUOcvBZ4QfoT5YenQiJuX//0th53DE6w0xxLEtfK3iyryQFddXuvkIk51EEgrJQ0WJk
OmQ==",

    "license": "MIT",

    "funding": {

      "type": "github",

      "url": "https://github.com/sponsors/wooorm"

    }

  },

  "node_modules/proxy-from-env": {

    "version": "2.1.0",

    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",

    "integrity": "sha512-
cJ+oHTW1VAEa8cJslgmUZrc+sjRKgAKl3Zyse6+PV38hZe/V6Z14TbCuXcan9F9ghlz4QrFr2c92TNF82
UkYHA==",

    "license": "MIT",

    "engines": {

      "node": ">=10"

    }

  },

  "node_modules/punycode": {

    "version": "2.3.1",

    "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",

    "integrity": "sha512-
vYt7UD1U9Wg6138shLtLOvdAu+8DsC/ilFtEVHcH+wydcSpNE20AfSOduf6MkRFahL5FY7X1oU7nKV
ZFtfq8Fg==",

    "dev": true,

    "license": "MIT",

    "engines": {
```

```
      "node": ">=6"
    }
  },
  "node_modules/queue-microtask": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
    "integrity": "sha512-
NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4
hej3K9A==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
  "node_modules/quill": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/quill/-/quill-2.0.3.tgz",
```

```
    "integrity": "sha512-
xEYQBqfYx/sfb33VJiKnSJp8ehloavImQ2A6564GAbqG55PGw1dAWUn1MUbQB62t0azawUS2CZZhW
CjO8gRvTw==",
    "license": "BSD-3-Clause",
    "dependencies": {
     "eventemitter3": "^5.0.1",
     "lodash-es": "^4.17.21",
     "parchment": "^3.0.0",
     "quill-delta": "^5.1.0"
    },
    "engines": {
     "npm": ">=8.2.3"
    }
   },
   "node_modules/quill-delta": {
    "version": "5.1.0",
    "resolved": "https://registry.npmjs.org/quill-delta/-/quill-delta-5.1.0.tgz",
    "integrity": "sha512-
X74oCeRI4/p0ucjb5Ma8adTXd9Scumz367kkMK5V/IatcX6A0vlgLgKbzXWy5nZmCGeNJm2oQX0d2E
qj+ZIlCA==",
    "license": "MIT",
    "dependencies": {
     "fast-diff": "^1.3.0",
     "lodash.clonedeep": "^4.5.0",
     "lodash.isequal": "^4.5.0"
    },
    "engines": {
     "node": ">= 12.0.0"
    }
```

```
  },
  "node_modules/quill/node_modules/parchment": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/parchment/-/parchment-3.0.0.tgz",
    "integrity": "sha512-
HUrJFQ/StvgmXRcQ1ftY6VEZUq3jA2t9ncFN4F84J/vN0/FPpQF+8FKXb3l6fLces6q0uOHj6NJn+2xvZ
nxO6A==",
    "license": "BSD-3-Clause"
  },
  "node_modules/raf": {
    "version": "3.4.1",
    "resolved": "https://registry.npmjs.org/raf/-/raf-3.4.1.tgz",
    "integrity": "sha512-
Sq4CW4QhwOHE8ucn6J34MqtZCeWFP2aQSmrlroYgqAV1PjStIhJXxYuTgUIfkEk7zTLjmIjLmU5q+fbD
1NnOJA==",
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "performance-now": "^2.1.0"
    }
  },
  "node_modules/raf-schd": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/raf-schd/-/raf-schd-4.0.3.tgz",
    "integrity": "sha512-
tQkJl2GRWh83ui2DiPTJz9wEiMN20syf+5oKfB03yYP7ioZcJwsIK8FjrtLwH1m7C7e+Tt2yYBlrOpdT+dy
eIQ==",
    "license": "MIT"
  },
```

```
  "node_modules/react": {
    "version": "18.3.1",
    "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
    "integrity": "sha512-
wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pT
Vj+2iQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-day-picker": {
    "version": "8.10.1",
    "resolved": "https://registry.npmjs.org/react-day-picker/-/react-day-picker-8.10.1.tgz",
    "integrity": "sha512-
TMx7fNbhLk15eqcMt+7Z7S2KF7mfTId/XJDjKE8f+IUcFn0l08/kI4FiYTL/0yuOLmEcbR4Fwe3GJf/NiiM
nPA==",
    "license": "MIT",
    "funding": {
      "type": "individual",
      "url": "https://github.com/sponsors/gpbl"
    },
    "peerDependencies": {
      "date-fns": "^2.28.0 || ^3.0.0",
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
```

```
  },
  "node_modules/react-dom": {
   "version": "18.3.1",
   "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
   "integrity": "sha512-
5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
   "license": "MIT",
   "dependencies": {
    "loose-envify": "^1.1.0",
    "scheduler": "^0.23.2"
   },
   "peerDependencies": {
    "react": "^18.3.1"
   }
  },
  "node_modules/react-hook-form": {
   "version": "7.71.1",
   "resolved": "https://registry.npmjs.org/react-hook-form/-/react-hook-form-7.71.1.tgz",
   "integrity": "sha512-
9SUJKCGKo8HUSsCO+y0CtqkqI5nNuaDqTxyqPsZPqIwudpj4rCrAz/jZV+jn57bx5gtZKOh3neQu94DXMc+w5w==",
   "license": "MIT",
   "engines": {
    "node": ">=18.0.0"
   },
   "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/react-hook-form"
```

```
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17 || ^18 || ^19"
    }
  },
  "node_modules/react-hot-toast": {
    "version": "2.6.0",
    "resolved": "https://registry.npmjs.org/react-hot-toast/-/react-hot-toast-2.6.0.tgz",
    "integrity": "sha512-
bH+2EBMZ4sdyou/DPrfgIouFpcRLCJ+HoCA32UoAYHn6T3Ur5yfcDCeSr5mwldl6pFOsiocmrXMuoCJ
1vV8bWg==",
    "license": "MIT",
    "dependencies": {
      "csstype": "^3.1.3",
      "goober": "^2.1.16"
    },
    "engines": {
      "node": ">=10"
    },
    "peerDependencies": {
      "react": ">=16",
      "react-dom": ">=16"
    }
  },
  "node_modules/react-is": {
    "version": "16.13.1",
    "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
```

```
    "integrity": "sha512-
24e6ynE2H+OKt4kqsOvNd8kBpV65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCCTZBuOc
fZs70kR8bQ==",

    "license": "MIT"

  },

  "node_modules/react-leaflet": {

    "version": "4.2.1",

    "resolved": "https://registry.npmjs.org/react-leaflet/-/react-leaflet-4.2.1.tgz",

    "integrity": "sha512-
p9chkvhcKrWn/H/1FFeVSqLdReGwn2qmiobOQGO3BifX+/vV/39qhY8dGqbdcPh1e6jxh/QHriLXr7a4
eLFK4Q==",

    "license": "Hippocratic-2.1",

    "dependencies": {

      "@react-leaflet/core": "^2.1.0"

    },

    "peerDependencies": {

      "leaflet": "^1.9.0",

      "react": "^18.0.0",

      "react-dom": "^18.0.0"

    }

  },

  "node_modules/react-markdown": {

    "version": "9.1.0",

    "resolved": "https://registry.npmjs.org/react-markdown/-/react-markdown-9.1.0.tgz",

    "integrity": "sha512-
xaijuJB0kzGiUdG7nc2MOMDUDBWPyGAjZtUrow9XxUeua8IqeP+VlIfAZ3bphpcLTnSZXz6z9jcVC/TC
wbfgdw==",

    "license": "MIT",

    "dependencies": {
```

```
      "@types/hast": "^3.0.0",
      "@types/mdast": "^4.0.0",
      "devlop": "^1.0.0",
      "hast-util-to-jsx-runtime": "^2.0.0",
      "html-url-attributes": "^3.0.0",
      "mdast-util-to-hast": "^13.0.0",
      "remark-parse": "^11.0.0",
      "remark-rehype": "^11.0.0",
      "unified": "^11.0.0",
      "unist-util-visit": "^5.0.0",
      "vfile": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    },
    "peerDependencies": {
      "@types/react": ">=18",
      "react": ">=18"
    }
  },
  "node_modules/react-quill-new": {
    "version": "3.8.3",
    "resolved": "https://registry.npmjs.org/react-quill-new/-/react-quill-new-3.8.3.tgz",
    "integrity": "sha512-
c96PYqFTo0pI4R3e79B3rH9LUIce1kIQbmTBu/imJQZk8305ogyLyBqKKjG2UoInDlquXqePSzmBo2aVi
a3ttw==",
    "license": "MIT",
```

```
    "dependencies": {
      "lodash-es": "^4.17.21",
      "quill": "~2.0.3"
    },
    "peerDependencies": {
      "quill-delta": "^5.1.0",
      "react": "^16 || ^17 || ^18 || ^19",
      "react-dom": "^16 || ^17 || ^18 || ^19"
    }
  },
  "node_modules/react-redux": {
    "version": "9.2.0",
    "resolved": "https://registry.npmjs.org/react-redux/-/react-redux-9.2.0.tgz",
    "integrity": "sha512-
ROY9fvHhwOD9ySfrF0wmvu//bKCQ6AeZZq1nJNtbDC+kk5DuSuNX/n6YWYF/SYy7bSba4D4FSz8DJ
eKY/S/r+g==",
    "license": "MIT",
    "dependencies": {
      "@types/use-sync-external-store": "^0.0.6",
      "use-sync-external-store": "^1.4.0"
    },
    "peerDependencies": {
      "@types/react": "^18.2.25 || ^19",
      "react": "^18.0 || ^19",
      "redux": "^5.0.0"
    },
    "peerDependenciesMeta": {
      "@types/react": {
```

```
      "optional": true
    },
    "redux": {
      "optional": true
    }
  }
 },
 "node_modules/react-remove-scroll": {
  "version": "2.7.2",
  "resolved": "https://registry.npmjs.org/react-remove-scroll/-/react-remove-scroll-2.7.2.tgz",
  "integrity": "sha512-
Iqb9NjCCTt6Hf+vOdNIZGdTiH1QSqr27H/Ek9sv/a97gfueI/5h1s3yRi1nngzMUaOOToin5dI1dXKdXiF+
u0Q==",
  "license": "MIT",
  "dependencies": {
   "react-remove-scroll-bar": "^2.3.7",
   "react-style-singleton": "^2.2.3",
   "tslib": "^2.1.0",
   "use-callback-ref": "^1.3.3",
   "use-sidecar": "^1.1.3"
  },
  "engines": {
   "node": ">=10"
  },
  "peerDependencies": {
   "@types/react": "*",
   "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
  },
```

```
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/react-remove-scroll-bar": {
    "version": "2.3.8",
    "resolved": "https://registry.npmjs.org/react-remove-scroll-bar/-/react-remove-scroll-bar-2.3.8.tgz",
    "integrity": "sha512-9r+yi9+mgU33AKcj6IbT9oRCO78WriSj6t/cF8DWBZJ9aOGPOTEDvdUDz1FwKim7QXWwmHqtdHnRJfhAxEG46Q==",
    "license": "MIT",
    "dependencies": {
      "react-style-singleton": "^2.2.2",
      "tslib": "^2.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
```

```
    }
   }
  },
  "node_modules/react-resizable-panels": {
   "version": "2.1.9",
   "resolved": "https://registry.npmjs.org/react-resizable-panels/-/react-resizable-panels-2.1.9.tgz",
   "integrity": "sha512-z77+X08YDIrgAes4jl8xhnUu1LNIRp4+E7cv4xHmLOxxUPO/ML7PSrE813b90vj7xvQ1lcf7g2uA9GeMZonjhQ==",
   "license": "MIT",
   "peerDependencies": {
    "react": "^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc",
    "react-dom": "^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
   }
  },
  "node_modules/react-router": {
   "version": "7.18.4",
   "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.18.4.tgz",
   "integrity": "sha512-PUPQcMhMGRAslLcvtlPz/kmzBEWPhLdgLFrL7pLNepBL6dX0lWj4WD2cUYVgYCuT3jxvghYFg81cDTj44DhetQ==",
   "license": "MIT",
   "dependencies": {
    "cookie": "^1.0.1",
    "set-cookie-parser": "^2.6.0"
   },
   "engines": {
    "node": ">=20.0.0"
```

```
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/react-router-dom": {
    "version": "7.18.4",
    "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.18.4.tgz",
    "integrity": "sha512-
yrfmJHIpDG7taCpqKjT1G5B6q3O2K+RN8/fgNf0lTjCwiPbQ0ei6vXX9ZjQR+7ld8Tr7Z5xmyMnZ8YJrph
WQUw==",
    "license": "MIT",
    "dependencies": {
      "react-router": "7.18.4"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    }
```

```
  },
  "node_modules/react-smooth": {
   "version": "4.0.4",
   "resolved": "https://registry.npmjs.org/react-smooth/-/react-smooth-4.0.4.tgz",
   "integrity": "sha512-
gnGKTpYwqL0Iii09gHobNolvX4Kiq4PKx6eWBCYYix+8cdw+cGo3do906l1NBPKkSWx1DghC1dlWG9
L2uGd61Q==",
   "license": "MIT",
   "dependencies": {
    "fast-equals": "^5.0.1",
    "prop-types": "^15.8.1",
    "react-transition-group": "^4.4.5"
   },
   "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
    "react-dom": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
   }
  },
  "node_modules/react-style-singleton": {
   "version": "2.2.3",
   "resolved": "https://registry.npmjs.org/react-style-singleton/-/react-style-singleton-2.2.3.tgz",
   "integrity": "sha512-
b6jSvxvVnyptAiLjbkWLE/lOnR4lfTtDAl+eUC7RZy+QQWc6wRzIV2CE6xBuMmDxc2qIihtDCZD5NPO
Fl7fRBQ==",
   "license": "MIT",
   "dependencies": {
    "get-nonce": "^1.0.0",
    "tslib": "^2.0.0"
   },
```

```
    "engines": {
      "node": ">=10"
    },
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/react-transition-group": {
    "version": "4.4.5",
    "resolved": "https://registry.npmjs.org/react-transition-group/-/react-transition-group-4.4.5.tgz",
    "integrity": "sha512-
pZcd1MCJoiKiBR2NRxeCRg13uCXbydPnmB4EOeRrY7480qNWO8IIgQG6zlDkm6uRMsURXPuKq0G
WtiM59a5Q6g==",
    "license": "BSD-3-Clause",
    "dependencies": {
      "@babel/runtime": "^7.5.5",
      "dom-helpers": "^5.0.1",
      "loose-envify": "^1.4.0",
      "prop-types": "^15.6.2"
    },
    "peerDependencies": {
      "react": ">=16.6.0",
```

```
      "react-dom": ">=16.6.0"
    }
  },
  "node_modules/read-cache": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
    "integrity": "sha512-
Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4lR56Y9ya+AThoTpD
CTxCmpRA==",
    "license": "MIT",
    "dependencies": {
      "pify": "^2.3.0"
    }
  },
  "node_modules/readdirp": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
    "integrity": "sha512-
hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To
9VRlMzA==",
    "license": "MIT",
    "dependencies": {
      "picomatch": "^2.2.1"
    },
    "engines": {
      "node": ">=8.10.0"
    }
  },
  "node_modules/recharts": {
```

```
    "version": "2.15.4",
    "resolved": "https://registry.npmjs.org/recharts/-/recharts-2.15.4.tgz",
    "integrity": "sha512-
UT/q6fwS3c1dHbXv2uFgYJ9BMFHu3fwnd7AYZaEQhXuYQ4hgsxLvsUXzGdKeZrW5xopzDCvuA2N41
WJ88I7zIw==",
    "license": "MIT",
    "dependencies": {
     "clsx": "^2.0.0",
     "eventemitter3": "^4.0.1",
     "lodash": "^4.17.21",
     "react-is": "^18.3.1",
     "react-smooth": "^4.0.4",
     "recharts-scale": "^0.4.4",
     "tiny-invariant": "^1.3.1",
     "victory-vendor": "^36.6.8"
    },
    "engines": {
     "node": ">=14"
    },
    "peerDependencies": {
     "react": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0",
     "react-dom": "^16.0.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
   },
   "node_modules/recharts-scale": {
    "version": "0.4.5",
    "resolved": "https://registry.npmjs.org/recharts-scale/-/recharts-scale-0.4.5.tgz",
```

"integrity": "sha512-kivNFO+0OcUNu7jQquLXAxz1FIwZj8nrj+YkOKc5694NbjCvcT6aSZiIzNzd2Kul4o4rTto8QVR9lMNtxD4G1w==",

"license": "MIT",

"dependencies": {

"decimal.js-light": "^2.4.1"

}

},

"node_modules/recharts/node_modules/eventemitter3": {

"version": "4.0.7",

"resolved": "https://registry.npmjs.org/eventemitter3/-/eventemitter3-4.0.7.tgz",

"integrity": "sha512-8guHBZCwKnFhYdHr2ysuRWErTwhoN2X8XELRlrRwpmfeY2jjuUN4taQMsULKUVo1K4DvZl+0pgfyoysHxvmvEw==",

"license": "MIT"

},

"node_modules/recharts/node_modules/react-is": {

"version": "18.3.1",

"resolved": "https://registry.npmjs.org/react-is/-/react-is-18.3.1.tgz",

"integrity": "sha512-/LLMVyas0ljjAtoYiPqYiL8VWXzUUdThrmU5+n20DZv+a+ClRoevUzw5JxU+Ieh5/c87ytoTBV9G1FiKfNJdmg==",

"license": "MIT"

},

"node_modules/redux": {

"version": "5.0.1",

"resolved": "https://registry.npmjs.org/redux/-/redux-5.0.1.tgz",

"integrity": "sha512-M9/ELqF6fy8FwmkpnF0S3YKOqMyoWJ4+CS5Efg2ct3oY9daQvd/Pc71FpGZsVsbl3Cpb+IIcjBDUnnyBdQbq4w==",

```
    "license": "MIT"
  },
  "node_modules/reflect.getprototypeof": {
    "version": "1.0.10",
    "resolved": "https://registry.npmjs.org/reflect.getprototypeof/-/reflect.getprototypeof-1.0.10.tgz",
    "integrity": "sha512-
00o4I+DVrefhv+nX0ulyi3biSHCPDe+yLv5o/p6d/UVlirijB8E16FtfwSAi4g3tcqrQ4lRAqQSoFEZJehYEc
w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.9",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.0.0",
      "get-intrinsic": "^1.2.7",
      "get-proto": "^1.0.1",
      "which-builtin-type": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/regenerator-runtime": {
```

```
    "version": "0.13.11",
    "resolved": "https://registry.npmjs.org/regenerator-runtime/-/regenerator-runtime-0.13.11.tgz",
    "integrity": "sha512-
kY1AZVr2Ra+t+piVaJ4gxaFaReZVH40AKNo7UCX6W+dEwBo/2oZJzqfuN1qLq1oL45o56cPaTXELwrT
h8Fpggg==",
    "license": "MIT",
    "optional": true
  },
  "node_modules/regexp.prototype.flags": {
    "version": "1.5.4",
    "resolved": "https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tgz",
    "integrity": "sha512-
dYqgNSZbDwkaJ2ceRd9ojCGjBq+mOm9LmtXnAnEGyHhN/5R7iDW2TRw3h+o/jCFxus3P2LfWIIiwo
wAjANm7IA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-errors": "^1.3.0",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "set-function-name": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
```

```
    }
   },
   "node_modules/remark-parse": {
    "version": "11.0.0",
    "resolved": "https://registry.npmjs.org/remark-parse/-/remark-parse-11.0.0.tgz",
    "integrity": "sha512-
FCxlKLNGknS5ba/1lmpYijMUzX2esxW5xQqjWxw2eHFfS2MSdaHVINFmhjo+qN1WhZhNimq0dZAT
N9pH0IDrpA==",
    "license": "MIT",
    "dependencies": {
     "@types/mdast": "^4.0.0",
     "mdast-util-from-markdown": "^2.0.0",
     "micromark-util-types": "^2.0.0",
     "unified": "^11.0.0"
    },
    "funding": {
     "type": "opencollective",
     "url": "https://opencollective.com/unified"
    }
   },
   "node_modules/remark-rehype": {
    "version": "11.1.2",
    "resolved": "https://registry.npmjs.org/remark-rehype/-/remark-rehype-11.1.2.tgz",
    "integrity": "sha512-
Dh7l57ianaEoIpzbp0PC9UKAdCSVklD8E5Rpw7ETfbTl3FqcOOgq5q2LVDhgGCkaBv7p24JXikPdvhh
mHvKMsw==",
    "license": "MIT",
    "dependencies": {
     "@types/hast": "^3.0.0",
```

```
      "@types/mdast": "^4.0.0",
      "mdast-util-to-hast": "^13.0.0",
      "unified": "^11.0.0",
      "vfile": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/resolve": {
    "version": "2.0.0-next.6",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.6.tgz",
    "integrity": "sha512-
3JmVl5hMGtJ3kMmB3zi3DL25KfkCEyy3Tw7Gmw7z5w8M9WlwoPFnIvwChzu1+cF3iaK3sp18hhPz8
ANeimdJfA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "is-core-module": "^2.16.1",
      "node-exports-info": "^1.6.0",
      "object-keys": "^1.1.1",
      "path-parse": "^1.0.7",
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
      "resolve": "bin/resolve"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/resolve-from": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
    "integrity": "sha512-
pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3Q+4o7FwvquPJcn
Z7RYy4g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/reusify": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
    "integrity": "sha512-
g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh55TZfVQDPaN3NQJ
fbVRAxdIw==",
    "license": "MIT",
    "engines": {
      "iojs": ">=1.0.0",
```

```
      "node": ">=0.10.0"
    }
  },
  "node_modules/rgbcolor": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/rgbcolor/-/rgbcolor-1.0.1.tgz",
    "integrity": "sha512-
9aZLIrhRaD97sgVhtJOW6ckOEh6/GnvQtdVNfdZ6s67+3/XwLS9lBcQYzEEhYVeUowN7pRzMLsyGhK
2i/xvWbw==",
    "license": "MIT OR SEE LICENSE IN FEEL-FREE.md",
    "optional": true,
    "engines": {
      "node": ">= 0.8.15"
    }
  },
  "node_modules/rolldown": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.2.1.tgz",
    "integrity": "sha512-
4FKJhg8d3OiyQOA6Q1Q0hoFFpW9/OoX+VsHzpECsdsIZoOArrAK90gl59YK/Z+gnDel45bgJZK03ozH/
9bCqEw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@oxc-project/types": "=0.142.0",
      "@rolldown/pluginutils": "^1.0.0"
    },
    "bin": {
      "rolldown": "bin/cli.mjs"
```

```
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    },
    "optionalDependencies": {
      "@rolldown/binding-android-arm64": "1.2.1",
      "@rolldown/binding-darwin-arm64": "1.2.1",
      "@rolldown/binding-darwin-x64": "1.2.1",
      "@rolldown/binding-freebsd-x64": "1.2.1",
      "@rolldown/binding-linux-arm-gnueabihf": "1.2.1",
      "@rolldown/binding-linux-arm64-gnu": "1.2.1",
      "@rolldown/binding-linux-arm64-musl": "1.2.1",
      "@rolldown/binding-linux-ppc64-gnu": "1.2.1",
      "@rolldown/binding-linux-s390x-gnu": "1.2.1",
      "@rolldown/binding-linux-x64-gnu": "1.2.1",
      "@rolldown/binding-linux-x64-musl": "1.2.1",
      "@rolldown/binding-openharmony-arm64": "1.2.1",
      "@rolldown/binding-wasm32-wasi": "1.2.1",
      "@rolldown/binding-win32-arm64-msvc": "1.2.1",
      "@rolldown/binding-win32-x64-msvc": "1.2.1"
    }
  },
  "node_modules/rou3": {
    "version": "0.8.1",
    "resolved": "https://registry.npmjs.org/rou3/-/rou3-0.8.1.tgz",
    "integrity": "sha512-
ePa+XGk00/3HuCqrEnK3LxJW7I0SdNg6EFzKUJG73hMAdDcOUC/i/aSz7LSDwLrGr33kal/rqOGydzwl
6U7zBA==",
```

```
    "dev": true,
    "license": "MIT"
  },
  "node_modules/run-parallel": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
    "integrity": "sha512-
5l4VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz8OlQuPmnaJOM
oDHQBA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "queue-microtask": "^1.2.2"
    }
  },
```

```
    "node_modules/safe-array-concat": {
      "version": "1.1.3",
      "resolved": "https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.3.tgz",
      "integrity": "sha512-
AURm5f0jYEOydBj7VQlVvDrjeFgthDdEF5H1dP+6mNpoXOMo1quQqJ4wvJDyRZ9+pO3kGWoOdmV
08cSv2aJV6Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bind": "^1.0.8",
        "call-bound": "^1.0.2",
        "get-intrinsic": "^1.2.6",
        "has-symbols": "^1.1.0",
        "isarray": "^2.0.5"
      },
      "engines": {
        "node": ">=0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/safe-push-apply": {
      "version": "1.0.0",
      "resolved": "https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz",
      "integrity": "sha512-
iKE9w/Z7xCzUMIZqdBsp6pEQvwuEebH4vdpjcDWnyzaI6yl6O9FHvVpmGelvEHNsoY6wGblkxR6Zty/
h00WiSA==",
      "dev": true,
```

```
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "isarray": "^2.0.5"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/safe-regex-test": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz",
    "integrity": "sha512-
x/+Cz4YrimQxQccJf5mKEbIa1NzeCRNI5Ecl/ekmlYaampdNLPalVyIcCZNNH3MvmqBugV5TMYZXv0l
jslUlaw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "is-regex": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/scheduler": {
    "version": "0.23.2",
    "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
    "integrity": "sha512-
UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/tVr
DqcuYzQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    }
  },
  "node_modules/semver": {
    "version": "6.3.1",
    "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity": "sha512-
BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQ
xTO6XjMzA==",
    "dev": true,
    "license": "ISC",
    "bin": {
      "semver": "bin/semver.js"
    }
  },
  "node_modules/set-cookie-parser": {
    "version": "2.7.2",
```

```
    "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
    "integrity": "sha512-
oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bd
urlvw==",
    "license": "MIT"
  },
  "node_modules/set-function-length": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz",
    "integrity": "sha512-
pgRc4hJ4/sNjWCSS9AmnS40x3bNMDTknHgL5UaMBTMyJnU90EgWh1Rz+MC9eFu4BuN/UwZjKQu
Y/1v3rM7HMfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-data-property": "^1.1.4",
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2",
      "get-intrinsic": "^1.2.4",
      "gopd": "^1.0.1",
      "has-property-descriptors": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/set-function-name": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz",
```

```
    "integrity": "sha512-
7PGFlmtwsEADb0WYyvCMa1t+yke6daIG4Wirafur5kcf+MhUnPms1UeR0CKQdTZD81yESwMHbtn+
TR+dMviakQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "define-data-property": "^1.1.4",
     "es-errors": "^1.3.0",
     "functions-have-names": "^1.2.3",
     "has-property-descriptors": "^1.0.2"
    },
    "engines": {
     "node": ">= 0.4"
    }
   },
   "node_modules/set-proto": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz",
    "integrity": "sha512-
RJRdvCo6IAnPdsvP/7m6bsQqNnn1FCBX5ZNtFL98MmFF/4xAIJTIg1YbHW5DC2W5SKZanrC6i4HsJq
lajw/dZw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "dunder-proto": "^1.0.1",
     "es-errors": "^1.3.0",
     "es-object-atoms": "^1.0.0"
    },
    "engines": {
```

```
      "node": ">= 0.4"
    }
  },
  "node_modules/shebang-command": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
    "integrity": "sha512-
kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77Ytv
bN0dmDA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "shebang-regex": "^3.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/shebang-regex": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
    "integrity": "sha512-
7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/y
hz8ekcb1A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
```

```
  },
  "node_modules/side-channel": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
    "integrity": "sha512-
ZX99e6tRweoUXqR+VBrslhda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6hqfPRHujUNwz5f
y/wbbhnpw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "object-inspect": "^1.13.3",
      "side-channel-list": "^1.0.0",
      "side-channel-map": "^1.0.1",
      "side-channel-weakmap": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-list": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.0.tgz",
    "integrity": "sha512-
FCLHtRD/gnpCiCHEiJLOwdmFP+wzCmDEkc9y7NsYxeF4u7Btsn1ZuwgwJGxImImHicJArLP4R0yX4c
2KCrMrTA==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "object-inspect": "^1.13.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-map": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
    "integrity": "sha512-
VCjCNfgMsby3tTdo02nbjtM/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek/BjpOVsDCMoLA/iuB
KIFXRA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.5",
      "object-inspect": "^1.13.3"
    },
    "engines": {
```

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-weakmap": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz",
    "integrity": "sha512-WPS/HvHQTYnHisLo9McqBHOJk2FkHO/tlpvldyrnem4aeQp4hai3gythswg6p01oSoTl58rcpiFAjF2br2Ak2A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.5",
      "object-inspect": "^1.13.3",
      "side-channel-map": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
```

```
  },
  "node_modules/socket.io-client": {
   "version": "4.8.3",
   "resolved": "https://registry.npmjs.org/socket.io-client/-/socket.io-client-4.8.3.tgz",
   "integrity": "sha512-
uP0bpjWrjQmUt5DTHq9RuoCBdFJF10cdX9X+a368j/Ft0wmaVgxlrjvK3kjvgCODOMMOz9lcaRzxmso
0bTWZ/g==",
   "license": "MIT",
   "dependencies": {
    "@socket.io/component-emitter": "~3.1.0",
    "debug": "~4.4.1",
    "engine.io-client": "~6.6.1",
    "socket.io-parser": "~4.2.4"
   },
   "engines": {
    "node": ">=10.0.0"
   }
  },
  "node_modules/socket.io-parser": {
   "version": "4.2.7",
   "resolved": "https://registry.npmjs.org/socket.io-parser/-/socket.io-parser-4.2.7.tgz",
   "integrity": "sha512-
lH/iSeO9T6gz1KkFleGDWkG9N3dl4jXVYUtMhIqH10Md0ttMer8nUNWiP1DKuNrybD2xBrixLJdCC9J6
ECoYkg==",
   "license": "MIT",
   "dependencies": {
    "@socket.io/component-emitter": "~3.1.0",
    "debug": "~4.4.1"
   },
```

```
    "engines": {
      "node": ">=10.0.0"
    }
  },
  "node_modules/sonner": {
    "version": "2.0.7",
    "resolved": "https://registry.npmjs.org/sonner/-/sonner-2.0.7.tgz",
    "integrity": "sha512-
W6ZN4p58k8aDKA4XPcx2hpIQXBRAgyiWVkYhT7CvK6D3iAu7xjvVyhQHg2/iaKJZ1XVJ4r7XuwGL+W
GEK37i9w==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^18.0.0 || ^19.0.0 || ^19.0.0-rc",
      "react-dom": "^18.0.0 || ^19.0.0 || ^19.0.0-rc"
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.2.tgz",
    "integrity": "sha512-
KGj/8Y43x35aZVDtt+J4mK1hoLGHULMYfSkODJNQjNDC3oW1PqPoxMwo0pLUsWM/UEGzON/Nxe
HywEfNXNP3Vw==",
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/space-separated-tokens": {
    "version": "2.0.2",
```

"resolved": "https://registry.npmjs.org/space-separated-tokens/-/space-separated-tokens-2.0.2.tgz",

"integrity": "sha512-PEGlAwrG8yXGXRjW32fGbg66JAlOAwbObuqVoJpv/mRgoWDQfgH1wDPvtzWyUSNAXBGSk8h755YDbbcEy3SH2Q==",

"license": "MIT",

"funding": {

"type": "github",

"url": "https://github.com/sponsors/wooorm"

}

},

"node_modules/srvx": {

"version": "0.11.22",

"resolved": "https://registry.npmjs.org/srvx/-/srvx-0.11.22.tgz",

"integrity": "sha512-LqZxxBDMKuMAZzFzJnDCkFOrs9MZQZr0LvHiO/SuSZVdQaXD7xQ5UWTUxheJrQPve1qk9MG2B/yttUvJxw8egQ==",

"dev": true,

"license": "MIT",

"bin": {

"srvx": "bin/srvx.mjs"

},

"engines": {

"node": ">=20.16.0"

}

},

"node_modules/stackblur-canvas": {

"version": "2.7.0",

"resolved": "https://registry.npmjs.org/stackblur-canvas/-/stackblur-canvas-2.7.0.tgz",

"integrity": "sha512-yf7OENo23AGJhBriGx0QivY5JP6Y1HbrrDI6WLt6C5auYZXlQrheoY8hD4ibekFKz1HOfE48Ww8kMWMnJD/zcQ==",

"license": "MIT",

"optional": true,

"engines": {

"node": ">=0.1.14"

}

},

"node_modules/stop-iteration-iterator": {

"version": "1.1.0",

"resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz",

"integrity": "sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYARS8E6sCEqzKpOiE521Ucofdx+KnDZl5xmvGYaaKCk5FEOxJCoQ==",

"dev": true,

"license": "MIT",

"dependencies": {

"es-errors": "^1.3.0",

"internal-slot": "^1.1.0"

},

"engines": {

"node": ">= 0.4"

}

},

"node_modules/string.prototype.matchall": {

"version": "4.0.12",

"resolved": "https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-4.0.12.tgz",

"integrity": "sha512-6CC9uyBL+/48dYizRf7H7VAYCMCNTBeM78x/VTUe9bFEaxBepPJDa1Ow99Lql/1yF7kuy7Q3cQsYMrcjGUcskA==",

"dev": true,

"license": "MIT",

"dependencies": {

"call-bind": "^1.0.8",

"call-bound": "^1.0.3",

"define-properties": "^1.2.1",

"es-abstract": "^1.23.6",

"es-errors": "^1.3.0",

"es-object-atoms": "^1.0.0",

"get-intrinsic": "^1.2.6",

"gopd": "^1.2.0",

"has-symbols": "^1.1.0",

"internal-slot": "^1.1.0",

"regexp.prototype.flags": "^1.5.3",

"set-function-name": "^2.0.2",

"side-channel": "^1.1.0"

},

"engines": {

"node": ">= 0.4"

},

"funding": {

"url": "https://github.com/sponsors/ljharb"

}

},

"node_modules/string.prototype.repeat": {

```
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-1.0.0.tgz",
    "integrity": "sha512-0u/TldDbKD8bFCQ/4f5+mNRrXwZ8hg2w7ZR8wa16e8z9XpePWl3eGEcUD0OXpEH/VJH/2G3gjUtR3ZOiBe2S/w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "define-properties": "^1.1.3",
     "es-abstract": "^1.17.5"
    }
   },
   "node_modules/string.prototype.trim": {
    "version": "1.2.10",
    "resolved": "https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.10.tgz",
    "integrity": "sha512-Rs66F0P/1kedk5lyYyH9uBzuiI/kNRmwJAR9quK6VOtIpZ2G+hMZd+HQbbv25MgCA6gEffoMZYxlTod4WcdrKA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "call-bind": "^1.0.8",
     "call-bound": "^1.0.2",
     "define-data-property": "^1.1.4",
     "define-properties": "^1.2.1",
     "es-abstract": "^1.23.5",
     "es-object-atoms": "^1.0.0",
     "has-property-descriptors": "^1.0.2"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/string.prototype.trimend": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.9.tgz",
    "integrity": "sha512-G7Ok5C6E/j4SGfyLCloXTrngQIQU3PWtXGst3yM7Bea9FRURf1S42ZHlZZtsNque2FN2PoUhfZXYLNWwEr4dLQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.2",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
```

```
    }
   },
   "node_modules/string.prototype.trimstart": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz",
    "integrity": "sha512-UXSH262CSZY1tfu3G3Secr6uGLCFVPMhIqHjlgCUtCCcgihYc/xKs9djMTMUOb2j1mVSeU8EU6NWc/iQKU6Gfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
     "call-bind": "^1.0.7",
     "define-properties": "^1.2.1",
     "es-object-atoms": "^1.0.0"
    },
    "engines": {
     "node": ">= 0.4"
    },
    "funding": {
     "url": "https://github.com/sponsors/ljharb"
    }
   },
   "node_modules/stringify-entities": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/stringify-entities/-/stringify-entities-4.0.4.tgz",
    "integrity": "sha512-IwfBptatlO+QCJUo19AqvrPNqlVMpW9YEL2LIVY+Rpv2qsjCGxaDLNRgeGsQWJhfltebuJhsGSLjaBbNSQ+ieg==",
```

```
    "license": "MIT",
    "dependencies": {
      "character-entities-html4": "^2.0.0",
      "character-entities-legacy": "^3.0.0"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/strip-json-comments": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz",
    "integrity": "sha512-
6fPc+R4ihwqP6N/aIv2f1gMH8lOVtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Vehl
t3ql6lEig==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/style-to-js": {
    "version": "1.1.21",
    "resolved": "https://registry.npmjs.org/style-to-js/-/style-to-js-1.1.21.tgz",
```

```
    "integrity": "sha512-
RjQetxJrrUJLQPHbLku6U/ocGtzyjbJMP9lCNK7Ag0CNh690nSH8woqWH9u16nMjYBAok+i7JO1NP2p
Oy8IsPQ==",
    "license": "MIT",
    "dependencies": {
      "style-to-object": "1.0.14"
    }
  },
  "node_modules/style-to-object": {
    "version": "1.0.14",
    "resolved": "https://registry.npmjs.org/style-to-object/-/style-to-object-1.0.14.tgz",
    "integrity": "sha512-
LIN7rULI0jBscWQYaSswptyderlarFkjQ+t79nzty8tcIAceVomEVlLzH5VP4Cmsv6MtKhs7qaAiwlcp+Mg
axw==",
    "license": "MIT",
    "dependencies": {
      "inline-style-parser": "0.2.7"
    }
  },
  "node_modules/sucrase": {
    "version": "3.35.1",
    "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
    "integrity": "sha512-
DhuTmvZWux4H1UOnWMB3sk0sbaCVOoQZjv8u1rDoTV0HTdGem9hkAZtl4JZy8P2z4Bg0nT+YMeOF
yVr4zcG5Tw==",
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.2",
      "commander": "^4.0.0",
```

```
      "lines-and-columns": "^1.1.6",
      "mz": "^2.7.0",
      "pirates": "^4.0.1",
      "tinyglobby": "^0.2.11",
      "ts-interface-checker": "^0.1.9"
    },
    "bin": {
      "sucrase": "bin/sucrase",
      "sucrase-node": "bin/sucrase-node"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    }
  },
  "node_modules/supports-color": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
    "integrity": "sha512-
qpCAvRl9stuOHveKsn7HncJRvv501qIacKzQlO/+Lwxc9+0q2wLyv4Dfvt80/DPn2pqOBsJdDiogXGR9
+OvwRw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=8"
    }
```

```
  },
  "node_modules/supports-preserve-symlinks-flag": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
    "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MAt0w==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/svg-pathdata": {
    "version": "6.0.3",
    "resolved": "https://registry.npmjs.org/svg-pathdata/-/svg-pathdata-6.0.3.tgz",
    "integrity": "sha512-qsjeeq5YjBZ5eMdFuUa4ZosMLxgr5RZ+F+Y1OrDhuOCEInRMA3x74XdBtggJcj9kOeInz0WE+LgCPDkZFlBYJw==",
    "license": "MIT",
    "optional": true,
    "engines": {
      "node": ">=12.0.0"
    }
  },
  "node_modules/tailwind-merge": {
```

```
    "version": "3.5.0",
    "resolved": "https://registry.npmjs.org/tailwind-merge/-/tailwind-merge-3.5.0.tgz",
    "integrity": "sha512-
I8K9wewnVDkL1NTGoqWmVEIlUcB9gFriAEkXkfCjX5ib8ezGxtR3xD7iZIxrfArjEsH7F1CHD4RFUtxefd
qV/A==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/dcastil"
    }
  },
  "node_modules/tailwindcss": {
    "version": "3.4.19",
    "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
    "integrity": "sha512-
3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBluUVaF8PyCHcm4
8cKLWQ==",
    "license": "MIT",
    "dependencies": {
      "@alloc/quick-lru": "^5.2.0",
      "arg": "^5.0.2",
      "chokidar": "^3.6.0",
      "didyoumean": "^1.2.2",
      "dlv": "^1.1.3",
      "fast-glob": "^3.3.2",
      "glob-parent": "^6.0.2",
      "is-glob": "^4.0.3",
      "jiti": "^1.21.7",
      "lilconfig": "^3.1.3",
```

```
      "micromatch": "^4.0.8",
      "normalize-path": "^3.0.0",
      "object-hash": "^3.0.0",
      "picocolors": "^1.1.1",
      "postcss": "^8.4.47",
      "postcss-import": "^15.1.0",
      "postcss-js": "^4.0.1",
      "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
      "postcss-nested": "^6.2.0",
      "postcss-selector-parser": "^6.1.2",
      "resolve": "^1.22.8",
      "sucrase": "^3.35.0"
    },
    "bin": {
      "tailwind": "lib/cli.js",
      "tailwindcss": "lib/cli.js"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "node_modules/tailwindcss-animate": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/tailwindcss-animate/-/tailwindcss-animate-1.0.7.tgz",
    "integrity": "sha512-
bl6mpH3T7I3UFxuvDEXLxy/VuFxBk5bbzplh7tXI68mwMokNYd1t9qPBHlnyTwfa4JGC4zP516I1hYYtQ
/vspA==",
    "license": "MIT",
```

```
    "peerDependencies": {
      "tailwindcss": ">=3.0.0 || insiders"
    }
  },
  "node_modules/tailwindcss/node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity": "sha512-
/imKNG4EbWNrVjoNC/1H5/9GFy+tqjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+
OEatnTR3A==",
    "license": "MIT",
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/tailwindcss/node_modules/resolve": {
    "version": "1.22.11",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
    "integrity": "sha512-
RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CS
pdFnMjTQ==",
    "license": "MIT",
    "dependencies": {
      "is-core-module": "^2.16.1",
      "path-parse": "^1.0.7",
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
      "resolve": "bin/resolve"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/text-segmentation": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/text-segmentation/-/text-segmentation-1.0.3.tgz",
    "integrity": "sha512-
iOiPUo/BGnZ6+54OsWxZidGCsdU8YbE4PSpdPinp7DeMtUJNJBoJ/ouUSTJjHkh1KntHaltHl/gDs2FC4
i5+Nw==",
    "license": "MIT",
    "dependencies": {
      "utrie": "^1.0.2"
    }
  },
  "node_modules/thenify": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
    "integrity": "sha512-
RVZSIV5IG10Hk3enotrhvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmNllzWPw
ak+bheSw==",
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0"
    }
```

```
  },
  "node_modules/thenify-all": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
    "integrity": "sha512-
RNxQH/qI8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2ZUVeKCSa2oVWi3
T4uVmA==",
    "license": "MIT",
    "dependencies": {
      "thenify": ">= 3.1.0 < 4"
    },
    "engines": {
      "node": ">=0.8"
    }
  },
  "node_modules/three": {
    "version": "0.171.0",
    "resolved": "https://registry.npmjs.org/three/-/three-0.171.0.tgz",
    "integrity": "sha512-
Y/lAXPaKZPcEdkKjh0JOAHVv8OOnv/NDJqm0wjfCzyQmfKxV7zvkwsnBgPBKTzJHToSOhRGQAGbPJO
bT59B/PQ==",
    "license": "MIT"
  },
  "node_modules/tiny-invariant": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/tiny-invariant/-/tiny-invariant-1.3.3.tgz",
    "integrity": "sha512-
+FbBPE1o9QAYvviau/qC5SE3caw21q3xkvWKBtja5vgqOWIHHJ3ioaq1VPfn/Szqctz2bU/oYeKd9/z5B
L+PVg==",
```

```
    "license": "MIT"
  },
  "node_modules/tinyglobby": {
    "version": "0.2.17",
    "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.17.tgz",
    "integrity": "sha512-
wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic9yyNu65alsgF4N
QyTa2g==",
    "license": "MIT",
    "dependencies": {
      "fdir": "^6.5.0",
      "picomatch": "^4.0.4"
    },
    "engines": {
      "node": ">=12.0.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/SuperchupuDev"
    }
  },
  "node_modules/tinyglobby/node_modules/fdir": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
    "integrity": "sha512-
tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p
4kLJAnXg==",
    "license": "MIT",
    "engines": {
      "node": ">=12.0.0"
```

```
    },
    "peerDependencies": {
      "picomatch": "^3 || ^4"
    },
    "peerDependenciesMeta": {
      "picomatch": {
        "optional": true
      }
    }
  },
  "node_modules/tinyglobby/node_modules/picomatch": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
    "integrity": "sha512-
QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4eW9jX
3DSIj7A==",
    "license": "MIT",
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/to-regex-range": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
```

"integrity": "sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",

"license": "MIT",

"dependencies": {

"is-number": "^7.0.0"

},

"engines": {

"node": ">=8.0"

}

},

"node_modules/trim-lines": {

"version": "3.0.1",

"resolved": "https://registry.npmjs.org/trim-lines/-/trim-lines-3.0.1.tgz",

"integrity": "sha512-kRj8B+YHZCc9kQYdWfJB2/oUl9rA99qbowYYBtr4ui4mZyAQ2JpvVBd/6U2YloATfqBhBTSMhTpgBHtU0Mf3Rg==",

"license": "MIT",

"funding": {

"type": "github",

"url": "https://github.com/sponsors/wooorm"

}

},

"node_modules/trough": {

"version": "2.2.0",

"resolved": "https://registry.npmjs.org/trough/-/trough-2.2.0.tgz",

"integrity": "sha512-tmMpK00BjZiUyVyvrBK7knerNgmgvcV/KLVyuma/SC+TQN167GrMRciANTz09+k3zW8L8t60jWO1GpfkZdjTaw==",

```
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/ts-interface-checker": {
    "version": "0.1.13",
    "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
    "integrity": "sha512-
Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52jOO90PnPSc3Ur3b
TQw0gA==",
    "license": "Apache-2.0"
  },
  "node_modules/tslib": {
    "version": "2.8.1",
    "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
    "integrity": "sha512-
oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSX
KKU99IBazS/2w==",
    "license": "0BSD"
  },
  "node_modules/type-check": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
    "integrity": "sha512-
XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlskFfu+ae4K
79Ooew==",
    "dev": true,
```

```
    "license": "MIT",
    "dependencies": {
      "prelude-ls": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/typed-array-buffer": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz",
    "integrity": "sha512-
nAYYwfY3qnzX30IkA6AQZjVbtK6duGontcQm1WSG1MD94YLqK0515GNApXkoxKOWMusVssAHWL
h9SeaoefYFGw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-typed-array": "^1.1.14"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/typed-array-byte-length": {
    "version": "1.0.3",
```

"resolved": "https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-1.0.3.tgz",

"integrity": "sha512-BaXgOuIxz8n8pIq3e7Atg/7s+DpiYrxn4vdot3w9KbnBhcRQq6o3xemQdIfynqSeXeDrF32x+WvfzmOjPiY9lg==",

"dev": true,

"license": "MIT",

"dependencies": {

"call-bind": "^1.0.8",

"for-each": "^0.3.3",

"gopd": "^1.2.0",

"has-proto": "^1.2.0",

"is-typed-array": "^1.1.14"

},

"engines": {

"node": ">= 0.4"

},

"funding": {

"url": "https://github.com/sponsors/ljharb"

}

},

"node_modules/typed-array-byte-offset": {

"version": "1.0.4",

"resolved": "https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-1.0.4.tgz",

"integrity": "sha512-bTlAFB/FBYMcuX81gbL4OcpH5PmlFHqlCCpAl8AlEzMz5k53oNDvN8p1PNOWLEmI2x4orp3raOFB51tv9X+MFQ==",

"dev": true,

```
    "license": "MIT",
    "dependencies": {
      "available-typed-arrays": "^1.0.7",
      "call-bind": "^1.0.8",
      "for-each": "^0.3.3",
      "gopd": "^1.2.0",
      "has-proto": "^1.2.0",
      "is-typed-array": "^1.1.15",
      "reflect.getprototypeof": "^1.0.9"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/typed-array-length": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.7.tgz",
    "integrity": "sha512-
3KS2b+kL7fsuk/eJZ7EQdnEmQoaho/r6KUef7hxvltNA5DR8NAUM+8wJMbJyZ4G9/7i3v5zPBIMN5aybAh2/Jg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "for-each": "^0.3.3",
```

```
      "gopd": "^1.0.1",
      "is-typed-array": "^1.1.13",
      "possible-typed-array-names": "^1.0.0",
      "reflect.getprototypeof": "^1.0.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/typescript": {
    "version": "5.9.3",
    "resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.3.tgz",
    "integrity": "sha512-
jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp8wtm6M
5TgSw==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "tsc": "bin/tsc",
      "tsserver": "bin/tsserver"
    },
    "engines": {
      "node": ">=14.17"
    }
  },
```

```
  "node_modules/unbox-primitive": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz",
    "integrity": "sha512-
nWJ91DjeOkej/TA8pXQ3myruKpKEYgqvpw9lz4OPHj/NWFNluYrjbz9j01CJ8yKQd2g4jFoOkINCTW2I5
LEEyw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-bigints": "^1.0.2",
      "has-symbols": "^1.1.0",
      "which-boxed-primitive": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/undici-types": {
    "version": "6.21.0",
    "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-6.21.0.tgz",
    "integrity": "sha512-
iwDZqg0QAGrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLNO44eT4AtBBwjbTiGPMlt2
Md0T9H9JQ==",
    "dev": true,
    "license": "MIT"
```

```
  },
  "node_modules/unenv": {
   "version": "2.0.0-rc.24",
   "resolved": "https://registry.npmjs.org/unenv/-/unenv-2.0.0-rc.24.tgz",
   "integrity": "sha512-
i7qRCmY42zmCwnYlh9H2SvLEypEFGye5iRmEMKjcGi7zk9UquigRjFtTLz0TYqr0ZGLZhaMHl/foy1bZ
R+Cwlw==",
   "dev": true,
   "license": "MIT",
   "dependencies": {
    "pathe": "^2.0.3"
   }
  },
  "node_modules/unified": {
   "version": "11.0.5",
   "resolved": "https://registry.npmjs.org/unified/-/unified-11.0.5.tgz",
   "integrity": "sha512-
xKvGhPWw3k84Qjh8bI3ZeJjqnyadK+GEFtazSfZv/rKeTkTjOJho6mFqh2SM96iIcZokxiOpg78GazTSg8+
KHA==",
   "license": "MIT",
   "dependencies": {
    "@types/unist": "^3.0.0",
    "bail": "^2.0.0",
    "devlop": "^1.0.0",
    "extend": "^3.0.0",
    "is-plain-obj": "^4.0.0",
    "trough": "^2.0.0",
    "vfile": "^6.0.0"
   },
```

```
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/unist-util-is": {
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/unist-util-is/-/unist-util-is-6.0.1.tgz",
    "integrity": "sha512-
LsiILbtBETkDz8I9p1dQ0uyRUWuaQzd/cuEeS1hoRSyW5E5XGmTzlwY1OrNzzakGowI9Dr/I8HVaw4h
Ttnxy8g==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/unist-util-position": {
    "version": "5.0.0",
    "resolved": "https://registry.npmjs.org/unist-util-position/-/unist-util-position-5.0.0.tgz",
    "integrity": "sha512-
fucsC7HjXvkB5R3kTCO7kUjRdrS0BJt3M/FPxmHMBOm8JQi2BsHAHFsy27E0EolP8rp0NzXsJ+jNPyD
WvOJZPA==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0"
```

```
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/unist-util-stringify-position": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/unist-util-stringify-position/-/unist-util-stringify-position-4.0.0.tgz",
    "integrity": "sha512-0ASV06AAoKCDkS2+xw5RXJywruurpbC4JZSm7nr7MOt1ojAzvyyaO+UxZf18j8FCF6kmzCZKcAgN/yu2gm2XgQ==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/unist-util-visit": {
    "version": "5.1.0",
    "resolved": "https://registry.npmjs.org/unist-util-visit/-/unist-util-visit-5.1.0.tgz",
    "integrity": "sha512-m+vIdyeCOpdr/QeQCu2EzxX/ohgS8KbnPDgFni4dQsfSCtpz8UqDyY5GjRru8PDKuYn7Fq19j1CQ+nJSsGKOzg==",
    "license": "MIT",
```

```
    "dependencies": {
      "@types/unist": "^3.0.0",
      "unist-util-is": "^6.0.0",
      "unist-util-visit-parents": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/unist-util-visit-parents": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/unist-util-visit-parents/-/unist-util-visit-parents-6.0.2.tgz",
    "integrity": "sha512-
goh1s1TBrqSqukSc8wrjwWhL0hiJxgA8m4kFxGlQ+8FYQ3C/m11FcTs4YYem7V664AhHVvgoQLk890
Ssdsr2IQ==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0",
      "unist-util-is": "^6.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/update-browserslist-db": {
    "version": "1.3.3",
```

"resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.3.3.tgz",

"integrity": "sha512-pJ2sYawQS0R/WI928Gj5GlPhTGzbMelq0+4INtSYNDV9ErKJcX6xjGWkoG/VnB3dpUm00zALaqkrUD77pO5TDQ==",

"dev": true,

"funding": [

{

"type": "opencollective",

"url": "https://opencollective.com/browserslist"

},

{

"type": "tidelift",

"url": "https://tidelift.com/funding/github/npm/browserslist"

},

{

"type": "github",

"url": "https://github.com/sponsors/ai"

}

],

"license": "MIT",

"dependencies": {

"escalade": "^3.2.0",

"picocolors": "^1.1.1"

},

"bin": {

"update-browserslist-db": "cli.js"

},

```
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/uri-js": {
    "version": "4.4.1",
    "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
    "integrity": "sha512-
7rKUyy33Q1yc98pQ1DAmLtwX109F7TIfWlW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuL
JvndBg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "punycode": "^2.1.0"
    }
  },
  "node_modules/use-callback-ref": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/use-callback-ref/-/use-callback-ref-1.3.3.tgz",
    "integrity": "sha512-
jQL3lRnocaFtu3V00JToYz/4QkNWswxijDaCVNZRiRTO3HQDLsdu1ZtmIUvV4yPp+rvWm5j0y0TG/S61
cuijTg==",
    "license": "MIT",
    "dependencies": {
      "tslib": "^2.0.0"
    },
    "engines": {
      "node": ">=10"
    },
```

```
    "peerDependencies": {
      "@types/react": "*",
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      }
    }
  },
  "node_modules/use-memo-one": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/use-memo-one/-/use-memo-one-1.1.3.tgz",
    "integrity": "sha512-
g66/K7ZQGYrI6dy8GLpVcMsBp4s17xNkYJVSMvTEevGy3nDxHOfE6z8BVE22+5G5x7t3+bhzrlTDB7O
brEE0cQ==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/use-sidecar": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/use-sidecar/-/use-sidecar-1.1.3.tgz",
    "integrity": "sha512-
Fedw0aZvkhynoPYlA5WXrMCAMm+nSWdZt6lzJQ7Ok8S6Q+VsHmHpRWndVRJ8Be0ZbkfPc5LRYH+
5XrzXcEeLRQ==",
    "license": "MIT",
    "dependencies": {
```

```
    "detect-node-es": "^1.1.0",
    "tslib": "^2.0.0"
   },
   "engines": {
    "node": ">=10"
   },
   "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
   },
   "peerDependenciesMeta": {
    "@types/react": {
     "optional": true
    }
   }
  },
  "node_modules/use-sync-external-store": {
   "version": "1.6.0",
   "resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-
1.6.0.tgz",
   "integrity": "sha512-
Pp6GSwGP/NrPIrxVFAIkOQeyw8lFenOHijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL9
5+ZQ9w==",
   "license": "MIT",
   "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
   }
  },
```

```
  "node_modules/util-deprecate": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
    "integrity": "sha512-
EPD5q1uXyFxJpCrLnCc1nHnq3gOa6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIb
rHtcw==",
    "license": "MIT"
  },
  "node_modules/utrie": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/utrie/-/utrie-1.0.2.tgz",
    "integrity": "sha512-
1MLa5ouZiOmQzUbjbu9VmjLzn1QLXBhwpUa7kdLUQK+KQ5KA9I1vk5U4YHe/X2Ch7PYnJfWuWT+V
buxbGwljhw==",
    "license": "MIT",
    "dependencies": {
      "base64-arraybuffer": "^1.0.2"
    }
  },
  "node_modules/uuid": {
    "version": "13.0.2",
    "resolved": "https://registry.npmjs.org/uuid/-/uuid-13.0.2.tgz",
    "integrity": "sha512-
vzi9uRZ926x4XV73S/4qQaTwPXM2JBj6/6lI/byHH1jOpCzb0zDbfytgA9LcN/hzb2l7WQSQnxITOVx5un
/wGw==",
    "funding": [
      "https://github.com/sponsors/broofa",
      "https://github.com/sponsors/ctavan"
    ],
```

```
    "license": "MIT",
    "bin": {
      "uuid": "dist-node/bin/uuid"
    }
  },
  "node_modules/vaul": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/vaul/-/vaul-1.1.2.tgz",
    "integrity": "sha512-
ZFkClGpWyI2WUQjdLJ/BaGuV6AVQiJ3uELGk3OYtP+B6yCO7Cmn9vPFXVJkRaGkOJu3m8bQMgtyz
NHixULceQA==",
    "license": "MIT",
    "dependencies": {
      "@radix-ui/react-dialog": "^1.1.1"
    },
    "peerDependencies": {
      "react": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc",
      "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0.0 || ^19.0.0-rc"
    }
  },
  "node_modules/vfile": {
    "version": "6.0.3",
    "resolved": "https://registry.npmjs.org/vfile/-/vfile-6.0.3.tgz",
    "integrity": "sha512-
KzIbH/9tXat2u30jf+smMwFCsno4wHVdNmzFyL+T/L3UGqqk6JKfVqOFOZEpZSHADH1k40ab6NUIXZ
q422ov3Q==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0",
```

```
      "vfile-message": "^4.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/vfile-message": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/vfile-message/-/vfile-message-4.0.3.tgz",
    "integrity": "sha512-
QTHzsGd1EhbZs4AsQ20JX1rC3cOlt/IWJruk893DfLRr57lcnOeMaWG4K0JrRta4mIJZKth2Au3mM3u0
3/JWKw==",
    "license": "MIT",
    "dependencies": {
      "@types/unist": "^3.0.0",
      "unist-util-stringify-position": "^4.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/unified"
    }
  },
  "node_modules/victory-vendor": {
    "version": "36.9.2",
    "resolved": "https://registry.npmjs.org/victory-vendor/-/victory-vendor-36.9.2.tgz",
    "integrity": "sha512-
PnpQQMuxlwYdocC8fIJqVXvkeViHYzotI+NJrCuav0ZYFoq912ZHBk3mCeuj+5/VpodOjPe1z0Fk2ihgzl
XqjQ==",
```

```
    "license": "MIT AND ISC",
    "dependencies": {
      "@types/d3-array": "^3.0.3",
      "@types/d3-ease": "^3.0.0",
      "@types/d3-interpolate": "^3.0.1",
      "@types/d3-scale": "^4.0.2",
      "@types/d3-shape": "^3.1.0",
      "@types/d3-time": "^3.0.0",
      "@types/d3-timer": "^3.0.0",
      "d3-array": "^3.1.6",
      "d3-ease": "^3.0.1",
      "d3-interpolate": "^3.0.1",
      "d3-scale": "^4.0.2",
      "d3-shape": "^3.1.0",
      "d3-time": "^3.0.0",
      "d3-timer": "^3.0.1"
    }
  },
  "node_modules/vite": {
    "version": "8.2.0",
    "resolved": "https://registry.npmjs.org/vite/-/vite-8.2.0.tgz",
    "integrity": "sha512-
pn+CFpM0lwDeKwmOq1ZaBK/9sjorZcgqxki6MbY/jPEVd9vichIlmlD4HmQ5wdP5EgqQCFRaACBxM
C7uEGc6lQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "lightningcss": "^1.33.0",
```

```
  "picomatch": "^4.0.5",
  "postcss": "^8.5.23",
  "rolldown": "~1.2.0",
  "tinyglobby": "^0.2.17"
},
"bin": {
  "vite": "bin/vite.js"
},
"engines": {
  "node": "^20.19.0 || >=22.12.0"
},
"funding": {
  "url": "https://github.com/vitejs/vite?sponsor=1"
},
"optionalDependencies": {
  "fsevents": "~2.3.3"
},
"peerDependencies": {
  "@types/node": "^20.19.0 || >=22.12.0",
  "@vitejs/devtools": "^0.4.0",
  "esbuild": "^0.27.0 || ^0.28.0",
  "jiti": ">=1.21.0",
  "less": "^4.0.0",
  "sass": "^1.70.0",
  "sass-embedded": "^1.70.0",
  "stylus": ">=0.54.8",
  "sugarss": "^5.0.0",
```

```
  "terser": "^5.16.0",
  "tsx": "^4.8.1",
  "yaml": "^2.4.2"
},
"peerDependenciesMeta": {
  "@types/node": {
    "optional": true
  },
  "@vitejs/devtools": {
    "optional": true
  },
  "esbuild": {
    "optional": true
  },
  "jiti": {
    "optional": true
  },
  "less": {
    "optional": true
  },
  "sass": {
    "optional": true
  },
  "sass-embedded": {
    "optional": true
  },
  "stylus": {
```

```
      "optional": true
    },
    "sugarss": {
      "optional": true
    },
    "terser": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
 },
 "node_modules/vite/node_modules/picomatch": {
  "version": "4.0.5",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.5.tgz",
  "integrity": "sha512-
RvwwcruNjI1ncT5xRakeyS9Lf8lcItv34KD+aif+VH9kduAyfYBipGh12274xtenIPZ119/R9BdTBa8gAwS
h0A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
```

```
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/which": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
    "integrity": "sha512-
BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNME
KNMjibA==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "isexe": "^2.0.0"
    },
    "bin": {
      "node-which": "bin/node-which"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/which-boxed-primitive": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz",
    "integrity": "sha512-
TbX3mj8n0odCBFVlY8AxkqcHASw3L60jIuF8jFP78az3C2YhmGvqbHBpAjTRH2/xqYunrJ9g1jSyjCjpo
WzIAA==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "is-bigint": "^1.1.0",
      "is-boolean-object": "^1.2.1",
      "is-number-object": "^1.1.1",
      "is-string": "^1.1.1",
      "is-symbol": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/which-builtin-type": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz",
    "integrity": "sha512-
6iBczoX+kDQ7a3+YJBnh3T+KZRxM/iYNPXicqk66/Qfm1b93iu+yOImkg0zHbj5LNOcNv1TEADiZ0xa3
4B4q6Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "function.prototype.name": "^1.1.6",
      "has-tostringtag": "^1.0.2",
      "is-async-function": "^2.0.0",
      "is-date-object": "^1.1.0",
```

```
      "is-finalizationregistry": "^1.1.0",
      "is-generator-function": "^1.0.10",
      "is-regex": "^1.2.1",
      "is-weakref": "^1.0.2",
      "isarray": "^2.0.5",
      "which-boxed-primitive": "^1.1.0",
      "which-collection": "^1.0.2",
      "which-typed-array": "^1.1.16"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/which-collection": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz",
    "integrity": "sha512-
K4jVyjnBdgvc86Y6BkaLZEN933SwYOuBFkdmBu9ZfkcAbdVbpITnDmjvZ/aQjRXQrv5EPkTnD1s39Giiq
bngCw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-map": "^2.0.3",
      "is-set": "^2.0.3",
      "is-weakmap": "^2.0.2",
```

```
      "is-weakset": "^2.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/which-typed-array": {
    "version": "1.1.20",
    "resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.20.tgz",
    "integrity": "sha512-
LYfpUkmqwl0h9A2HL09Mms427Q1RZWuOHsukfVcKRq9q95iQxdw0ix1JQrqbcDR9PH1QDwf5Qo8
OZb5lksZ8Xg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "available-typed-arrays": "^1.0.7",
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "for-each": "^0.3.5",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
```

```
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/word-wrap": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
    "integrity": "sha512-
BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjFOckS53SQDE3pWkVoWpHXVb3BrYcEN
4Twa55B5cA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/ws": {
    "version": "8.21.0",
    "resolved": "https://registry.npmjs.org/ws/-/ws-8.21.0.tgz",
    "integrity": "sha512-
Vsp28b7DRcimFQvrqu2Wek3z1iYxDCWqHYB8Qsnk/S4RfaCQzPGPyBNuVjJV3cd6UiKtUtp6sNM77
gWvzcCH+g==",
    "license": "MIT",
    "engines": {
      "node": ">=10.0.0"
    },
    "peerDependencies": {
      "bufferutil": "^4.0.1",
```

```
      "utf-8-validate": ">=5.0.2"
    },
    "peerDependenciesMeta": {
      "bufferutil": {
        "optional": true
      },
      "utf-8-validate": {
        "optional": true
      }
    }
  },
  "node_modules/xmlhttprequest-ssl": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/xmlhttprequest-ssl/-/xmlhttprequest-ssl-2.1.2.tgz",
    "integrity": "sha512-
TEU+nJVUUnA4CYJFLvK5X9AOeH4KvDvhIfm0vV1GaQRtchnG0hgK5p8hw/xjv8cunWYCsiPCSDzOb
PyhEwq3KQ==",
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/yocto-queue": {
    "version": "0.1.0",
    "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
    "integrity": "sha512-
rVksvsnNCdJ/ohGc6xgPwyN8eheCxsiLM8mxuE/t/mOVqJewPuO1miLpTHQiRgTKCLexL4MeAFVagts
7HmNZ2Q==",
    "dev": true,
    "license": "MIT",
```

```
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/zod": {
    "version": "3.25.76",
    "resolved": "https://registry.npmjs.org/zod/-/zod-3.25.76.tgz",
    "integrity": "sha512-
gzUt/qt81nXsFGKIFcC3YnfEAx5NkunCfnDlvuBSSFS02bcXu4Lmea0AFIUwbLWxWPx3d9p8S5Qoauj
KcNQxcQ==",
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/colinhacks"
    }
  },
  "node_modules/zwitch": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/zwitch/-/zwitch-2.0.4.tgz",
    "integrity": "sha512-
bXE4cR/kVZhKZX/RjPEflHaKVhUVl85noU3v6b8apfQEc1x4A+zBxjZ4lN8LqGd6WZ3dl98pY4o717VF
moPp+A==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
```

```
    }
  }
}
```

package.json

```
{
  "name": "base44-app",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "lint": "eslint . --quiet",
    "lint:fix": "eslint . --fix",
    "typecheck": "tsc -p ./jsconfig.json",
    "preview": "vite preview"
  },
  "dependencies": {
    "@base44/sdk": "^0.8.58",
    "@base44/vite-plugin": "^1.0.51",
    "@hello-pangea/dnd": "^17.0.0",
    "@hookform/resolvers": "^4.1.2",
    "@radix-ui/react-accordion": "^1.2.3",
    "@radix-ui/react-alert-dialog": "^1.1.6",
    "@radix-ui/react-aspect-ratio": "^1.1.2",
    "@radix-ui/react-avatar": "^1.1.3",
```

"@radix-ui/react-checkbox": "^1.1.4",

"@radix-ui/react-collapsible": "^1.1.3",

"@radix-ui/react-context-menu": "^2.2.6",

"@radix-ui/react-dialog": "^1.1.6",

"@radix-ui/react-dropdown-menu": "^2.1.6",

"@radix-ui/react-hover-card": "^1.1.6",

"@radix-ui/react-label": "^2.1.2",

"@radix-ui/react-menubar": "^1.1.6",

"@radix-ui/react-navigation-menu": "^1.2.5",

"@radix-ui/react-popover": "^1.1.6",

"@radix-ui/react-progress": "^1.1.2",

"@radix-ui/react-radio-group": "^1.2.3",

"@radix-ui/react-scroll-area": "^1.2.3",

"@radix-ui/react-select": "^2.1.6",

"@radix-ui/react-separator": "^1.1.2",

"@radix-ui/react-slider": "^1.2.3",

"@radix-ui/react-slot": "^1.1.2",

"@radix-ui/react-switch": "^1.1.3",

"@radix-ui/react-tabs": "^1.1.3",

"@radix-ui/react-toast": "^1.2.2",

"@radix-ui/react-toggle": "^1.1.2",

"@radix-ui/react-toggle-group": "^1.1.2",

"@radix-ui/react-tooltip": "^1.1.8",

"@stripe/react-stripe-js": "^3.0.0",

"@stripe/stripe-js": "^5.2.0",

"@tanstack/react-query": "^5.84.1",

"canvas-confetti": "^1.9.4",

"class-variance-authority": "^0.7.1",

"clsx": "^2.1.1",

"cmdk": "^1.0.0",

"date-fns": "^3.6.0",

"embla-carousel-react": "^8.5.2",

"framer-motion": "^11.16.4",

"html2canvas": "^1.4.1",

"input-otp": "^1.4.2",

"jspdf": "^4.2.1",

"lodash": "^4.17.21",

"lucide-react": "^0.475.0",

"moment": "^2.31.0",

"next-themes": "^0.4.4",

"react": "^18.2.0",

"react-day-picker": "^8.10.1",

"react-dom": "^18.2.0",

"react-hook-form": "^7.54.2",

"react-hot-toast": "^2.6.0",

"react-leaflet": "^4.2.1",

"react-markdown": "^9.0.1",

"react-quill-new": "^3.8.3",

"react-resizable-panels": "^2.1.7",

"react-router-dom": "^7.18.4",

"recharts": "^2.15.4",

"sonner": "^2.0.1",

"tailwind-merge": "^3.0.2",

"tailwindcss-animate": "^1.0.7",

```
    "three": "^0.171.0",
    "vaul": "^1.1.2",
    "zod": "^3.24.2"
  },
  "devDependencies": {
    "@eslint/js": "^9.19.0",
    "@types/node": "^22.13.5",
    "@types/react": "^18.2.66",
    "@types/react-dom": "^18.2.22",
    "@vitejs/plugin-react": "^6.0.5",
    "autoprefixer": "^10.4.20",
    "baseline-browser-mapping": "^2.8.32",
    "eslint": "^9.19.0",
    "eslint-plugin-react": "^7.37.4",
    "eslint-plugin-react-hooks": "^5.0.0",
    "eslint-plugin-react-refresh": "^0.4.18",
    "eslint-plugin-unused-imports": "^4.3.0",
    "globals": "^15.14.0",
    "nitro": "^3.0.260610-beta",
    "postcss": "^8.5.3",
    "tailwindcss": "^3.4.17",
    "typescript": "^5.8.2",
    "vite": "^8.2.0"
  }
}
```

postcss.config.js

```
export default {
  plugins: {
    tailwindcss: {},
    autoprefixer: {},
  },
}
```

README.md

```
# Base44 Project

Use this repository to run and edit the app locally, then publish changes back through Base44.

Any change pushed to the repo will also be reflected in the Base44 Builder.

## Prerequisites

1. Clone the repository using the project's Git URL.
2. Navigate to the project directory.
3. Install dependencies: `npm install`.
4. Install the Base44 CLI: `npm install -g base44@latest`.
5. Install [Deno](https://docs.deno.com/runtime/getting_started/installation/) — the local Base44 backend runs on it.

Run `base44 --help` (or see the [CLI reference](https://docs.base44.com/developers/references/cli/commands/introduction)) for the full command surface.
```

Run Locally

Three commands, from the project root:

```bash
base44 login   # one-time per machine
base44 link    # one-time per clone
base44 dev     # local backend + frontend together
```

Open the frontend URL that `base44 dev` prints (typically `http://localhost:5173`).

Notes:

- **Every fresh clone needs `base44 link`.** It writes `base44/.app.jsonc` (the app-id pointer), which is deliberately gitignored. Your app id is in the Builder URL (`app.base44.com/apps/<id>/...`); `base44 link --help` shows the non-interactive flags.

- **`base44 dev` runs the frontend for you** (via `site.serveCommand` in this repo's `base44/config.jsonc`) — never run `npm run dev` yourself: alone it serves a UI with no backend behind it (`[base44] Proxy not enabled`, every `/api` call fails), and alongside `base44 dev` the second Vite silently takes the next port and you end up looking at the wrong one.

- **The app must be published at least once for the UI to load under `base44 dev`.** The frontend boots by fetching app settings from the hosted app; before the first publish that fails and every page redirects to login. The local API works regardless.

- Entities, functions, and auth run locally — entity data is **in-memory only**, wiped when `base44 dev` restarts. Everything else (Core integrations, OAuth login) is forwarded to your deployed app. Full breakdown: [Local development overview](https://docs.base44.com/developers/backend/overview/local-dev/local-development-overview).

Frontend Only, Hosted Backend

To work on just the frontend against your app's live hosted backend:

```bash
base44 dev --remote
```

⚠️ In this mode writes go to your app's ****production data**** — plain `base44 dev` keeps everything local.

Publish Your Changes

After pushing your changes to git, open the Base44 dashboard and publish the app:

```bash
base44 dashboard open
```

This repo syncs to Base44 through git, so publish from the dashboard rather than `base44 deploy` — a CLI deploy ships your local tree directly, bypassing the sync, and the deployed state silently diverges from the repo.

Docs & Support

GitHub integration: https://docs.base44.com/developers/app-code/local-development/github

Local development: https://docs.base44.com/developers/backend/overview/local-dev/local-development-overview

Support: https://app.base44.com/support

tailwind.config.js

```
/** @type {import('tailwindcss').Config} */
module.exports = {
  darkMode: ["class"],
  content: ["./index.html", "./src/**/*.{ts,tsx,js,jsx}"],
 theme: {
  extend: {
    opacity: Object.fromEntries(Array.from({ length: 101 }, (_, i) => [i, `${i / 100}`])),
    borderRadius: {
      lg: 'var(--radius)',
      md: 'calc(var(--radius) - 2px)',
      sm: 'calc(var(--radius) - 4px)'
    },
    colors: {
      background: 'hsl(var(--background))',
      foreground: 'hsl(var(--foreground))',
      card: {
        DEFAULT: 'hsl(var(--card))',
        foreground: 'hsl(var(--card-foreground))'
      },
```

```
popover: {
  DEFAULT: 'hsl(var(--popover))',
  foreground: 'hsl(var(--popover-foreground))'
},
primary: {
  DEFAULT: 'hsl(var(--primary))',
  foreground: 'hsl(var(--primary-foreground))'
},
secondary: {
  DEFAULT: 'hsl(var(--secondary))',
  foreground: 'hsl(var(--secondary-foreground))'
},
muted: {
  DEFAULT: 'hsl(var(--muted))',
  foreground: 'hsl(var(--muted-foreground))'
},
accent: {
  DEFAULT: 'hsl(var(--accent))',
  foreground: 'hsl(var(--accent-foreground))'
},
destructive: {
  DEFAULT: 'hsl(var(--destructive))',
  foreground: 'hsl(var(--destructive-foreground))'
},
border: 'hsl(var(--border))',
input: 'hsl(var(--input))',
ring: 'hsl(var(--ring))',
```

```
    chart: {
      '1': 'hsl(var(--chart-1))',
      '2': 'hsl(var(--chart-2))',
      '3': 'hsl(var(--chart-3))',
      '4': 'hsl(var(--chart-4))',
      '5': 'hsl(var(--chart-5))'
    },
    sidebar: {
      DEFAULT: 'hsl(var(--sidebar-background))',
      foreground: 'hsl(var(--sidebar-foreground))',
      primary: 'hsl(var(--sidebar-primary))',
      'primary-foreground': 'hsl(var(--sidebar-primary-foreground))',
      accent: 'hsl(var(--sidebar-accent))',
      'accent-foreground': 'hsl(var(--sidebar-accent-foreground))',
      border: 'hsl(var(--sidebar-border))',
      ring: 'hsl(var(--sidebar-ring))'
    }
  },
  fontFamily: {
    heading: ['var(--font-heading)'],
    body: ['var(--font-body)'],
    display: ['var(--font-display)'],
    mono: ['var(--font-mono)']
  },
  keyframes: {
    'accordion-down': {
      from: {
```

```
            height: '0'
          },
          to: {
            height: 'var(--radix-accordion-content-height)'
          }
        },
        'accordion-up': {
          from: {
            height: 'var(--radix-accordion-content-height)'
          },
          to: {
            height: '0'
          }
        }
      },
      animation: {
        'accordion-down': 'accordion-down 0.2s ease-out',
        'accordion-up': 'accordion-up 0.2s ease-out'
      }
    }
  },
  plugins: [require("tailwindcss-animate")],
}import base44 from "@base44/vite-plugin"
import react from '@vitejs/plugin-react'
import { defineConfig } from 'vite'

// https://vite.dev/config/
```

```
export default defineConfig({
  plugins: [
    base44({
      // Support for legacy code that imports the base44 SDK with @/integrations, @/entities, etc.
      // can be removed if the code has been updated to use the new SDK imports from @base44/sdk
      legacySDKImports: process.env.BASE44_LEGACY_SDK_IMPORTS === 'true',
      hmrNotifier: true,
      navigationNotifier: true,
      analyticsTracker: true,
      visualEditAgent: true
    }),
    react(),
  ]
});
```

vite.config.jsimport

```
base44 from "@base44/vite-plugin"
import react from '@vitejs/plugin-react'
import { defineConfig } from 'vite'

// https://vite.dev/config/
export default defineConfig({
  plugins: [
    base44({
      // Support for legacy code that imports the base44 SDK with @/integrations, @/entities, etc.
```

```
    // can be removed if the code has been updated to use the new SDK imports from @base44/sdk
    legacySDKImports: process.env.BASE44_LEGACY_SDK_IMPORTS === 'true',
    hmrNotifier: true,
    navigationNotifier: true,
    analyticsTracker: true,
    visualEditAgent: true
  }),
  react(),
 ]
});
```

PROMT

Intent & GoalA PHP-based reimbursement and local tax calculation portal that replaces manual petty-cash and out-of-pocket expense workflows. It solves paper receipt loss, manual 12% VAT and EWT computation errors, missing claim status visibility, and slow physical handoffs between employees, Area Managers, and Branch Managers/Tellers. The system guarantees instant, accurate tax computation in Philippine Peso, preserves receipts digitally, tracks claim status live, and produces BIR-ready tax logs. This is a working prototype with persistent database storage across browser reloads.

Audience & RolesUsers switch roles via a persistent header Role Switcher (Employee | Area Manager | Branch Manager/Teller) rather than separate accounts. Employee (Requestor): fills digital claim forms, uploads receipt photos, tracks claim status in real time. Area Manager (Approver): reviews pending claims, inspects digital receipts, approves/rejects with mandatory rejection comments. Branch Manager/Teller (Processor & Payer): audits tax computations, disburses payout in PHP via Cash or Bank Transfer, marks claims Paid, views tax reports. Permissions: only Area Managers can set status to 'Pending Payment'; only Tellers can set status to 'Paid'.

Core Flows*These flows must work end-to-end:*Employee submits claim: fills Title, Expense Category, Gross Amount (PHP), Is VATable toggle, EWT rate dropdown (0%, 1%, 2%, 5%), uploads official receipt photo; live Tax Breakdown Box recalculates Net, VAT, EWT, and Final Reimbursable Amount on every input change; system creates record with status 'Pending Manager Approval', generates Reference ID, and alerts the Area ManagerArea Manager reviews: opens pending-claims queue, inspects claim details and receipt image in a modal, approves → status 'Pending Payment' and routes to Teller queue, or rejects → mandatory comments required and status 'Rejected'Teller

processes payout: audits tax computation, disburses payment in PHP (Cash or Bank Transfer), marks claim 'Paid/Disbursed'; system permanently logs the BIR tax recordStatus tracking: every claim carries a live color-coded badge (Pending Approval - Orange, Pending Payment - Blue, Paid - Green, Rejected - Red) visible in the directory, detail modal, and activity logDashboard: PHP metric cards (Total Submitted, Pending Approvals, Total Disbursed, Total 12% VAT, Total EWT) plus a recent activity log with live status badgesClaim directory: searchable/filterable list of all claims with modal detail view showing complete tax breakdown and receipt image previewBIR tax reporting: monthly view aggregating VAT and EWT amounts from paid claims for Philippine tax reporting

Technical RequirementsData model with three entities: Users (user_id PK, full_name, email, department, role), Reimbursements (reimbursement_id PK, requestor_id FK, title, category, gross_amount, is_vatable boolean, net_amount, vat_amount, ewt_rate decimal, ewt_amount, final_reimbursable_amount, receipt_url, current_status, submitted_at), and Approvals (approval_id PK, reimbursement_id FK, approver_id FK, action, comments, processed_at). Tax engine rule (VAT-inclusive): if Is VATable, Net = Gross ÷ 1.12 and VAT = Gross − Net; if not VATable, Net = Gross and VAT = 0. EWT = Net × ewt_rate. Final Reimbursable = Net − EWT. All amounts in PHP, recalculated live on the form and stored server-side on submit. Validation: Gross Amount must be > 0; rejection comments are mandatory; role permissions enforced on status transitions. Receipt photos uploaded and stored as file URLs previewable in the detail modal. Reference IDs generated per claim. Status values: 'Pending Manager Approval', 'Pending Payment', 'Paid/Disbursed', 'Rejected'.

Design PreferencesClean, modern, responsive, mobile-friendly workplace interface. Color-coded status badges: Pending Approval (Orange), Pending Payment (Blue), Paid (Green), Rejected (Red). Clear PHP metric cards using the ₱ symbol on the dashboard. Efficient task-focused app layout: dashboard first, clear navigation to transaction form, claim directory, and manager review queues.

8 days ago

Base44 response

I'll build this reimbursement portal in two milestones: first the dashboard shell with the role switcher, then the full database-backed workflow.

Updated the Role Context, tax Engine, and 5 more

Generated image



Thought for less than a second

Base44 response

The entry screen is in place — let me confirm it renders before wiring the database.

Verified the app — Check the new dashboard renders

Base44 response

The entry screen renders correctly. Now I'll wire the database, full workflow pages, and live data in one pass.

Updated the Claim Detail Modal, New Claim Page, and 6 more

Base44 response

Entity schemas need a root type field — fixing both now.

Built the Reimbursements and Approvals

Base44 response

Entities are in place. Now I'll seed the sample claims and approval trail so the queues and dashboard are populated.

Added records

Base44 response

Everything's wired. Now I'll run one end-to-end test of the full workflow: submit → approve → reject gating → disburse → reports, then clean up the test records.

Verified the app — Tested full claim workflow end-to-end

Base44 response

Several review actions didn't register — I'll inspect the dialog component and run a focused diagnostic capturing exact click results.

Read dialog

Base44 response

The dialog does have a Close button. Running a step-by-step diagnostic with full click results.

Verified the app — Diagnosed review modal click failures

Base44 response

Found two root causes: the platform doesn't support datetime as a field type (breaks sorting on those fields), and the dialog content inherits pointer-events: none, making buttons inside the modal unclickable. Fixing both.

Updated the Reimbursements, Approvals, and Claim Detail Modal

Base44 response

Thought for 29s

Now re-testing the full review workflow with the fixes in place.

Verified the app — Re-tested approval, payout and report flows

Base44 response

Thought for 17s

The full workflow now passes end-to-end. Everything is built and verified:

What's in the app

- Persistent role switcher in the header (Employee | Area Manager | Teller) with a PHP dashboard, searchable claim directory with detail modals, a claim form with a live tax breakdown (Net = Gross ÷ 1.12, VAT, EWT, Final Reimbursable), receipt photo upload (stored privately), a review page with approve/reject (comments mandatory on rejection) and Cash/Bank Transfer payout, color-coded status badges, and a monthly BIR report aggregating VAT and EWT from paid claims. Sample claims are seeded so you can explore every queue immediately.

Verified in the browser

- Submit → approve → disburse → BIR report, plus rejection with mandatory comments — all real database writes that survive reloads
- Permissions hold: the Approve button is locked as Employee, disbursement locked unless acting as Teller
- Live recalculation while typing (₱5,600 → ₱5,000 net / ₱600 VAT), mobile layout with no sideways scroll, and all test records were cleaned up afterward
- One note: the review queues refresh their lists after each action — the repeated calls during testing were the test's own clicks, not a runaway loop

Not automatically verified: the receipt photo upload itself (file picking can't be automated here) — the seeded receipt images display correctly in the detail modal, but it's worth uploading a real receipt photo by hand to confirm.

Since this is a role-switcher prototype without logins, all claim data is openly stored — the natural next step is real accounts with per-role sign-in. Want me to add that?

8 days ago

Your message

Set up secure sign-in accounts so users can log in with their own credentials to access specific roles.

8 days ago

Revert

Base44 response

I'll wire up real sign-in with per-user roles: login/register routes, gated app, role stored on each account, and the header showing the signed-in user. First, let me check the auth scaffolding and load the access-control guide.

Read through your app

Base44 response

Auth scaffolding is all there. Now I'll wire it in: login routes, a per-account role chosen at first sign-in, account chip in the header, and locked-down data access.

Updated the Role Context, Role Selection Page, and 8 more

Base44 response

Thought for 13s

Now verifying the whole auth flow in the preview browser (I'll avoid signing out, since that would end my own session).

Verified the app — Tested sign-in gating and account roles

Base44 response

Thought for 14s

Sign-in accounts are live and verified — the login page renders, the app is fully gated behind it, and each account now carries its own role.

How it works

- New users create an account from the login page ("Create one" → email verification), then pick their role (Employee / Area Manager / Teller) on first sign-in — it's saved to their account, so they get only the screens and actions their role allows.
- The header now shows the signed-in user with a Sign out button. The old free-for-all role switcher is gone; it remains visible only to workspace admins as a "preview as role" tool for testing all three views.
- Approvals/rejections and payouts are recorded under the real account holder's name, and "Filed by" on claims is locked to the signed-in user.
- Data is locked down server-side too: only signed-in users can read, submit, or update claims; deletions are admin-only.

Verified in the browser: login page, first-sign-in role choice, role persisting to the account (my account now shows "Area Manager"), Area Manager approve and Teller payout buttons enabling correctly per role, and all queues/lists loading under the new access rules with no errors. Not automatically verified: the full registration email-verification step and the sign-out redirect — worth a quick manual try with a fresh account.

8 days ago

Your message

Send an automated notification via Gmail to the Area Manager whenever a new reimbursement claim is submitted.

8 days ago

Revert

Base44 response

I'll add a Gmail notification that fires whenever a claim is submitted — first checking the Gmail connector setup and the function rules.

Checked available connectors

Base44 response

Thought for 21s

The Gmail connector supports this, and it needs one decision from you before I connect anything: which Gmail account sends the notifications.

How should the app connect to Gmail for these notifications?

Each user's Gmail

Who should receive the notification when a claim is submitted?

All Area Managers

8 days ago

Your message

Base44 response

Thought for 16s

Since each user connects their own Gmail, I need to register a workspace Gmail connector first — you'll enter your Google OAuth app credentials in the form that appears.

Set up gmail app user connector

8 days ago

Your message

I rejected: register workspace connector.

8 days ago

Revert

Base44 response

Thought for 7s

Per-user Gmail requires that workspace registration (a Google OAuth app you own) — without it, each employee can't connect their own Gmail. There's a simpler route that still notifies all Area Managers: connecting your own Gmail once, which the app then sends all claim notifications from.

How should the Gmail notifications send, given the per-user registration was declined?

Connect my Gmail once

8 days ago

Your message

Base44 response

Thought for 6s

I'll connect your Gmail now — this opens a Google sign-in that grants the app permission to send claim notifications.

Connected to

8 days ago

Your message

Approved: request_oauth_authorization for gmail.

8 days ago

Revert

Base44 response

Now I'll build the notification: a backend send function plus the wiring into claim submission. Reading the claim form and user setup first.

Read 2 files

Base44 response

Your Gmail is connected. Now writing the notification function and wiring it into claim submission.

Updated the New Claim Page

Base44 response

The runtime doesn't have that MIME package — I'll build the message with the required encodings inline instead.

Built the notify Area Managers function

Base44 response

Deployed — testing with a clearly-marked test claim (this really sends an email from your Gmail; since your account is the only Area Manager, it goes to you).

Tested the backend

Base44 response

The function hit a platform quirk — user lookups need a different endpoint. Checking what's available.

Checked available user endpoints

Base44 response

The backend can't query user accounts directly, so I'll keep a small directory of portal roles the app maintains itself — checking the access-rule guide before creating it.

Checked the docs

Base44 response

Now creating the role directory (with access rules), syncing it automatically, and pointing the notification at it.

Updated the Portal Directory, Role Context, and notify Area Managers

Base44 response

Quick check of the category values so I can drive the form, then the end-to-end test.

Checked expense category values

Base44 response

Now the full end-to-end test: submit a test claim through the app, confirm the notification fires, then clean up the test claim. This really sends an email from your Gmail to your inbox (you're the only Area Manager account).

Verified the app — Submitted test claim, checked Gmail alert

Base44 response

The claim flow and notification request work (200), but your account's role is currently Employee — so the email wasn't triggered and no Area Manager was found. I'll temporarily set your account as Area Manager, submit a second test claim to send the real email, then restore everything.

Verified the app — Sent real notification test, restored

Base44 response

The notification attempt failed server-side (500) once it had a real recipient — checking the response detail to pin the cause.

Verified the app — Read failed notification response

Base44 response

The response body isn't exposed there — I'll flip the directory entry to Area Manager briefly and call the function directly to capture the exact error.

Flagged manager for direct test

Base44 response

The function returned "notified 0" despite the flagged entry — inspecting the directory record fields to see why.

Inspected directory record fields

Base44 response

The live app's role sync kept flipping the entry back — I'll set the account itself as Area Manager (which the sync then maintains), run the direct test, and restore afterward.

Verified the app

Base44 response

Found it — the profile lookup needs a broader Gmail permission than the send access we granted. I'll drop that lookup; Gmail fills in the sending address automatically.

Updated notify Area Managers

Base44 response

The function now sends (200, notified 1 — the email is in your Gmail inbox). Final end-to-end check through the claim form, then I'll restore your role.

Verified the app — Finished claim-notify test, restored role

Base44 response

The request succeeded but the confirmation toast never showed — I suspect the returned payload shape. Checking what the call actually returns.

Verified the app — Checked notification response shape

Base44 response

The response shape is fine — so I'll test the toast itself both ways: first with no Area Manager present, then with one.

Verified the app — Tested both toast outcomes end-to-end

Base44 response

The notification flow is confirmed working end-to-end with a real Gmail send. One last check that no test data is left behind and your role is back to Employee.

Confirmed cleanup and role state

Base44 response

Thought for 17s

Done — every new claim now triggers an automatic Gmail notification to all Area Managers, sent from the Gmail account you connected.

How it works: the app quietly keeps a directory of each account's portal role, so any user who picks "Area Manager" gets notified automatically from then on. Verified end-to-end: a real claim submission sent the email from your Gmail and showed "1 Area Manager notified via Gmail" (check your inbox — the test messages went to your own address since you're the only Area Manager account right now); if no Area Manager exists, the confirmation says so and no email is sent. All test claims were deleted and your account's role is back to Employee as it was.

8 days ago

Your message

Build a responsive web application for "Smart Reimbursement & Local Tax Calculation Portal".

NOTIFICATION SYSTEM:

- Replace email notifications with SMS Gateway API Integration (e.g., Semaphore / Twilio).
- Store mobile_number in the Users entity (+63 format).
- Trigger automated SMS alerts to Area Managers upon claim submission and to Employees upon claim approval/disbursement.

Show more

8 days ago

Revert

Base44 response

I'll replace the Gmail alerts with SMS notifications: add a mobile number field to accounts, capture it at first sign-in, and wire claim-submission and approval/disbursement SMS triggers. Starting by loading the backend guide and reading the files I'll touch.

Read through your app

Base44 response

I'll set up the SMS system: account mobile numbers (+63), captured at sign-in, then SMS triggers to Area Managers on submission and to employees on approval/payout. First, the data and sign-in changes; the SMS gateway function follows once the API key secret is requested at the end of this turn.

Updated the User, Portal Directory, and 6 more

Base44 response

One small edit didn't land — retrying with a tighter match.

Updated Role Context

Base44 response

Now verifying the new mobile-number capture and routing in the live preview.

Verified the app — Tested mobile capture and claim routing

Base44 response

The claim check needs a closer look — my wait may have raced the submit. Inspecting the stored record directly, then reloading for the role-screen test.

Verified the app — Checked claim email, reloading for role screen

Base44 response

Claim email storage verified and the test claim is deleted. Now the role-selection screen test on the fresh page.

Verified the app — Tested role screen with mobile field

Base44 response

All UI checks pass — but the screenshots reveal you entered your own mobile number at the gate in your preview mid-test, and my cleanup overwrote it. Restoring your number now.

Verified the app — Restored your saved mobile number

Base44 response

Your number is back on the account. Last step — the SMS gateway needs its API key before I can write the send functions.

Saved your settings

8 days ago

Your message

Add a User Registration Page (/register) with fields:

- Full Name
- Email Address
- Department
- Role Dropdown: [Employee (Requestor), Area Manager (Approver), Branch Manager / Teller]

Save new signups to the 'Users' entity. Once registered as Area Manager, redirect them to the Manager Dashboard queue.

Show more

2 days ago

Revert

Base44 response

I'll extend your existing sign-up flow with the registration fields and route managers to their queue. First, a quick look at the current register page and account schema.

Read 3 files

Base44 response

Register page gets the new fields and role-based landing. Writing the form component, the page, and the account schema together.

Built the User, Register Details Form, and Register Page

Base44 response

Checking the MFA helper's export name and that everything compiles.

Verified build

Base44 response

Making the profile save order-safe so the chosen role always persists even if the name update is restricted.

Updated the Register Page

Base44 response

The registration page now collects Full Name, Email, Department, and a Role dropdown (Employee / Area Manager / Branch Manager / Teller), saves them to the account record after email verification, and sends new Area Managers straight to the review queue.

2 days ago

Your message

add notification alert for branch manager when area manager request for approval

2 days ago

Revert

Base44 response

I'll wire a Branch Manager alert into the Area Manager's approval action. Checking the review flow and the existing notification function first.

Read 2 files

Base44 response

SMS is the right channel here since your gateway key is already saved. Loading the backend function reference before writing it.

Checked the docs

Base44 response

Adding the alert function and wiring it into the approval action.

Updated the notify Branch Managers and Review Page

Base44 response

Gateway key authenticated successfully. Verifying the function deploys and validates cleanly (no test SMS sent to your staff).

Tested the backend

Base44 response

Thought for 1s

Branch Managers now get an SMS alert the moment an Area Manager approves a claim, and the approval toast confirms how many managers were notified.

2 days ago

Your message

Add an automated notification trigger for claim approvals:

1. When an Area Manager updates a reimbursement claim status to "Pending Payment" (Approved):
    - Notify the Branch Manager / Teller: "Claim [Title] amounting to ₱[Final Reimbursable Amount] has been approved by the Area Manager and is ready for cash disbursement."
    - Notify the Employee (Requestor): "Great news! Your claim [Title] (#RefID) was approved by the Area Manager and forwarded to the Branch Head for payout."
2. Send both In-App portal alerts and Semaphore SMS messages to the mobile numbers stored in the Users table. Up

Show more

2 days ago

Revert

Base44 response

Two new things here: in-app alerts for both people, and SMS to the employee too. Let me check the layout and the data-access rules first.

Read through your app

Base44 response

Adding the alert records, a single notification function for both SMS and in-app alerts, and a bell in the header.

Updated the Portal Alerts, notify Claim Approved, and 4 more

Base44 response

Deployed. Verifying the function's guards before exercising it end-to-end.

Tested the backend

Base44 response

Alerts and SMS both delivered (2 each). Checking the visibility rule convention against the app's other schemas.

Checked access rules in other schemas

Base44 response

Adding a safety net to the alert visibility rule, since nothing else in the app scopes by a custom field yet.

Set up the Portal Alerts data

Base44 response

The platform confirmed the required rule format, so the original rule stands. Running a build check.

Built the app to check for errors

Base44 response

Thought for 1s

Approving a claim now notifies both the Branch Manager / Teller and the employee — an in-app alert (new bell in the header, with unread count) plus a Semaphore SMS to the mobile numbers on their user accounts, using your exact wording. Verified live on claim REB-2026-VT08: 2 alerts and 2 SMS delivered.