Parralax RFID Reader Library

Generated by Doxygen 1.8.3.1

Contents

1 Todo List

Member ParallaxRFID::ParallaxRFID (int, int)

: enable global debug mode to suppress serial logging (using #define RFID_DEBUG)

: add functions to separate debugging code from functional code

2 Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

ParallaxRFID **1**

3 Class Documentation

3.1 ParallaxRFID Class Reference

Collaboration diagram for ParallaxRFID:

Public Member Functions

- ParallaxRFID (int, int)

  Constructor.
- void begin ()

  Initialise two serial ports: HardwareSerial & SoftwareSerial.
- void suppressAll ()

  Suppresses the "null result" from being printed if no RFID tag is present.
- int readRFID ()

  Read RFID tag.
- void writeRFID (int whichSpace, int first, int second, int third, int fourth)

  Write data to RFID tag.

3.1.1 Constructor & Destructor Documentation

3.1.1.1 ParallaxRFID::ParallaxRFID (int *in,* int *out*)

Constructor.

Todo : enable global debug mode to suppress serial logging (using #define RFID_DEBUG)

: add functions to separate debugging code from functional code

3.1.2 Member Function Documentation

3.1.2.1 int ParallaxRFID::readRFID ( )

Read RFID tag.

: why 32?

Here is the call graph for this function:

Index