

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

file upload

Choose file

No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Error

Bad value 80px for attribute width on element [img](#): Expected a digit but saw p instead.

From line 18, column 82; to line 18, column 128

dex.html">
2.

Error

Bad value 50px for attribute width on element [img](#): Expected a digit but saw p instead.

From line 52, column 29; to line 52, column 172

3.

Error

Element [h7](#) not allowed as child of element [div](#) in this context.
(Suppressing further errors from this subtree.)

From line 58, column 37; to line 58, column 40

<h7>

Content model for element [div](#):
If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).
If the element is not a child of a [dl](#) element: [flow content](#).
4.

Error

Element [h7](#) not allowed as child of element [div](#) in this context.
(Suppressing further errors from this subtree.)

From line 63, column 37; to line 63, column 40

`<h7>`

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

5. **Error** Attribute `width` not allowed on element `a` at this point.

From line 100, column 45; to line 100, column 133

```
<a href="https://maps.app.goo.gl/Rno2CENm93Xb8sS29"
class="btn btn-primary" width="10px">Locate
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

6. **Error** Attribute `width` not allowed on element `a` at this point.

From line 110, column 45; to line 110, column 133

```
<a href="https://maps.app.goo.gl/iaEwpXc8NN2KKGo7A"
class="btn btn-primary" width="10px">Locate
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

7. **Error** Attribute `width` not allowed on element `a` at this point.

From line 120, column 45; to line 120, column 133

```
<a href="https://maps.app.goo.gl/HzZvJ4svenAFuz3E8"
class="btn btn-primary" width="10px">Locate
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

8. **Error** Attribute `width` not allowed on element `a` at this point.

From line 130, column 45; to line 130, column 133

```
<a href="https://maps.app.goo.gl/fabxY1hFiVomvTZB7"
class="btn btn-primary" width="10px">Locate
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** Attribute `width` not allowed on element `a` at this point.

From line 140, column 45; to line 140, column 134

```
<a href="https://maps.app.goo.gl/hyufNJaQLtVZdP468"
class="btn btn-primary" width="10px">Locate
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

10. **Error** Bad value `80px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 218, column 33; to line 218, column 167

```

```

11. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 218, column 33; to line 218, column 167

```

```

12. **Error** Element `h7` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 225, column 29; to line 225, column 32

```
<h7>D' Amat
```

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

13. **Error** Bad value `80px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 233, column 29; to line 233, column 320

```
Sunset
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

18. **Error** Bad value `80px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 256, column 29; to line 256, column 204

```
Solo V
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

23. **Error** Element `h7` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 274, column 29; to line 274, column 32

```
<h7>Childi
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

24. **Error** Element `h7` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 276, column 29; to line 276, column 32

```
<h7>Gambin
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

25. **Error** No space between attributes.

At line 280, column 152

```
no-500x448.png"80px" style="ob
```

26. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 280, column 156

```
00x448.png"80px" style="object
```

27. **Warning** Attribute `80px` is not serializable as XML 1.0.

From line 280, column 29; to line 280, column 233

```
Exotiq
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

33. **Error** Element `h8` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 297, column 29; to line 297, column 32

```
<h8>Lady G
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

34. **Error** Bad value `80px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 301, column 29; to line 301, column 199

```
Record
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

39. **Error** Bad value `80px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 322, column 29; to line 322, column 214

```
<img src="https://www.rollingstone.com/wp-
content/uploads/2024/04/dua-lipa-illusion.jpg?w=1581&h=1054&crop=1"
width="80px" style="object-fit: cover; height: 80px; border-radius:
```

40. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 322, column 29; to line 322, column 214

```
<img src="https://www.rollingstone.com/wp-
content/uploads/2024/04/dua-lipa-illusion.jpg?w=1581&h=1054&crop=1"
width="80px" style="object-fit: cover; height: 80px; border-radius:
```

Document checking completed.

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.5.11