

# Coronavirus Disease 2019 (COVID-19)

## DAILY EPIDEMIOLOGY UPDATE

Updated: May 1, 2020, 11:00 AM ET

### Highlights

#### Canada

- **53 657 (+1 601) cases**, including **3 223 (+141) deaths**, have been reported in Canada (overall case fatality rate of 6.0%).
- At least **832 222** people have been tested to date for COVID-19 in Canada, which corresponds to a test rate of **22 140** per million population.
  - The cumulative percent positivity is 6.9%.
  - The weekly percent positivity from April 20 to April 26 is 8.0%.
- ▲ The epidemiological summary is based on detailed case information received for **56% (n=30 041) of all reported COVID-19 cases in Canada (N=53 657)**.
  - **Age and gender:**
    - The highest proportion of cases occurred among individuals 40-59 years of age (32%) followed by those 20-39 years of age (26%).
    - Only 5% of cases are individuals ≤ 19 years of age.
    - 55% of cases are female.
  - **Hospitalizations:**
    - Among cases with detailed case information (**n= 30 041**), information on hospitalization status is available for 65% (**n=19 432**) of cases.
      - Among these, 16% (n=3 087) have been hospitalized, and 24% (n=741) of the hospitalized cases have been admitted to the ICU.
    - While cases 60 years of age or older comprise 37% of total cases with detailed case information, this age group also represent the highest proportion of hospitalizations (66%) and ICU admissions (64%).
    - Male cases appear to have a somewhat higher risk of hospitalization (1.4 times) and ICU admission (2.0 times) when compared to female cases.

#### International

- 209 countries/jurisdictions have reported cases of COVID-19.
- The United States is reporting the highest number of cases, followed by Spain, Italy, the United Kingdom, Germany, and France.

### Methodology

As of May 1, 2020, 11:00 AM ET, detailed data on cases have been received by the Public Health Agency of Canada (PHAC) for 56% (**n=30 041**) of all reported COVID-19 cases in Canada (**N=53 657**). Limitations of these data:

- Data are preliminary and may have missing values.
- Data may not be routinely updated by province and territories (P/Ts).
- PHAC does not receive routine updates on patient status.

Data on number of people tested in Canada is provided to PHAC by the National Microbiology Laboratory. Limitations of these data include:

- Testing practices vary by P/T and have changed over time, which may affect counts.
- Laboratory testing counts may be underestimated due to reporting delays and may not include additional sentinel surveillance or other testing performed.

## Canadian epidemiology

As of May 1, 2020, 11:00 AM ET, **53 657 (+1 601) cases** of COVID-19, including **3 223 (+141) deaths**, have been reported in Canada (overall case fatality rate of 6.0%).

At least **832 222** people have been tested for COVID-19 in Canada (**Table 1**). This corresponds to a test rate of **22 140** per million population.

- The cumulative percent positivity is 6.9%.
- The weekly percent positivity from April 20 to April 26 is 8.0%.\*

\*The weekly percent positivity will be updated in reports published on Mondays for the previous 7 days.

**Table 1:** Summary of COVID-19 cases reported in Canada by location


Location	Total Cases	New cases	Recovered	% Recovered	Total deaths	People tested	People tested per 1, 000, 000 pop'n
BC	2 112	25	1 322	63%	111	75 544	14 896
AB	5 355	190	2 161	40%	89	141 060	32 269
SK	389	6	295	76%	6	28 417	24 196
MB	275	2	220	80%	6	24 975	18 237
ON	16 608	421	10 825	65%	1 121	284 438	19 527
QC	27 538	944	6 299	23%	1 859	219 367	25 854
NL	258	0	225	87%	3	8 545	16 384
NB	118	0	114	97%	0	13 674	17 602
NS	947	12	545	58%	28	30 149	31 037
PE	27	0	24	89%	0	3 019	19 236
YK	11	0	9	82%	0	984	24 086
NT	5	0	5	100%	0	1 629	36 341
NU	1	1	0	0%	0	421	10 856
Repatriated travellers*	13	0	Unknown	Unknown	0	0	0
<b>Total</b>	<b>53 657</b>	<b>1 601</b>	<b>22 044</b>	<b>41%</b>	<b>3 223</b>	<b>832 222</b>	<b>22 140</b>

\* Repatriated travellers refer to the Grand Princess cruise ship travellers who were under quarantine in Trenton. Update on their status is not available.

**Notes:** (1) New cases are those reported since the previous report. (2) Laboratory testing numbers may be underestimated due to reporting delays and may not include additional sentinel surveillance or other testing conducted in the P/T.

The geographic distribution of cases by province/territory (P/T) are captured in **Figure 1**. The highest number of cases are reported in Quebec (n=27 538), followed by Ontario (n=16 608), Alberta (n=5 355) and British Columbia (n=2 112).

**Figure 1.** Map of COVID-19 cases reported in Canada by province/territory




Data source: Surveillance and Risk Assessment Epidemiology Update. Map Created by NML Geomatics

The distribution of cumulative number of cases by report date (using publicly available P/T data) can be seen in **Figure 2**.

The epidemic doubling period of COVID-19 cases in Canada, defined as the number of days between doubling of cumulative case counts, is marked with red bars.

- Recently, Canada's rate of growth of COVID-19 cases has decreased and the most current doubling time was 15 days (during the period April 11 to 25).

**Figure 2.** Doubling time of cumulative number of reported COVID-19 cases in Canada by date of report




This section of the epidemiology update is based on the detailed case information received by PHAC for (n=30 041) of all reported COVID-19 cases in Canada (N=53 657). The number of cases for which we have information varies by characteristic of interest.

### Temporal Distribution

A summary of the distribution of cases by date of illness onset can be found in **Figure 3**.

**Figure 3.** New COVID-19 cases in Canada by date of illness onset (n=28 770)



\*If date of illness onset was not available the earliest of the following dates was used as an estimate in the following order: Specimen Collection Date, and Laboratory Testing Date.

**Note:** The shaded area represents a period of time (lag time) where it is expected that cases have occurred but have not yet been reported nationally

## Demographic Distribution

A summary of the demographics of reported cases for which we have detailed case information can be found in **Table 2**.

- The highest proportion of cases are among those aged 40-59 years (32%), followed by those aged 20-39 years (26%)
- 5% of cases have occurred in individuals  $\leq 19$  years of age
- 55% of cases were reported among females

**Table 2.** Demographic characteristics of COVID-19 cases reported in Canada

Characteristics		
Age (in years)		
Median	52	
Range	0-111	
Age groups	n=29 506	
≤ 19	1 502	(5%)
20-39	7 574	(26%)
40-59	9 573	(32%)
60-79	6 066	(21%)
80+	4 791	(16%)
Gender	n=29 798	
Female	16 459	(55%)
Male	13 328	(45%)
Other	11	(<1%)

## Clinical Presentations and Outcome

A summary of the clinical presentations of reported cases for which we have detailed case information can be found in **Table 3**.

- The date of symptom onset for cases ranged from January 15, 2020, to April 30, 2020.
- The most common symptoms reported are cough, headache, and general weakness.
- 523 cases have been clinically or radiologically diagnosed with pneumonia. Of those diagnosed with pneumonia, 56% are cases aged  $\geq 60$  years, and 42% are aged 60-79 years.
- The most commonly reported pre-existing health conditions were cardiac disease, respiratory disease, and diabetes.

**Table 3.** Clinical presentation summary of COVID-19 cases reported in Canada

Clinical Presentations*			
Pre-Existing Conditions		n=7 936	
	Cardiac	989	(12%)
	Respiratory disease	973	(12%)
	Diabetes	739	(9%)
	Other	1 518	(19%)
Symptoms		n=7 952	
	Cough	5 910	(74%)
	Headache	4 500	(57%)
	Weakness	4 404	(55%)
Complications		n=3 930	
	Pneumonia	523	(13%)
	Dyspnea	307	(8%)
	Abnormal lung auscultation	267	(7%)
	Other	113	(3%)

\*The three most commonly reported pre-existing conditions, symptoms, and complications above are not mutually exclusive, and therefore may not sum to 100%.

### Case severity

Of the total detailed case information available for hospitalization (n=19 432), 3 087 cases have been hospitalized (16%), of which 741 have been admitted to the ICU (24%) (**Table 4**).

- The highest proportion of reported hospitalizations (66%), ICU admissions (64%), and deaths (95%) have occurred among those aged  $\geq 60$  years.
- Among individuals  $\leq 19$  years of age, there were 22 reported hospitalizations and 2 ICU admissions.
- Of reported hospitalized cases (n=3 087), 74% reported having one or more pre-existing conditions.

**Table 4.** Summary of severe cases of COVID-19 reported in Canada with detailed case information


Severe Cases					
Overall Summary Hospitalizations					
Hospitalizations		3 087/ 19 432		(16%)	
Hospitalizations in ICU		741/ 3 087		(24%)	
Hospitalizations requiring mechanical ventilation		155/ 3 087		(5%)	
Breakdown by:	All Hospitalizations		Admitted to ICU		Deceased
<b>Age groups</b>					
$\leq 19$	22	(1%)	2	(<1%)	0 (0%)
20-39	229	(8%)	38	(5%)	11 (1%)
40-59	780	(26%)	223	(31%)	56 (4%)
60-79	1 218	(40%)	384	(53%)	358 (27%)
80+	790	(26%)	81	(11%)	903 (68%)
<b>Total</b>	<b>3 039</b>	<b>(100%)</b>	<b>728</b>	<b>(100%)</b>	<b>1 328 (100%)</b>
<b>Gender</b>					
Female	1 381	(45%)	268	(36%)	684 (52%)
Male	1 695	(55%)	471	(64%)	637 (48%)
Other	1	(<1%)			
<b>Total</b>	<b>3 077</b>	<b>(100%)</b>	<b>739</b>	<b>(100%)</b>	<b>1 321 (100%)</b>

**Note:** Hospitalizations may include admission to hospital and emergency room. Patients requiring mechanical ventilation are classified as hospitalized although ventilation may occur in other settings. ICU refers to Intensive Care Unit. PHAC does not receive routine updates on patient status.

For all reported COVID-19 cases with detailed case information on hospitalization status and age (n= 18 954), the proportion of cases hospitalized and admitted to ICU are described by age group in **Figure 4**.

- Of all COVID-19 cases ≥ 60 years of age that have reported detailed case information (n=6 279), 2 008 (32%) have been hospitalized and 465 (7%) have been admitted to the ICU.

**Figure 4.** By age group, the percentage of COVID-19 cases with detailed case information that are hospitalized and admitted to ICU in Canada (n= 18 954)




For all reported COVID-19 cases with detailed case information on hospitalization status and gender (n=19 359), the proportion of cases hospitalized and admitted to ICU, are described by gender in **Figure 5**.

- Male cases appear to have a somewhat higher risk of hospitalization (1.4 times), and ICU admission (2.0 times) compared to female cases.\*

\*Please note that this information has not been tested for statistical significance and is only based on a portion of all cases.

**Figure 5.** By gender, the percentage of COVID-19 cases with detailed case information that are hospitalized and admitted to ICU in Canada (n= 19 359)




## Exposure History

A summary of the exposure history of cases can be found in **Figure 6** and **Table 5**.

- The number of cases related to community transmission overtook travel-related cases on March 15 2020

**Figure 6.** Number of newly reported COVID-19 cases in Canada by possible exposure category (n=28 770)



\*Episode date corresponds to the earliest date reported according to the following order: Symptom Onset Date, Specimen Collection Date, and Laboratory Testing Date. Cases that do not include any of these date types have been excluded from the curve.

**Table 5.** Possible exposure setting of COVID-19 cases reported in Canada

Possible Exposure Setting		N=30 041	
<b>Travel-Related</b>		<b>n=5 139</b>	<b>17%</b>
History of international travel	4 039		79%
Close contact of an international traveller	1 100		21%
<b>Community-Related</b>		<b>n=21 263</b>	<b>71%</b>
Case exposed in a healthcare facility*	3 961		19%
Case lives in a long-term care facility	473		2%
Close contact with case in a household	816		4%
Close contact with case in a workplace*	207		1%
Case attends/works at a school or daycare	210		1%
Case has no known exposures†	15 596		73%
<b>Pending</b>		<b>n=3 639</b>	<b>12%</b>

\*Includes healthcare workers and exposure in health care setting

‡ Excludes healthcare settings

† Includes community transmission where specific setting was not reported as well as cases where no clear exposure setting was reported



## FluWatchers

FluWatchers is an online health surveillance system that helps track the spread of flu-like illness across Canada.


FluWatchers normally track the flu, but with the COVID-19 pandemic, we are shifting our focus to tracking COVID-19 over the spring and summer months. The FluWatchers program relies on Canadian volunteers to report each week.

In the week of April 19, 2020, 9 750 participants reported into the FluWatchers program. A total of 15 participants (0.2%) reported cough and fever.

Among the 15 participants reporting cough and fever:

- 9 (60%) sought medical attention
- 3 (20%) were tested
  - 1 test was positive for COVID-19 and 2 test results were negative

**Figure 7:** Percentage of FluWatchers Participants Reporting Cough and Fever (N=9 750 the week of April 19, 2020)



## International

- The United States is the epicentre of the global pandemic (**Table 6**).
  - There are 1 070 032 cases and 63 019 deaths (CFR of 5.9%) reported in the United States as of May 1, 2020, at 8:00 AM<sup>7</sup>.
  - Further information on the situation in the US can be found on [US CDC website](#) and in their weekly [COVID-19 surveillance report](#).
- 209 countries/jurisdictions outside mainland China have reported cases of COVID-19.
- The United States is reporting the highest number of cases, followed by Spain, Italy, the United Kingdom, Germany, and France.
- Up-to-date country-specific risk levels may be found on [travel health notices](#).

**Table 6.** Global number\* of reported COVID-19 cases, May 1, 2020, 8:00 AM ET


Location	Total cases	New cases	Total deaths	New deaths
Globally	3 217 893	85 975	233 057	4 985
USA	1 070 032	29 544	63 019	2 020
Mainland China	82 874	12	4 633	0

\*Information Sources: ECDC Situation update, Hong Kong Centre for Health Protection, Chinese Center for Disease Control and Prevention, Spain MOH, Germany MOH, France MOH, Italy MOH, and Johns Hopkins Resource Center.

A summary of the cumulative cases of COVID-19 in Canada compared to other countries by date of report can be seen in **Figure 8**.

- Data reported in the coming days and weeks will continue to be critical in determining the trajectory of Canada's epidemic.

**Figure 8.** Cumulative cases of COVID-19 in Canada compared to other countries by date of report



**Note:** At this time, results from international comparisons should be interpreted with caution. The number of tests conducted and indications for testing by country all have a large influence on total reported case counts. Therefore, the data displayed does not necessarily represent the true size of outbreak within each country.