Pango X lineage subgraphs

In this document we display subgraphs for all the main Pango X lineages that have samples present in the *sc2ts* ARG. Pango designations for both samples and internal nodes were assigned using Pangolin 4.3.1 (see main text). For nodes with large numbers of descendants, only a selected sample of roughly 20-50 Pango X samples are shown in these subgraphs. Extra descendants of a node are shown with dotted lines indicating additional immediate children of a node (note that this is not the same as the number of descendant samples). In some cases, additional descendant nodes of different Pango designations (e.g. BA.2) are shown for context.

Sample nodes are shown as squares; internal inferred nodes as circles. Recombination nodes are presented as larger circular nodes, with a Pango designation followed by the breakpoint position(s) surrounded by slashes, e.g. a breakpoint at position 1234 bp is indicated as **/1234/** (but note that Pango X lineages that are not of recombinant origin in *sc2ts* will not have a clear recombination node). Nodes of the focal pango type are plotted in pink, or as a set of alternative colours if multiple Pango designations are plotted in a single subgraph. Mutations within each subgraph (tickmarks along edges) are coloured pink if they are consensus substitutions of the focal Pango lineage(s) that are absent from the consensus of the parent lineages named for that plot (consensus sequences from pango-sequences, built from the sequences designated by the Pango lineage system): often such mutations occur in lineages above the Pango X origination node. Alternatively, if there are multiple mutations at the same site within a subgraph (indicating problematic reversion or recurrent mutations) they are plotted in a unique colour. For example, two green mutation tickmarks will represent mutations at the same site. If one is a reversion of a previous mutation (often indicating an unparsimonious reconstruction of topology), then the mutation is emphasised with a solid black outline. Deletion mutations are filled in black, and insertions are given strong emphasis using a magenta fill; where a site experiences multiple deletions or insertions at the same site, the outline is given a site-specific colour: note that reinsertions of a previous large deletion are biologically implausible, and are likely to represent ARG reconstruction artefacts.


In the PDF version of this document, hovering over node names will reveal the sample_id of a node, and hovering over a mutation will reveal the position of the mutation and the inherited vs derived state. E.g. a mouseover label of `mut:A1234T` denotes a mutation from an A to a T at position 1234 in the genome. Technially this is implemented by faking a URL (this leads to the slightly annoying behaviour that actually clicking on the hover-over text will attempt to open a non-existent URL).

For Pango X lineages that have a recombinant origin in the ARG, the summary copying pattern is also displayed below the subgraph.


64 pango-X lineages

XA, XB, XC, XE/XH, XF, XG, XJ, XL, XM/XAL, XN, XP, XQ, XS, XV, XW, XY, XAC, XAD, XAE, XAJ, XAN, XAP/XZ, XAS, XAU, XAV, XAY, XAZ, XBB, XBC, XBD, XBE, XBF, XBG, XBH, XBK, XBL, XBM, XBQ, XBR, XBS, XBV, XBW, XBZ, XCC, XCE, XCF, XCH, XCL, XCP, XCQ, XCR, XCT, XCY, XCZ, XDA, XDB, XDD, XDF, XDK, XDP/XEB1, XDP/XEB2, XDR, XDV, XDY


Subgraph of Pango XA: (39 samples, 39 shown)


Estimated date of occurrence (YYYY-MM)
2020-01
2020-02
2020-03
2020-04
2020-05
2020-06
2020-07
2020-08
2020-09
2020-10
2020-11
2020-12
2021-01
2021-02
2021-03
2021-04
B
(Wuhan/Hu-1/2019)
B
184
1
B.1
9
B.1
641
B.1.1
2335
B.1.1
7
B.1
9
B.1
B.1.177
2
370
B.1.177
B.1.177
12
1
B.1.177.18
B.1.177.18
161
3
B.1.177.18
5
B.1.177.18
3
B.1.177.18
B.1.177.18
14
13
B.1.177.18
1
Alpha
root
B.1.1.7
B.1.1.7
2
1998
B.1.1.7
334
B.1.1.7
2
266
B.1.1.7
3
B.1.1.7
42
/21765/
XA
XA
XA


Subgraph of Pango XB: (202 samples, 17 shown)




Subgraph of Pango XC: (5 samples, 5 shown)




Subgraph of Pango XE/XH: (1296 samples, 53 shown)




Subgraph of Pango XF: (18 samples, 18 shown)




Subgraph of Pango XG: (159 samples, 54 shown)




Subgraph of Pango XJ: (71 samples, 71 shown)





Subgraph of Pango XL: (67 samples, 19 shown)




Subgraph of Pango XM/XAL: (47 samples, 47 shown)








Subgraph of Pango XN: (141 samples, 41 shown)
Estimated date of occurrence (YYYY-MM)
2021-10
2021-11
2021-12
2022-01
2022-02
2022-03
2022-04
2022-05
BA.2.5
BA.2
BA.2
BA.2
XN
1
13878
8790
8
1
23
51
2
1
2
1
2
3
4
2
6
2



Subgraph of Pango XP: (48 samples, 48 shown)
Estimated date of occurrence (YYYY-MM)
2021-09
2021-10
2021-11
2021-12
2022-01
2022-02
2022-03
2022-04
BA.1
BA.1
BA.1.1
BA.1.1
BA.1.1
1
3419
654
98
12348
4
XP


Subgraph of Pango XQ/XR/XU/XAA/XAB/XAG/XAM: (145 samples, 54 shown)





Subgraph of Pango XS: (19 samples, 19 shown)
Estimated date of occurrence (YYYY-MM)
2021-09
2021-10
2021-11
2021-12
2022-01
2022-02
2022-03
BA.1
BA.1.1
AY.103
BA.2.2.1
/10449/
/22194/
XS

Subgraph of Pango XV: (9 samples, 9 shown)





Subgraph of Pango XW: (37 samples, 37 shown)
Estimated date of occurrence (YYYY-MM)
2021-11
2021-12
2022-01
2022-02
2022-03
2022-04
2022-05
2022-06
1
BA.1.1
12348
BA.1.1.2
276
BA.1.1.2
2
/4321/
BA.2
BA.2
13
BA.2
298
1
BA.2
333
XW
1


Subgraph of Pango XY: (23 samples, 23 shown)




Subgraph of Pango XAC: (19 samples, 19 shown)




Subgraph of Pango XAD: (2 samples, 2 shown)




Subgraph of Pango XAE: (10 samples, 10 shown)




Subgraph of Pango XAJ: (21 samples, 21 shown)




Subgraph of Pango XAN: (26 samples, 26 shown)




Subgraph of Pango XAP/XZ: (72 samples, 72 shown)





Subgraph of Pango XAS: (84 samples, 61 shown)
Estimated date of occurrence (YYYY-MM)
2021-11
2021-12
2022-01
2022-02
2022-03
2022-04
2022-05
2022-06
2022-07
2022-08
2022-09
2022-10
2022-11
BA.4 root
BA.2 root
BA.2
XAS


Subgraph of Pango XAU: (9 samples, 9 shown)




Subgraph of Pango XAV: (13 samples, 13 shown)




Subgraph of Pango XAY.2/XAY.2.1/XAY.2.2/XAY.2.3: (371 samples, 12 shown)




Subgraph of Pango XAZ: (212 samples, 20 shown)



Estimated date of occurrence (YYYY-MM)
2022-04
2022-05
2022-06
1
BA.2.5
/9866/
XAZ
1
BA.5
87
30
XAZ
25
XAZ
3
XAZ
XAZ
1
3
XAZ
XAZ
XAZ

Subgraph of Pango XBB: (307 samples, 20 shown)





Subgraph of Pango XBC.1.2.1: (98 samples, 98 shown)
Estimated date of occurrence (YYYY-MM)
2022-05
2022-06
2022-07
2022-08
2022-09
2022-10
2022-11
2022-12
2023-01
2023-02
2023-03
2023-04
AY.9
AY.38
BM.1.1
BA.2
XBC.1.2.1


Subgraph of Pango XBD: (46 samples, 46 shown)




Subgraph of Pango XBE: (74 samples, 74 shown)




Subgraph of Pango XBF: (631 samples, 36 shown)




Subgraph of Pango XBG: (31 samples, 31 shown)




Subgraph of Pango XBH: (7 samples, 7 shown)





Subgraph of Pango XBK: (103 samples, 63 shown)
Estimated date of occurrence (YYYY-MM)
2022-03
2022-04
2022-05
2022-06
2022-07
2022-08
2022-09
2022-10
2022-11
2022-12
2023-01
2023-02
2023-03
2023-04
BM.1.1
BM.1.1.1
CJ.1
CJ.1
XBK


Subgraph of Pango XBL/XBL.2/XBL.3/XBL.3.1: (13 samples, 13 shown)




Subgraph of Pango XBM: (21 samples, 21 shown)



Estimated date of occurrence (YYYY-MM)
2021-11
2021-12
2022-01
2022-02
2022-03
2022-04
2022-05
2022-06
2022-07
2022-08
2022-09
2022-10
2022-11
2022-12
2023-01
2023-02
1
BA.2
22
BA.2.76
25
BA.2.76
22882/
XBM
BF.3
17
BF.3
6
1
BA.5.2.1
11
XBM
XBM
XBM

Subgraph of Pango XBQ: (36 samples, 36 shown)




Subgraph of Pango XBR: (3 samples, 3 shown)







Subgraph of Pango XBS: (19 samples, 19 shown)




Subgraph of Pango XBV: (3 samples, 3 shown)





Subgraph of Pango XBW: (5 samples, 5 shown)





Subgraph of Pango XBZ: (165 samples, 46 shown)
Estimated date of occurrence (YYYY-MM)
2022-08
2022-09
2022-10
2022-11
2022-12
2023-01
EF.1
EF.1
XBZ

Subgraph of Pango XCC: (15 samples, 15 shown)





Subgraph of Pango XCE: (1 sample, 1 shown)
Estimated date of occurrence (YYYY-MM)
2022-10
2022-11
2022-12
2023-01
2023-02
2023-03
2023-04
2023-05
1
BQ.1.1
1
1
FY.1
12
/4370/
XCE
XCE


Subgraph of Pango XCF: (38 samples, 38 shown)




Subgraph of Pango XCH: (103 samples, 74 shown)




Subgraph of Pango XCL: (22 samples, 22 shown)




Subgraph of Pango XCP: (40 samples, 40 shown)




Subgraph of Pango XCQ: (8 samples, 8 shown)





Subgraph of Pango XCR: (84 samples, 49 shown)




Subgraph of Pango XCT: (25 samples, 25 shown)





Subgraph of Pango XCY: (1 sample, 1 shown)
Estimated date of occurrence (YYYY-MM)
2023-02
2023-03
2023-04
2023-05
2023-06
2023-07
2023-08
2023-09
2023-10
1
EG.5.1.3
231
1
GK.3.1
3
XCY
XCY



Subgraph of Pango XCZ: (6 samples, 6 shown)
Estimated date of occurrence (YYYY-MM)
2023-02
2023-03
2023-04
2023-05
2023-06
2023-07
2023-08
2023-09
2023-10
2023-11
2023-12
1
EG.5.1.1
322
1
GK.1.1
21
/21718/
XCZ
XCZ
XCZ
XCZ
XCZ
XCZ
XCZ
XCZ


Subgraph of Pango XDA: (97 samples, 80 shown)




Subgraph of Pango XDB: (13 samples, 13 shown)





Subgraph of Pango XDD: (68 samples, 52 shown)
Estimated date of occurrence (YYYY-MM)
2022-11
2022-12
2023-01
2023-02
2023-03
2023-04
2023-05
2023-06
2023-07
2023-08
2023-09
2023-10
2023-11
2023-12
2024-01
2024-02
2024-03
2024-04
EG.5
EG.5.1
EG.5.1.1
/7842/
JN.1.1
JN.1.39
JN.1
/26275/
XDD



Subgraph of Pango XDF: (1 sample, 1 shown)
Estimated date of occurrence (YYYY-MM)
2022-10
2022-11
2022-12
2023-01
2023-02
2023-03
2023-04
2023-05
2023-06
2023-07
2023-08
2023-09
XDF
EG.5.1
4
EG.5.1
100
EG.5
3
EG.5
1
XBB.1.9.2
127
1



Subgraph of Pango XDK: (47 samples, 35 shown)
Estimated date of occurrence (YYYY-MM)
2023-03
2023-04
2023-05
2023-06
2023-07
2023-08
2023-09
2023-10
2023-11
2023-12
2024-01
2024-02
2024-03
2024-04
2024-05
XBB.1.5
JN.1.1.1
JN.1.1.1
/6183/
XDK
XDK/21610/
XDK

Subgraph of Pango XDP/XEB: (89 samples, 76 shown)





Subgraph of Pango XDR: (6 samples, 6 shown)





Subgraph of Pango XDV.1: (32 samples, 32 shown)





Subgraph of Pango XDY: (3 samples, 3 shown)

