

vi / vim graphical cheat sheet

Esc
normal mode

		~ toggle case	# prev ident	{ begin parag.	[misc	bol/ goto col	\ goto mark	\ not used!	^ "soft" bol	@ play macro] misc	} end parag.
1	2	3	4	5	6	7	8	9	0 "hard" bol	o	+ next line	
2	& repeat :s	é	" reg. spec	! goto mk. bol	(begin sentence	- prev line	è	"soft" bol down	ç	à) end sentence	= auto-format
A append at eol	Z quit	E end WORD	R replace mode	T back 'till	Y yank line	U undo line	I insert at bol	O open above	P paste before	''	£	
a append	Z extra cmds	e end word	r replace char	t 'till	y yank	u undo	i insert mode	O open below	p paste after	^ first non-blank	\$ eol	
Q ex mode	S subst line	D delete to eol	F "back" find ch	G eof/ goto ln	H screen top	J join lines	K man	L screen bottom	M screen mid'l	% goto match	µ	
q record macro	s subst char	d delete	f find char	g extra cmds	h ←	j ↓	k ↑	l →	m set mark	ù	*	next ident
> indent	W next WORD	X back-space	C change to eol	V visual lines	B prev WORD	N prev (find)	? find (rev.)	. repeat cmd	/ find	§		
< un-indent	w next word	x delete char	c change	v visual mode	b prev word	n next (find)	reverse , t/T/f/F	. repeat , t/T/f/F	. ex cmd line	. external filter		

motion moves the cursor, or defines the range for an operator
command direct action command, if **red**, it enters insert mode
operator requires a motion afterwards, operates between cursor & destination
extra special functions, requires extra input
Q commands with a dot need a char argument afterwards
bol = beginning of line, **eol** = end of line, **mk** = mark, **yank** = copy
words: `quux(foo, bar, baz);`
WORDS: `quux(foo, bar, baz);`

Main command line commands ('ex') Notes:

:w (save), :q (quit), :q! (quit w/o saving)
 :e f (open file f),
 :%s/x/y/g (replace 'x' by 'y' filewide),
 :h (help in vim), :new (new file in vim),

Other important commands:

CTRL-R: redo (vim),
 CTRL-F/-B: page up/down,
 CTRL-E/-Y: scroll line up/down,
 CTRL-V: block-visual mode (vim only)

Visual mode:

Move around and type operator to act on selected region (vim only)

- (1) use "x before a yank/paste/del command to use that register ('clipboard') (x=a..z, (e.g.: "ay\$ to copy rest of line to reg 'a')
- (2) type in a number before any action to repeat it that number of times (e.g.: 2p, d2w, 5i, d4j)
- (3) duplicate operator to act on current line (dd = delete line, >> = indent line)
- (4) ZZ to save & quit, ZQ to quit w/o saving
- (5) zt: scroll cursor to top, zb: bottom, zz: center
- (6) gg: top of file (vim only), gf: open file under cursor (vim only)

:qw ↵ sortir

:q ! ↵ sortir sans sauvegarder

d chiffre w effacer [chiffre] mots

d \$ effacer du curseur à fin de ligne

d d effacer ligne X dd x couper ligne

x effacer sous le curseur

a ajout texte

i insertion texte

A insertion texte en fin de ligne I insertion texte début de ligne

o ouvre une ligne sous le curseur et passe en insertion

O ouvre une ligne dessus le curseur et passe en insertion

r caractère remplacement caractère

ce saisie remplacement mot

c\$ saisie remplacement jusque fin de ligne

R saisie remplacement jusque [ECHAP]

DÉPLACEMENT

e a la fin du mot courant

\$ a la fin de la ligne

w au début du mot suivant

b au début du mot courant

O début de la ligne

^ au premier caractère non blanc de la ligne

() effacer ligne

{ } effacer paragraphe

u annuler

U annuler tous changements sur ligne

CTRL + R redo (dés-annuler)

g g retour début de fichier

G aller fin de fichier

chiffre G aller ligne du chiffre

CTRL + f page suivante

CTRL + b page précédente

: [chiffre] se rendre à la ligne choisie

COPIE TEXTE SOUS VIM

- se placer sur la première lettre du mot

appuyer sur V (mode visuel)

- se déplacer jusqu'à la sélection souhaitée

appuyer sur y (copie), se déplacer puis p

MARQUEURS (mode normal)

m + [lettre] mettre un marqueur

m + [lettre] aller a ce marqueur

RECHERCHE

/ [caractères] ENTER puis n N

POSIX : [] ^ \$ /

ENTER sélectionner l'occurrence en cours

PROGRAMMATION

= = indenter ligne

g g = G ré-indentation code

K trouver document sous curseur

PLUGINS

, I f aller ligne du chiffre

, I r aller ligne du chiffre

CTRL + n sélectionner fichier / répertoire suiv.

CTRL + p sélectionner fichier/répertoire prèc.

CTRL + w répertoire parent

CTRL + e créer un fichier en tapant son nom avant

, I g ouvre l'explorateur de buffers (tampon)

, c ou CTRL + P ouvre un fichier sur le disque

une fois le fichier en premier dans la liste faire ↵

▼ pour naviguer sélectionner l'auto-complétion

c s [caractère présent] [caractère à supprimer]

gg v G = indentation automatique page

SPLIT CTRL + w switcher fenêtre active

:sp scinder fenêtre active horizontalement

:close fermer fenêtre active (couleur bleue)

:only conserver seul la fenêtre active

:vsp scinder fenêtre active verticalement