ISZE / PARTS EUROPE

YELLOW PAPER

Universe

From parts data to a commercial decision.

AIM / IDS / PRISM

A connected specification for parts intelligence, dealer self-assessments and market context.

Commercial purpose
Evidence and interpretation
Participation and delivery

VERSION 0.1 | 21 SEPTEMBER 2026

The proposition

A decision environment, not another collection of dashboards

Universe should connect parts purchasing, dealer-network information and market context so that a commercial question can be followed through to a specific, reviewable action. Its purpose is not to make every available dataset appear on one screen. It is to make the relationship between a claim, its evidence and the next decision explicit.

The working proposition is simple: **identify what changed, locate the parts and population involved, test plausible explanations, choose an intervention and review the result.** A useful conclusion names its reporting period, transaction flow, affected parts, evidence limitations and action owner. An attractive chart without those elements is not a completed analysis.

Universe brings together AIM, IDS and PRISM. Tender support is a possible extension rather than an assumed fourth pillar. The names remain working names. [D1]

Four commercial outcomes

Outcome	What the user should receive
Sales explanation	A monthly change explained by actual part numbers, families, customers and transaction flows, with coverage changes separated from business changes.
Pricing precision	A support or price-review case tied to comparable offers, applicable parts and an explicit gross-profit scenario, not a blanket discount recommendation.
Market comparison	Competitor evidence with a dated source, matching basis and commercial terms, placed beside the relevant product and market.
Service-range opportunity	An applicable part, kit or documented BVP alternative worth discussing, with a reason it may improve the offer. Absence of a purchase alone is insufficient.

These outcomes preserve the commercial structure agreed for AIM while making the last outcome concrete: complete or improve an applicable offer, rather than merely count products that were not bought. [D9]

What success would look like

A distributor should be able to open a monthly review, understand a purchasing change, examine the actual parts, discuss a suitable response and record the outcome. ISZE should be able to support that conversation with the same evidence, without rebuilding the explanation in a separate spreadsheet or presentation.

The proposed value is better decisions and a more useful information exchange. Revenue uplift, time saved and improved capture are outcomes to test; they are not established benefits of the current prototype.

> Universe should make a decision easier to defend, not make incomplete evidence look complete.

Scope boundary. Preserve the portfolio overview and Genuine/BVP comparison. Keep the sales cube removed and product photography deferred at this stage. Do not turn the product into an ERP replacement, an automated price-setting system or a distributor-audit tool. [D2, D5]

Three pillars, one decision

Different roles, shared context

AIM - Aftermarket Intelligence Model. AIM provides the parts-classification and commercial-analysis foundation. Its role is to give purchasing data a useful product structure and enable analysis from portfolio to family to part number. Classification is not, by itself, proof of interchangeability, vehicle fitment or the contents of a kit. Those relationships require their own evidence. [D9]

IDS - Isuzu Dealer Standards. IDS records dealer self-assessments. It contributes the dealer's reported practices, assessment context and agreed follow-up. ISZE does not conduct distributor audits through IDS. A distributor-level presentation of IDS must explicitly describe the assessed dealer population, response coverage and assessment dates. [D5]

PRISM. The proposed boundary in this paper is the vehicle and market-context pillar: fleet composition, applicability, relevant vehicle segments and modelled service-demand context. This functional boundary requires confirmation against the PRISM specification before implementation. It is not a new expansion of the acronym or a claim that every supporting dataset is already integrated.

The connections that matter

Connection	Decision it should improve
AIM + PRISM	Is the purchasing pattern plausible for the relevant fleet and applicable product range? What part of the comparison is observed, and what part is modelled?
AIM + IDS	Does a dealer's purchasing pattern suggest a useful discussion alongside its self-reported practices? What can be followed up without claiming causation?
IDS + PRISM	What market or fleet context is relevant to an assessed dealer population, where a valid relationship exists? National context must not be presented as a measured dealer catchment.
All three	Which specific commercial or dealer-support action has enough evidence to be assigned, and what would demonstrate progress?

Competitor prices, warranty, supply availability, SPA history and tender information are supporting evidence sources. Their presence in a discussion does not establish that they are production-ready features of any one pillar.

A shared operating loop

Observe. Select one population, one reporting clock and one transaction flow. Identify the change and the records behind it.

Explain. Examine product mix, returns, coverage changes, timing, applicable vehicle context and available market evidence. Keep untested explanations as hypotheses.

Act. Create a commercial intervention or a data-quality follow-up. Give it an owner, review date, approval requirement and expected observable outcome.

Review. Revisit the same scope and measurement basis. Distinguish an observed change from an effect attributable to the intervention.

The connection is therefore not simply navigation between three dashboards. It is preservation of the same question and evidence as the user moves between them.

Participation should pay back

Start with the existing incentive

A portion of the distributor kickback is already tied to providing sales-to-dealer information. The mandatory requirement does not require distributor or dealer selling prices. Universe should use that existing mechanism to start participation, then make the return useful enough to justify continued participation independently of the incentive. [D4]

The proposal is an explicit exchange: a distributor provides a repeatable, declared-coverage quantity feed and receives a repeatable commercial review. Participation should not become an expanding demand for sensitive information with no visible return.

The monthly return to the distributor

Return	Tangible output
Purchasing-pattern explanation	Monthly family and part trends; regular, intermittent and interrupted purchasing; the parts contributing most to change; a visible coverage check.
Genuine/BVP review	Comparable, applicable products; purchasing mix on a stated basis; documented alternatives or an explicit unresolved-match status.
Market and fleet context	Dated competitor observations, relevant PRISM context and clearly separated modelled demand. No invented local market share.
Dealer-network discussion	A dealer's own development and carefully matched peer context, where dealer-granular data and a valid population are available.
IDS follow-up	A connection from a specific self-assessment item to a purchasing question and an agreed support action, without converting a self-rating into a causal diagnosis.
Commercial-support case	An evidence packet for an SPA, range review or tender discussion: exact parts, demand basis, terms, assumptions, owner and review point.

The same monthly package should expose corrections and unresolved evidence. Receiving an accurate explanation of what cannot yet be concluded is more useful than receiving a confident but unsupported ranking.

Earn additional information

Optional stock exchange. A distributor provides selected stock and open-order information for an agreed scope; in return, it receives a replenishment and availability review that quantity sales alone cannot support.

Optional commercial exchange. A distributor provides a restricted price or offer sample; in return, it receives a comparable market-position or support analysis. Access and retention are agreed before transfer.

Optional service or fleet exchange. A distributor provides an authorised, appropriately limited dataset; in return, it receives a more relevant service-demand or fleet-support assessment. The added benefit must be demonstrated on the agreed scope.

Outside the mandatory feed: selling prices, distributor margins, inventory balances, customer identities, VINs, workshop records and end-customer sales. None should be silently inferred from the minimum feed. Optional sharing must not become a concealed condition for receiving the basic return.

The minimum data contract

Proposed submission standard

Use a monthly quantity feed with a declared population. The proposed deadline is within ten working days of month-end, subject to agreement with participating distributors. Distinguish a closed month from a provisional month. This is a proposed operating standard, not a statement of existing kickback terms.

The preferred aggregate grain is **distributor x dealer x calendar month x part number x unit of measure x transaction type x channel**. A more detailed feed may be accepted, but invoice prices and end-customer information are not required.

Required element	Meaning and control
Distributor identifier	Stable identifier in an agreed namespace; never resolved from a display name alone.
Dealer identifier	Stable source-system identifier. Map it to a legal entity or site explicitly; maintain aliases and effective dates.
Reporting period	Calendar month and source time basis. Preserve transaction dates separately when supplied.
Original part number	Text value preserving leading zeros and source formatting. Store a normalised join key separately.
Signed quantity and unit	State whether a unit is a piece, set, kit or other measure. Positive sales and negative returns must remain distinguishable.
Transaction type and channel	Identify sale, return or adjustment and direct/wholesale channel. Preserve an explicit unknown classification rather than guessing.
Submission identifier	Distributor-period batch ID, revision, extraction timestamp and schema version.
Coverage declaration	Included dealers, channels and product scope; excluded records; missing periods; provisional status and known limitations.

Dealer population. Provide a stable dealer roster, or an agreed controlled equivalent, including zero-activity dealers. Absence from a transaction file alone does not establish zero activity or the end of a commercial relationship.

Wholesale. Declare whether wholesale is included and to which known purchasing entity the sale is attributed. Do not assign a wholesaler's purchases to downstream dealers without a supported relationship. The minimum contract must accommodate the agreed sales-to-dealer scope, including wholesale where applicable. [D4]

Correction and acceptance

Use full-replacement revisions for a distributor-month wherever possible. A corrected batch supersedes the earlier accepted batch; it is not added to it. Reprocessing the same submission must not duplicate quantities. Preserve earlier versions and the reason for revision.

Before acceptance, check identifiers, periods, quantities, units, duplicates, coverage and control totals. Record accepted and quarantined quantities, not merely rejected row counts. An incomplete dealer mapping need not prevent a valid national total, but it must prevent unsupported dealer attribution.

Return a receipt with the accepted period, coverage summary, exceptions and correction route. Rebuild dependent outputs when a revision changes them, and show that the historical result was restated.

Evidence that can be trusted

Never merge the transaction flows

ISZE to distributor records the distributor's purchasing from ISZE. **Distributor to dealer** records the dealer's purchasing from that distributor. **Dealer to end customer** is a third, separate flow. None is a substitute for another. Missing sales-to-dealer coverage means unknown downstream activity, not zero activity. [D7]

The same physical part may appear in more than one flow. These values must not be added together as a single market-sales total. Timing differences may reflect order cycles, returns, stock movements or other factors; without the relevant evidence, they do not prove lost demand.

Distinguish what the number represents

Evidence class	Permitted interpretation
Recorded quantity	Activity in the named source and covered population, on the source's declared unit basis.
Recorded billing	Monetary activity in the named billing flow, with its currency, credits and relevant accounting basis identified.
Reference-price valuation	Quantity multiplied by a stated reference price. Useful for a common comparison basis; not actual selling revenue or margin.
Modelled demand or potential	An estimate based on explicit fleet, interval, applicability and valuation assumptions; not observed servicing.
Hypothesis or candidate	A possible explanation, substitute or action requiring stated validation before a stronger claim is made.

A calculated total inherits the limitations of its inputs. A precise euro value does not make a modelled result measured. Missing price coverage must be visible; unpriced parts must not silently become zero-valued parts.

Every comparison carries its scope

Persist the transaction flow, population, period, reporting clock, measure, currency, valuation basis, source version and coverage state. Compare a partial current month only with an equivalent cut-off or label it separately. Never add CY and FY views of the same activity.

Use the latest complete month and trailing complete-month views where supported; preserve a different explicitly selected reporting clock. If a dealer or channel enters the feed, show its effect separately from like-for-like development.

Coverage precedes ranking. Establish which distributors, dealers, months, channels and part populations each source covers before comparing performance. A declared population is not necessarily the whole market. Where a reliable denominator is unavailable, show what is covered rather than inventing a completeness percentage.

> A result should become less certain when its evidence becomes weaker. It should not become more definite simply because it has been placed on a dashboard.

Fleet, GPS, PMS and warranty

Keep the business lenses distinct

GPS concerns the broad genuine-parts opportunity; PMS concerns the defined interval and competitive-parts scope. Their approved definitions, part populations and denominators must be registered separately. A PMS-family result must not be relabelled as overall GPS performance. [D7]

A useful purchasing-intensity lens is billing or a common reference valuation per relevant vehicle. The numerator, vehicle population, period and valuation basis must be compatible. This is not automatically market share: a modelled potential is not a measured denominator of total market transactions.

For modelled service demand, expose the assumptions that drive the estimate: relevant UIO, age or usage profile where supported, interval, quantity per event, applicability, observation period and value basis. Present a range or sensitivity where uncertainty materially affects the decision. A single exact-looking estimate must not hide a weak fleet or usage assumption.

Vehicle and tonnage attribution

ISZE billing has no VIN, chassis or model-level servicing evidence. Vehicle attribution is permitted only through validated exclusive part applicability. Parts that fit multiple bands or families remain pooled; they must not be allocated by fleet share merely to complete the picture. [D6]

Maintain three separate views: **recorded exclusive-applicability purchasing**, **modelled expected service demand by band**, and **market-level actual purchasing**. The recorded exclusive subset is not the whole demand of that band.

A market actual repeated beside several bands is non-additive. It must not be summed across bands or divided by each band's expectation to claim measured band service cover. A modelled allocation of a market gap is not measured leakage and must not become a distributor or dealer ranking.

Standing implementation rule. In `02_nseries_band_evolution.csv`, filter `sums_to_n_series_total == "yes"` for the relevant additive view. Treat `single_band_only` as the exclusive numerator and `also_fits_band` as non-additive. Keep CY and FY separate. The corrected tonnage v2 rules supersede v1. [D6]

Warranty is a different source

Warranty records claims, defects and settlements; it does not provide a complete record of scheduled maintenance. Low warranty value is not evidence of a healthy aftermarket. Missing maintenance claims do not prove that dealers are failing to service vehicles. [D7]

Warranty may contextualise a product issue or claim-related event, within its coverage. It must not supply an invented service interval, maintenance-capture rate or leakage conclusion. Linking a claim pattern to a parts trend creates a question to investigate, not an automatic commercial explanation.

Default wording: use "modelled opportunity", "unexplained purchasing change" or "candidate follow-up" when those are what the evidence supports. Reserve "measured leakage" for a genuinely observable and appropriately matched loss.

Five decisions Universe should support

A braking decline that can be explained

Start with monthly purchasing for the defined braking population and transaction flow. Show the part numbers contributing to the decline, returns, active purchasing entities and any coverage break. Separate a quantity change from a price or mix effect. Then test available supply, fitment, supersession, promotion and competitor evidence. **Possible action:** a targeted part-level investigation or offer, not an unsupported statement that the market is losing brake business. [D8]

A BVP alternative that is actually applicable

A Genuine part is losing activity or faces a documented competitive offer. Retrieve a BVP candidate only where fitment, function, contents and commercial units can be checked. A shared AIM family is insufficient. Test whether the comparison is one-for-one or a kit/set relationship. **Possible action:** an applicable BVP discussion or range review, with technical approval where needed. No validated match means no substitute recommendation.

A gap between upstream and downstream purchasing

ISZE-to-distributor activity slows while covered distributor-to-dealer activity is stable, or the reverse. Compare like periods and separate returns, valuation differences and missing channels. Inventory and timing are possible explanations, not measured facts without stock information. **Possible action:** a replenishment or availability discussion. This is not proof of overstock, shortage or end-customer demand loss.

A dealer-support conversation informed by IDS

A dealer reports a weakness in a defined IDS practice while its purchasing pattern shows an issue worth discussing. First validate the dealer/site link, assessment date and commercial period. Consider incomplete purchasing coverage and other explanations. **Possible action:** agree a support activity, such as an applicable range discussion or process follow-up, and review the later purchasing pattern. The association does not prove that the self-assessed weakness caused the commercial result.

A stronger SPA or tender-support case

A distributor presents an identifiable competitive challenge for defined parts or a fleet requirement. Combine actual historical purchasing, applicable alternatives, dated market evidence and explicit volume assumptions. Build a gross-profit comparison on the correct cost and price basis. **Possible action:** approve, amend or reject a bounded support proposal, with an owner, conditions and review point. A lower gross-margin percentage can coexist with higher gross profit; the calculation must demonstrate the case.

> These are decision patterns, not findings about a market or dealer. Each must be populated with accepted records before it becomes a commercial claim.

Selection principle. Prioritise an action when the signal is material, the evidence is sufficient and someone can realistically act on it. A data gap should create a specific data-quality task. It should not be disguised as a sales opportunity simply to fill a top-five list.

The standard for every finding

A finding is a small, reproducible evidence packet

The headline should state the affected scope and observed change, not just the family name. The packet should allow a reviewer to move from the summary to the exact supporting records without recreating the analysis. This addresses the agreed requirement for monthly trends, identifiable parts, supported BVP comparisons and a coherent explanation. [D8]

Element	Minimum content
Scope and coverage	Distributor or dealer population, transaction flow, reporting clock, period, included channels, source version and known gaps.
Monthly evidence	A dated series with units or a clearly named monetary basis, comparable periods, visible missing months and an explanation of coverage breaks.
Part-level contribution	Original and normalised part number, description, AIM family, tier, current and comparison measures, contribution to change and returns where available.
Product comparison	Documented Genuine/BVP or competitor relationship, applicability, pack contents, unit conversion and validation status.
Interpretation	What is observed, which explanations are supported, which remain plausible, and what evidence would change the conclusion.
Action and review	Named owner or accountable role, proposed intervention, required approval, review date, expected outcome and later result.

Graphs must answer the question

For a claimed decline, show a monthly time series rather than two isolated totals. Do not draw a continuous line through an unreported month as though it were measured. A reported zero is different from a missing observation. Separate unit trends from price effects when the required data exists.

Show which parts contribute to the change, with an "other parts" residual so the contribution view reconciles to the selected total. Use signed contributions for increases and decreases. State whether the comparison uses a constant part population or includes new and discontinued products.

Do not aggregate pieces, kits and sets into a supposedly comparable volume without a validated conversion. If a common reference valuation is used, disclose the pricebook date and the priced population. The chart title must not call that result sales revenue.

Confidence as a decision status

Use **ready for review**, **needs validation**, **context only** or **withheld**, with the reason shown. Avoid a single confidence score whose ingredients are opaque. Coverage, identity matching, applicability, price comparability and period alignment are separate checks.

A report with no validated BVP match should say so. A report with no dealer-granular feed should stop at its supported level. A data-quality action can still be useful, but its commercial benefit must remain unclaimed.

Reproducibility test. Another reviewer should obtain the same total from the same accepted data and metric version. Export the filters, source references and calculation definition alongside the presentation.

Genuine, BVP and commercial support

Separate classification from product equivalence

Maintain an explicit relationship between candidate parts. A family label provides context; it does not authorise substitution. Store whether the relationship is a supersession, documented alternative, kit/component relationship or unverified candidate. Record its source, applicable vehicles, effective dates and validation status.

For Genuine/BVP comparisons, check fitment, functional scope, included components, package quantity and commercial unit. Compare a kit with its documented equivalent contents, not simply with one component. A missing BVP purchase is not an opportunity when applicability, availability or the feed's BVP coverage is unresolved.

Market evidence should identify the observed product, market, source date, currency, tax treatment, pack quantity, freight and relevant commercial terms. A public retail offer and an ISZE distributor price are different commercial levels; a visible difference alone does not establish that ISZE is uncompetitive. Use a documented normalisation or keep the comparison qualified.

Gross profit, not just margin percentage

For a proposed SPA, compare a defined counterfactual with the supported scenario over the same period and scope. Keep actual historical purchasing separate from a future volume commitment or forecast. Do not call a commitment an achieved result.

Baseline GP = sum of baseline quantity x (baseline net price - baseline unit cost).

Scenario GP = sum of scenario quantity x (scenario net price - scenario unit cost).

GP change = scenario GP - baseline GP.

Use compatible units and a stated currency basis. Show rebates, HQ support, freight treatment and incremental programme costs separately where applicable; ensure they are not counted twice. The commercial owner must approve the cost definition used for the decision.

For a single comparable product with unchanged cost and positive supported unit margin, the volume needed to preserve baseline GP is baseline quantity multiplied by baseline unit margin, divided by supported unit margin. If the supported unit margin is zero or negative, more volume does not solve that simple gross-profit problem.

Review what actually happened

After implementation, show delivered quantities, realised net prices, applicable costs and the resulting GP on the approved basis. Compare with the declared baseline; explain timing, mix and coverage changes. A before/after increase is an observation, not automatic proof that the SPA caused it.

Tender support should apply the same discipline to a defined fleet requirement, applicable parts and any total-cost-of-ownership assumptions. Usage, service events, labour, downtime and replacement life must not be invented to make a proposal look attractive. Tender support remains proposed. [D1]

Two pilots, different proofs

The shared aim is not identical analytical depth

I Motors in Portugal and ITUK in UK trucks are separate pilots. Their available levels of detail must remain distinct. The project baseline describes the Portugal pack as national sales-to-dealer information plus dealer self-assessment summaries, not purchasing attributed to individual Portuguese dealers. ITUK is the candidate for a dealer-granular commercial pilot. [D3]

Pilot	Initial proof and boundary
I Motors - Portugal	Deliver a national commercial review and a separately labelled view of the defined dealer-assessment population. Do not allocate national purchasing to named dealers or infer dealer performance from the national total.
ITUK - UK trucks	Test dealer-level purchasing patterns and an IDS connection, subject to valid identifiers, period coverage and confirmed dealer/site relationships. The described pack includes CY2025 and history; its coverage must determine the available reporting periods.

Portugal: a useful national return

The first useful output is a monthly national family-and-part review with a clear transaction-flow label. Add validated product comparisons and appropriate market context. Present IDS results for the actual assessment population, with dates and response coverage.

Keep those panels adjacent without implying that a national sales pattern belongs to an assessed dealer. A later dealer-level commercial connection requires an actual dealer-attributed feed and a validated relationship. It cannot be produced by dividing a national total among sites.

Before showing an upstream/downstream bridge, accept and reconcile the relevant ISZE-to-I Motors billing slice separately from the I Motors sales-to-dealer feed. The presence of one source does not establish the availability or completeness of the other.

ITUK: a dealer-level proof

Demonstrate a path from a validated dealer to a monthly AIM-family pattern, the contributing parts and an evidence-backed action. Where a BVP candidate exists, show its relationship and applicability evidence; otherwise show the missing-match state. Join an IDS assessment only when the site relationship and relevant dates are supported.

Normalise neither recorded quantities nor reference-valued totals into "actual billing" without the necessary billing evidence. Establish whether the purchasing account represents a single site, multiple sites or another entity before assigning a site-level result.

Exit criteria for both

A pilot passes when one useful review can be reproduced, explained to its intended recipient, corrected through the submission process and followed into an owned action. It must also demonstrate the unavailable-data state. A pilot does not pass merely because a map opens or because every dealer has been given a score.

No forced symmetry. A credible national Portugal pilot and a credible dealer-level ITUK pilot are preferable to two visually identical pilots built on incompatible evidence.

The workspace experience

Keep the portfolio; connect the work

The portfolio overview remains the entry point for understanding the range. Genuine/BVP comparison remains a central product experience. The sales cube stays removed and photography stays deferred. These are established scope decisions, not items to reopen implicitly during implementation. [D2]

The proposed navigation should expose four connected destinations: **portfolio**, **network**, **commercial review** and **actions**. AIM, IDS and PRISM inform these destinations rather than requiring the user to rebuild the same selection in three separate products.

Distributor and dealer views are different

The **distributor view**, or DB view, is a commercial workspace: purchasing, covered sales-to-dealer activity, product mix, market context and agreed actions. An IDS summary in that view must be labelled as results from a defined dealer self-assessment population, never as a distributor-audit score. [D5]

The **dealer view** shows only the commercial records legitimately assigned to the dealer or site. It should display the source identity, relationship status and coverage. Where the account covers several sites, present the appropriate account-level result instead of inventing a site allocation.

A distributor workspace is a user-facing view. A database-backed deployment is a separate technical choice; the two should not share an ambiguous "DB mode" label.

Preserve the analytical context

Opening a dealer, family, part or IDS follow-up must preserve the selected period, clock, transaction flow and population where applicable. When the next view cannot support that context, explain the restriction before changing it. A switch from actual billing to reference valuation must be visible, not hidden in a tooltip.

Keep a compact context strip near the headline result: scope, period, flow, measure basis, freshness and coverage. Make source and metric details available through a direct evidence link. Unknown and withheld values need distinct states; they must not render as zeros.

Maps do not establish responsibility

The Network Atlas may help users navigate known sites. Country, submission cohort or a map location does not validate which distributor is responsible for a site. Responsibility needs an explicit, dated relationship. Unresolved sites should be shown as unresolved, not silently assigned. [D5]

A usable return, not a dead-end dashboard

A commercial review should open the relevant parts and comparison evidence, create an action without retyping the scope, and export a readable evidence packet. Actions should return to their source analysis. The product should make a correction visible wherever the affected result appears.

The first release should favour a small number of complete paths over many incomplete pages. A user should always know what the screen measures, how to investigate it and what can be done next.

Logical data architecture

Separate source records, relationships and meaning

The proposed architecture has four layers: retained source submissions, accepted normalised records, versioned business definitions, and published views/actions. These are logical responsibilities; the choice of storage platform or application framework is a separate implementation decision.

Record group	Required responsibility
Source batch and coverage	Retain file identity, checksum, source owner, period, revision, schema, declared coverage, acceptance state and control totals.
Commercial facts	Store each transaction flow separately with source keys, dates, part IDs, quantities, units and monetary basis when available.
Product and applicability	Version AIM assignments, tier, descriptions, supersessions, kits, alternatives and applicability. Keep each relationship's evidence and status.
Network and IDS	Separate organisations, purchasing accounts, physical sites, dated distributor relationships, assessments and assessment items.
Market and demand context	Retain fleet vintages, segment definitions, competitor observations, reference prices and versioned service-demand assumptions.
Metrics, findings and actions	Store definitions, input versions, scope, calculation lineage, evidence status, owner, approvals and outcome history.

Joins must not manufacture volume

State the expected relationship for each join and test for duplication. A multi-applicability part joined to several vehicle bands must not multiply the original purchasing total. An account linked to several sites must not produce several copies of its commercial result.

Preserve original part identifiers alongside normalised keys. Keep unresolved mappings in an explicit bucket; do not discard their quantities from the reconciliation. Test totals before and after classification, relationship mapping and valuation. Where a transformation deliberately changes the measure, document and reconcile that change.

One definition for each named metric

A shared metric register should define GPS, PMS, GP, recorded quantity, actual billing, reference valuation and modelled demand. Each definition needs an owner, formula, eligible scope, exclusions, reporting clock and version. Different measures must not reuse the same label merely because they occupy the same screen position.

Build in correction and reproducibility

Retain accepted revisions rather than overwriting history without trace. A published result should identify the batch versions, relationship versions and metric version used to produce it. A correction should trigger recomputation of dependent results and a visible restatement, while preserving the earlier published snapshot for review.

Store a finding as more than prose: include its scope, underlying query or calculation reference, evidence links and status. An AI-generated explanation may summarise these records; it must not become the source of its own quantities or silently redefine a business metric.

Governance, access and release discipline

Accountabilities should be explicit

The proposed **product owner** decides scope and acceptance. **Data owners** validate source coverage and corrections. **Metric owners** approve business definitions. **Commercial owners** approve interventions and support terms. **Technical owners** maintain the application, permissions, testing and release record. Assign people to these roles before expanding beyond the pilots.

IDS interpretation belongs with the accountable standards owner. Product equivalence and fitment require an appropriate technical authority. A classification suggestion or AI-generated match cannot substitute for that approval.

Protect the value exchange

Distributors should receive their authorised information and approved comparative context, not unrestricted access to other distributors' records. Dealer views should follow validated relationships and access permissions. Aggregated comparisons should account for the risk that a small population reveals an individual participant.

Optional prices, costs, stock and service information need explicit purpose, access and retention controls. Cross-distributor price sharing and competitively sensitive benchmark design should pass internal legal and competition review before release. These are proposed product safeguards, not a conclusion that any particular sharing arrangement has been approved.

Treat imported files and narrative notes as data, not executable instructions. Automated assistants should have only the access and actions required for the review, and commercial changes should remain subject to the designated approval process.

A release is a retrievable deliverable

Every accepted release should have one stable index naming the version, date, owner, entry point, included modules, data snapshot and known limitations. List the actual deliverable filenames and their integrity checks. Identify the portfolio, Atlas and distributor-view entry points explicitly.

A temporary browser preview is not the release location. A label such as R1 or a statement that a build is complete is not evidence that the package exists, opens correctly and contains the agreed scope. Retain earlier releases, but make the accepted release unambiguous.

Test the failures that would damage trust

Before release, test duplicate submissions, revised months, missing periods, returns, unresolved dealers, multi-site accounts, multi-band applicability and unpriced parts. Also test that actual billing cannot silently switch to a reference valuation and that repeated market actuals cannot be summed across bands.

Regression tests must preserve the corrected tonnage v2 behaviour, the removed sales cube and the agreed portfolio/Genuine-BVP scope. Verify the Portugal national-only boundary and the distinction between IDS self-assessments and distributor commercial views. [D2, D3, D5, D6]

Acceptance record. Keep the tested scenarios, results, outstanding issues and approval with the release. Saving a rule or discussing a fix is not proof that the running product has adopted it.

Delivery gates and success measures

Foundation gate: establish the baseline

Create the release index, source-coverage register, metric register and unresolved relationship list. Identify which capabilities are accepted, demonstrated only, proposed or blocked. Confirm PRISM's functional boundary. Preserve existing scope decisions before adding new features.

Pass condition: a reviewer can identify the accepted product, the sources behind it and the interpretation rules it applies. There is no ambiguous "latest" file and no silent redefinition of a metric.

Pilot gate: complete two honest paths

Deliver the Portugal national review and the ITUK dealer-level review at their supported levels. Include a real monthly series, part-level explanation, a validated comparison or an explicit limitation, and an owned follow-up. Exercise a correction and show its effect.

Pass condition: each pilot can explain its figures, reproduce its result and demonstrate what is unavailable. Passing Portugal does not certify ITUK's dealer mappings, and passing ITUK does not create Portuguese dealer data.

Participation gate: make the return repeatable

Run the agreed monthly submission and return process. Measure accepted coverage, exceptions, correction turnaround and the work needed to produce a usable review. Ask whether the distributor used the output in a commercial conversation, not merely whether someone logged in.

Pass condition: participants can maintain the feed, recognise its limitations and receive a useful review without a bespoke rebuild each month. Targets should be agreed after the pilot baseline is known.

Expansion gate: add only demonstrated value

Expand to additional markets or optional data exchanges after the relevant controls work. Consider tender support, richer availability analysis or photography only when their benefit and maintenance ownership are clear. Do not restore deferred features merely to create the appearance of progress.

What should be measured

Track data reliability, review usefulness and commercial outcomes separately. Useful measures include valid mapped coverage, restated periods, review preparation effort, actions reviewed or closed, and realised GP for bounded interventions where it can be calculated. Avoid treating logins, modelled opportunity euros or the number of generated findings as realised commercial value.

Decisions needed for the next edition

Confirm the product and metric owners; approve the minimum feed and return package; confirm PRISM's boundary; validate the pilot relationship rules; approve access and comparative-output rules; and name the accepted release location. Each unresolved decision should have an owner and a due date, rather than being resolved by assumption in the application.

> The next milestone is a complete, trusted decision path - not the largest possible dashboard.

Definitions and project decision trail

Working definitions

AIM: Aftermarket Intelligence Model. **IDS:** Isuzu Dealer Standards; dealer self-assessments. **PRISM:** retained working name; functional boundary to be confirmed. **BVP:** the user-facing name for the relevant alternative parts tier; not a synonym for any aftermarket product.

DB: distributor when describing the business view. **UIO:** units in operation. **SPA:** Special Price Agreement. **GP:** gross profit in currency. **GM:** gross margin as a percentage. **CY / FY:** calendar year / fiscal year; separate reporting clocks.

GPS / PMS: distinct business lenses with separately approved scope and formulas. **Actual billing:** monetary records from the named transaction flow. **Reference valuation:** quantity valued with a stated pricebook, not actual billing. **Modelled opportunity:** an estimate subject to its assumptions, not an observed loss.

Project decision references

These discussions establish product intent and interpretation rules. A numerical commercial finding requires its own versioned source records and calculations in addition to this decision trail.

[D1] Universe naming and foundations - 21 September 2026. Universe has three pillars, AIM / IDS / PRISM, with tender support considered as a possible extension. Working names may change.

[D2] Universe v2.2 continuation and data-pack review - 21 September 2026. Preserve the portfolio overview and Genuine/BVP comparisons; photography deferred; sales cube removed; distinguish quantities, reference valuation and actual billing.

[D3] IDS x AIM pilot selection - 21 September 2026; ITUK handoff discussion - 20 September 2026. Separate I Motors and ITUK pilots. Portugal's stated pack is national commercially; ITUK's described pack provides the candidate dealer-granular path.

[D4] Distributor participation model - 21 September 2026. Existing kickback linked to sales-to-dealer information; mandatory selling prices excluded; tangible return and optional exchanges required.

[D5] Network Atlas / IDS integration feedback - 20 September 2026. Dealer self-assessments are not distributor audits; population labels matter; site-to-distributor responsibility requires validation.

[D6] Corrected service-demand / tonnage v2 rules - 20 September 2026. Exclusive applicability only for recorded attribution; pooled shared parts; separate observed and modelled views; non-additive market actuals; one reporting clock.

[D7] Leakage-analysis framework - 20 September 2026. Partial source coverage, distinct transaction flows, coverage before rankings, separate GPS/PMS lenses and warranty limitations.

[D8] AIM + PRISM action-study feedback - 21 September 2026. Require actual monthly trends, identifiable parts, documented BVP comparisons and coherent explanations rather than unsupported numerical headlines.

[D9] AIM presentation refinement - 19-21 September 2026. Use the full AIM name and retain the four commercial outcomes: sales explanation, pricing precision, market comparison and service-range opportunity.

Document status: version 0.1 establishes the proposed product and operating specification. Implementation acceptance belongs to the release evidence and delivery gates, not to the existence of this paper.