

N-series accessories overview

Dec. 2025

ISUZU A&S Co., Ltd.
Accessories & Service parts

Oversea Sales Dept.

Content

1. Illumination
2. Exterior
3. Functional＆Convenience
4. White accessories
5. Interior
6. URL and Social media accounts

Please note Compatibility needs to be confirmed.
Part numbers are not listed in this catalogue, please refer to the part number list.

0. Example of Consistent PPT and Excel Files

PPT Notation

No.	Part Name
1	Illumination emblem



Part Number List Notation (in Excel)

Part number list for VK (N-series)

Category	No.	Part name on catalogue	Specification	Compatibility (Diesel) mio 12V	1X	2X	3X	Compatibility (EV) mio 12V	1X	2X	3X	Part number
Illumination	1	Illumination emblem	Main unit (blue, 24V)		●	●	●		●	●	●	1-8671-4055-0
			Main unit (white, 24V)		●	●	●		●	●	●	1-8671-1217-0
			Installation harness (24V)		●	●	●		●	●	●	5-8671-4118-0
			Main unit (blue, 12V)	●				●				5-8671-4120-0
			Main unit (white, 12V)	●				●				5-8671-4121-0
			Installation harness (12V)	●				●				5-8671-4119-0
			Service connector harness	●	●	●	●	●	●	●	●	5-8671-4084-3
	2	Chromed-like illumination front line plate	Blue, 24V		●				●			5-8671-4105-0
						●				●		5-8671-4106-0
							●				●	5-8671-4107-0
			White, 24V		●				●			5-8671-4111-0
						●				●		5-8671-4114-0
							●				●	5-8671-4115-0
			Blue, 12V	●				●				5-8671-4112-0
			White, 12V	●				●				5-8671-4113-0
			Service connector harness	●	●	●	●	●	●	●	●	5-8671-4084-3
	3	Step under illumination	Blue, 24V		●				●			5-8671-4117-0
						●	●			●	●	5-8671-4076-2
			White, 24V		●				●			5-8671-4116-0

Illumination



2 color styles (Blue and White)

Emotional Impact with attractive lights

N-Series Seen, N-Series Safe.

Exterior Illumination item (blue and white)

1. Selling point : Enhance the front mask with illumination accessories.
2. Lighting Conditions (No. 1 & 2):
   Lights full when starter switch is ON, lights dim when light switch is ON.
3. Service connector harness is required. (Release in Jan 2026)
4. Please refer to the part number list for other information.

No.	Part Name
1	Illumination emblem

No.	Part Name
2	Illuminated front line plate with chromed-like finish



Blue



White

No.3 Step under illumination

1. Selling point: During nighttime, the under-cab illumination enhances your vehicle‘s presence, alerting surrounding traffic and pedestrians.
2. Lighting Conditions (No.3): Links with the small lamps.
3. Please refer to the part number list for other information.

Blue



White



No.4 Foot space illumination (blue and white)

1. Selling point: Illuminated foot space lighting ensures secure and easy access.
2. Please refer to the part number list for other information.



Blue



White

No.5 Door safety LED (blue and white)

1. Selling point: The illumination creates an attractive alert while lighting your doorway for secure entry and exit at night.
2. Please refer to the part number list for other information.




Blue



White

Service connector harness for N-series



Isuzu Group's Challenge (Background)】
Securing power and signals for body modifications typically requires complex wiring work and precise identification of connection points. This challenge historically leads to increased labor time for body builders and an elevated risk of wiring errors.

【Collaborative Solution (IML & IAS)】
To standardize and simplify electrical work, IML and IAS collaborate to utilize the vehicle's dedicated "Service Terminal F".


IML -> Provides the spare 12-pin "Service Terminal F“
IAS -> Offers the "Service Connector Harness" which plugs into the Service Terminal F.

Part number	5-8671-4084-3

Scheduled for release in Jan 2026.

【Mechanism (How it Works)】
1. Vehicle Prep:
Utilize the spare 12-pin terminal, the "Service Terminal F" (female side), located in the CAB (as described in the Body Builder's Guide).
2. Harness Connection:
Plug in the “Service connector harness“ to the Service Terminal F.
3. Easy Output:
The harness extracts and routes the ACC and other signals to easily accessible Giboshi (Bullet) terminals.

【Key Benefits】
1. Significant Time Reduction:
No cutting or splicing of existing vehicle wiring; connection is made by simple plug-and-play.
2. Reduced Error Risk:
Standardized connection ensures stable operation of added electrical components.
3. Ease of Use:
No special tools are required, making the process simple for any technician.
4. High Versatility:
Supports the quick installation of various auxiliary electronic devices.

Symbol	Service terminal	Connector type	Terminal position	Wire color of service terminal	Signal name	Signal name on label attached to harness tube	Wire color of harness	Usage	Allowable current (A)	Remarks
Y	Service terminal F	 White 12P (Female)	1	Y	Battery	POWER;BATT	Yellow	Power source	10.0	Power is always shared from the battery. The allowable output current is the sum of the "Battery" in Terminal F and Battery power source.
			2	L	IG (Ignition)	POWER;IG	Blue	Power source	10.0	Power is shared from the battery when IG on at a voltage equivalent to the battery voltage.
			3	SB	Engine speed	ENGINE SP.	Sky blue	Output signal	0.02	Open collector type Output waveform: Square wave Number of output pulses: 4 pulses per turn of crank Output voltage: MAX 32V Do not connect the inductive load. There is a risk of engine ECU damage.
			4	P	Vehicle speed	VEHICLE SP.	Pink	Output signal	0.005	Open collector type Output waveform: Square wave Number of output pulses: Vehicle speed sensor 8 pulses per revolution Output voltage: MAX 28.8V If 24V is accidentally applied, the meter will be damaged.
			5	W	Additional turn signal lamps	TURN LAMPS	White	-	-	Grounding terminal for installing additional side turn signal lamp.
			6	R	ACC (Accessories)	POWER;ACC	Red	Power source	10.0	Power is shared from the battery when ACC on at a voltage equivalent to the battery voltage. It will be 0V while the starter is running.
			7	BE	ILL (Illumination)	POWER;ILL	Orange	Power source	3.0	Power is shared from the battery when ILL on at a voltage equivalent to the battery voltage.
			8	V	Reverse	SIG;REVERSE	Purple	Output signal	0.5	Output the Shift position Reverse signal at a voltage equivalent to the battery voltage.
			9	LG	PKB (Parking brake)	SIG;PKB	Light green	Output signal	0.6	Output earth signal when PKB is activated. For EPB(Electric Parking Brake)-equipped vehicles, the signal is detectable only when the starter switch position is "ON".
			10	G	Shift position neutral	SIG;NEUTRAL	Green	Output signal	0.5	Output earth signal when shift position "Neutral". For MYR9S Transmission-equipped vehicles, the signal is detectable only when the starter switch position is "ON".
			11	GY	PTO	SIG;PTO	Grey	Output signal	1.8	In some specific vehicles, while PTO has functioning, Battery voltage condition can supply. If detailed description of this function need, contact ISUZU MOTORS LIMITED, ISUZU distributor or ISUZU dealership.
			12	B	Earth	GROUND	Black	Earth	10.0	Connect to earth

Exterior




The vehicles shown on this page are images of 1X

No.6 Chrome grille (Silver / Black)




No. 7 Chromed ornament panel
No. 8 Chromed-like front line plate
No. 9 Chromed front grille garnish
No.10 Chromed lamp cover Set



No.11 Chromed bumper

No.12 Chromed bumper grille
No.13 Chromed side under protectors



No.14 Chrome Lip Spoiler Set

No.15 Chrome sidestep skirts

Please refer to the part number list for other information.

The images of 2X / 3X




No.19 Chromed door panel set
No.20 Chromed-like door handle cover set
No.21 Chromed-like quarter panel ornament set
No.22 Chromed fender panel cover set



No.23 Chromed side panel



No.24 Chromed-like roof ornament



No.25 Chromed mirror cover
No.26 Chromed under mirror cover
No.27 Chromed mirror stay



Front



Front for 4WD



Rear

No.28 Chromed wheel cap

Please refer to the part number list for other information.

Aero & Economy



Image of 2X


No.36 Air deflector (variable type)


No.37 Air deflector (board type)


No.38 Air deflector (fixed type) for 2-3X


No.39 Air deflector (fixed type) for 1X

No. 29 Front grille garnish (white)
No. 30 Bumper grille (white)
No.31 Lamp cover set (white)
No. 32 Lip spoiler set (white)
No. 33 Sidestep skirt set (white)
No. 34 Mirror cover (white) 1 unit
No. 35 Under mirror cover (white)

Please refer to the part number list for other information.

Functional & Convenience



No.44 Roof carrier (steel)
(Color: white or trans blue)



No.45 Roof rack



No.46 Multi stay base kit



No.47 Mud flap (ISUZU)




No.48 Mud flap (wave design)



No.49 Mud flap stay for resin fender



No.50 Mud flap stay (stainless)



No.51 EL sign board



No.52 Ash tumbler

Please refer to the part number list for other information.

Functional & Convenience



No.53 Remote control key cover (sunburst / red / metal-like)



No.55a Door visor set
(acrylic, door mirror type, 2-5X)
Carried over from 700P

Please refer to the part number list for other information.

Functional & Convenience




No.58 Door edge protector set



No.59 Cargo rubber mat



No.60 Gate protector



No.65 Switch



No.66 1DIN switch storage box



No.67 Urea water tank cap cover



No.68 Utility hook



No.69 USB power outlet

Please refer to the part number list for other information.

No.65 Switch Harness Set for Bodyworks (Push-type and Rocker-type)

1. Exclusively designed to fit the vehicle's existing switch space, simplifying wiring.
2. Other two Isuzu parts (Relay and Relay harness) are required to install it.
3. Please refer to the part number list for other information.

Type	Voltage	Part number
Push type	24V	1-8672-4051-0
	12V	5-8671-4122-0





Indicator Illuminated


Type	Voltage	Part number
Rocker type (See-saw)	12&24V	1-8672-4064-0




No.66 1DIN Switch storage box

Part number	5-8671-3124-0

1. For uses who equip lots of switches.
2. Space Optimization : 5 switches can be installed.
3. Compatible for new and current N-series.
4. 4 switch covers included. Isuzu part 8-98025-954-1





Switch cover


No.67 Urea Tank Cap Cover with Key

Part number	5-8671-1234-0

1. Selling point: It protects AdBlue (Urea) and tank from vandalism, so it is Safe and Secure.
2. Cap logo: ISUZU
3. 2 same keys included



Our new model tank cap cover



Isuzu standard Urea Tank Cap

No.69 USB Power Outlet

1. Compatible with both Type-C & Type-A.
2. Rapid Charge: USB-C charges twice as fast as USB-A.
   USB-A: Max. 12W (2.4A/5V)
   USB-C: Max. PD27W (3A/5V,3A/9V,1.8A/15V,1.35A/20V)
   (Outputs: 1x USB-A, 1x USB-C)
3. Illumination（White）on the center of it.
4. Service connector harness is required. PN. 5-8671-4084-3 (Scheduled Release in Jan. 2026)

Caution: For 24V vehicles, the maximum current consumption is 2.5A,
For 12V vehicles, the maximum current consumption is 5.0A,
so please be aware of the shared current value of the connected devices.

Accessory	Part number
USB power outlet	1-8672-4050-1
Service connector harness	5-8671-4084-3





Indicator Illuminated

Interior







No.70 Interior panel set (Sun burst)

※For 1 and 2X cab, the dash panel section cannot be installed in the case of the OPT extended DIN.



Extended DIN

No.71 Shift cover set (Sun burst)



No.72 Interior panel set (Piano black)



No.73 Shift cover set (Piano black)




No.74 Interior panel set (Wood like)



No.74 Shift cover set (Wood like)





No.76 Console side pocket



No.77 Center multi console

Seat Cover Lineup



78. Normal (Navy)
79. Clear vinyl
80. Vinyl leather
81. Leather-like
82. High durability

Sale of seat covers through ISZE is prohibited due to the presence of RoHS-restricted substances.

Please refer to the part number list for other information.



No.83 Instrument panel tray



No.84 Rear pocket (Carried over from 700P)



No.85 Floor tray mat





Storage image

No.86 Sunshade



87. Tray for cab back space



No.88 Carpet mat



No.89 Rubber mat (RHD&LHD)

No.77 Center multi console

1. Selling point: The top functions as a lid, opening to reveal a large-capacity storage space.
   It also includes a cup holder.
2. Maximum load: 20kg
3. Please refer to the part number list for other information.


Part number	5-8671-3125-0






Example of Use
(Top Open)

Storage area



Total maximum load: 15 kg
(Do not place items weighing more than 10 kg on areas A to D.)

Installation Overview



No.83 Instrument panel tray

Part number	5-8671-3125-0


Selling points:

1. Expand Storage Space
2. Convenient Space for gadgets

Note: Use only when stationary



Example of use



Installation point

No.86 Sunshade

Compatibility	Part number
2X	5-8671-3082-1
3X	5-8671-3083-1

Selling points:

1. Prevent sunshine while the driver rests.
2. Three parts (Front, Right side, Left side) and fits perfect with cab windows
3. Fire resistant material








Storage bag

No.89 Rubber mat for RHD

Features a tray-type design with raised outer edges. This keeps your floor clean even if you step in with dirty shoes, and it's easy to wash with water.





No.	Part Number	Vehicle Model	T/M	Description
89	5-8671-3172-0	2X	MT	For without footrest
	5-8671-3173-0	2X	AT	For with footrest, Part A is cut off.
	5-8671-3174-0	3X	MT	For without footrest
	5-8671-3175-0	3X	AT	For with footrest, Part A is cut off.


Length unit: mm

Rubber Mat and Floor carpet – Excerpt of installation

INSTALLATION


1. Refer to **Fig.-2**, remove the existing side sill cover Torx screw, and install the ③ Screw and ④ Spacer.
2. Refer to **Fig.-2**, attach the hook of ① Rubber mat (driver's seat) to the ③ Screw, and set it on the floor. Next, set the ② Rubber mat (passenger seat) on the floor, and place the part where ① Rubber mat (driver's seat) and ② Rubber mat (passenger seat) overlap so that ① Rubber mat (driver's seat) is on top.

Fig.-2



Rear Rubber mat for crew cab

2X



3X



No.	Part Number	Vehicle model
89	5-8671-3177-0	2X
	5-8671-3178-0	3X

Length unit: mm

Safety & Utility



No.94 Steering wheel lock



No.95 Number plate lock bolt



No.116 Purple saver



No.116a Purple saver PRO



No.96 Battery lock nut



No.103 Step lamp LED
(Replacement bulb)



No.117 Triangle warning



No.118 LED emergency light with light
No.119 LED emergency light



No.104 Welcome lamp

Introduction movie
(YouTube / Japanese)



No.120 Rescue tool

Please refer to the part number list for other information.

URL and Social media accounts

Isuzu A&S website : https://www.ias-isuzu.co.jp/

Email Address for Inquiries: ias-japan@ias-isuzu.co.jp

Isuzu A&S Official Social Media Accounts

Youtube　　X　　Facebook

3D accessory simulator

You can accessorize Isuzu trucks as you like!

Link: https://www.ias-accessory-simulator.jp/



Before



After



* Since the sites are in Japanese, please use a browser translation tool.

ISUZU A&S Co., Ltd. reserves the right to change specifications and equipment without notice. Details of specifications and equipment mentioned or shown in this catalogue are also subject to change to meet local conditions and government requirements. Please inquire at your local ISUZU dealer for more complete details of any such changes that may be required.

Note: Actual vehicle body colour may vary slightly from the colours in the photographs printed in this catalogue.
Some of the accessories and equipment shown in this catalogue have been used for photo shooting purposes only and are not equipped on the actual vehicles.

Please ensure that your motor insurance policy provides adequate coverage for additionally fitted accessories.

All rights reserved. No part of this catalogue may be reproduced in any form or by any means without the prior written permission of ISUZU A&S Co., Ltd.

Some accessories and equipment shown in this catalogue may not meet your local conditions and government requirements.

P/N(Part Number) shown in this catalogue is subject to change due to specification changes.

All accessories are designed to install Japanese vehicle specifications.
Therefore, some accessories may not be able to install due to local specification differences.