Attachment A

Cookie Policy: Aftersales Awards System – STELLAR-

Cookie Policy

This website uses cookies. We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

1. Cookies

Cookies are text files containing small amount of information which are stored on your device when you visit a website. Our website use cookies and other tracking technologies to understand the usage of our website and to make its contents, design, or services more user-friendly and customized for your needs. Some optional cookies specified in Section 2 (b, c and d) require your consent before we use them on our website. So please read through this cookie policy and let us know your acceptance for each category of cookies from ISUZU Aftersales Awards 2026 Entry Form . Cookies will not be used for any purpose other than what described on this cookie policy and your consent can be withdrawn anytime mentioned above or by the process described in Section 3.

2. Categories of Cookies

We use following four categories of cookies based on the function and the purpose for which they are used:

a. Necessary: Strictly necessary to browse the website and to use its features.

b. Functional: Preferences: Used by the website to remember choices made previously. Language settings are an example of a preference type cookie.

c. Functional: Statistics: Used to collect information about how a website is used, including links clicked and which pages users visited.

d. Marketing: Used to track online activity for a more personalized experience, including relevant advertisement.

Cookies are also classified based on who set the cookies and how long cookies are stored:

- First party cookies: these cookies are generated by our website (the same domain as in the address bar).
- Third party cookie: these cookies are generated by a domain other than that of our website.
- Session cookies: these cookies are created temporally and deleted when you close the browser.
- Persistent cookies: these cookies remain on user's device for the specific period of time.

Our website has some links to third party websites (such as our dealer's websites) which may also use cookies. It is recommended that you check the relevant information on the cookie policy of each webpage.

3. How to Disable Cookies

Most browsers are set up to accept cookies, but you can disable them anytime by changing the settings of your browser. Since the process to change the setting differs between each browser, please refer to each support page for the details. Followings are the support pages of browsers widely used:

Edge, Internet Explorer：https://support.microsoft.com

Firefox：https://support.mozilla.org

Chrome：https://support.google.com/chrome/

Safari : https://support.apple.com/

Your consent applies to the following domains: https://isuzumotorslimited.my.site.com/awards/

Change Your Consent

Provider	Cookie Name	Duration	Cookie Type	Description
Salesforce	__Secure-has-sid	Session	Required	Detects a user's login state on the client side. Set during login to Aura or LWR Experience. Never set this cookie to HttpOnly.
Salesforce	_ga	2 Years	Required	A third-party cookie that's used if the site admin chooses to track site users with a Google Analytics tracking ID.
Salesforce	{UserId}_KMPage	1 Day	Functional: Preferences	In Salesforce Classic, used to read the last user selection for 'Find in View', 'Article Language', {DataCategory}, and 'Validation Status' in Article Management.
Salesforce	{UserId}_KnowledgePageDispatcher	Session	Functional: Preferences	In Salesforce Classic, used to remember the user selection to determine whether to show 'Articles' or 'My Drafts' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilter{DataCategory}	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the data category filter in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterArticleArticleType	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the article type filter for 'Articles' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterArticlePublishStatus	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the publish status filter for 'Articles' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterArticleValidationStatus	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the validation status filter for 'Articles' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterLanguage	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the language filter in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterMyDraftArticleType	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the article type filter for 'My Drafts' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterMyDraftPublishStatus	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for publish status filter for 'My Drafts' view in Knowledge.
Salesforce	{UserId}_KnowledgePageFilterMyDraftValidationStatus	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for the validation status filter for 'My Drafts' view in Knowledge.

Salesforce	{UserId}_KnowledgePageSortFieldArticle	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for 'Sort by' for the 'Articles' view in Knowledge.
Salesforce	{UserId}_KnowledgePageSortFieldMyDraft	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for 'Sort by' for 'My Drafts' view in Knowledge.
Salesforce	{UserId}_spring_KmMlAnyoneDraftArticlesList	1 Day	Required	In Salesforce Classic, used to configure layout properties for the Draft Articles view in Article Management.
Salesforce	{UserId}_spring_KmMlArchivedArticlesList	1 Day	Required	In Salesforce Classic, used to configure layout properties for 'Archived Articles' in Article Management.
Salesforce	{UserId}_spring_KmMlMyDraftArticlesList	1 Day	Required	In Salesforce Classic, used to configure layout properties for 'Draft Articles' assigned to 'Me' in Article Management.
Salesforce	{UserId}_spring_KmMlMyDraftTranslationsList	1 Day	Required	In Salesforce Classic, used to configure layout properties for 'Draft Translations' in Article Management.
Salesforce	{UserId}_spring_KmMlPublishedArticlesList	1 Day	Required	In Salesforce Classic, used to configure layout properties for 'Published Articles' in Article Management.
Salesforce	{UserId}_spring_KmMlPublishedTranslationsList	1 Day	Required	In Salesforce Classic, used to configure layout properties for 'Published Translations' in Article Management.
Salesforce	<namespace>_sid	Session	Required	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.
Salesforce	<userId>expid_[site prefix]	30 Days	Functional: Statistics	Used to render pages based on specified brand.
Salesforce	52609e00b7ee307e	Session	Required	Browser Fingerprint cookie. Used to detect session security problems.
Salesforce	79eb100099b9a8bf	Session	Required	Browser Fingerprint trigger cookie. Used to detect session security problems.
Salesforce	activeView	Session	Functional: Preferences	In Salesforce Classic, used to remember the last user selection for 'Articles' or 'Translations' tab in Article Management.
Salesforce	AgentConsoleFE	Session	Functional: Preferences	In Salesforce Classic, used to remember the page style of the Agent Console.
Salesforce	AgentConsoleS	Session	Functional: Preferences	In Salesforce Classic, used to remember the page style of the Agent Console.
Salesforce	AgentConsoleY	Session	Functional: Preferences	In Salesforce Classic, used to remember the page style of the Agent Console.

Salesforce	AgentConsoleX	Session	Functional: Preferences	In Salesforce Classic, used to remember the page style of the Agent Console.
Salesforce	alohaEpt	90 Seconds	Functional: Statistics	Used to calculate the ExperiencePageTime on Salesforce Classic pages.
Salesforce	apex__EmailAddress	1 Year	Required	Caches contact IDs associated with email addresses.
Salesforce	auraBrokenDefGraph	1 Week	Functional: Statistics	Used to track when a Lightning page has malformed HTML.
Salesforce	autocomplete	60 Days	Functional: Preferences	Determines if the login page remembers the user's username.
Salesforce	BAYEAX_BROWSER	Expired on Creation	Required	Identify a unique browser subscribed to CometD streaming channels.
Salesforce	BrowserId	1 Year	Required	Used for security protections. Rendered on a subset of Salesforce domains, including .salesforce.com, .force.com, and the domains for Salesforce login pages, Lightning pages, and Experience Cloud sites.
Salesforce	calViewState	Session	Functional: Statistics	Sets the inline calendar date state in Salesforce Classic (current week selected).
Salesforce	caPanelState	Session	Functional: Preferences	Saves the open, closed, and height percent states of the calendar panel.
Salesforce	clientSrc	Session	Required	Used for security protections.
Salesforce	communityId	Session	Required	Cookie set to tie the ideas to a specific Experience Cloud site.
Salesforce	CookieConsent	1 Year	Required	Used to apply end-user cookie consent preferences. Stores a Boolean for whether user has consented to the cookie policy options offered by the site. Without this cookie, customers would not be able collect consent from their end users.
Salesforce	CookieConsentPolicy	1 Year	Required	Used to apply end-user cookie consent preferences set by our client-side utility.
Salesforce	cookieSettingVerified	Session	Required	Used to create a popup message telling users that cookies are required.
Salesforce	cordovaVersion	Session	Required	Used for internal diagnostics with mobile applications.
Salesforce	cqcid	1 Year	Functional: Statistics	Used to track a guest shopper's browsing activity.

Salesforce	csssid	Session	Required	Used to establish a request context in the correct tenant org.
Salesforce	csssid_Client	Session	Required	Enables user switching.
Salesforce	devOverrideCsrfToken	Session	Required	CSRF Token.
Salesforce	dialpadShown	Session	Required	Used in essential Open CTI functionality to determine the dial pad focus.
Salesforce	disco	Session	Required	Tracks the last user login and active session for bypassing login (For example, OAuth immediate flow).
Salesforce	FedAuth	Session	Required	For the SharePoint connector, used to authenticate to the top-level site in SharePoint.
Salesforce	force-proxy-stream	3 Hours	Required	Ensures that client requests hit the same proxy hosts and are more likely to retrieve content from cache.
Salesforce	force-stream	180 Minutes	Required	Used to redirect server requests for sticky sessions.
Salesforce	gTalkCollapsed	1 Year	Required	Controls whether the sidebar in Salesforce Classic is open or not for a user.
Salesforce	hideDevelopmentTools	Session	Functional: Preferences	Used to determine whether to show the developer tools.
Salesforce	hideFilesWarningModal	50 Years	Functional: Preferences	Stores the user acknowledgment that a public link to a Salesforce file is on email send. The warning window isn't continually shown after the user acknowledges this action.
Salesforce	hideIdentityDialog	1 Year	Functional: Preferences	Hides the dialog box that informs that the current user is logged out when switching to another user.
Salesforce	idccsrf	Session	Required	Tracks CrossSiteRequestForgery validation for certain SSO flows.
Salesforce	ideaToggle	Session	Functional: Preferences	Show the 'Ideas' list view or the 'Feed' list view.
Salesforce	inst	Session	Required	Used to redirect requests to an instance when bookmarks and hardcoded URLs send requests to a different instance. This type of redirect can happen after an org migration, a split, or after any URL update.
Salesforce	iotcontextsplashdisable	10 Years	Functional: Preferences	For the IoT product, stores user preference of whether to show Context Splash popup.

Salesforce	language	Session	Required	Identifies the language for custom components, surveys, and flows, which support multiple languages. Without this cookie, translations for custom features can appear incorrectly.
Salesforce	lastActivePage	Session	Required	Used in essential Open CTI functionality, such as determining if CTI should screen pop the current call object.
Salesforce	lastCallObjectId	Session	Required	Used in essential Open CTI functionality, such as determining if CTI should screen pop the current call object.
Salesforce	lastlist	Session	Required	Used to store the cookie name for the last list URL.
Salesforce	liveagent_invite_rejected_	Session	Functional: Statistics	Instructs Live Agent not to reissue an invitation on the same domain. Deletion of this cookie degrades customer experience as they can get repeated invitations.
Salesforce	liveagent_sid	Session	Required	Identifies a Live Agent session. Stores a unique pseudonymous ID for a specific browser session over chat service.
Salesforce	lloopch_loid	1 Year	Required	Determines whether to send the user to a specific portal login or an app login.
Salesforce	login	60 Days	Functional: Preferences	If the user's session has expired, used to fetch the username and populate it on the main login page when using the process builder app.
Salesforce	logouturl	Session	Functional: Preferences	Stores the last logged in org for redirecting requests. Used for logging whether the cookie is present in site and community guest-user requests.
Salesforce	oid	1 Year	Required	Stores the last logged in org for redirecting requests. Used for logging whether the cookie is present in site and community guest-user requests.
Salesforce	oinfo	3 Months	Functional: Statistics	Tracks the last logged in org.
Salesforce	pctrk	1 Year	Required	Used to count unique page views by unauthenticated (guest) users in Experience Cloud sites against a Customer's billing entitlements.
Salesforce	pc-unit	1 Year	Functional: Preferences	Sets a preference for displaying platform cache units to either MB or KB.
Salesforce	PicassoLanguage	Session	Required	Used to store a user's language selection for this Experience Builder site. The site doesn't load without this cookie if the user changes the site's language.
Salesforce	PicassoViewMode	Session	Functional: Preferences	Stores a user's view mode selection for this Experience Builder site.

Salesforce	PreferredLanguage<18-char SiteID> for example, PreferredLanguage0DMxx0000004C93GAE	1 Year	Functional: Preferences	Used to store the user language preference for language detection and localized user experience in LWR sites. Used to store the user language preference for language detection and localized user experience in LWR sites.
Salesforce	promptTestMod	30 Days	Required	Stores whether test mode is in effect. This cookie is read-only.
Salesforce	redirectionWarning	1 Year	Functional: Preferences	Enables the customer to store URLs that are exempt from setting a redirect warning interstitial page on an allowlist.
Salesforce	rememberUn	60 Days	Functional: Preferences	Track the Remember Me checkbox that the user selected to enable login hint.
Salesforce	renderCtx	Session	Required	Used to store site parameters in the session for reuse across requests by a single client for functionality and performance reasons. Metadata required for fetching site pages and components based on pageId, schema, viewType, brandingSet, for mFactor, and audience targeting.
Salesforce	RRetURL	Session	Required	Used with 'Log in As' to restore the original state.
Salesforce	RRetURL2	Session	Required	The return URL to redirect to when logging out of a session.
Salesforce	RSID	Session	Required	Session ID and login-as session ID. In this case the cookies are copied to the response and cause the target URL to rebuild appropriately in a proxy situation. The cookies aren't created, examined, or modified.
Salesforce	rsid2	Session	Required	Stores the encrypted original session ID when switching to a site while switched in as an internal user.
Salesforce	schgtclose	0	Functional: Statistics	Deprecated feature, not used.
Salesforce	sfdc_lv2	1 Year	Required	Stores identity confirmation details for Experience Cloud users. If the cookie isn't set or it expires, users must repeat the identity confirmation process the next time that they log in. Identity confirmation requires a verification method such as SMS, an authenticator app, or a security key.
Salesforce	sfdc-stream	3 hours	Required	Used to maintain a sticky (persistent) session on the salesforce.com domain. Makes sure that subsequent streaming requests are forwarded to the same server instance where the streaming subscription request was originally handled.
Salesforce	showNewBuilderWarningMessage	100 years	Functional: Preferences	Used to show or hide a warning message for the new dashboard builder.
Salesforce	sid	Session	Required	SessionID.

Salesforce	sid_Client	Session	Required	Used to detect and prevent session tampering.
Salesforce	sidebarPinned	10 Years	Required	Controls the state of the Salesforce Classic sidebar.
Salesforce	sitePreview	Session	Required	Stores the authentication code for previewing the site. Preview mode doesn't load without this cookie.
Salesforce	ssostartpage	1 Year	Required	Identifies the Identity Provider (IdP) location for SSO; certain service provider initiated SSO requests can fail without this cookie.
Salesforce	SUCSP	Session	Required	Used when the user identity that an administrator is assuming (via Log in to Experience as User) is a Customer Success Portal (CSP) user.
Salesforce	SUPRM	Session	Required	Used when the user identity that an administrator is assuming (via Log in to Experience as) is a Partner Relationship Management (PRM) portal user.
Salesforce	t	Expired on Creation	Functional: Statistics	Used to avoid duplicate access checks.
Salesforce	useStandbyUrl	Not Set	Required	Controls how quickly to set the standby URL when loading the softphone.
Salesforce	waveUserPrefFinderLeftNav	100 Years	Functional: Preferences	Preference for left navigation UI in CRM Analytics.
Salesforce	waveUserPrefFinderListView	100 Years	Functional: Preferences	Preference for displaying list views in CRM Analytics.
Salesforce	webact	1 Year	Functional: Statistics	Used to collect metrics per page view for personalization.
Salesforce	WelcomePanel	1 Day	Functional: Preferences	Stores Experience Cloud preferences.