# PMS / Service / Maintenance Intervals — Authoritative Mailbox Sources Only

**Created:** 2026-07-27

**Author filter (hard rule):** only intervals traceable to mail and/or PDF attachments from:

| Person | Role / entity | Email (from Outlook) |
|---|---|---|
| **Duncan Young** | Parts Director, Isuzu Truck (UK) Ltd (ITUK) | `duncan.young@isuzutruck.co.uk` |
| **Takayoshi Suzuki** | ISZJ / IML International Parts | `Takayoshi_Suzuki@isuzu.com` |
| **René Paul** | Aftersales Service Specialist, Isuzu Motors Germany GmbH (IMG) | `rene.paul@isuzu.de` |

**Search method:** Outlook COM across Jerome's mailbox stores (`jerome.van.der.pluym@isuzu-e.com`, Sales, Parts), Restrict filters on sender name/email, subject search for `Interval maintenance` / `maintenance schedule` / `service interval` / `PMS interval`, PDF attachment save + text/visual extraction.

**Deliverable path:**

`C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\PMS_Intervals_Authoritative_Sources.md`

**Working pull folder (attachments + OCR/render helpers):**

`C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\`

## Executive result

| Sender | Interval numbers found? | Primary evidence |
|---|---|---|
| **René Paul (IMG)** | **YES** — GIDSS workshop-manual maintenance schedules (N & F series, MY14 & MY24) | Email 2026-07-16 + 4 PDFs |
| **Duncan Young (ITUK)** | **NO** numeric service intervals | 12 inbox mails; 1 PDF (strategy/accessories, no PMS km grid) |
| **Takayoshi Suzuki (ISZJ/IML)** | **NO** numeric service intervals | 19 inbox mails; PMS = parts promotion / APL / BVP filters, not service schedule |

**Interval entries in this document:** ~55+ discrete replace/inspect intervals with explicit km/mi/months (René / GIDSS only).

**Explicit gaps:** listed in §4 (ITUK visits/yr, IML schedule PDF from Suzuki, D-Max/RT schedules only from Georg Fischer on same thread — excluded).

## 1. René Paul (IMG) — authoritative

### 1.1 Source email

| Field | Value |
|---|---|
| **Sender** | René Paul (`Rene.Paul@isuzu.de` / `rene.paul@isuzu.de`) |
| **Date** | 2026-07-16 07:24 |
| **Subject** | `Re: Interval maintenance` |
| **Source type** | Email + PDF attachments |
| **Folder** | `\\jerome.van.der.pluym@isuzu-e.com\Inbox` |
| **Outlook EntryID** | …`0008C5EDB49F0000` (full ID in `pms_intervals_mail_pull\pdf_hits.json`) |

| | |
|---|---|
| **Context** | Jerome asked (2026-07-15) for N & F series (P700 + previous model) schedules; René replied with GIDSS workshop-manual PDF prints. |

**Attachments (saved under):**

`C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\attachments\`

| Attachment filename | Saved as |
|---|---|
| `GIDSS_maint_N_MY24.pdf` | `20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY24.pdf` |
| `GIDSS_maint_N_MY14.pdf` | `20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY14.pdf` |
| `GIDSS_maint_F_MY24.pdf` | `20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY24.pdf` |
| `GIDSS_maint_F_MY14.pdf` | `20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY14.pdf` |

**Legend (all GIDSS schedules):** I = Inspect; A = Adjust; R = Replace; T = Tighten; L = Lubricate.

Intervals are typically **odometer or months, whichever comes first**.

## 1.2 Market / model: N-series MY24 (P700 era) — `GIDSS_maint_N_MY24.pdf`

**PDF:**
`C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\attachments\20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY24.pdf`

**Source type:** PDF (from René)

**Sender / date / subject:** René Paul · 2026-07-16 · Re: Interval maintenance

**Attachment:** `GIDSS_maint_N_MY24.pdf`

### A) NLR88 / NMR88 / NPR88 — **4JZ1** (pages 1–3)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil | When “engine oil and filter indicator light” displayed **or** every **12** months | alert / months | R | Note *2: light illuminates by **max 40,000 km (24,000 mi)** |
| Engine oil filter | Same as engine oil | alert / months | R | Same *2 cap |
| Fuel filter element | **40,000** (also 80/120/160) | km | R | or every **12** months; Severe X |
| Fuel filter element | **24,000** (49/75/99) | miles | R | same row |
| Pre-fuel filter | **40,000** cycle | km | R | or every **12** months; Severe X |
| Air cleaner element | **I** at 20/60/100/140; **R** at **40/80/120/160** | ×1,000 km | I/R | or every **24** months R; Severe X |
| Drive belt | every **20,000** | km | I | or every **12** months |
| Engine coolant | every **12** mo I; every **24** mo R | months | I/R | when Isuzu recommended coolant used |
| Brake fluid | **40,000** | km (24,000 mi) | R | or every **24** months |
| Brake lining/pad/fluid level | every **20,000** | km (12,000 mi) | I | or every **12** months; Severe X on several items |
| Transmission oil (MYY / MYR) | **R** every **40,000** | km (24,000 mi) | R | I on alternate 20k steps; or every **24** months; Severe X |
| [M/T] Clutch fluid | **R** every **40,000** | km | R | I alternate 20k; replace every **24** months |
| [DCT] DCT clutch oil | **R** every **40,000** | km | R | or every **24** months; Severe X |
| Differential gear oil | **R** every **40,000** | km | R | or every **24** months; Severe X |
| PM sensor | **240,000** | km (149,000 mi) | R | or every **180** months |
| NOx sensor | **280,000** | km (174,000 mi) | R | or every **180** months |
| O2 sensor | **240,000** | km (149,000 mi) | R | or every **180** months |

**Grid base for this schedule:** columns at 20 / 40 / 60 / 80 / 100 / 120 / 140 / 160 ×1,000 km (12 / 24 / 37 / 49 / 62 / 75 / 87 / 99 ×1,000 miles).

### B) NPR75 — **4HK1** / N75 (pages 3–5) — *N75 flagship for ITUK PMS math*

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil (except Israel) | **40,000** | km | R | at 40/80/120/160; or every **12** months; Severe X |
| Engine oil (except Israel) | **24,000** | miles | R | same |
| Engine oil (Israel) | **22,500** | km (14,000 mi) | R | or every **12** months; Severe X |
| Engine oil filter | same as oil (ex-Israel / Israel) | km / mi | R | Severe X |
| Fuel filter element | **40,000** cycle | km | R | or every **12** months; **also** when fuel-filter indicator light on |
| Pre-fuel filter | when fuel-filter indicator light | alert | R | |
| Air cleaner element | when air-cleaner inspection indicator light | alert | I (else) | indicator-driven |
| AdBlue filter | **200,000** | km (124,000 mi) | R | Severe X |
| Brake fluid | **40,000** | km (24,000 mi) | R | or every **24** months |
| Brake pad / fluid level inspect | every **20,000** | km | I | Severe X on pad/fluid |
| Transmission oil (MZZ) | **R** every **40,000** | km | R | or every **24** months; Severe X |
| [M/T] Clutch fluid | **R** every **40,000** | km | R | or every **24** months |
| [SA] Smoother clutch oil | **R** every **40,000** | km | R | or every **24** months; Severe X |
| Differential gear oil | **R** every **40,000** | km | R | or every **24** months; Severe X |
| Power steering fluid | **40,000** | km | R | or every **24** months |
| Power steering hose | **80,000** | km (49,000 mi) | R | or every **48** months |
| PM sensor | **240,000** | km | R | or every **180** months |
| NOx sensor | **280,000** | km | R | or every **180** months |

### C) NLR87 — **RZ4E** (pages 6–8)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil | **20,000** | km (12,000 mi) | R | every 20k step; or every **12** months; Severe X |
| Engine oil filter | **20,000** | km | R | same; Severe X |
| Oil/filter alert (*2 on later note page) | if alert shown at **< 20,000** km (12,000 mi) | km | R | follow indicated interval |
| Fuel filter element | **40,000** cycle | km | R | or every **12** months |
| Pre-fuel filter | **40,000** cycle | km | R | or every **12** months |
| Air cleaner element | **R** at **60 / 120**; **I** other 20k steps | ×1,000 km | I/R | or every **24** months R; Severe X |
| Drive belt | every **20,000** | km | I | or every **12** months |
| PM sensor | **240,000** | km | R | or every **180** months |
| NOx sensor | **300,000** | km (186,000 mi) | R | or every **180** months |
| O2 sensor | **240,000** | km | R | or every **120** months (per table) |
| Power steering fluid | **40,000** | km | R | or every **24** months |

## 1.3 Market / model: N-series MY14 (previous) — `GIDSS_maint_N_MY14.pdf`

**PDF:** `...\attachments\20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY14.pdf`

**Sender / date / subject / attachment:** René Paul · 2026-07-16 · Re: Interval maintenance · `GIDSS_maint_N_MY14.pdf`

### A) Normal schedule — NLR85 / NLS85 / NMR85 / NNR85 / NPR85 (models No. 1–2)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil (Israel) | **10,000** | km | R | or every **12** months |

| | | | | |
|---|---|---|---|---|
| Engine oil (no PTO, except Israel) | **15,000** | km | R | or every **12** months |
| Engine oil (with PTO, except Israel) | **10,000** | km | R | or every **12** months |
| Engine oil filter | same splits as oil | km | R | Israel / PTO / no-PTO |
| Fuel filter element | **40,000** | km | R | or every **12** months |
| Pre-fuel filter | **40,000** | km | R | or every **24** months |
| Air cleaner element | **R** every **40,000**; **I** every **10,000** | km | I/R | or every **24** months |
| Clutch fluid [M/T] | **R** every **45,000** | km | R | I every ~20k; or every **27** months |
| Transmission oil | **R** every **45,000** | km | R | or every **24** months |
| Smoother clutch oil | **R** every **45,000** | km | R | or every **24** months |
| Differential gear oil | **R** every **45,000** | km | R | or every **24** months |

### B) NPR75 model No. 1–2 (chassis continuation pages)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Brake fluid | **45,000** / **90,000** | km | R | or every **27** months |
| Power steering fluid | **40,000** / **80,000** | km | R | or every **24** months |
| Power steering hose | **80,000** | km | R | or every **48** months |
| Wheel hub bearing grease | **40,000** / **80,000** | km | R | or every **24** months |
| AdBlue filter (if equipped) | **200,000** | km (124,000 mi) | R | |
| Kingpin (rigid front) | every **10,000** | km | L | or every **12** months |
| Brake system inspect | ~ every **5,000–10,000** | km | I | table dense; see PDF p2–p3 |

### C) Severe-condition schedule (PDF text extract, pages 4–5)

| Category / part | Value | Units | Action | Engine / note |
|---|---|---|---|---|
| Engine oil | **10,000** | km (6,000 mi) | R | **4JJ1** without PTO (except Israel) — conditions A/B |
| Engine oil | **7,500** | km (4,500 mi) | R | **4JJ1** with PTO (except Israel); also **4JJ1 Israel** |
| Engine oil | **10,000** | km (6,000 mi) | R | **4HK1** |
| Engine oil filter | same as oil rows above | km | R | 4JJ1 / 4HK1 splits |
| Air cleaner element | **I** every **5,000**; **R** every **20,000** | km | I/R | dusty (C) marked |
| Transmission oil | **20,000** | km (12,000 mi) | R | |
| Smoother clutch oil | **20,000** | km | R | |
| Differential gear oil | **20,000** | km | R | |
| Brake shoe/drum wear | **I** every **10,000** | km | I | |
| Disc pad/disc wear | **I** every **5,000** | km | I | |

## 1.4 Market / model: F-series MY24 — `GIDSS_maint_F_MY24.pdf`

**PDF:** `...\attachments\20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY24.pdf`

**Sender / date / subject / attachment:** René Paul · 2026-07-16 · Re: Interval maintenance · `GIDSS_maint_F_MY24.pdf`

### A) Italy, Israel, Portugal, United Kingdom, Ireland — **4HK1** (section header on p1)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil | when “engine oil and filter indicator light” on MID | alert | R | Severe X |
| Engine oil filter (main + partial) | same indicator | alert | R | Severe X |
| Fuel filter (engine-side + chassis-side) | when “fuel filter indicator light” on MID | alert | R | |
| Air cleaner element | when “air cleaner inspection indicator light” on MID | alert | R (else I) | |
| Oil separator element | every **12** | months | R | |
| Fuel hose | every **48** | months | R | |

| | | | | |
|---|---|---|---|---|
| Engine coolant | **12** mo I; **24** mo R | months | I/R | Isuzu recommended coolant |
| AdBlue filter (4HK1-TCH) | **80,000** | km (50,000 mi) | R | Severe X |
| DPD pressure check / filter cleaning | **100,000** | km (62,000 mi) | I | or every **12** months |
| PM sensor | **240,000** | km (149,000 mi) | R | |
| NOx sensor | **280,000** | km (174,000 mi) | R | |
| Brake fluid | **R** every **40,000**; **I** alternate 20k | km | I/R | or every **12** months (table) |
| Brake lining wear | every **20,000** | km | I | or every **12** months; Severe X |
| Brake hose | **R** at **80,000 / 160,000** | km | R | or every **24** months |
| ABS modulator rubber parts | every **24** | months | R | |
| Brake chamber piggy-back | every **36** | months | R | |
| Brake expander overhaul | every **36** | months | OH | |
| Brake valve / EPM | every **10** | years | R | |

### B) Australia / New Zealand — **4HK1** & **DB6A** (later sections)

Header text in PDF (extractable): schedules split by fuel consumption **≥ / < 18.2 L/100 km** (4HK1), plus separate **DB6A** block.

**Transmission oil (ES-9306A)** extractable text includes:

| Category / part | Value | Units | Notes |
|---|---|---|---|
| Oil level check (linehaul) | up to **20,000** | km (12,000 mi) | |
| Manual TX oil change — Extended Eaton PS-386 | **400,000** | km (248,000 mi) | GCW < 50 t |
| Manual TX oil change — Standard Eaton PS-321 | **120,000** | km (74,000 mi) | |
| MTF Gear Oil API GL-4 | **100,000** | km (62,000 mi) | |
| First TX oil change (*3 note) | initial **5,000** | km (3,000 mi) | Italy/UK block note also cites this |

**Differential / Meritor axle** (text extract p23): petroleum oil change linehaul **160,000 km** / city **80,000 km** / vocational **40,000 km** (or annually); synthetic much longer (up to **800,000 km** linehaul).

> *Full engine-oil km grids for AU/NZ pages are largely image-only; treat indicator-driven EU/UK/IL/PT/IE block above as the confirmed F-MY24 4HK1 European set from this PDF.*

## 1.5 Market / model: F-series MY14 — `GIDSS_maint_F_MY14.pdf`

**PDF:** `...\attachments\20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY14.pdf`

**Sender / date / subject / attachment:** René Paul · 2026-07-16 · Re: Interval maintenance · `GIDSS_maint_F_MY14.pdf`

### A) Normal schedule (page 1 table — dense 5.5k / 11k-style columns)

| Category / part | Value | Units | Action | Notes |
|---|---|---|---|---|
| Engine oil | **R** on ~**11,000** km pattern; **I** on mid steps | km | I/R | time: **I** every **3** months; **R** every **6** months |
| Engine oil filters (main/partial/combined/separator) | **R** every **22,000** | km | R | or every **6** months |
| Fuel filter | **R** at **44,000 / 88,000** | km | R | or every **9** months |
| Air cleaner element | **R** at **44,000** and **104,500** | km | R | also time-based I/R rules on table |
| Clutch fluid [M/T] | **R** at **55,000 / 115,500** | km | R | I frequent; **R** every **15** months |
| Engine coolant | every **24** | months | R | |

### B) Severe-condition (text extract pages 5–6) — mentions **4HK1** oil separator

| Category / part | Value | Units | Action | Conditions |
|---|---|---|---|---|
| Air cleaner element | **24,000** | km (15,000 mi) or after 6th cleaning | R | dusty (C) |
| Engine oil | **10,000** | km (6,000 mi) | Change | A/B/C marked |
| Engine oil filter | **10,000** | km | Change | A/B/C |
| Engine oil separator (4HK1) | **10,000** | km | Change | A/B/C |
| Transmission oil | **24,000** | km (15,000 mi) | R | A/B |
| Clutch fluid [M/T] | **24,000** | km | Change | A |
| Smoother clutch oil | **24,000** | km | Change | A/B |
| Rear axle differential oil (Isuzu axle) | **24,000** | km | Change | A/B |
| Brake lining wear | **I** every **2,500** | km (1,500 mi) | I | A/B/C/D |
| Brake drum wear | **I** every **20,000** | km | I | A/B/C/D |

## 2. Duncan Young (ITUK) — searched; **no interval numbers**

### 2.1 Mailbox hits (Inbox Restrict on “Duncan”)

**12 messages** from `Duncan Young` / `duncan.young@isuzutruck.co.uk` (Jun–Jul 2026 sample in live Inbox). Subjects include P700 order, BPFY revision, Parts Month End, Meeting today, engine VIN queries, etc.

**Keyword scan of full bodies:** no `oil change` / `xx,000 km` / air-fuel filter **service interval** statements.

### 2.2 PDF from Duncan

| Field | Value |
|---|---|
| **Date** | 2026-07-23 14:41 |
| **Subject** | `RE: Meeting today` |
| **Attachment** | `Parts Business & Service product.pdf` |
| **Saved as** | `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\attachments\20260723_Duncan_Young_Parts_Business_Service_product.pdf` |
| **Content** | IML/ISZE parts strategy, Vision 2030, R&M programme framing, D-Max accessories — **no PMS km/mi service grid** |

### 2.3 What Duncan mail *does* say (non-interval)

- Mentions PMS Parts as a discussion point (`RE: P700 order`, 2026-07-20).
- No oil/air/fuel/brake/clutch interval values.

**→ Duncan section: zero authoritative interval entries.**

## 3. Takayoshi Suzuki (ISZJ / IML) — searched; **no interval numbers**

### 3.1 Mailbox hits

**19 messages** from `Takayoshi Suzuki ISZJ` / `Takayoshi_Suzuki@isuzu.com` in Inbox (Restrict). Topics: PMS **parts promotion**, BVP air filters, APL zip, SPA, meetings, Russian steel priority lists, SPI sheets.

### 3.2 Closest PMS-adjacent content (not service intervals)

| Date | Subject | What it contains | Interval? |
|---|---|---|---|
| 2026-07-27 / 07-24 | Demand forecast PN 5876102500 ELEMENT AIR CLEANER | BVP filter on **PMS Parts Promotion list**; ITUK awareness | **No** km interval |
| 2026-07-23 | Recommended parts list ITUK | APL zip `20260714_1037.zip` | Parts list, not schedule |
| 2026-07-24 | RE: Meeting | PMS promotion schedule for Aug 18 meeting | Meeting agenda, not service km |

**→ Suzuki section: zero authoritative interval entries.**

IML "official" service schedule PDF was **not** found as an attachment from Suzuki in this mailbox pull.

## 4. Explicit gaps (do **not** treat as authoritative under the three-sender rule)

| Gap | Why excluded / missing | | |
|---|---|---|---|
| **D-Max / RT56 / RT88-93 / RG / RG21 / BEV RG20 Service Maintenance Schedules** | Present in mailbox on **same thread** (`Interval maintenance`) but sent by **Georg Fischer** (`Georg.Fischer@isuzu.de`, 2026-07-15), **not** René/Duncan/Suzuki. PDFs saved for reference under `attachments\20260715_Georg_Fischer_*` but **not** entered as interval rows above. | | |
| **ITUK "visits per year" / annual service visit count** | Not stated in Duncan mail/PDF in this search. | | |
| **IML factory schedule PDF from Suzuki / ISZJ** | Not found as Suzuki attachment. René's GIDSS prints are workshop-manual extracts (IML copyright on footers), but **channelled via IMG René**, not Suzuki mail. | | |
| **N35-specific schedule** | Not labelled "N35" in René PDFs; closest is N-series MY14/MY24 model codes (NLR/NMR/NPR…). | | |
| **Online Archive deep history** | Outlook Restrict returned **0** Duncan/Suzuki/René hits under `Archive\…\customers\ITUK | IMG | IML` in this pass (likely incomplete local sync). Live **Inbox** is where the GIDSS PDFs were found. Older interval mails may exist only in online archive / another mailbox. |
| **Jerome's own interval models (xlsx/docx)** | Present in Sent (`PMS`, `IML PMS`) — **excluded by design** (not from the three senders). | | |

## 5. Quick reference — PMS-critical replace intervals (René / GIDSS only)

Useful for N75 / 4HK1 / 4JZ1 potential calculations. All from René 2026-07-16 PDFs.

| Vehicle / engine | Oil change | Oil filter | Air cleaner | Fuel filter | Brake fluid | Clutch fluid / oil |
|---|---|---|---|---|---|---|
| **NPR75 MY24 4HK1 (N75)** | **40,000 km** / 12 mo (Israel **22,500 km**) | same | indicator | **40,000 km** / 12 mo (+ indicator) | **40,000 km** / 24 mo | **40,000 km** / 24 mo |
| **NLR/NMR/NPR88 MY24 4JZ1** | indicator (max **40,000 km**) / 12 mo | same | **R 40,000 km** | **40,000 km** / 12 mo | **40,000 km** / 24 mo | **40,000 km** / 24 mo |
| **NLR87 MY24 RZ4E** | **20,000 km** / 12 mo (alert may be earlier) | same | **R 60,000 km** | **40,000 km** / 12 mo | *(see PDF chassis pages)* | *(see PDF)* |
| **N85 MY14 family** | **10k / 15k / 10k** km (Israel / no-PTO / PTO) | same | **R 40,000 km** | **40,000 km** | *(chassis pages)* | **45,000 km** clutch |
| **N MY14 severe 4HK1** | **10,000 km** | **10,000 km** | **R 20,000 km** | *(see PDF)* | inspect denser | TX **20,000 km** |
| **F MY24 4HK1 (IT/IL/PT/UK/IE)** | MID oil indicator | same | MID air indicator | MID fuel indicator | **R 40,000 km** | *(F brake-heavy pages)* |
| **F MY14 severe** | **10,000 km** | **10,000 km** | **24,000 km** / 6th clean | *(normal table 44k)* | lining **2,500 km** I | clutch **24,000 km** |

## 6. Provenance checklist (per user rules)

For every interval row in §§1.2–1.5:

- ☑ Value + unit recorded
- ☑ Part / category recorded
- ☑ Vehicle / model / engine recorded when stated on the PDF page
- ☑ Source type = **PDF** (René)
- ☑ Sender = **René Paul**
- ☑ Date = **2026-07-16**
- ☑ Subject = **Re: Interval maintenance**
- ☑ Attachment filename = one of the four `GIDSS_maint_*.pdf` names

Duncan / Suzuki: searched; **no interval rows** added.

## 7. Files created during this pull

| Path | Purpose |
|---|---|
| `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\PMS_Intervals_Authoritative_Sources.md` | This reference |
| `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\attachments\` | PDFs from René (+ Duncan strategy PDF; Georg out-of-scope copies) |
| `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\pdf_pages\` | Rendered PNG pages of René GIDSS PDFs |
| `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\sender_hits.json` | Outlook sender Restrict hits |
| `C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\fullbody_Re_Interval_maintenance.txt` | Full René thread body |

*End of authoritative extract. Do not merge Georg Fischer or local PC spreadsheet intervals into this list without a new mail/PDF from Duncan, Suzuki, or René.*

## Appendix A — Source email thread (René Paul, 2026-07-16)

Verbatim body from `pms_intervals_mail_pull\Rene_20260716_0724_Re_Interval_maintenance.txt`. Included for provenance only. Georg Fischer content on this thread is **out of scope** under the three-sender rule (see §4 gaps).

HI Jerome,

please find below the pdf prints from the GIDSS workshop manual.

(See attached file: GIDSS_maint_F_MY14.pdf)(See attached file: GIDSS_maint_F_MY24.pdf)(See attached file: GIDSS_maint_N_MY14.pdf)(See attached file: GIDSS_maint_N_MY24.pdf)

Best Regards,

Mit freundlichen Grüßen,

Yoroshiku Onegaishimasu,

René Paul

Aftersales Service Specialist

Aftersales Department

ISUZU MOTORS Germany GmbH

Im Weiherfeld 2

65462 Ginsheim-Gustavsburg

GERMANY

Tel.:  +49 - (0) 6134 - 558-456 / Fax: - 410

Mobile: +49 – (0) 151 – 171  55 180

E Mail : rene.paul@isuzu.de

Sitz der Gesellschaft: Ginsheim-Gustavsburg

Amtsgericht Darmstadt · HRB 53969 · Ust.-ID-Nr.: DE 192006605

Geschäftsführer: Norihiro Yoshimoto, Ottmar Degrell, Hidezo Umiyama

"Jerome Van Der Pluym" ---15.07.2026 18:43:39---Dear Rene, Can you provide the same documents for N & F series (P700 + previous model)

From: "Jerome Van Der Pluym" <jerome.van.der.pluym@isuzu-e.com>

To: "'Rene.Paul@isuzu.de'" <rene.paul@isuzu.de>

Cc: "'Antonio.Pfeifer@isuzu.de'" <antonio.pfeifer@isuzu.de>, "Bart Symons" <bart.symons@isuzu-e.com>, "Koen Matheussen" <koen.matheussen@isuzu-e.com>, "georg.fischer" <georg.fischer@isuzu.de>

Date: 15.07.2026 18:43

Subject: Re: Interval maintenance

_____

Dear Rene,

Can you provide the same documents for N & F series (P700 + previous model)

Many thanks and kind regards,

Jérôme Van der Pluym

Assistant Manager // Pricing analyst

Sales – Vehicle Parts | Isuzu Motors Europe NV

+32 475 851 089

jerome.van.der.pluym@isuzu-e.com <mailto:jerome.van.der.pluym@isuzu-e.com>

Bist 12, 2630 Aartselaar, Belgium

_____

From: Georg.Fischer@isuzu.de <Georg.Fischer@isuzu.de>

Sent: Wednesday, July 15, 2026 8:16 AM

To: Jerome Van Der Pluym <jerome.van.der.pluym@isuzu-e.com>

Cc: 'Antonio.Pfeifer@isuzu.de' <antonio.pfeifer@isuzu.de>; Bart Symons <bart.symons@isuzu-e.com>; Koen Matheussen <koen.matheussen@isuzu-e.com>

Subject: Re: Interval maintenance

Good morning Jerome,

thanks yes and hope you too.

Not 100% sure but I remember that I've already send Service Maintenance Data once in the past, except BEV, but below

all again because have them stored at this time

(See attached file: RT56_Service Maintenance Schedule.pdf), (See attached file: RT88_93_Service Maintenance Schedule.pdf),

(See attached file: RG_Service Maintenance Schedule.pdf), (See attached file: RG21_Service Maintenance Schedule.pdf)

(See attached file: BEV_RG20_Service Maintenance Schedule.pdf)

Hope that helps and wish you a nice day.

Greetings

Georg

Best Regards,

Mit freundlichen Grüßen,

Yoroshiku Onegaishimasu,

Georg Fischer

Aftersales Service Specialist

Aftersales Department

ISUZU MOTORS Germany GmbH

Im Weiherfeld 2

65462 Ginsheim-Gustavsburg

GERMANY

Tel.:  +49 - (0) 6134 - 558-401 / Fax: - 410

Mobile: +49 – (0) 151 – 171  55 106

E Mail : georg.fischer@isuzu.de

Internet: http://www.isuzu.de <https://cas5-0-urlprotect.trendmicro.com:443/wis/clicktime/v1/query?url=http%3a%2f%2fwww.isuzu.de&umid=e5858d9a-8014-11f1-90f4-70a8a5889283&rct=1784096264&auth=c409b3fe49adaa4cc1568465e413bd2c45612ee0-754dae2f2a58dfa1bb89ab01140a877ca2f8ecb8>

Sitz der Gesellschaft: Ginsheim-Gustavsburg

Amtsgericht Darmstadt · HRB 53969 · Ust.-ID-Nr.: DE 192006605

Geschäftsführer: Norihiro Yoshimoto, Ottmar Degrell, Hidezo Umiyama

"Jerome Van Der Pluym" ---14.07.2026 16:58:24---Hello Georg & Antonio, I hope you are fine.

From: "Jerome Van Der Pluym" <jerome.van.der.pluym@isuzu-e.com>

To: "georg.fischer" <georg.fischer@isuzu.de>, "'Antonio.Pfeifer@isuzu.de'" <antonio.pfeifer@isuzu.de>

Cc: "Koen Matheussen" <koen.matheussen@isuzu-e.com>, "Bart Symons" <bart.symons@isuzu-e.com>

Date: 14.07.2026 16:58

Subject: Interval maintenance

_____

Hello Georg & Antonio,

I hope you are fine.

Could you share the interval schedules for Dmax?

If you have the ones for older models RT they are also welcome.

We are trying to start the calculate the market potential for maintenance parts.

Many thanks and kind regards,

Jérôme Van der Pluym

Assistant Manager // Pricing analyst

Sales – Vehicle Parts | Isuzu Motors Europe NV

+32 475 851 089

jerome.van.der.pluym@isuzu-e.com <mailto:jerome.van.der.pluym@isuzu-e.com>

Bist 12, 2630 Aartselaar, Belgium

## Appendix B — Attachment inventory (mail pull)

Files present under `pms_intervals_mail_pull\attachments\` at export time. Georg Fischer PDFs listed for reference only — **not** used as interval sources.

| Saved filename | Scope |
|---|---|
| 20260715_Georg_Fischer_isuzu_de_BEV_RG20_Service_Maintenance_Schedule.pdf | Out of scope (not René/Duncan/Suzuki) |
| 20260715_Georg_Fischer_isuzu_de_RG21_Service_Maintenance_Schedule.pdf | Out of scope (not René/Duncan/Suzuki) |
| 20260715_Georg_Fischer_isuzu_de_RG_Service_Maintenance_Schedule.pdf | Out of scope (not René/Duncan/Suzuki) |
| 20260715_Georg_Fischer_isuzu_de_RT56_Service_Maintenance_Schedule.pdf | Out of scope (not René/Duncan/Suzuki) |
| 20260715_Georg_Fischer_isuzu_de_RT88_93_Service_Maintenance_Schedule.pdf | Out of scope (not René/Duncan/Suzuki) |
| 20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY14.pdf | Authoritative (René / GIDSS) |

| | |
|---|---|
| 20260716_Rene_Paul_isuzu_de_GIDSS_maint_F_MY24.pdf | Authoritative (René / GIDSS) |
| 20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY14.pdf | Authoritative (René / GIDSS) |
| 20260716_Rene_Paul_isuzu_de_GIDSS_maint_N_MY24.pdf | Authoritative (René / GIDSS) |
| 20260723_Duncan_Young_Parts_Business_Service_product.pdf | Searched — no PMS km grid |

## Appendix C — Mail-pull working files

| Path / file | Purpose |
|---|---|
| C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\sender_hits.json | Outlook sender Restrict hits |
| C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\fullbody_Re_Interval_maintenance.txt | Full René thread body (duplicate of Appendix A source) |
| C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\pdf_text | PyMuPDF text extracts of René (+ Duncan) PDFs |
| C:\Users\jerom\Desktop\claude\ISZE\01_data\90_INBOX\pms_intervals_mail_pull\pdf_pages | Rendered PNG pages of René GIDSS PDFs |

*Export note: This Word/PDF is a faithful export of `PMS_Intervals_Authoritative_Sources.md` plus provenance appendices.* ***No new interval numbers were added.***