ISUZU MOTORS EUROPE · AFTERSALES ANALYTICS

One key, four joins and four measurement states across the whole aftersales stack

Five layers, in the order the data actually flows: the vehicles in service, what those vehicles should consume, what competes against each part, the views that read all three, and what leaves the building. This page shows the joins between them and marks every figure with what it really is.

Built 16 Sep 2026 · 170 link targets, every one tested on disk before it was written · figures re-derived from the files named in their own tooltips, not copied from an older page

MEASURED MODELLED EXCLUDED NEEDS A JUDGEMENT

How to read a figure here. Every number is a chip you can hover, and the state is not decoration. **Measured** means a real count or a real euro from a named file. **Modelled** means an assumption or a survival curve produced it. **Excluded** means the market is out of scope or there is no denominator at all. **Needs a judgement** means two files on disk disagree and a person has to decide before the number can be used. A blank on this page is deliberately blank: where the data cannot support a figure, the tooltip carries the reason instead of showing a substitute.

The five layers, in the order the data actually flows

Each layer answers one question, consumes the layer above it, and hands its output to the one below. The state chips say what kind of figure that layer really produces, because a layer that looks authoritative but is mostly modelled is the most dangerous object in this estate.

1 · Car park / UIO

Who owns the trucks, what are they, how old are they

Units in operation (UIO): the vehicles in service. This layer supplies the denominator that every spend-per-unit, capture and age figure divides by.

Every figure below is one of the four states: measured, modelled, excluded, or needs a judgement.

163,459 UIO dashboard

7 of 22 GPS dashboard

UIO workbook repair spec

Vehicle register summary

Register scope: seven markets (BE, CY, DE, GR, IE, MT, PT), 3 238 VINs; ITUK, UK, UTI and UMI are excluded by design, which is why the two largest books have no identity layer here

2 · PRISM

What those trucks should consume, and what we actually bill them

Expected service demand from a service interval per model, then capture = billed ÷ expected. Spend per unit (GPS) is parts revenue ÷ vehicles in service. Both are siblings; both need UIO. This layer also holds the second direction of parts flow: what the distributor invoices its dealers.

30,756,772 PRISM metric dictionary

188,216 PRISM contracts

14 service categories PRISM launcher

Capture file

51.1%

Opportunity matrix

37.0%

The application itself is a live Streamlit app at port 8503. The static BI twins under `02_dashboards/bi/` are dated snapshots of four of its pages, not the live model.

3 · AIM

What competes against each part number, and at what price

Aftermarket item classification: every billed part number gets an L1 / L2 / L3 class, then a competitive exposure and a price position against the independent aftermarket. AIM keys on the part number directly, which is why it shares its join with PRISM without a fleet key in between.

98% AIM dashboard

-44,819 Competitiveness

IAM price positioning

Part number classification

AIM gap report

Classified by part number network-wide. There is no per-market classification coverage figure on disk, so none is shown here.

4 · Dashboards

The views that read the three layers above

Around twenty live pages across sales, fleet, pricing, dealer standard, operations and the hub, plus four static BI twins. They read the layers; they are not sources in their own right, and two of them still disagree about what exists.

81 Dashboard index

3 vs 1 Mission control

Workspace landing page

manifest.yaml

The dashboard index was last touched on 7 September and omits the exec paper, the growth plan and the distributor-to-dealer page. Mission control is from 26 August and still prints a superseded classification figure. Both are linked so the disagreement is visible rather than hidden.

5 · Deliverables

What leaves the building

The exec aftersales paper, the growth plan, the management pack, the distributor-to-dealer replenishment page and the distributor-facing proposals.

MEASURED ales paper

NEEDS A JUDGEMENT

Management pack

.

Distributor to dealer replenishment

The exec paper is the only aftersales artefact with a machine guard on disk: an after-build hook and an on-stop hook. That is why it is the most trustworthy page in this set.

The part number is the only key the three layers share

PRISM rolls its service demand up to a part number through the catalogue. AIM classes part numbers directly. Fitment links a part number to a model code, and the model code carries the weight class. Nothing else is common to all three, which is why the part-number registry is the real build and every screen on top of it is a view.

Vehicle
a VIN, or just a fleet count per market

→

Model code
NPR75, NLR87, FRR90, N75, F110…

→

Weight class
7.5 t, 9.0 t, 3.5 t — the bridge to a part

→

Part number
the only key all three layers share

→

AIM class
L1 / L2 / L3, exposure, price position

What the part number carries

- the aftermarket class (L1 / L2 / L3) and its competitive exposure;
- the service category, oil, fuel, air, urea, brake or clutch, and its expected demand;
- the catalogue reference that reaches a model group, and through it the fleet;
- its price level on the list, and whether it has a usable list price at all.

A part number with no documented fitment cannot be joined to a weight class, so it cannot be given a target spend. That is the most common reason a figure on this page is blank rather than small.

Model code to weight class, and where that breaks

SERIES	WEIGHT CLASS THE REGISTER READS
NLR	8.5 / 8.7 / 8.8 t
NMR	8.5 / 8.8 t
NNR	8.5 / 8.8 t

SERIES	WEIGHT CLASS THE REGISTER READS
FSR	9.0 t

Open judgement on the light class. The vehicle register reads the numeric part of the model code as a weight: NLR85, NLR87 and NLR88 become 8.5, 8.7 and 8.8 tonnes. The UK registration file says those three codes are all the same 3.5 tonne class. Both statements are on disk. Until one is settled, any target spend attached to an NLR part number is a judgement, not a measurement, and is marked as one wherever it appears.

The four joins that make five layers one system

Two of them connect the layers to each other and two connect the data to a market. None of the four is automatic today, and each one has a named weakness that the page states instead of smoothing over.

JOIN 1 · BY PART NUMBER

Demand, competition and fitment all land on the same key

PRISM counts expected and actual quantity per part number. AIM classes the same part number. Fitment ties that part number to a model, and the model carries the weight class. This is the join that turns a fleet count into a parts decision, and it is why the part-number registry is the real build.

Where it is weak: a part number with no usable list price is out of reach of any price decision, however good. 251 part numbers carried EUR 4.96M of the CY2025 billed book with no list price; a pull in August 2026 closed 220 of them, leaving 31 part numbers and EUR 0.59M.

JOIN 2 · MODEL CODE TO WEIGHT CLASS

Weight class is how a part number reaches the fleet

NPR75 is 7.5 tonnes. FRR90 and FSR90 are 9.0 tonnes. The ranges are named N35, N55, N65, N75 and F110 / F135. The project workbook, however, carries one undifferentiated light-duty bucket, so a 3.5 tonne vehicle can be charged the heavier wallet. For Portugal that understates spend per unit by roughly a quarter, so the market total moves while nothing in the market has changed.

Where it is weak: no per-market split by N35 / N50 / N62 / N75 / F110 / F135 exists anywhere on disk. Only recent-arrival shares and claim counts exist, and neither of those is a fleet mix.

JOIN 3 · BY DISTRIBUTOR AND MARKET

The only join that appears in every layer

Fleet rows, billing, expected demand, aftermarket exposure and dealer scores all key on the distributor. It is not one column: a sold-to code, a payer code and a distributor code all exist, and the Israeli payer covers two separate businesses that split at sold-to level.

Where it is weak: Israel's vehicles carry one distributor name in the warranty file, so the truck book and the pickup book cannot be split from claim data alone. Israel age figures are pooled and are labelled as pooled on this page.

JOIN 4 · BY MONTH, IN TWO DIRECTIONS

What we invoice the distributor, and what the distributor invoices its dealers








These are two separate measurements and must never be drawn as one line. The ratio between them is how much stock the distributor is sitting on: close to parity means the parts flow through to the dealers, low means they stay in the distributor's warehouse.

Where it is weak: sales-to-dealer files exist for six of the eighteen markets. Reading a network ratio without the coverage line beside it would overstate how much of the book is really visible. The ratio never reaches 100 per cent even where coverage is full, because the distributor sells but does not bill every part in the same period.

What is actually known per market — and what is not

Eighteen distributors form the commercial base. The vehicle register covers seven markets and excludes the UK and Israel by design; Italy is out of scope entirely. A chip that says excluded is not a zero: it means that layer has nothing to divide by, and printing a number there would be an invention.

MARKET / DISTRIBUTOR	VEHICLES IN SERVICE	TYPE MIX	AGE, MEASURED	AGE, MODELLED
pickups IUK				
United Kingdom — CV trucks ITUK	22,389		MEASURED	MODELLED
Israel — pickups UMI	18,542		NEEDS A JUDGEMENT	MODELLED

MARKET / DISTRIBUTOR	VEHICLES IN SERVICE	TYPE MIX	AGE, MEASURED	AGE, MODELLED
Israel — CV trucks UTI	10,336		NEEDS A JUDGEMENT	MODELLED
Belgium IBX	9,594		EXCLUDED	MODELLED
Sweden Sverige	8,443		EXCLUDED	MODELLED
Portugal Imotors	8,176		MEASURED	MODELLED
Norway RSA	7,929		EXCLUDED	MODELLED
Greece Petros	3,742		NEEDS A JUDGEMENT THIN	MODELLED
Hungary AutoWallis	3,734		NEEDS A JUDGEMENT THIN	MODELLED
Ireland Ireland	3,056		NEEDS A JUDGEMENT THIN	MODELLED
Cyprus Loutsios	2,308		NEEDS A JUDGEMENT THIN	MODELLED
Finland NAT	1,204		EXCLUDED	MODELLED
Romania ROM Auto	1,071		NEEDS A JUDGEMENT THIN	MODELLED
Malta GasanZammit	1,040		NEEDS A JUDGEMENT THIN	MODELLED
Denmark Danmark	851		EXCLUDED	MODELLED
Iceland BL	406		EXCLUDED	MODELLED

BELOW THE SORT — OUT OF SCOPE BY DECISION, SHOWN SO IT IS NOT SILENTLY DROPPED

MARKET / DISTRIBUTOR	VEHICLES IN SERVICE	TYPE MIX	AGE, MEASURED	AGE, MODELLED
MARKETS WITH NO FLEET DENOMINATOR AT ALL — THEY BILL PARTS AND HAVE NO VEHICLES TO DIVIDE BY				
Ukraine KTK	0	EXCLUDED		
Armenia GA	0	EXCLUDED		
Kazakhstan CBC	0	EXCLUDED		
Palestine —	0	EXCLUDED		


Type mix colours, left to right: **light duty**, **medium duty**, **F-series**, **light commercial**. Hover a bar for the basis and for the part of the mix that is not known. Hover any figure for its formula, its snapshot and what it leaves out.


Spend per unit by market, and the two directions of parts flow

One field, one snapshot, so the markets can be compared by eye. The hairline is the network market median, not a target, and it is not weighted by fleet size.

How much does each market bill per vehicle in service?

Spend per unit (GPS), CY2025 full year, 18 distributors · network figure 188.16 across 163,459 vehicles · market median 191.45





How much of what we invoice the distributor is visible again one step down?

Navy is what ISZE invoices the distributor. Terracotta is what the distributor invoices its dealers, in the same year. The figure at the right is the ratio between the two.



Visible in six markets, together 59.9% of the 30,756,772 eighteen-market billed book. The other twelve markets have no sales-to-dealer file, so this ratio is a statement about those six markets and about nothing else.

Which gap blocks which layer

Six open source gaps and three closed ones, each with an identifier so it can be tracked in the integrity register. The right-hand column says what this page does instead of printing a number.

ID	WHAT IT IS	WHICH LAYER IT BLOCKS	WHAT THIS PAGE SHOWS INSTEAD
	a year while the 1990–2025 history implies about 10 per cent. It is overstated by 7.8 per cent in 2026, rising to 37.7 per cent in 2030, and far worse by market. Israel is roughly 25 per cent low at the same time, in every year.	divides by it: spend per unit, capture, the FY27 target	page. Every figure is CY2025 or earlier, and the forecast half of the workbook is named as under repair rather than quoted.

ID	WHAT IT IS	WHICH LAYER IT BLOCKS	WHAT THIS PAGE SHOWS INSTEAD
	for the Israeli book from identity data.	demand for Israel	pooled across trucks and pickups, and flagged as pooled. No per-model fleet split is drawn for Israel.
VIN-ITUK	The UK identity list arrived on 23 July 2026 and supplies 29 935 distinct registrations. It carries no live-fleet flag, no mileage and no transmission, so it is not yet a fleet.	Car park age and model mix for the UK	The UK is shown as measured on registration data, with the limit stated: an extract reaching back to 2008 is not the set of vehicles on the road today.
PT-GAP	Portugal is missing six consecutive months of billing, March to August 2025. It is the only distributor with a gap in the tested window, and it understates the 2025 network base.	Billing and capture for Portugal, and the network total	Portugal keeps its fleet and spend figures, and its part-demand cell carries a judgement chip: any trend read for Portugal is invalid.
SPU-PARTIAL	The 2026 rows carry a partial-year numerator against a full-year denominator, which made every distributor read as a collapse that did not happen.	Spend per unit, capture and traffic lights for 2026	Only full-year rows are used. The 2026 rows are excluded from every figure and from both bar charts on this page.
LCV-DEC	The pickup warranty file ends in November 2025, so a full calendar-year pickup figure drawn from that file is one month short.	Pickup capture and warranty for CY2025	The two UK books, trucks and pickups, are shown as separate rows and are never merged into one figure.
UMI-WARR CLOSED	Israeli pickups looked absent from the pickup warranty file.	—	Closed 3 July 2026: they have their own file and the year is complete. Treated as complete and not re-opened.
CV-BLANK CLOSED	A blank-country block in the warranty sheet looked like missing claims.	—	Closed: it is labour, not parts, and line-level detail is not used on this page.
IRE-CV / PT-CV CLOSED	Low price-map coverage in Ireland and Portugal looked like missing claims.	—	Closed: optional valuation on a small number of real part numbers.

A blank is the design, not a hole. Where a weight class is not documented there is no tonnage to print. Where a market has no fleet denominator, spend per unit does not exist. Filling those cells with a modelled

substitute is exactly how the two contaminated figures this estate is retiring were produced, so the page leaves them empty and states the reason in the tooltip.

Where every layer actually lives

170 link targets, each one tested on disk before it was written. This index deliberately includes the three pages the older dashboard index omits: the exec paper, the growth plan and the distributor-to-dealer replenishment page.

Car park / UIO — vehicles in service

9 of 9 targets present

- UIO dashboard (v18, 26 Aug)
- GPS dashboard (canonical, 16 Jul)
- Plan tracker 2030
- PRISM page 1 — UIO
- PRISM page 22 — model cohorts
- VIN register summary (7 markets, 3 238 VINs)
- VIN register — how it is built
- UK VIN extract from the ITUK mail (29 935 VINs)
- UIO workbook repair spec (V20)

PRISM — expected service demand and capture

10 of 10 targets present

- PRISM metric dictionary
- PRISM page 2 — GPS
- PRISM page 3 — PMS capture
- PRISM page 4 — BVP mix
- PRISM page 23 — sales to dealer
- PRISM dashboard contracts (column level)
- PRISM information architecture
- PRISM launcher
- Capture by distributor and year (the file)
- Opportunity matrix (the file)

AIM — what competes against each part

10 of 10 targets present

- AIM dashboard CY2026
- Competitiveness dashboard
- AIM classification gap report
- IAM quality positioning overview
- IAM price vs billed part number
- Aftermarket live pricing

Dashboards — the ~20 views that read the layers above

26 of 26 targets present

- Dashboard index — BI packs
- Mission control (26 Aug, carries superseded AIM figure)
- Hub home
- Project hub

- Pricing action map
- Pricing history findings (16 Sep)
- Scraped price intelligence
- Part number classification (the file)

- Workspace landing page (regenerated 16 Sep)
- Machine registry — manifest.yaml (81 live entries)
- Monthly sales tracker
- Part-groups sales explorer
- Sales to dealer — AIM and GPS, ITUK / UTI (15 Sep)
- Sales to dealer — UTI against ITUK
- Aftermarket BI command centre
- Risk cockpit (1 Aug)
- UTI replenishment H2 2025 (19 Aug)
- SPA run rate — UTI (1 Aug)
- Dealer standard (IDS) compare — all markets (16 Sep)
- Dealer standard — UK CV
- Dealer standard — Israel pickups
- Action ledger
- OS data map (capability against data)
- Commercial model map
- Tender monitor
- AI tools overview
- BI twins — model cohorts (static snapshot)
- BI twins — warranty intelligence (static snapshot)
- BI twins — price realisation (static snapshot)
- BI twins — dealer sales to dealer (static snapshot)

Deliverables — the output layer

7 of 7 targets present

- Exec aftersales paper (16 pages, rebuilt 16 Sep)
- Growth plan 2026 (15 Sep)

Registers and guardians

12 of 12 targets present

- Open data-integrity issues
- Aftersales dashboard status (16 Sep)

- Management pack — capture FY27 / FY28
- Distributor to dealer replenishment CY2025
- Year-end review FY2026
- GPS kickback and stretch proposal FY27 (distributor facing)
- ZEV golden window

- KPI candidates from the archives
- Market fleet profile — workup
- Market fleet profile — design
- Owned number shortlist
- Corrections to stop repeating
- Value ledger 2026 Q3
- Decision reconciliation (16 Sep)
- Facts anchor
- Decision record
- Ship gate (this page must pass it)

Link check: all link targets present on disk. A struck-through entry is a target that has moved or been retired; it is shown rather than silently dropped.

What this page deliberately does not repeat

Two figures are wrong or superseded elsewhere in the estate, and one cell mixes two systems. None of them is reused here, and the page that carries each one is named so the correction travels with the link.

SUPERSEDED FIGURE

AIM classification completeness, 93.5 per cent

The count-based completeness figure of 14 March 2026 is superseded by a revenue-weighted residual of 1.6 per cent for CY2024 and 1.8 per cent for CY2025. These are different denominators and must not be compared with each other. The mission-control page still prints the older figure; this hub prints the residual and links that page with its state marked.

CONTAMINATED CELL

Two systems inside one figure

One cell on the mission-control page puts a service-schedule cover figure (35.1 per cent) beside a network-lane denominator (7 836), mixing two systems that are explicitly not interchangeable, and the row beneath it inherits the error. This hub keeps the two lanes apart:

LANE	BASIS	COVER

LANE	BASIS	COVER
		100%

Do not put these two in one tile. The internal lane reads 116.4 uncapped on a narrower denominator; the external lane reads 35.1% on the full registration fleet. Both are on disk; they answer different questions.

The three indexes still disagree. The dashboard index was last touched on 7 September and does not list the exec paper, the growth plan or the distributor-to-dealer page. The mission-control page is from 26 August and still carries the superseded classification figure. The machine registry, regenerated from disk on 16 September, lists all 81 entries. Nothing on disk declares which index is canonical, and this page cannot make that decision for you — so it links all three and marks the difference.

Sources and method. Every figure on this page was re-derived on 16 Sep 2026 from the file named in its own tooltip: the distributor spend-per-unit file, the target-spend waterfall, the part-demand opportunity matrix, the service-schedule constant file, the down-trade margin file, the sales-to-dealer mix file, the aftermarket exposure file and the open-issue register. Counts and ratios only: no customer names, no dealer names, no line-level billing, no personal data. Snapshots used: vehicles in service and spend per unit CY2025 · opportunity and margin CY2025 · classification 2 July 2026 · vehicle register 27 July 2026 · UK registration extract 23 July 2026 · fleet repair specification 27–30 July 2026.

Scope note. PRISM itself is a live application. This page describes where it sits, what it consumes and what consumes it, and links its launcher and documentation rather than copying its screens. The static pages it links are point-in-time artefacts and carry their own dates on each link.

What this page is not. It is not a dashboard and not a source. It holds almost no numbers of its own beyond the joins it makes visible. Every figure here exists somewhere else first, and that somewhere else is named in the tooltip.