
ISUZU MOTORS EUROPE

ISUZU UNIVERSE

Three pillars.
One connected review.

A product strategy for connecting parts intelligence, dealer assessment and the PRISM workflow.

21 SEPTEMBER 2026 / PRODUCT STRATEGY



THE PROPOSITION

A connected product, not a collection of dashboards

Universe should make it possible to follow one commercial question across AIM, IDS and PRISM without rebuilding the context at every step.

AIM, IDS and PRISM are the three pillars of Universe.

AIM means Aftermarket Intelligence Model: the parts-classification and commercial-analysis model.

IDS means Isuzu Dealer Standards: dated dealer self-assessment evidence, not distributor audits.

PRISM remains a pillar; its native remit must be preserved rather than inferred from its name.

The map and the portfolio are complementary ways into the same review.

A distributor, account, part family and period selection should survive navigation between views.

Time comparison must reveal both the changing mix and the changing size of the recorded business.

Genuine and Best Value Parts (BVP) comparisons must distinguish category mix from documented alternatives.

Distributors should receive an actionable review in return for participating and sharing eligible data.

The execution roadmap supports this product direction and remains a separate document.

Why the connection matters

A portfolio review can identify the parts behind a change. A dealer assessment can add a different type of evidence about the selected site. PRISM should remain accessible in that same review context through its own source-defined workflow. The value of Universe is the continuity between these activities, not the existence of another summary screen.

Isuzu Motors Europe (ISZE) sells parts to distributors, which sell to dealers. Universe should support that relationship: helping a distributor understand its recorded activity, assess an eligible comparison and agree a follow-up. It is not a consumer shop or evidence that every purchased part was fitted to a vehicle. [S1]


The strategic test is straightforward: can a user move from an observed change to the relevant parts, organisation, related evidence and next action without losing what the numbers mean?

Product brief: [U1-U3]. Source definitions: [S1, S3]. PRISM connection design is specified here; its detailed functional definition remains subject to its original overview.

THE ARCHITECTURE

Three pillars, two entry points, one shared selection

The pillars keep their own meaning. Universe connects the review context around them.



AIM gives the review a parts language

The selected product family should mean the same thing wherever it appears. AIM provides the classification and commercial-analysis context for exploring recorded purchasing, the Genuine/BVP mix and supported comparisons. The proposed connection uses that classification without turning it into an automatic fitment or repair recommendation. [S3]

IDS adds another type of evidence

A dealer assessment adds dated responses and section results for an identified site. It should be possible to examine these alongside commercial activity while keeping the two sources separate. A weak section result does not, by itself, explain a purchasing change. [S3, U2]

PRISM retains its own workflow


PRISM belongs in the product architecture because it is one of the agreed pillars. The design requirement is continuity into and out of its native workflow, not a new calculation engine invented for Universe. Its detailed interface is to be specified from the original PRISM documentation. [U1, U2]

Connected does not mean combined: the same selection can lead to different evidence without creating a synthetic overall score.

PILLAR / AIM

Understand the parts before judging the result

Isuzu Motors Europe's Aftermarket Intelligence Model should remain a visible commercial tool, not an invisible classification exercise.



AIM should make a large parts portfolio readable. A user starts with a family, sees the recorded activity within it, and can inspect the parts and classifications behind the result. The portfolio remains available when a map or dealer selection narrows the review; it must not disappear into a dealer-only product. [S3, U2]

Four reasons to open AIM

Sales explanation. Identify the families and recorded parts contributing to a change, then examine the relevant period and transaction level. A movement in billed value is not automatically a movement in customer demand.

Pricing precision. Define a commercially coherent group before comparing prices. Classification helps select the population; dated prices, application evidence and compatible units establish the comparison.

Market comparison. Compare the same family on a declared basis across separate distributor populations. Keep differences in source coverage visible rather than presenting a network average as a universal target.


Service-range opportunity. Identify a documented, relevant range worth discussing with a distributor. This means an eligible investigation, not treating every unbought part as a lost sale or assembling unvalidated complete-job packs.

AIM role: [S3, U1]. Experience design: [U2-U3]. Vehicle-band views must retain the distinction between exclusive-applicability purchasing, modelled demand and market-level purchasing.

PILLAR / IDS

Place dealer assessment beside commercial evidence

A connected review should help the distributor ask a better question about a dealer, without turning a self-assessment into a sales explanation.



IDS records dealer self-assessments. The proposed experience allows a distributor to open a relevant assessment from the selected commercial account when the account-to-site relationship has been validated. The assessment retains its own date, questionnaire version and response scope. [S3, U2]

What the user can do

Open the relevant section, inspect the responses and supporting evidence, and compare with a clearly defined group using compatible assessment rules. A distributor-level summary must say which dealers were assessed. It is not a distributor audit score. Changes between assessment rounds require compatible questions and a clear eligible population.

An account can serve several sites. Purchasing stays at the recorded account level unless the source supports a site-level split. The interface must not divide that purchasing across sites merely because each site has an assessment. Similar names or a common country can suggest a record to check; they do not establish ownership.

What the connection gives back


The practical result is a more focused improvement discussion: a defined commercial question, the relevant dealer-assessment evidence, and an agreed follow-up. A commercial-only review remains useful when an IDS link is unresolved. The interface should explain the missing link and continue, rather than substituting a zero result or blocking the whole review.

Assessment definition and separate populations: [S3]. Identity and review boundaries: [U2]. Proposed interactions are not screenshots of the current application.

PILLAR / PRISM

Keep PRISM integral, without redefining it

Its place as a pillar is a product decision. The way its existing workflow connects to Universe is a separate design decision.



PRISM must have a visible place in the product, rather than appearing as a possible future add-on. The user should be able to reach it from a relevant review and return without reselecting the distributor, parts or period. That is the integration requirement established here; it does not assign PRISM a new business purpose. [U1-U3]

A connection that preserves meaning

The proposed entry carries only the context that the destination actually supports: distributor, account or site identity, part selection, reporting period and value basis. Unsupported selections remain visible as limitations. They must not be silently broadened to another market, period or population.

On return, a result needs an identifiable source, date, population and calculation basis. A saved review should retain the originating selection and any assumptions used in the destination workflow. The same selection does not imply that the same denominator is valid in every module.

Preserve native functionality before choosing the technical form

A context-preserving link, a shared component or a data connection may each be appropriate. That choice follows the actual PRISM overview and implementation. Universe should not duplicate its calculations merely to make every page look alike. Nor should a shared menu be described as a fully integrated workflow when the user still has to reconstruct the selection.


PRISM is not conditional as a pillar. Its detailed remit and integration mechanics remain source-dependent.

PRISM is named in the agreed three-pillar brief [U1]. This is a connection specification, not a verified account of PRISM's current functions or an invented expansion of its name.

THE MAP / GEOGRAPHY

Make the network explorable, not just visible

The map should locate the review. It should not decide the business relationship or replace the portfolio.



The illustration uses the supplied participant-location records, not invented dealer positions. Its equal markers carry no purchasing value or assessment score. The source describes IDS participants, not the complete population of commercial accounts; coordinates are reproduced rather than independently verified. [S4]

The product should offer separate location, commercial and assessment views. A commercial view needs approved account-to-site links before it can weight or colour a site by purchasing. An assessment view must name its round and eligible population. The map legend must change with the view, not leave one colour carrying several meanings.


Keep a searchable list beside the geography. Accounts without a usable location or approved site link remain available there. A sparse area of the map is not evidence of weak demand, no dealer presence or insufficient service coverage.

Source locations: [S4], reference set dated 19 September 2026. Israel records in this source relate to UMI participation, not UTI. Geographic labels are not proof of distributor responsibility.

THE MAP / INTERACTION

Zoom into the question without losing the context

Navigation should change the level of detail, not quietly change what is being measured.



At the overview

A user sees the selected geographic extent and an eligible list, with the commercial level and source coverage made explicit. Where a distributor summary is shown, it must use a distributor identity, not merely a country label. ITUK and IUK remain separate; UMI and UTI remain separate. [S1]

At the distributor and account

Selecting a distributor narrows the recorded commercial population. Selecting an account opens its purchasing context. A site can be highlighted on the map only through an approved relationship. A multi-site account remains one commercial account unless more detailed transactions exist. A map cluster is a display convenience, not a new business entity.

At the linked detail

The user can move between AIM, an eligible IDS assessment and the PRISM connection. Back navigation should restore the same map extent, selected account, part family, period and value basis. Assessment dates remain separate from the purchasing-period control. A selected year must not silently choose an incompatible assessment round.


For time comparisons, retain the same marker-size scale across both periods. Use colour for one declared measure or selection state at a time, and provide text or shape cues as well. Do not animate lines between sites as if purchases revealed deliveries, vehicle journeys or transfers.

Separate identities: [S1, S3]. Source map coverage: [S4]. This page specifies proposed interaction behaviour; it does not certify the current application.

THE DYNAMICS / TIME

Show what changed, and what that change contains

A time control should expose the changing total and the changing composition together, then let the user open the records behind them.



In the selected ITUK mix categories, BVP accounted for **15.3% of billed value in calendar 2025, compared with 13.2% in calendar 2024**. BVP billed value rose from EUR 142.7k to EUR 158.4k, while combined Genuine/BVP billed value moved from EUR 1.079m to EUR 1.032m. These are full calendar-year ISZE-to-distributor figures from the 19 September 2026 reference set, not the complete ITUK parts portfolio. [S5]

This is why a percentage alone is not enough. A larger BVP share can coexist with a smaller combined billed value in the selected categories. The next interaction should identify the families and parts contributing to each movement. It should not conclude that BVP displaced Genuine or that the difference represents lost end-customer demand.

What the dynamic view must do

Keep the comparison population explicit, show any parts entering or leaving it, and separate missing-source periods from confirmed zero activity. Historical traces need dated source coverage. Where only annual data exists, do not invent monthly points to make the graphic feel continuous.


A price-and-volume explanation requires comparable quantities, units and transaction prices. A retrospective valuation at one reference-price date is a different analysis and must be labelled accordingly. Selecting a point or bar should open the eligible records at the same basis, not a differently valued total.

Source and calculation: [S5]. Calendar 2025 totals reconcile to the published context table. The comparison is descriptive; it is not a demand model, dealer ranking or causal attribution.

THE DYNAMICS / RANGE

Move from Genuine/BVP mix to a valid comparison

The interesting interaction is the transition from a broad pattern to a specific, documented question.



A category-level mix view answers what the recorded population purchased. It does not prove that every Genuine part in the category has a BVP equivalent. The proposed interaction should therefore separate exploring a family from opening a documented alternative relationship. [S5, U2]

Make the comparison inspectable

A part-level comparison needs application, relationship type, effective dates, unit and pack compatibility. Prices need the same currency, date and commercial level. An observed distributor transaction price must not sit beside a dealer reference price as if they were interchangeable. Availability remains unknown unless a source establishes it.

The user should be able to compare the range actually offered, the range actually purchased and any documented alternatives. These are different populations. A part not purchased in the selected period may be held in stock, obtained through another recorded route, unavailable or irrelevant to that account's vehicle population. The review should expose the question before assigning an opportunity value.

Keep commercial conclusions proportionate


A reference-price difference can support a conversation. It is not a realized saving, a margin result or a total-cost-of-ownership comparison without the relevant additional evidence. The purpose is to make distributor discussions more specific: which eligible part relationship, for which application, on which price basis, with which next check?

AIM supplies the parts context. IDS may add relevant dated assessment evidence through an approved link. PRISM should remain reachable with the supported selection rather than being replaced by another ad hoc calculation inside the comparison screen.

THE CONNECTED REVIEW

Follow one question across all three pillars

The product should be understandable as a sequence of decisions, not only as a menu of modules.



Consider a proposed ITUK braking review using comparable full reporting periods. The user begins with the portfolio or commercial list, identifies the recorded parts contributing to the change and opens an account of interest. No dealer result is implied by this example.

In AIM, the review establishes what is actually in the selected category. The user distinguishes Genuine/BVP mix from a documented alternative and checks the relevant application and price basis. A missing purchase remains a question until coverage and applicability are understood.

In IDS, an approved account-to-site relationship can open the relevant dated assessment. The commercial selection remains intact. Where the connection is missing, the user retains the commercial review and sees what evidence is needed to connect it.

In PRISM, the user continues the existing workflow with the selection that its interface supports. Results return with their identity and assumptions preserved. This design does not substitute a new function for the original PRISM remit.


Back in the review, the distributor and ISZE agree a follow-up: what needs checking, who owns it and when it will be revisited. A later purchasing comparison uses the same declared scope and records intervening price, supply or other changes before attributing an effect.

Illustrative interaction, not an observed dealer case. The connected journey is proposed in [U3]; PRISM's native behaviour requires its original source specification.

THE DISTRIBUTOR VALUE

Participation should produce a useful return

The distributor should leave with a better review of its own business, not another obligation to provide data.



A review that is already assembled

The proposed return is a saved, permitted view of the distributor's selected period and population. It brings together the recorded purchasing story, relevant Genuine/BVP comparisons, linked assessment evidence and agreed actions. The user should not have to recreate each filter or translate between inconsistent category names at every meeting.

A comparison the distributor can challenge

Each important result should open to its supporting scope and explanation. An unfamiliar movement can then become a precise discussion about a family, account, source gap, price basis or supply issue. Peer comparison is useful only where the population, measure and permission to share are suitable. A named competitor dealer's commercial data is not a default benchmark.

A follow-up that survives the meeting

An action records the question, relevant evidence, accountable role and next review date. Closing an action means documenting what was done or learned, not merely marking a generated suggestion complete. A saved review also needs both a fixed version of the evidence discussed and a way to open the latest eligible period.


The pilot should test whether users reach the correct answer, identify its limitations and prepare the next discussion with less repeated work. Subsequent purchasing can be observed, but improved navigation or an action record is not proof of recovered business. Commercial benefit needs its own evidence.

Commercial relationship: [S1]. Proposed distributor return: [U2-U3]. Sharing is limited to the authorised population and must apply to the underlying delivered data as well as the visible controls.

THE VISUAL EXPERIENCE

Make the relationships visible

The distinctive experience should come from linked exploration, readable scale and continuity, not decorative motion.



The visual direction is dark charcoal, controlled Isuzu-red emphasis and clear typography. Red can identify the selected element or the BVP series when the legend says so; it should not acquire an unstated meaning such as poor performance. A paper or screen should remain intelligible without animation. [U3]

Three signature experiences

A portfolio that reveals structure. Category selection opens meaningful detail. Where area represents value, it uses one stated additive measure. Unclassified records stay visible. A visually complete mosaic must not imply complete classification or interchangeable parts.

A map that changes detail, not identity. The user moves from geography to approved relationships and then to evidence. Selection highlights corresponding records in the list. Camera movement helps orientation; it does not imply commercial movement between locations.

A time comparison that explains composition. The same scale, population policy and value basis make differences readable. The total and the mix remain visible together. Selecting a contribution opens the source scope behind it; missing periods are not smoothed into a trend.

A consistent evidence panel


Every pillar should offer the same way to inspect source, date, commercial level, price basis and exclusions. Essential qualifications stay beside the result. Keyboard navigation, a readable table alternative and reduced-motion behaviour should be part of the same experience, not separate inferior versions.

Visuals in this paper are design concepts except the explicitly identified location and purchasing source examples. No mock-up is presented as a screenshot or proof of current functionality.

PRODUCT EVOLUTION

Let the roadmap follow the product

Build on what already works and judge progress by a useful review capability, not by the size of the task list.



Start with a coherent entry

Preserve the portfolio overview, Genuine/BVP comparisons and useful existing map behaviour. Establish a common selection and an honest view of source coverage. Retain corrected vehicle-band logic: exclusive-applicability purchasing, modelled service demand and market-level purchasing remain distinct. Shared parts are not apportioned to vehicle bands to manufacture precision. [U2]

Connect the pillars for a defined population

An ITUK commercial pilot can proceed within its verified account data while unresolved IDS links remain explicit. Full connected functionality requires approved site relationships and a source-defined PRISM interface. The pillar remains part of the intended product even where an individual connection is not yet ready. This is a controlled scope, not a claim of network-wide coverage.

Make the return repeatable

Once the review works, preserve the selection, retain the evidence discussed, track agreed follow-ups and issue only permitted review outputs. The next distributor is selected for usable data, validated relationships and a clear review purpose, rather than added merely to increase the apparent reach of the map.

Tender support can later reuse relevant parts, range and commercial evidence for a specific opportunity. It is a possible extension, not a substitute for one of the three pillars and not a reason to defer the core product. The removed sales cube remains removed; product photography remains deferred. [U1-U2]

The separate roadmap should now be checked against these pillars, interactions and distributor outcomes. This paper is not an instruction to rebuild the application.

REFERENCES AND INTERPRETATION

What the source examples establish

The diagrams distinguish product proposals from the limited source-backed examples used to make the experience concrete.

U1 / The three-pillar product brief

Project conversation, 21 September 2026: Universe stands on AIM, IDS and PRISM, with tender support a potential extension. The AIM full name, Aftermarket Intelligence Model, was explicitly confirmed in the presentation discussion.

U2 / The agreed product boundaries

Project conversation, 20-21 September 2026: retain the portfolio and Genuine/BVP comparisons; keep the sales cube removed and photography deferred; preserve corrected tonnage-v2 logic; distinguish distributor purchasing, sales to dealer, reference-price valuations and actual billing; validate dealer/site relationships before linking IDS.

U3 / The requested strategy-paper structure

This conversation, 21 September 2026: separate product strategy from the execution roadmap; explain the pillars, map, dynamics and end-to-end review through substantive prose and clearly labelled visual concepts.

S1 / Isuzu and ISZE business context

Context dated 19 September 2026, sections 1, 3 and 5: the commercial chain, fiscal-year convention and separate distributor identities. No company target, price-list calculation or restricted financial material is reproduced.

S2 / Operations and data caveats

Context dated 19 September 2026, sections 5-6: source-coverage limits, historical versus unsupported forecast data, pricing-date limitations and the need to keep purchasing distinct from end-customer demand.

S3 / Vocabulary and analytical roles

Writing and glossary context dated 19 September 2026, sections 1-2 and 6: AIM as the classification and commercial-analysis model; IDS as dealer self-assessment; BVP terminology; separate distributor populations.

S4 / Participant geography

Dealer-location file and accompanying presentation-set notes, dated 19 September 2026. The map shows usable coordinates within the displayed extent, with identical coordinate positions overplotted once. This is a cartographic display choice, not account or site deduplication. The source is IDS participation, not a complete dealer register. The base uses packaged GSHHS coastlines.

S5 / Genuine/BVP purchasing example

Derived market/family mix table in the 19 September 2026 presentation set, filtered to ITUK and full calendar years 2024 and 2025. Genuine and BVP euro values are summed over the supplied mix categories; shares use their combined billed value. The 2025 amounts and rounded share reconcile to section 7 of the numbers context. This is ISZE-to-distributor purchasing, not dealer consumption or the full ITUK parts business.

PRISM scope. The agreed pillar identity is retained. The original PRISM overview and native application screens remain the required authority for its detailed functionality. The connection concepts here do not claim to reproduce that missing definition. The original local critique has not been assessed by this paper.

Status of the illustrations. The map reproduces source coordinates, and the purchasing comparison reproduces the stated aggregate basis. Other figures are proposed interfaces without invented performance figures. They are not screenshots, released functionality or evidence of application acceptance.