

```
Config file location
--global           use global config file
--system            use system config file
--local             use repository config file
-f, --file <file> use given config file
--blob <blob-id>  read config from given blob object
```

```
[http]
ssCAInfo = C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
sslBackend = openssl
[diff "astextplain"]
    textconv = astextplain
[filter "lfs"]
    clean = git-lfs clean -- %f
    smudge = git-lfs smudge -- %f
    process = git-lfs filter-process
    required = true
[credential]
    helper = manager
~

/mingw64/etc/gitconfig [unix] (18:50 24/01/2018)
"C:/Program Files/Git/mingw64/etc/gitconfig" [UNIX] 12L, 297C
# This is Git's per-user configuration file.
[user]
# Please adapt and uncomment the following lines:
#     name = Joel A.
#     email = MicrosoftUser@Microsoft.(none)
~

./.gitconfig [unix] (20:06 04/11/2019)
"C:/Users/MicrosoftUser/.gitconfig" [UNIX] 5L, 160C
```


Nivel 1 Sistema
git config --system -e

Nivel 2 Global

git config --global -e

```
[core]
repositoryformatversion = 0 Nivel 3 (Repositorio Local)
filemode = false
bare = false
logallrefupdates = true      git config --local -e
symlinks = false
ignorecase = true
~

~/Desktop/pruebas git/.git/config [unix] (20:56 04/11/2019)
"C:/Users/MicrosoftUser/Desktop/pruebas git/.git/config" [UNIX] 7L, 130C
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git status
On branch joel-dev
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    new file:   src/js/s.js

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)


    deleted:   src/js/Producto.js
    modified:   src/js/main.js

Untracked files:
  (use "git add <file>..." to include in what will be committed)

    src/js/sinseguimiento.js
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git status -sb
## joel-dev
D src/js/Producto.js
M src/js/main.js
A src/js/s.js
?? src/js/sinseguimiento.js
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida>
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CI
royecto\TiendaAdormecida> git status
On branch joel-dev
nothing to commit, working tree clean
```




```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP 2DAW\DEW (Edu)\Proyecto
\TiendaAdormecida> git status
Changes not staged for commit, es decir, cambio no almacenado para el commit ya
que está en el working directory pero no lo hemos añadido al área de preparación.
On branch joel-dev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
    (use "git checkout -- <file>..." to discard changes in working directory)
      modified:   src/js/main.js
no changes added to commit (use "git add" and/or "git commit -a")
```

Changes not staged for commit, es decir, cambio no almacenado para el commit ya que está en el working directory pero no lo hemos añadido al área de preparación.

git add -- src/js/main.js Añade los cambios del working directory al Área de Preparación

git checkout -- src/js/main.js Descarta los cambios del working directory (cambios guardados desde el anterior commit)



CONTROL DE CÓDIGO FUENTE: GIT

Message (press Ctrl+Enter to commit)

CAMBIOS

JS main.js src\js

Cambios en el Working Directory (directorio de trabajo)

Cambios en el Staging Area (Área de Preparación) está vacía por tanto ni se muestra desde el VS code.

JS main.js

```
1 /* global $ Reacto */
2 // let a='asd';
3
4 // Constantes
5
6
7 // id:3944_1078524 -> categoria: Electronics/iPad & Tablets/All Tablets
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL 1: powershell

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reset HEAD -- src/js/main.js
Unstaged changes after reset:
M      src/js/main.js
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git status
On branch joel-dev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   src/js/main.js
```

CONTROL DE CÓDIGO FUENTE: GIT

Message (press Ctrl+Enter to commit)

CAMBIOS

JS main.js src\js

JS main.js

```
1 /* global $ React */
2 // let a='asd';
3
4 // Constantes
5
6
7 // id:3944_1078524 -> categoria: Electronics/iPad & Tablets/All Tablets
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL 1: powershell

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git status
On branch joel-dev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   src/js/main.js

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git checkout -- src/js/main.js
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida>
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git branch -r
  origin/dev
  origin/master
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git branch -r
  origin/dev
  origin/master
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git push origin :dev
```

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git branch
* develop
  master

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git remote -v
origin  https://github.com/jerona/apuntes-git.git (fetch)
origin  https://github.com/jerona/apuntes-git.git (push)

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git push origin develop
```

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git push origin -u develop
Everything up-to-date
Branch 'develop' set up to track remote branch 'develop' from 'origin'.

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git pull origin
Already up to date.
```

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git branch -r
origin/develop
origin/master

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git push origin :develop
```


PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

SHA commit

Windows PowerShell Copyright (C) 2014 Microsoft Corporation. Todos los derechos reservados.

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP 2DAW (Edu)\Proyecto\TiendaAdormecida> git blame src/js/main.js
e12cbc1b (Joel A Armas Reyes 2018-09-09 13:46:28 +0100 1) /* global $ React */
3b02b1f4 (Joel A Armas Reyes 2018-03-01 09:10:20 +0000 2) // let a='asd';
4dc385a8 (Marcos 2018-02-24 20:39:06 +0000 3)
4dc385a8 (Marcos 2018-02-24 20:39:06 +0000 4) // constantes
4dc385a8 (Marcos 2018-02-24 20:39:06 +0000 5)
3b02b1f4 (Joel A Armas Reyes 2018-03-01 09:10:20 +0000 6)
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 7) // id:3944_1078524 -> categoria: Electronics/iPad & Tablets/All Tablets
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 8) // id:3944_133277 -> categoria: Electronics Cameras & Camcorders
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 9) // id:3944_133277_4468 -> categoria: Electronics/Cameras & Camcorders/All Cameras
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 10) // id:3891_3986 -> Categoria: Jewelry/Watches
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 11)
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 12) let listaProductosReact = [];
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 13) let listaProductos = [];
e12cbc1b (Joel A Armas Reyes 2018-09-09 13:46:28 +0100 14)
5d5993e0 (Joel A Armas Reyes 2018-11-18 21:01:30 +0000 15) let consulta='tableta';
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 16) let idFamiliaProducto='3944_1078524';
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 17)
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 18)
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 19) function consultaWalmartlabs() {
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 20) $(function(){
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 21) let urlwalmart = 'http://api.walmartlabs.com/v1/search?query='+consulta+'&callback=?';
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 22) $.getJSON(urlwalmart, {
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 23)         apiKey: 'rrxgpza76z7ea5r2db73jtkz',
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 24)         categoryId: idFamiliaProducto,
7e35001c (Joel A Armas Reyes 2018-03-03 14:16:30 +0000 25)         format:'json'
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 26) },
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 27)     $('#wait').css("display","block"))
2c078dbc (Joel A Armas Reyes 2018-03-03 11:45:02 +0000 28)     .done(function( response ) {
```

Línea del fichero

Autor del commit

1) -> línea 1
2) -> línea 2
3) -> línea 3

CONTROL DE CÓDIGO FUENTE... ⌂ ✓ ...

JS main.js (Working Tree) ×

Message (press Ctrl+Enter to commit)

CAMBIOS 1

JS main.js src\js + M

```
14
15 -let consulta='tableta';
16 -let idFamiliaProducto='3944_1078524';
17
18
19 function consultaWalmartlabs() {
```

```
14
15 +let consulta='tablet';
16 +let idFamiliaProducto='3944_1078523';
17
18
19 function consultaWalmartlabs() {
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git diff
diff --git a/src/js/main.js b/src/js/main.js
index 590ed9d..7370499 100644
--- a/src/js/main.js
+++ b/src/js/main.js
@@ -12,8 +12,8 @@
    let listaProductosReact = [];
    let listaProductos = [];

    -let consulta='tableta';
    -let idFamiliaProducto='3944_1078524';
    +let consulta='tablet';
    +let idFamiliaProducto='3944_1078523';
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git diff --word-diff
diff --git a/src/js/main.js b/src/js/main.js
index 590ed9d..7370499 100644
--- a/src/js/main.js
+++ b/src/js/main.js
@@ -12,8 +12,8 @@
    let listaProductosReact = [];
    let listaProductos = [];

    let [-consulta='tableta';-]{+consulta='tablet';+}
    let [-idFamiliaProducto='3944_1078524';-]{+idFamiliaProducto='3944_1078523';+}
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\Ti  
endaAdormecida> git log --oneline  
5d5993e (HEAD -> joel-dev, rama-nueva) Agregada Estructura Tableta  
e12cbc1 eo  
7e35001 Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han most  
rado, agregado metodo para cambiar de productos, agregado los eventos de los distintos product  
os de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)  
2c078db Sacado datos de la API Walkmart  
3b02b1f Prueba hecho con eventos  
17b6dc2 (master, joel, dev) Ready  
3450507 Gulp configuradísimo  
47c130b Saving dev  
4dc385a So it begins  
9dcc2c4 First commit: setting up boilerplate  
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\Ti  
endaAdormecida> git diff e12cbc1..5d5993e  
diff --git a/src/js/main.js b/src/js/main.js  
index 9aeac88..590ed9d 100644  
--- a/src/js/main.js  
+++ b/src/js/main.js  
@@ -12,7 +12,7 @@  
 let listaProductosReact = [];  
 let listaProductos = [];  
  
-let consulta='tablet';  
+let consulta='tableta';  
 let idFamiliaProducto='3944_1078524';
```

```

index.html ×
1  <!DOCTYPE html>
2  <html lang="es">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <meta http-equiv="X-UA-Compatible" content="ie=edge">
7    <meta name="google-signin-client_id" content="1059103644824-lr7qs2ori95tdvb9n.apps.googleusercontent.com">
8    <title>Tienda Adormecida - ¡Tu tienda online para insomnes!</title>

```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL 3: git

```

MicrosoftUser@Microsoft MINGW64 ~/Curso CIFP Cesar Manrique/Curso CIFP/CIFP 2DAW/DEW da (develop)
$ git log --oneline --graph --all
* 08cc45e (HEAD -> develop, origin/master, origin/dev, master) v0.7 - Detalles & Docs
* 53aea4c v0.7
* d6d1ad9 v0.52
* 1393fee v0.51

```

```

index.html ×
1  <!DOCTYPE html>
2  <html lang="es">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <meta http-equiv="X-UA-Compatible" content="ie=edge">
7    <meta name="google-signin-client_id" content="1059103644824-lr7qs2ori95tdvb9n.apps.googleusercontent.com">
8    <title>shop Adormecida - ¡Tu tienda online para insomnes!</title>
9    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/css/bootstrap.min.css">
10   <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL 3: git

```

MicrosoftUser@Microsoft MINGW64 ~/Curso CIFP Cesar Manrique/Curso CIFP/CIFP 2DAW/DEW da (hot-fix-idioma)
$ git log --oneline --graph --all
* c1bb61f (HEAD -> hot-fix-idioma) arreglo idioma
* 08cc45e (origin/master, origin/dev, master, develop) v0.7 - Detalles & Docs
* 53aea4c v0.7
* d6d1ad9 v0.52

```

```

index.html ×
1  <!DOCTYPE html>
2  <html lang="es">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <meta http-equiv="X-UA-Compatible" content="ie=edge">
7    <meta name="google-signin-client_id" content="1059103644824-lr7qs2ori95tdvb9n.apps.googleusercontent.com">
8    <title>shop Adormecida - ¡Tu tienda online para insomnes!</title>
9    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta.2/css/bootstrap.min.css">
10   <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```

MicrosoftUser@Microsoft MINGW64 ~/Curso CIFP Cesar Manrique/Curso CIFP/da (develop)
$ git merge hot-fix-idioma
Updating 08cc45e..c1bb61f
Fast-forward
 dist/index.html | 150 ++++++-----+
 1 file changed, 73 insertions(+), 77 deletions(-)

MicrosoftUser@Microsoft MINGW64 ~/Curso CIFP Cesar Manrique/Curso CIFP/da (develop)
$ git log --oneline --graph --all
* c1bb61f (HEAD -> develop, hot-fix-idioma) arreglo idioma
* 08cc45e (origin/master, origin/dev, master) v0.7 - Detalles & Docs
* 53aea4c v0.7

```

```
index.html x
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <meta http-equiv="X-UA-Compatible" content="ie=edge">
8      <title>Document</title>
9  </head>
10
11 <body>
12     <p>piedra</p>
13 </body>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git log --oneline --graph --all
* 47ed5a8 (HEAD -> develop) agregado piedra
* cbe110f agregado html
```

```
index.html x
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <meta http-equiv="X-UA-Compatible" content="ie=edge">
8      <title>Document</title>
9  </head>
10
11 <body>
12     <p>piedra</p>
13     <p>ruby</p>
14 </body>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/minerales)
$ git log --oneline --graph --all
* a030d2e (HEAD -> tareas/minerales) agregado ruby
* 47ed5a8 (develop) agregado piedra
* cbe110f agregado html
```

```
index.html x
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <meta http-equiv="X-UA-Compatible" content="ie=edge">
8      <title>Document</title>
9  </head>
10
11 <body>
12     <p>piedra</p>
13 </body>
14
15 </html>
16 <!--eo-->
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git log --oneline --graph --all
* 058fa28 (HEAD -> develop) anotacion eo
| * a030d2e (tareas/minerales) agregado ruby
|/
* 47ed5a8 agregado piedra
* cbe110f agregado html
```

The screenshot shows a terminal window with the following content:

```
index.html x
  8  <title>Document</title>
  9  </head>
10
11  <body>
12    <p>piedra</p>
13    <p>ruby</p>
14  </body>
15
16 </html>
17 <!--eo-->

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git merge tareas/minerales
Auto-merging index.html
Merge made by the 'recursive' strategy.
 index.html | 1 +
 1 file changed, 1 insertion(+)

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git log --oneline --graph --all
*   c257ff8 (HEAD -> develop) Merge branch 'tareas/minerales' into develop
|\ 
| * a030d2e (tareas/minerales) agregado ruby
* | 058fa28 anotacion eo
|/
* 47ed5a8 agregado piedra
* cbe110f agregado html
```

```
index.html x
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <meta http-equiv="X-UA-Compatible" content="ie=edge">
8      <title>Document</title>
9  </head>
10
11  <body>
12      <p>piedra</p>
13  </body>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git log --oneline --graph --all
* 47ed5a8 (HEAD -> develop) agregado piedra
* cbe110f agregado html
```

```
index.html x
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <meta http-equiv="X-UA-Compatible" content="ie=edge">
8      <title>Document</title>
9  </head>
10
11  <body>
12      <p>piedra</p>
13      <p>ruby</p>
14  </body>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/minerales)
$ git log --oneline --graph --all
* a030d2e (HEAD -> tareas/minerales) agregado ruby
* 47ed5a8 (develop) agregado piedra
* cbe110f agregado html
```

```
index.html x
6  <meta name="viewport" content="width=device-width, initial-scale=1.0">
7  <meta http-equiv="X-UA-Compatible" content="ie=edge">
8  <title>Document</title>
9 </head>
10
11 <body>
12     <p>piedra</p>
13     <p>roca</p>
14 </body>
15
16 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git log --oneline --graph --all
* c2c327d (HEAD -> develop) agregado roca
| * a030d2e (tareas/minerales) agregado ruby
|/
* 47ed5a8 agregado piedra
* cbe110f agregado html
```


index.html

```
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta http-equiv="X-UA-Compatible" content="ie=edge">
8   <title>Document</title>
9  </head>
10
11 <body>
12   <p>piedra</p>
Aceptar cambio actual | Aceptar cambio entrante | Aceptar ambos cambios | Comparar cambios
13 <<<<< HEAD (Cambio actual)
14   <p>roca</p>
15 =====
16   <p>ruby</p>
17 >>>> tareas/minerales (Cambio entrante)
18 </body>
19
20 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL 2: bash

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop)
$ git merge tareas/minerales
Auto-merging index.html
CONFLICT (content): Merge conflict in index.html
Automatic merge failed; fix conflicts and then commit the result.

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (develop|MERGING)
$
```



Nombre	Fecha de modifica...	Tipo	Tamaño
.git	13/09/2018 18:45	Carpeta de archivos	
dist	03/03/2018 15:40	Carpeta de archivos	
node_modules	03/03/2018 22:14	Carpeta de archivos	
src	03/03/2018 22:14	Carpeta de archivos	
.babelrc	25/02/2018 18:33	Archivo BABELRC	1 KB
.eslintrc.js	25/02/2018 18:33	Archivo JS	1 KB
.gitignore	25/02/2018 18:33	Archivo GITIGNORE	1 KB
gulpfile.js	25/02/2018 18:33	Archivo JS	1 KB
package.json	25/02/2018 18:33	Archivo JSON	1 KB
package-lock.json	25/02/2018 18:33	Archivo JSON	227 KB
README.md	25/02/2018 18:33	Archivo MD	1 KB

```

.gitignore

1 #Se ignora el directorio node_modules
2 /node_modules/
3
4 #Se ignora cualquier fichero de formato .ape
5 *.ape
6
7 #Se ignora el fichero especificado
8 pass-base-de-datos.txt
9 pass-cuenta-ahorro.txt
10

```

```
MicrosoftUser@Microsoft MINGW64 ~/Curso CIFF Cesar Manrique/Curso CIFF/CIFF 2DAW/DEW (Edu)/Proyecto/TiendaAdormecida (joel-dev)
$ git config --global alias.superlog
$ log --graph --decorate --date-relative --format=format:'%C(bold yellow)%h %C(reset)%C(bold green)%s%C(reset) %C(reset)%C(bold dim white)(%ar)%C(reset) %C(bold red) %cm%C(reset)%C(bold blue)%d%C(reset)'
-all'
MicrosoftUser@Microsoft MINGW64 ~/Curso CIFF Cesar Manrique/Curso CIFF/CIFF 2DAW/DEW (Edu)/Proyecto/TiendaAdormecida (joel-dev)
$ git superlog
* e12chc1 on (4 days ago) Joel A Armas Reyes (HEAD -> joel-dev)
* 7e35001 Obtenido datos de productos de la API WalmartsLab y volcado en objetos que se han mostrado, detalles y Comprar (falta la creación de ventana modal) (6 months ago) Joel A Armas Reyes
* 2c078db Sacado datos de la API Walmart (6 months ago) Joel A Armas Reyes
* 3b02bf1 Prueba hecho con eventos (7 months ago) Joel A Armas Reyes
* 360c579 Luchando contra la eBestia (6 months ago) Marcos (origin1/dev)
* f3784a9 Merge branch 'dev' into marcos (6 months ago) Marcos
| \
| | *
| | 21bab87 Layout header/búsqueda 0.3 (7 months ago) Marcos
| |
| |
* 17b6dc2 Ready (7 months ago) Marcos (origin1/master, origin1/HEAD, master, joel, dev)
* c788457 Metiendo Walmart API de Joel (6 months ago) Marcos
* dab9184 Layout header/barra búsqueda (7 months ago) Marcos
* 0ebd44c Trabajando (7 months ago) Marcos
* 3450507 Gulp configuradísimo (7 months ago) Marcos
```


CONTROL D... ⚡ ✓ ...

Message (press Ctrl+Enter to commit)

CAMBIOS ALMACENADOS ... 1

a.html M

CAMBIOS 1

a.html M

a.html x

```
4 <head>
5     <meta charset="UTF-8">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <meta http-equiv="X-UA-Compatible" content="ie=edge">
8     <title>Document</title>
9 </head>
10
11 <body>
12     <p>Cambios No especificados</p>
13     <p>cambios Area Staging/Almacenado Area Preparacion (aplicado git add)</p>
14     <p>cambios Working Directory/Directorio de trabajo (no aplicado git add)</p>
15 </body>
16
17 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git status
On branch tareas/01
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    modified:   a.html

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

    modified:   a.html
```

CONTROL... ⚡ ✓ ...

Message (press Ctrl+Enter to commit)

CAMBIOS 0

a.html x

```
7     <meta http-equiv="X-UA-Compatible" content="ie=edge">
8     <title>Document</title>
9 </head>
10
11 <body>
12     <p>Cambios No especificados</p>
13 </body>
14
15 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash list
stash@{0}: WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$
```

CONTROL... ⚡ ✓ ...

Message (press Ctrl+Enter to commit)

CAMBIOS 1

a.html M

a.html x

```
7     <meta http-equiv="X-UA-Compatible" content="ie=edge">
8     <title>Document</title>
9 </head>
10
11 <body>
12     <p>Cambios No especificados</p>
13     <p>Cambios Area Stagin/Almacenado Area preparacion (aplicado git add)</p>
14     <p>Cambios Working Directory/Directorio de trabajo (no aplicado git add)</p>
15 </body>
16
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash list
stash@{0}: WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ 

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash pop
On branch tareas/01
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

    modified:   a.html

no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} {a0d3b95216396177c47251f642bf9609ba5acfcd}

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$
```

CONTROL... ✓ ...

a.html

Message (press Ctrl+Enter to commit)

CAMBIOS 1

a.html M

```
10
11  <body>
12  |   <p>Cambios No especificados</p>
13  |   <p>Cambio 1</p>
14  </body>
15
16 | </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
```

CONTROL... ✓ ...

a.html

Message (press Ctrl+Enter to commit)

CAMBIOS 0

```
10
11  <body>
12  |   <p>Cambios No especificados</p>
13  |   </body>
14
15 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$
```

Message (press Ctrl+Enter to commit)

CAMBIOS 1

a.html M

```
10
11  <body>
12  |   <p>Cambios No especificados</p>
13  |   <p>Cambio 2</p>
14  </body>
15
16 | </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
```

CONTROL... ✓ ...

a.html

Message (press Ctrl+Enter to commit)

CAMBIOS 0

```
10
11  <body>
12  |   <p>Cambios No especificados</p>
13  </body>
14
15 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash list
stash@{0}: WIP on tareas/01: b7b3621 cambio no especificados
stash@{1}: WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$
```

CONTROL... ✓ ...

a.html

Message (press Ctrl+Enter to commit)

CAMBIOS 1

a.html M

```
10
11  <body>
12  |   <p>Cambios No especificados</p>
13  |   <p>Cambio 2</p>
14  </body>
15
16 | </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL

```
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash
Saved working directory and index state WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash list
stash@{0}: WIP on tareas/01: b7b3621 cambio no especificados
stash@{1}: WIP on tareas/01: b7b3621 cambio no especificados

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash apply stash@{0}
On branch tareas/01
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
    (use "git checkout -- <file>..." to discard changes in working directory)

      modified:   a.html

no changes added to commit (use "git add" and/or "git commit -a")

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$
```

```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash drop
Dropped refs/stash@{0} (7bb4828c5d13e79dd1c7280ccae9814e9a91)

MicrosoftUser@Microsoft MINGW64 ~/Desktop/pruebas git (tareas/01)
$ git stash drop
Dropped refs/stash@{0} (53a8520a9ea6e023027ee8c264513d7a53da1ab4)
```

GNU nano 2.8.7 File: C:/Users/MicrosoftUser/Desktop/pruebas git/.git/rebase-merge/git-rebase-todo

```
pick 241cd31 agregado filemon      — Acción por defecto
pick 3ef2c58 despl filemon
pick b73e440 agregado mortadelo cálvo — commit más reciente (el último)

# Rebase 8f99572..b73e440 onto 8f99572 (3 commands)
#
# Commands:
# p, pick = use commit
# r, reword = use commit, but edit the commit message      r o reword: edita el mensaje del commit
# e, edit = use commit, but stop for amending            e o edit: permite editar el commit (los ficheros...)
# s, squash = use commit, but meld into previous commit    s o squash: combina commits (2 commit o más pasan a 1)
# f, fixup = like "squash", but discard this commit's log message f o fixup: como el squash pero sin commit en el log
# x, exec = run command (the rest of the line) using shell
# d, drop = remove commit
#
[ Read 22 lines ]
^G Get Help ^Q Write Out ^W Where Is ^K Cut Text ^J Justify ^C Cur Pos M-U Undo M-A Mark Text
^X Exit      ^R Read File ^V Replace ^U Uncut Text ^T To Spell ^L Go To Line M-B Redo M-G Copy Text
```


GitHub, Inc. [US] | <https://github.com/jerona/TiendaAdormecida>

Branch: master | New pull request | Create new file | Upload files | Find file | Clone or download ▾

This branch is 13 commits behind mothcrown:master. | Pull request | Compare

jerona / TiendaAdormecida
forked from mothcrown/TiendaAdormecida

Watch 0 | Star 0 | Fork 1

Code | Pull requests 0 | Projects 0 | Wiki | Insights | Settings

Commits made with the web interface may expose your email address. If you'd like to keep your email private [update your email settings](#).

TiendaAdormecida / README.md | [Raw](#) | [Cancel](#)

Edit file | Preview changes | Spaces 2 Soft wrap

```

1 ## Tienda Adormecida
2 by Equipo Adormecido (Team Asleep for all you guiris, I suppose?)
3
4 An e-commerce mockup consuming both eBay and WalMart APIs with a side order of popular social network login options just for the fun of it.
5
6 ---
7 List of technologies we'll be using here in no real order: npm, jQuery, jQueryUI, Babel, Gulp, Sass, Font Awesome, Bootstrap, lots and lots of Monster Energy and of course the start of the show: React!
8
9 Star us for luck!
10
11 Equipo Adormecido rooster:
12 * Joel(https://github.com/jerona)
13 * Marcos(https://github.com/mothcrown)
14 * Victor(https://github.com/victorAcaymo)

```

Tienda Adormecida

by Equipo Adormecido (Team Asleep for all you *guiris*, I suppose?)

An e-commerce mockup consuming both eBay and WalMart APIs with a side order of popular social network login options just for the fun of it.

List of technologies we'll be using here in no real order: npm, jQuery, jQueryUI, Babel, Gulp, Sass, Font Awesome, Bootstrap, lots and lots of Monster Energy and of course the start of the show: React!

Star us for luck!

Equipo Adormecido rooster:

- [Joel](#)
- [Marcos](#)
- [Victor](#)

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git log --oneline
5d5993e (HEAD -> joel-dev) Agregada Estructura Tableta
e12cbc1 eo
7e35001 Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db Sacado datos de la API Walkmart
3b02b1f Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) Ready
3450507 Gulp configuradísimo
47c130b Saving dev
4dc385a So it begins
9dcc2c4 First commit: setting up boilerplate
```

Activar Windows

Ir a Configuración de PC para activar Windows.

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reset --hard 7e35001
HEAD is now at 7e35001 Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git log --oneline
7e35001 (HEAD -> joel-dev) Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db Sacado datos de la API Walkmart
3b02b1f Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) Ready
3450507 Gulp configuradísimo
47c130b Saving dev
4dc385a So it begins
9dcc2c4 First commit: setting up boilerplate
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> Activar Windows
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reflog
7e35001 (HEAD -> joel-dev) HEAD@{0}: reset: moving to 7e35001
5d5993e HEAD@{1}: commit: Agregada Estructura Tableta
e12cbc1 HEAD@{2}: commit: eo
7e35001 (HEAD -> joel-dev) HEAD@{3}: commit: Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db HEAD@{4}: commit: Sacado datos de la API Walkmart
3b02b1f HEAD@{5}: commit: Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{6}: checkout: moving from joel to joel-dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{7}: checkout: moving from dev to joel
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{8}: checkout: moving from master to dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9}: clone: from https://github.com/mothcrown/TiendaAdormecida.git
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\CIFP 2DAW\DEW (Edu)\Proyecto\TiendaAdormecida>
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reset --hard 5d5993e
HEAD is now at 5d5993e Agregada Estructura Tableta
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git log --oneline
5d5993e (HEAD -> joel-dev) Agregada Estructura Tableta
e12cbc1 eo
7e35001 Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db Sacado datos de la API Walmart
3b02b1f Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) Ready
3450507 Gulp configuradisimo
47c130b Saving dev
4dc385a So it begins
9dcc2c4 First commit: setting up boilerplate
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> Activar Windows
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reflog
5d5993e (HEAD -> joel-dev) HEAD@{0}: reset: moving to 5d5993e
7e35001 HEAD@{1}: reset: moving to 7e35001
5d5993e (HEAD -> joel-dev) HEAD@{2}: commit: Agregada Estructura Tableta
e12cbc1 HEAD@{3}: commit: eo
7e35001 HEAD@{4}: commit: Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db HEAD@{5}: commit: Sacado datos de la API Walmart
3b02b1f HEAD@{6}: commit: Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{7}: checkout: moving from joel to joel-dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{8}: checkout: moving from dev to joel
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9}: checkout: moving from master to dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{10}: clone: from https://github.com/mothcrown/TiendaAdormecida.git
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida>
```

```
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida> git reflog --relative-date
5d5993e (HEAD -> joel-dev) HEAD@{36 minutes ago}: reset: moving to 5d5993e
7e35001 HEAD@{65 minutes ago}: reset: moving to 7e35001
5d5993e (HEAD -> joel-dev) HEAD@{69 minutes ago}: commit: Agregada Estructura Tableta
e12cbc1 HEAD@{2 months ago}: commit: eo
7e35001 HEAD@{9 months ago}: commit: Obtenido datos de productos de la API Walmartslab y volcado en objetos que se han mostrado, agregado metodo para cambiar de productos, agregado los eventos de los distintos productos de la API, Ver mas detalles y Comprar (falta la creación de ventana modal)
2c078db HEAD@{9 months ago}: commit: Sacado datos de la API Walmart
3b02b1f HEAD@{9 months ago}: commit: Prueba hecho con eventos
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9 months ago}: checkout: moving from joel to joel-dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9 months ago}: checkout: moving from dev to joel
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9 months ago}: checkout: moving from master to dev
17b6dc2 (origin1/master, origin1/HEAD, master, joel, dev) HEAD@{9 months ago}: clone: from https://github.com/mothcrown/TiendaAdormecida.git
PS C:\Users\MicrosoftUser\Curso CIFP Cesar Manrique\Curso CIFP\2DAW\DEW (Edu)\Proyecto\TiendaAdormecida>
```

github.com/jerona/apuntes-git/settings/collaboration

jump to... / Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Unwatch 1 Star 0 Fork 0

Options

Collaborators

Branches

Webhooks

Notifications

Integrations & services

Deploy keys

Secrets

Actions

Collaborators

Push access to the repository

This repository doesn't have any collaborators yet. Use the form below to add a collaborator.



Search by username, full name or email address
You'll only be able to find a GitHub user by their email address if they've chosen to list it publicly. Otherwise, use their username instead.

Add collaborator

0 of 3 collaborators

© 2019 GitHub, Inc. Terms Privacy Security Status Help

Contact GitHub Pricing API Training Blog About



Issues · jerona/apuntes-git · Private

jerona / apuntes-git

Code Issues Pull requests Actions Projects Security Insights Settings

Filters Issues 0 Pull requests 0 Actions 0 Projects 0 Security 0 Insights 0 Settings 0

New issue

Welcome to Issues!

Issues are used to track todos, bugs, feature requests, and more. As issues are created, they'll appear here in a searchable and filterable list. To get started, you should [create an issue](#).

ProTip! Exclude everything labeled bug with -label:bug.

No encontrado la parte de issues al pdf

Related Issues Beta Try it.

Write Preview AA B i CC @ ↵

Por favor, agregar la parte de issues

Attach files by dragging & dropping, selecting or pasting them.

Styling with Markdown is supported

Submit new issue

Assignees: None yet—assign yourself

Labels: None yet

Projects: None yet

Milestone: None

github.com/jerona/apuntes-git/issues/1

Search or jump to...

Pull requests Issues Marketplace Explore

jerona / apuntes-git · Private

Code Issues 1 Pull requests 0 Actions 0 Projects 0 Security 0 Insights 0 Settings 0

No encontrado la de issues al pdf #1

Open jerona opened this issue 1 minute ago · 0 comments

jerona commented 1 minute ago

Por favor, agregar la parte de issues

Jerona changed the title No encontrado la de issues al pdf → No encontrado la de issues al pdf 1 minute ago

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Close issue Comment

Assignees: None yet—assign yourself

Labels: None yet

Projects: None yet

Milestone: None

Notifications: Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

A screenshot of a web browser displaying a GitHub repository page. The URL in the address bar is `github.com/jerona/apuntes-git/issues/1`. The repository name is `jerona / apuntes-git` and it is marked as `Private`. The navigation bar includes links for `Pull requests`, `Issues`, `Marketplace`, and `Explore`. Below the navigation bar, there are tabs for `Code`, `Issues`, `Pull requests`, `Actions`, `Projects`, `Security`, `Insights`, and `Settings`. The `Issues` tab is selected. A green button labeled `New issue` is visible. The main content area shows a single issue titled `No encontrado la de issues al pdf #1`. The issue is marked as `Open` and was created by `jerona` 1 minute ago with 0 comments. The issue body contains a message from `jerona` stating `Por favor, agregar la parte de issues`. Below the message, another comment from `jerona` changes the title to `No encontrado la de issues al pdf No encontrado la de issues al pdf`. On the right side of the issue view, there is a sidebar with sections for `Assignees`, `Labels`, `Projects`, `Milestone`, and `Notifications`. The `Notifications` section includes a link to `Unsubscribe` and a note stating `You're receiving notifications because you're watching this repository.`. A red box highlights the `Unsubscribe` link.

A screenshot of a web browser displaying a GitHub repository page. The URL in the address bar is `github.com/jerona/apuntes-git`. The repository name is `jerona / apuntes-git` and it is marked as `Private`. The navigation bar includes links for `Pull requests`, `Issues`, `Actions`, `Projects`, `Security`, `Insights`, and `Settings`. The `Issues` tab is selected. A green button labeled `New issue` is visible. The main content area shows a search bar with the query `is:issue is:open`. Below the search bar, there are filters for `Author`, `Label`, `Projects`, `Milestones`, `Assignee`, and `Sort`. The search results show one open issue: `No encontrado la parte de issues al pdf`. This issue was opened 16 minutes ago by `jerona`. A pro tip message at the bottom of the results says `💡 ProTip! Adding nodlabel will show everything without a label.`. At the bottom of the page, there is a footer with links for `© 2019 GitHub, Inc.`, `Terms`, `Privacy`, `Security`, `Status`, `Help`, `Contact GitHub`, `Pricing`, `API`, `Training`, `Blog`, and `About`.


```
MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git add -A

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git commit -m "Agregado parte faltante pdf fixes resolves #1"
[develop 81f941b] Agregado parte faltante pdf fixes resolves #1
 1 file changed, 0 insertions(+), 0 deletions(-)

MicrosoftUser@Microsoft MINGW64 ~/Desktop/Apuntes GIT Projecto (develop)
$ git push origin develop
```

github.com/jerona/apuntes-git/issues/1

[Code](#) [Issues 1](#) [Pull requests 0](#) [Actions](#) [Projects 0](#) [Security](#) [Insights](#) [Set](#)

No encontrado la parte de issues al pdf #1

[Open](#) jerona opened this issue 1 hour ago · 0 comments

 jerona commented 1 hour ago
Por favor, agregar la parte de issues

  jerona changed the title ~~N-encontrado la de issues al pdf~~ No encontrado la de issues al pdf 1 hour ago

  jerona changed the title ~~No-encontrado la de issues-al-pdf~~ No encontrado la parte de issues al pdf 1 hour ago

  jerona closed this 24 minutes ago

  jerona reopened this 20 minutes ago

 jerona added a commit that referenced this issue 12 minutes ago ⓘ
 Agregado parte faltante pdf fixes resolves #1 81f941b

← → ⌂ ⌂ github.com/jerona/apuntes-git/labels

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Labels Milestones Search all labels New label

9 labels Sort ▾

Label	Description	Edit	Delete
bug	Something isn't working	Edit	Delete
documentation	Improvements or additions to documentation	Edit	Delete
duplicate	This issue or pull request already exists	Edit	Delete
enhancement	New feature or request	Edit	Delete
good first issue	Good for newcomers	Edit	Delete
help wanted	Extra attention is needed	Edit	Delete
invalid	This doesn't seem right	Edit	Delete
question	Further information is requested	Edit	Delete
wontfix	This will not be worked on	Edit	Delete

© 2019 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)  [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

github.com/jerona/apuntes-git/issues/1

jerona / apuntes-git Private

Unwatch 1 Star 0 Fork 0

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

No encontrado la parte de issues al pdf #1

Open jerona opened this issue 1 hour ago · 0 comments

jerona commented 1 hour ago
Por favor, agregar la parte de issues

jerona changed the title No encontrado la parte de issues al pdf No encontrado la parte de issues al pdf 1 hour ago

jerona changed the title No encontrado la parte de issues al pdf No encontrado la parte de issues al pdf 1 hour ago

jerona closed this 1 hour ago

jerona reopened this 1 hour ago

jerona added a commit that referenced this issue 40 minutes ago ⓘ
Agregado parte faltante pdf fixes [resolves #1](#) 81f941b

jerona added bug duplicate labels now

Assignees: No one—assign yourself

Labels: bug (red), duplicate (gray)

Projects: None yet

Milestone: No milestone

Notifications: Unsubscribe (Customize)

You're receiving notifications because you're watching this repository.

1 participant: jerona

Lock conversation

github.com/jerona/apuntes-git/issues?utf8=%E2%9C%93&q=is%3Aissue+label%3A"bug"+

Jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Unwatch 1 Star 0 Fork 0

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Filters: isissue label:"bug"

Clear current search query, filters, and sorts

1 Open 0 Closed Author Label Projects Milestones Assignee Sort

No encontrado la parte de issues al pdf bug duplicate
#1 opened 1 hour ago by jerona

ProTip! Ears burning? Get @jerona mentions with [mentions:jerona](#).

github.com/jerona/apuntes-git/milestones

jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Labels Milestones New milestone

0 Open 0 Closed Sort ▾

You haven't created any Milestones.

Use Milestones to create collections of Issues and Pull Requests for a particular release or project.

Create a Milestone

© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

github.com/jerona/apuntes-git/milestones?with_issues=no

Search or jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Labels Milestones New milestone

1 Open 0 Closed Sort ▾

Beta PDF

Due by December 31, 2019 Last updated less than a minute ago

Toda la documentación del pdf

0% complete 0 open 0 closed

Edit Close Delete

© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

github.com/jerona/apuntes-git/issues?utf8=%E2%9C%93&q=is%3Aopen

jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Filters isopen Labels 9 Milestones 1 New issue

Clear current search query, filters, and sorts

1 selected

No encontrado la parte de issues al pdf #1 opened 2 hours ago by jerona

Set milestone

Filter milestones

No milestone Beta PDF

ProTip! Type ⌘ P on any issue or pull request to go back

© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

jerona / apuntes-git Private

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Filters isopen Labels 9 Milestones 1 New issue

Clear current search query, filters, and sorts

1 Open 0 Closed Author Label Projects Milestones Assignee Sort

No encontrado la parte de issues al pdf #1 opened 2 hours ago by jerona Beta PDF

ProTip! Click a checkbox on the left to edit multiple issues at once.

© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

github.com/jerona/apuntes-git/milestones

jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private Unwatch 1 Star 0 Fork 0

Code Issues 1 Pull requests 0 Actions Projects 0 Security Insights Settings

Labels Milestones New milestone

1 Open 0 Closed Sort

Beta PDF

Due by December 31, 2019 Last updated 2 minutes ago

Toda la documentación del pdf

0% complete 1 open 0 closed

Edit Close Delete

© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

github.com/jerona/apuntes-git/projects

Unwatch 1 Star 0 Fork 0

Code Issues Pull requests Actions Projects 0 Security Insights Settings

Organize your issues with project boards

[Learn More](#) [Create a project](#)

Did you know you can manage projects in the same place you keep your code? Set up a project board on GitHub to streamline and automate your workflow.



Sort tasks

Add issues and pull requests to your board and prioritize them alongside note cards containing ideas or task lists.



Plan your project

Sort tasks into columns by status. You can label columns with status indicators like "To Do", "In Progress", and "Done".



Automate your workflow

Set up triggering events to save time on project management—we'll move tasks into the right columns for you.



Track progress

Keep track of everything happening in your project and see exactly what's changed since the last time you looked.



Share status

Each card has a unique URL, making it easy to share and discuss individual tasks with your team.



Wrap up

After you wrap up your work, close your project board to remove it from your active projects list. On to the next project!

© 2019 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#) [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

github.com/jerona/apuntes-git/projects/new

Unwatch 1 Star 0 Fork 0

Code Issues Pull requests Actions Projects 0 Security Insights Settings

Create a new project

Coordinate, track, and update your work in one place, so projects stay transparent and on schedule.

Project board name

Description (optional)

Project template
Save yourself time with a pre-configured project board template.
Template: [None](#)

[Create project](#)

© 2019 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#) [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

This screenshot shows the GitHub Projects interface for a repository named 'jerona / apuntes-git'. The main heading 'Necesarios para la demo' is displayed. A message states 'This project doesn't have any columns or cards.' Below this is a green 'Add a column' button. The top navigation bar includes links for Pull requests, Issues, Marketplace, Explore, and Projects (which is currently selected). The right side of the header shows options to Unwatch, Star, Fork, and a menu.

This screenshot shows the GitHub Projects interface for the same repository. It now displays four columns: TODO, IN PROGRESS, BLOCKED, and DONE. A fifth column, labeled 'DONE', is shown as a dashed box with a '+ Add column' button. The top navigation bar and repository information remain the same.

This screenshot shows the GitHub Projects interface with a search results sidebar open. The search term 'isopen' is entered, and the results show one issue: '#1 opened by jerona'. A red annotation with a curved arrow points from the 'isopen' search term in the sidebar to the 'isopen' filter icon in the top right corner of the search results box. The top navigation bar and repository information are consistent with the previous screenshots.

github.com/jerona/apuntes-git/projects/1

Search or jump to... Pull requests Issues Marketplace Explore

jerona / apuntes-git Private

Unwatch 1 Star 0 Fork 0

Code Issues 1 Pull requests 0 Actions Projects 1 Security Insights Settings

Necesarios para la demo Updated 5 minutes ago

Filter cards

Menu

Necesarios para la demo #1 + ...

Aquí están todos los requisitos necesarios para la finalización del documento.

Close project

Activity

View new activity

@jerona added No encontrado la parte de issues al pdf to TODO 10 seconds ago

@jerona removed No encontrado la parte de issues al pdf 2 minutes ago

The screenshot shows a GitHub Projects board for the repository 'jerona/apuntes-git'. The board has two columns: 'TODO' and 'IN PROGRESS'. The 'TODO' column contains one card: 'No encontrado la parte de issues al pdf', which was opened by 'jerona' and is labeled as 'Beta PDF'. The 'IN PROGRESS' column is empty. To the right of the board is a sidebar with project details ('Necesarios para la demo', status 'Updated 5 minutes ago'), a 'Menu' button, and an 'Activity' feed. The activity feed shows two recent events: '@jerona added No encontrado la parte de issues al pdf to TODO' (10 seconds ago) and '@jerona removed No encontrado la parte de issues al pdf' (2 minutes ago).

github.com/jerona/apuntes-git/settings

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Source

GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository. [Learn more](#).

None ▾

Select source

- master branch
Use the master branch for GitHub Pages.
- master branch /docs folder
Use only the /docs folder for GitHub Pages.
- None
Disable GitHub Pages.

GitHub Pages

[GitHub Pages](#) is designed to host your personal, organization, or project pages from a GitHub repository.

Source

Your GitHub Pages site is currently being built from the master branch. [Learn more](#).

master branch ▾

Select source

- master branch Use the master branch for GitHub Pages.
- master branch /docs folder Use only the /docs folder for GitHub Pages.
- None Disable GitHub Pages.

Save

Enforce HTTPS
— Required for your site because you are using the default domain ([jerona.github.io](#))
HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site.
When HTTPS is enforced, your site will only be served over HTTPS. [Learn more](#).

github.com/jerona/apuntes-git/settings

GitHub Pages

[GitHub Pages](#) is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at <https://jerona.github.io/apuntes-git/>

Source

Your GitHub Pages site is currently being built from the master branch. [Learn more](#).

master branch ▾

Theme Chooser

Select a theme to publish your site with a Jekyll theme. [Learn more](#).

Choose a theme

Custom domain

Custom domains allow you to serve your site from a domain other than jerona.github.io. [Learn more](#).

Save

Enforce HTTPS
— Required for your site because you are using the default domain ([jerona.github.io](#))
HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site.
When HTTPS is enforced, your site will only be served over HTTPS. [Learn more](#).

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Source

GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository. [Learn more.](#)

None ▾

- Select source
 - master branch Use the master branch for GitHub Pages.
 - master branch /docs folder Use only the /docs folder for GitHub Pages.
- None Disable GitHub Pages.

Make this repository private
Hide this repository from the public. [Make private](#)

Transfer ownership
Transfer this repository to another user or to an organization where you have the ability to create repositories. [Transfer](#)

Archive this repository
Mark this repository as archived and read-only. [Archive this repository](#)

Delete this repository
Once you delete a repository, there is no going back. Please be certain. [Delete this repository](#)

github.com/jerona/apuntes-git/tree/master/docs

Pull requests Issues Marketplace Explore

jerona / apuntes-git

Code Issues 0 Pull requests 0 Actions Projects 1 Security Insights Settings

Branch: master apuntes-git / docs /

Create new file Upload files Find file History

jerona fichero index pdf embebido Latest commit 4f10131 15 minutes ago

..

index.html fichero index pdf embebido 15 minutes ago

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at <https://jerona.github.io/apuntes-git/>

Source

Your GitHub Pages site is currently being built from the /docs folder in the master branch. [Learn more.](#)

master branch /docs folder ▾

Theme Chooser

Select a theme to publish your site with a Jekyll theme. [Learn more.](#)

Choose a theme

Custom domain


Custom domains allow you to serve your site from a domain other than jerona.github.io. [Learn more.](#)

Save

Enforce HTTPS

— Required for your site because you are using the default domain (jerona.github.io)

HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site. When HTTPS is enforced, your site will only be served over HTTPS. [Learn more.](#)



github.com/new

0... Pull requests Issues Marketplace Explore

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner Repository name ***** ✓

Great repository names are short and memorable. Need inspiration? How about [vigilant-funicular](#)?

Description (optional)

 **Public**
Anyone can see this repository. You choose who can commit.

 **Private**
You choose who can see and commit to this repository.


Skip this step if you're importing an existing repository.

Initialize this repository with a **README**
This will let you immediately clone the repository to your computer.

Add .gitignore: **None** | Add a license: **None** ⓘ

Create repository

Screenshot of a GitHub repository page for `jerona / jerona.github.io`. The repository has 1 commit, 1 branch, 0 packages, 0 releases, 1 environment, and 1 contributor. The latest commit was made 2 years ago. A green button at the bottom right says "Add a README".



© 2019 GitHub, Inc. Terms Privacy Security Status Help Contact GitHub Pricing API Training Blog About

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.


✓ Your site is published at <https://jerona.github.io/>

Source
Your GitHub Pages site is currently being built from the master branch. [Learn more.](#)
User pages must be built from the master branch.

Theme Chooser
Select a theme to publish your site with a Jekyll theme. [Learn more.](#)
[Choose a theme](#)

Custom domain
Custom domains allow you to serve your site from a domain other than `jerona.github.io`. [Learn more.](#)
 Save

Enforce HTTPS
— Required for your site because you are using the default domain (`jerona.github.io`)
HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site.
When HTTPS is enforced, your site will only be served over HTTPS. [Learn more.](#)



A screenshot of a GitHub profile page. At the top right, there is a dropdown menu with several options: 'New repository', 'Import repository', 'New gist' (which is highlighted with a blue selection bar), 'New organization', and 'New project'. The main content area shows a large, stylized letter 'H' composed of pink squares. Below it, there's a 'ProTip!' message about updating your profile. The navigation bar at the top includes 'Pull requests', 'Issues', 'Marketplace', and 'Explore'. Below the navigation, there are sections for 'Overview', 'Repositories 7', 'Projects 0', 'Packages 0', 'Stars 0', 'Followers 1', and 'Following 0'. A 'Popular repositories' section lists 'primerRepositorio' and 'reproductorV1.0'.

A screenshot of the GitHub Gist sharing interface. The URL in the address bar is 'gist.github.com'. The page has a dark header with 'GitHub Gist' and a search bar. Below the header, a large text area says 'Instantly share code, notes, and snippets.' A code editor window is open, titled 'JavaScript: Validar String'. It contains a file named 'validateString.js' with the following code:

```
1  function stringEmpty(string) {
2      return esValido = (typeof string === 'undefined' || string === null || (string.trim()).length == 0) ? false : true;
3  }
```

The code editor has settings for 'Spaces', '2', and 'No wrap'. At the bottom of the editor, there are buttons for 'Add file', 'Create secret gist' (highlighted with a yellow background), and 'Create public gist'.

← → C ⌂ g gist.github.com

GitHub Gist Search... All gists Back to GitHub

.gitattributes Hace que trate los ficos... ValidateString.js JavaScript: Validar Stri...

Gist description...
Filename including extension... Spaces 2 1

Signed in as jerona
Your gists Starred gists Help Your GitHub profile Sign out

← → C ⌂ g gist.github.com/jerona

GitHub Gist Search... All gists Back to GitHub

All gists 2 Type: All ▾ Sort: Recently created ▾
1 file 0 forks 0 comments 0 stars


jerona / .gitattributes
Created 11 minutes ago
Hace que trate los ficheros binarios como fichero en texto plano permitiendo ver el contenido a la hora de invocar la diferencia (git diff)

```
1 # Auto detect text files and perform LF normalization
2 * text=auto
3
4 # Custom for Visual Studio
5 *.cs diff=csharp
6
7 # Standard to msysgit
8 *.doc diff=astextplain
9 *.DOC diff=astextplain
10 *.docx diff=astextplain
```

 jerona / ValidateString.js
Last active 39 minutes ago
JavaScript: Validar String

```
1 function stringEmpty(string) {
2     return esValido = (typeof string === 'undefined' || string == null || (string.trim()).length == 0)
3 }
```

gist.github.com/jerona

GitHub Gist Search... All gists Back to GitHub

jerona / .gitattributes

Created 11 minutes ago

Hace que trate los ficheros binarios como fichero en texto plano permitiendolos ver el contenido a la hora de invocar la diferencia (git diff)

```
1 # Auto detect text files and perform LF normalization
2 * text=auto
3
4 # Custom for Visual Studio
5 *.cs diff=csharp
6
7 # Standard to msysgit
8 *.doc diff=astextplain
9 *.DOC diff=astextplain
10 *.docx diff=astextplain
```

jerona / ValidateString.js

Last active 39 minutes ago

JavaScript: Validar String

```
1 function stringEmpty(string) {
2     return esValido = (typeof string === 'undefined' || string == null || (string.trim()).length == 0)
3 }
```

gist.github.com/jerona/d0c878d814af6ff05fe46c0aa8151f55

All gists Back to GitHub

jerona / .gitattributes

Created 17 minutes ago

[Edit](#) [Delete](#) [Unsubscribe](#) [Star 0](#)


[Code](#) [Revisions 1](#) [Embed](#) [Download ZIP](#)

Hace que trate los ficheros binarios como fichero en texto plano permitiendolos ver el contenido a la hora de invocar la diferencia (git diff)

```
1 # Auto detect text files and perform LF normalization
2 * text=auto
3
4 # Custom for Visual Studio
5 *.cs diff=csharp
6
7 # Standard to msysgit
8 *.doc diff=astextplain
9 *.DOC diff=astextplain
10 *.docx diff=astextplain
11 *.DOXX diff=astextplain
12 *.dot diff=astextplain
13 *.DOT diff=astextplain
14 *.pdf diff=astextplain
15 *.PDF diff=astextplain
16 *.rtf diff=astextplain
17 *.RTF diff=astextplain
```

Write Preview

Leave a comment



```
5  <head>
6      <meta charset="UTF-8">
7      <meta name="viewport" content="width=device-width, initial-scale=1.0">
8      <meta http-equiv="X-UA-Compatible" content="ie=edge">
9      <title>Document</title>
10
11     <body>
12         <script>
13             //Insertaremos codigo almacenado gist aqui abajo-->
14
15     </script>
16 </body>
17
18 </html>
```

The screenshot shows the VS Code interface with the title bar '• codigo.html - Apuntes GIT Proyecto - Visual Studio Code'. A command palette is open at the bottom, with the search bar containing '>Gist:'. Below the search bar, a list of commands related to the Gist extension is displayed, including 'GIST: Insert Code Into Current File', 'GIST: Add To Block', 'GIST: Create New Block', 'GIST: Change Block Description', 'GIST: Delete Block', 'GIST: Open Block', 'GIST: Open Block In Browser', 'GIST: Open Favorite Block', and 'GIST: Remove From Block'. The code editor window below shows the same HTML code as the previous screenshot.

codigo.html - Apuntes GIT Proyecto - Visual Studio Code

1. JavaScript: Validar String PUBLIC, Files: 1, Created: 21 de diciembre de 2019, Updated: 21 de diciembre ...

```
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <meta http-equiv="X-UA-Compatible" content="ie=edge">
7     <title>Document</title>
8 </head>
9
10 <body>
11     <!--Insertaremos codigo almacenado gist aqui abajo-->
12
13
14 </body>
15
16 </html>
```

codigo.html •

```
3
4 <head>
5     <meta charset="UTF-8">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <meta http-equiv="X-UA-Compatible" content="ie=edge">
8     <title>Document</title>
9 </head>
10
11 <body>
12     <script>
13         //Insertaremos codigo almacenado gist aqui abajo-->
14         function stringEmpty(string) {
15             return esValido =
16                 (typeof string === 'undefined' || string == null || (string.trim()).length == 0) ?
17                     false : true;
18         }
19     </script>
20 </body>
21
22 </html>
```