

CANARA E-BANK

Execution Environment

Host name	HP - 20.23.0.30
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 126.0.0.0
Device name	

Summary

ID	Test Suites/CANARA E-BANK		
Description			
Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	14-06-2024 15:03:04	End	14-06-2024 15:12:00
Elapsed	8m - 56.038s		

#	ID	Description	Status
1	Test Cases/CANARA NETBANK/Account Opening		FAILED
2	Test Cases/CANARA NETBANK/Claims		FAILED
3	Test Cases/CANARA NETBANK/Loans		FAILED
4	Test Cases/CANARA NETBANK/NET LOGIN		FAILED

Account Opening

Information

ID	Test Cases/CANARA NETBANK/Account Opening		
Description			
Tag			
Start	14-06-2024 15:05:23	End	14-06-2024 15:06:08
Elapsed	45.534s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.309s	PASSED
2	navigateToUrl("https://canarabank.com/") Navigate to 'https://canarabank.com/' successfully	7.382s	PASSED
3	click(findTestObject("Object Repository/Account Opening/Page_Personal Banking Savings Accounts Lo_1a382e/button_English")) Object: 'Object Repository/Account Opening/Page_Personal Banking Savings Accounts Lo_1a382e/button_English' is clicked on	0.634s	PASSED
4	click(findTestObject("Object Repository/Account Opening/Page_Personal Banking Savings Accounts Lo_1a382e/span_ONLINE ACCOUNT OPENING")) Object: 'Object Repository/Account Opening/Page_Personal Banking Savings Accounts Lo_1a382e/span_ONLINE ACCOUNT OPENING' is clicked on	1.807s	PASSED

Account Opening

#	Description	Elapsed	Status
5	<p>click(findTestObject("Object Repository/Account Opening/Page_/span_OPEN ACCOUNT"))</p> <p>Unable to click on object 'Object Repository/Account Opening/Page_/span_OPEN ACCOUNT' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Account Opening/Page_/span_OPEN ACCOUNT' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Account Opening.run(Account Opening:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1718357579972.run(TempTestSuite1718357579972.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element >... is not clickable at point (791, 772). Other element would receive the click: (Session info: chrome=126.0.6478.57)</p>	33.371s	FAILED

Account Opening

#	Description	Elapsed	Status
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-DUE3P35', ip: '20.23.0.30', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.57, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60648}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5d5a8c14deb35cff25b0b3cc06a67f2 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)		

Account Opening

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718356371664.run(Script1718356371664.groovy:28) ... 18 more)</pre>		
	 <p>The screenshot displays the Canara Bank website's 'Online Account Opening' page. The header features the bank's logo, navigation links, and a language selector set to Hindi. The main banner includes a man sitting on a sofa, the text 'Canara Online Account Opening', and the tagline 'Experience swift account opening in just few clicks. Get Set Go!'. Below the banner, a yellow bar highlights 'CANARA ONLINE ACCOUNT OPENING'. A breadcrumb trail shows 'HOME > ONLINE ACCOUNT OPENING'. The central section, titled 'CANARA ONLINE ACCOUNT OPENING (THIS FACILITY IS AVAILABLE ONLY FOR NEW TO BANK CUSTOMERS)', outlines the process in five simple steps: 1. VERIFY MOBILE NUMBER & E-MAIL ID, 2. VERIFY PAN AND AADHAAR, 3. FILL BASIC DETAILS, 4. VIDEO KYC, and 5. ACCOUNT READY!. To the right, a circular inset shows a man in a white shirt with the text 'Click Here' and an arrow pointing to him.</p>		

Claims

Information

ID	Test Cases/CANARA NETBANK/Claims		
Description			
Tag			
Start	14-06-2024 15:07:15	End	14-06-2024 15:07:29
Elapsed	13.123s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.307s	PASSED
2	navigateToUrl("https://canarabank.com/") Navigate to 'https://canarabank.com/' successfully	5.811s	PASSED
3	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_English")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_English' is clicked on	0.547s	PASSED
4	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_' is clicked on	2.827s	PASSED
5	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_' is clicked on	0.294s	PASSED

Claims

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_' is clicked on	0.276s	PASSED
7	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_' is clicked on	0.282s	PASSED
8	click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_")) Object: 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/button_' is clicked on	0.279s	PASSED

Claims

#	Description	Elapsed	Status
9	<p>click(findTestObject("Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/a_REPORT UNAUTHORISED FRAUDULENT ELECTRONIC _59de01"))</p> <p>Unable to click on object 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/a_REPORT UNAUTHORISED FRAUDULENT ELECTRONIC _59de01' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Death Claim/Page_Personal Banking Savings Accounts Lo_1a382e/a_REPORT UNAUTHORISED FRAUDULENT ELECTRONIC _59de01' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Claims.run (Claims:36) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718357579972.run (TempTestSuite1718357579972.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (NativeMethod)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p>	0.474s	FAILED

Claims

#	Description	Elapsed	Status
	(Session info: chrome=126.0.6478.57) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-DUE3P35', ip: '20.23.0.30', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.57, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60825}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 378a26a9a72eeeecec78e2f2998ff1b3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)		

Claims

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718357209361.run(Script1718357209361.groovy:36) ... 18 more) </pre>		
	 <p>The screenshot displays the Canara Bank website. At the top, there is a blue header with the bank's logo and name in Hindi and English. Below the header, there are navigation links for 'ABOUT US' and 'CUSTOMER FEEDBACK'. A language selector is set to 'Hindi'. The main content area features three loan categories: 'HOME LOAN' with an 8.40% interest rate, 'CAR LOAN' with an 8.70% interest rate, and 'GOLD LOAN' with an 8.90% interest rate. Each category has a corresponding icon (house, car, and gold rings respectively) and a 'Canara' label. A 'NET BANKING - LOGIN' button is visible on the right. A 'KNOW MORE' button with a magnifying glass icon is also present. A cookie notice is displayed at the bottom, stating: 'We use cookies as per our cookie policy, Privacy Policy and Terms & Conditions to enhance your experience on our website. Essential cookies required for website functionality. By continuing to browse this website, you consent to our use of cookies and agree to the Privacy and Cookie Policy and Terms & Conditions.' There is an 'OK' button to accept the notice. A social media sidebar on the right includes icons for Facebook, Instagram, YouTube, LinkedIn, and Twitter. At the bottom right, there is a circular image of a man in a white lab coat with his hands in a prayer position.</p>		

Loans

Information

ID	Test Cases/CANARA NETBANK/Loans		
Description			
Tag			
Start	14-06-2024 15:08:00	End	14-06-2024 15:08:10
Elapsed	10.263s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.636s	PASSED
2	navigateToUrl("https://canarabank.com/") Navigate to 'https://canarabank.com/' successfully	6.711s	PASSED
3	click(findTestObject("Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/button_English")) Object: 'Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/button_English' is clicked on	0.634s	PASSED
4	click(findTestObject("Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/span")) Object: 'Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/span' is clicked on	0.752s	PASSED

Loans

#	Description	Elapsed	Status
5	<p>click(findTestObject("Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/span_ONLINE ACCOUNT OPENING_subDropAlt"))</p> <p>Unable to click on object 'Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/span_ONLINE ACCOUNT OPENING_subDropAlt' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/New Folder/Loans/Page_Personal Banking Savings Accounts Lo_1a382e/span_ONLINE ACCOUNT OPENING_subDropAlt' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Loans.run (Loans:28) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718357579972.run (TempTestSuite1718357579972.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=126.0.6478.57)</p>	0.507s	FAILED

Loans

#	Description	Elapsed	Status
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-DUE3P35', ip: '20.23.0.30', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.57, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60994}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a059f64b121d83183aa79075d397b36c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) atjdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) atjdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

Loans

#	Description	Elapsed	Status
---	-------------	---------	--------

```
(ClickKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
    at Script1718357047678.run(Script1718357047678.groovy:28)
    ... 18 more
)
```



NET LOGIN

Information

ID	Test Cases/CANARA NETBANK/NET LOGIN		
Description			
Tag			
Start	14-06-2024 15:10:59	End	14-06-2024 15:11:58
Elapsed	58.625s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.111s	PASSED
2	navigateToUrl("https://canarabank.com/") Navigate to 'https://canarabank.com/' successfully	7.296s	PASSED
3	click(findTestObject("Object Repository/NET Login/Page_Personal Banking Savings Accounts Lo_1a382e/button_English")) Object: 'Object Repository/NET Login/Page_Personal Banking Savings Accounts Lo_1a382e/button_English' is clicked on	0.623s	PASSED
4	click(findTestObject("Object Repository/NET Login/Page_Personal Banking Savings Accounts Lo_1a382e/span_NET BANKING - LOGIN")) Object: 'Object Repository/NET Login/Page_Personal Banking Savings Accounts Lo_1a382e/span_NET BANKING - LOGIN' is clicked on	1.889s	PASSED
5	click(findTestObject("Object Repository/NET Login/Page_Canara Bank Net Banking Secure Online_727d8f/a_Net Banking- Login (Retail Corporate)NEW")) Object: 'Object Repository/NET Login/Page_Canara Bank Net Banking Secure Online_727d8f/a_Net Banking- Login (Retail Corporate)NEW' is clicked on	0.533s	PASSED
6	switchToWindowTitle("Canara Bank - Canara Bank") Switched to window with title: 'Canara Bank - Canara Bank'	7.861s	PASSED

NET LOGIN

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/NET Login/Page_Canara Bank - Canara Bank/span_Audio Captcha_icons icon-refresh")) Object: 'Object Repository/NET Login/Page_Canara Bank - Canara Bank/span_Audio Captcha_icons icon-refresh' is clicked on	4.066s	PASSED
8	click(findTestObject("Object Repository/NET Login/Page_Canara Bank - Canara Bank/img__imgstylenew")) Object: 'Object Repository/NET Login/Page_Canara Bank - Canara Bank/img__imgstylenew' is clicked on	1.190s	PASSED

NET LOGIN

#	Description	Elapsed	Status
9	<p>click(findTestObject("Object Repository/NET Login/Page_Canara Bank - Canara Bank/div_Exclusive FeaturesEasy to use OTP over _ea3d60"))</p> <p>Unable to click on object 'Object Repository/NET Login/Page_Canara Bank - Canara Bank/div_Exclusive FeaturesEasy to use OTP over _ea3d60' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/NET Login/Page_Canara Bank - Canara Bank/div_Exclusive FeaturesEasy to use OTP over _ea3d60'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at NET LOGIN.run (NET LOGIN:36)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1718357579972.run (TempTestSuite1718357579972.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="scrolling blur" style="text-align:justify;padding-bottom:0;max-height:450px!important;min-height:450px!important">...</div> is not clickable at point</p>	33.034s	FAILED

NET LOGIN

#	Description	Elapsed	Status
	<p>(456, 480). Other element would receive the click: </p> <p>(Session info: chrome=126.0.6478.57)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'DESKTOP-DUE3P35', ip: '20.23.0.30', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.57, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61216}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 0450fcacbea0a21cb5b5d0ce307e3404</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p>		

NET LOGIN

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718356841269.run(Script1718356841269.groovy:36) ... 18 more </pre>		

