

# Feature Selection Analysis

Maximize ECR in RL


Shijie Li   Cong Mai   Yifan Guo

Group: A3


## Wrapper Method

Greedy Forward-Backward Search (maximize ECR)

**Forward phase:** Add one candidate feature to optimal feature set, and compute ECR



**Backward phase:** Remove one feature from optimal feature set and compute ECR



**Pruning:** Update optimal feature set by nested subset of highest ECR

## Feature Manipulation

### Discretization:

- Binary (Median split for all features except binary features)


### Selection heuristic rule:

- Ranked by ECR of each individual feature.
- Initialize optimal feature set with the highest ECR feature.
- Dynamically assign number of selected candidate features.


$$topK = \frac{|candidate\ feature\ set|}{2} + 0.01 \times \exp(|selected\ feature\ set|)$$

## Optimal Feature Selection


## Reward and Feature Value Distribution



## Reward and Feature Correlation



# Policy Visualization



# Best ECR and Reference



352.597

## An Analysis of Feature Selection Techniques

Matthew Shardlow

Journal of Machine Learning Research 3 (2003) 1157-1182

Submitted 11/02; Published 3/03

## An Introduction to Variable and Feature Selection

**Isabelle Guyon**

*Clopinet*

*955 Creston Road*

*Berkeley, CA 94708-1501, USA*

ISABELLE@CLOPINET.COM

**André Elisseeff**

*Empirical Inference for Machine Learning and Perception Department*

*Max Planck Institute for Biological Cybernetics*

*Spemannstrasse 38*

*72076 Tübingen, Germany*

ANDRE@TUEBINGEN.MPG.DE

**Editor:** Leslie Pack Kaelbling

**Good Luck to Everyone!**  
**END**