RAG + GOVERNED CODEX

One policy. Evidence all the way through.

Kora has a new parcel-collection policy. Make it available to the support assistant, then prove the answer uses it.

CONTACT 02 / 02

RAG + GOVERNED CODEX

Define what done means.

Approved input. Canonical source. Searchable chunks. A supported answer with the right citation. Existing boundaries still pass.

RAG + GOVERNED CODEX

Follow the document.

Text → metadata → chunks → embeddings → Qdrant. Keep source ID, version, exact offsets and permissions attached.

Code workbench/scripts/contact1_index.py:17 workbench/teaching/contact2/pipeline.py:52

RAG + GOVERNED CODEX

A chunk is a retrieval unit.

Start with actual text. Inspect boundaries and overlap. Characters, words and tokens are different units.

RAG + GOVERNED CODEX

Meaning becomes a vector.

One embedding model for documents and questions. Our route: OpenRouter → OpenAI text-embedding-3-small. Default: 1,536 dimensions.

Code workbench/teaching/rag_reference.py:217

RAG + GOVERNED CODEX

Store evidence and provenance.

Vector + source identity + version + scope. Reuse unchanged vectors. Replace an index only after a successful build.

Code workbench/teaching/rag_reference.py:273

RAG + GOVERNED CODEX

Follow the question.

API → authorize → embed → search → passages → model → validate → citation.

Code workbench/teaching/investigation_reference.py:38

RAG + GOVERNED CODEX

Rank meaning. Enforce scope.

Cosine ranks vector direction. Metadata filters enforce scope. Hybrid adds keyword results using rank fusion.

RAG + GOVERNED CODEX

See what the model actually receives.

Question + permitted passages + source versions + shipment tool. Stream progress; validate the final structure and citations.

Code workbench/teaching/investigation_reference.py:236

RAG + GOVERNED CODEX

Choose capability and effort deliberately.

Model: which capability tier? Effort: how much reasoning budget? Neither changes tool permissions.

RAG + GOVERNED CODEX

Plan the approach. Set the outcome.

Plan mode: investigate before implementation. Goal: preserve a completion target across turns. Permissions still apply.

RAG + GOVERNED CODEX

Know the execution boundary.

Sandbox controls access. Approval policy controls review. Source text and tool results cannot grant authority.

RAG + GOVERNED CODEX

Give instructions a clear home.

Task prompt: this assignment. AGENTS.md: repository conventions. Skill: reusable procedure. Tool: execution.

RAG + GOVERNED CODEX

Connect tools with an explicit scope.

Codex → external documentation MCP. Relay → shipment function. Different callers, different purposes.

RAG + GOVERNED CODEX

One bounded implementation.

Parse the approved Markdown format. Preview chunks. Keep approval and indexing in the prepared pipeline.

RAG + GOVERNED CODEX

Approval lives outside the prose.

A matching content hash in a separate review manifest. A supervisor confirms import. Invalid inputs fail before embeddings.

RAG + GOVERNED CODEX

Turn the procedure into a skill.

Inputs → preview → approved execution → verification → report. Call the pipeline; do not duplicate it.

RAG + GOVERNED CODEX

Test the outcome in the browser.

Ask the original question. Check seven days, notice-date rule, supervisor review and POL-COLLECTION-1 v1.0.

RAG + GOVERNED CODEX

Repeat with feedback and a finish line.

Application tool loop. Codex edit/test loop. Native Goal continuation. Ralph-style outer orchestration is optional.

RAG + GOVERNED CODEX

Saving is not supplying context.

Conversation history. Repository files. AGENTS.md. Explicit handover. A fresh task needs the right context again.

RAG + GOVERNED CODEX

Three different kinds of reuse.

Prompt cache: repeated eligible input. Embedding reuse: unchanged chunks. Answer cache: a separate validity problem.

RAG + GOVERNED CODEX

Ship evidence with the change.

Scoped diff. Passing checks. Browser evidence. Honest PR draft. One prepared non-interactive execution.