

Group10-PA1 Potential Solutions

FIFA.com and Chess.com web experiences

Đồ án PA1 - Môn Thiết kế giao diện - 23KTPM2

Team members

Member	Student ID	Main ownership
Le Minh	21127645	FIFA.com drawbacks, source trail, final QA
Nguyen Vu Bach	21127224	FIFA.com navigation, match-centre solutions, review
Pham Nguyen Gia Bao	20127119	Chess.com play, premove, solution mapping
Trang Minh Nhut	22127318	Chess.com learning, analysis, document review

Summary

The solution set keeps FIFA.com focused on task-first navigation, continuity across FIFA+, clearer ticket status, and utility entry points. It keeps Chess.com focused on novice onboarding, simpler analysis, expectation-setting around access limits, safer premoves, and clearer Focus Mode discovery.

Revision approach


This Word version reorganizes the original long tables into per-drawback solution cards. Each card keeps the problem, persona, context, HCI cause, proposed UI change, expected improvement, tradeoff, priority, and effort together on the same page. Each solution card uses a relevant live website baseline on the left and explicit text-only UI changes on the right.

Traceability and drawback inventory

Cross-report linkage: drawback IDs, persona IDs, HCI finding IDs, figure IDs, and source numbers in this report are inherited from Group10-PA1-ProductResearch_VisualReport.docx. Live captures provide the observed baseline; the right-hand bullets specify proposed UI changes and are not presented as existing UI.

Relationship to ProductResearch findings

FIFA.com



Chess.com



Each drawback maps to its ProductResearch finding, evidence source, affected persona/context, and exactly two solution IDs.

ID	Product	Drawback	Linked finding	Severity	Solution IDs
F-D1	FIFA.com	Cross-property navigation and top-level task competition span FIFA.	F-HCI6	High	F-S1, F-S2
F-D2	FIFA.com	The DAZN-branded FIFA+ handoff changes brand and account expectations, creating trust friction and mode-boundary confusion.	F-HCI7	High	F-S3, F-S4
F-D3	FIFA.com	Dense FIFA+ watch rails increase the scan load for live, highlight, documentary, competition, and archive content.	F-HCI8	Medium	F-S5, F-S6
F-D4	FIFA.com	Sale, resale, waiting-room, and availability uncertainty force	F-HCI9	High	F-S7, F-S8

ID	Product	Drawback	Linked finding	Severity	Solution IDs
		repeated manual checks.			
F-D5	FIFA.com	Article-to-score, article-to-ticket, and article-to-watch tasks require extra navigation after reading.	F-HCI10	Medium	F-S9, F-S10
C-D1	Chess.com	The broad menu and feature taxonomy overload novices before they know which path fits their goal.	C-HCI7	High	C-S1, C-S2
C-D2	Chess.com	Game Review and Analysis expose dense charts, lines, classifications, toggles, and labels before novices know what matters.	C-HCI10	High	C-S3, C-S4
C-D3	Chess.com	Lesson, puzzle, and review limits can appear after attention is invested and interrupt learning momentum.	C-HCI10	Medium	C-S5, C-S6
C-D4	Chess.com	A legal queued premove may execute after an unexpected reply and create a blunder.	C-HCI8	High	C-S7, C-S8
C-D5	Chess.com	Focus Mode is hard to discover because related controls appear on hover near the board boundary.	C-HCI9	Medium	C-S9, C-S10


FIFA.com solution set				
Focus area	Problem class	Main solution direction		Why it matters
Navigation	Ecosystem sprawl	Task-first navigation and intent chips		Fewer property jumps for fans who need scores, news, rankings, tickets, or watch actions.
FIFA+ handoff	Brand and account boundary	Handoff explainer and shared breadcrumb		Clearer destination expectations and return path.
Ticketing	Unclear sale/resale/waiting status	Ticket status dashboard and official alerts		Better planning support for trust-sensitive family ticket decisions.
Articles	Browse-first friction	Utility rail and embedded action chips		Readers can move from story context to scores,

ID	Product	Drawback	Linked finding	Severity	Solution IDs
					tickets, or watch actions.

F-D1 - FIFA.com drawback and solution card

Problem Cross-property navigation and top-level task competition span FIFA.com, Inside FIFA, FIFA+, Store, Collect, and Rewards.	Persona F-P1 / F-P3	Context Short task entry and trust-sensitive planning.	HCI cause Context switching; mental-model consistency.
Evidence F-09B + F-HCI6 + [1][6][9]	Severity High	Priority High	Effort Medium

Live web evidence



FIFA.com footer/ecosystem navigation. Corresponds to ProductResearch F-09B and F-HCI6.

Required UI changes

Change the following UI locations:


- Global header: keep Match Centre, News, Rankings, Tickets, and Watch visible as the five primary task destinations (F-S1).
- Header overflow: move Store, Collect, Rewards, and other corporate properties into a clearly labelled More FIFA menu.
- Directly below the homepage hero: add intent chips for Scores, News, Rankings, Tickets, and Watch (F-S2).
- Cross-property links: show destination brand and a Back to FIFA.com path before users leave the current property.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
F-S1	Task-first global nav	Keep Match Centre, News, Rankings, Tickets, Watch at top level; move Store, Collect, and Rewards into More FIFA.	Recognition over recall; Cognitive load reduction.	Fewer property jumps for common tasks.	Store and collectibles receive less top-level exposure.
F-S2	Audience intent switcher	Add five quick-intent chips under the hero: Scores, News, Rankings, Tickets, Watch.	Feedforward; efficient entry.	Users choose by intent before reading navigation labels.	One more row competes for above-fold attention.

F-D2 - FIFA.com drawback and solution card

Problem The DAZN-branded FIFA+ handoff changes brand and account expectations, creating trust friction and mode-boundary confusion.	Persona F-P3	Context Family watch handoff after ticket or news research.	HCI cause Continuity; orientation; visibility of system status.
Evidence F-10B + F-HCI7 + [6]	Severity High	Priority High	Effort Medium

Live web evidence



FIFA+ landing surface after the DAZN handoff. Corresponds to ProductResearch F-10B and F-HCI7.

Required UI changes

Change the following UI locations:


- Before the FIFA+ outbound action: insert an explainer card stating that FIFA+ is powered by DAZN and whether sign-in is required (F-S3).
- FIFA+ top bar: add a persistent Back to FIFA.com control and retain FIFA visual identity during the handoff (F-S4).
- Primary CTA area: state what opens next—live stream, replay, or sign-in—before navigation occurs.
- Account boundary: distinguish FIFA.com and DAZN account state with explicit labels instead of relying on branding alone.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
F-S3	Handoff explainer card	Before leaving FIFA.com, show You are opening FIFA+ powered by DAZN with destination benefits and sign-in expectation.	Visibility of system status; trust.	Users understand why branding and login state change.	Adds one step for repeat viewers.
F-S4	Shared breadcrumb and visual bridge	Add persistent Back to FIFA.com strip and tournament breadcrumb on FIFA+.	Continuity; orientation.	Users retain orientation across the watch boundary.	Needs cross-property coordination.

F-D3 - FIFA.com drawback and solution card

Problem Dense FIFA+ watch rails increase the scan load for live, highlight, documentary, competition, and archive content.	Persona F-P3	Context Evening highlight search with family waiting.	HCI cause Visual attention; choice overload; Progressive disclosure.
Evidence F-10B + F-HCI8 + [6]	Severity Medium	Priority Medium	Effort Medium

Live web evidence	Required UI changes
-------------------	---------------------



FIFA+ live, archive, originals, schedule, and media rails. Corresponds to ProductResearch F-10B/F-HCI8 and source [6].


- Change the following UI locations:**
- Above the first media rail: add filters for Live, Highlights, Documentaries, Competitions, and Archive (F-S5).
 - Each rail header: show item count and a concise See all action so users can predict the content scope.
 - Media results area: add Compact scan mode with smaller cards and metadata-first rows (F-S6).
 - Nonmatching rails: collapse them to labelled summaries after a filter is selected, with an option to restore all content.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
F-S5	Filter-first rail controls	Provide filters for Live, Highlights, Documentaries, Competition, and Duration above rails.	Visual filtering; reduced scan cost.	Users narrow a large content surface faster.	Filter accuracy depends on metadata quality.
F-S6	Compact scan mode	Collapse nonmatching rails into section labels until expanded.	Progressive disclosure; visual economy.	Lower vertical scanning burden.	Some content feels less discoverable.

F-D4 - FIFA.com drawback and solution card

Problem Sale, resale, waiting-room, and availability uncertainty force repeated manual checks.	Persona F-P3	Context Multi-day family travel and ticket planning.	HCI cause Visibility of system status; prospective memory.
Evidence F-HCI9 + [5][9]	Severity High	Priority High	Effort Medium

Live web evidence	Required UI changes
-------------------	---------------------



Official FIFA Tickets entry page. Corresponds to ProductResearch F-HCI9 and sources [5][9].


Change the following UI locations: - Tickets landing page, above tournament cards: add a status dashboard for Official sale, Resale, Waiting room, and Sold out (F-S7). - Every ticket card: display last-updated time, next known milestone, and one official action button. - Beside each tournament status: add opt-in email/browser availability alerts by date and team (F-S8). - Waiting-room and unavailable states: preserve the selected tournament and explain whether users should act now or return later.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
F-S7	Ticket status dashboard	Show Official sale, Resale open, Waiting room, Coming soon, and Latest update time by tournament.	Visibility of system status; planning support.	Users know whether to act now or wait.	Requires reliable status data and governance.
F-S8	Official availability alerts	Offer email and browser alerts by tournament and market, confirmed by receipt.	Memory load reduction; trust.	Users stop manually rechecking availability.	Notification fatigue and opt-in compliance.

F-D5 - FIFA.com drawback and solution card

Problem Article-to-score, article-to-ticket, and article-to-watch tasks require extra navigation after reading.	Persona F-P1 / F-P2 / F-P3	Context Interrupted story reading followed by a utility task.	HCI cause Task continuity; efficiency; information scent.
Evidence F-06 + F-HCI10 + [1][2][3][7]	Severity Medium	Priority Medium	Effort Low

Live web evidence	Required UI changes
-------------------	---------------------



FIFA.com news article surface. Corresponds to ProductResearch F-06 and F-HCI10.

Change the following UI locations:

- Article desktop layout: add a sticky utility rail for Scores, Tickets, Watch, and related tournament information (F-S9).
- Article header, below title metadata: add context chips such as Open Match Centre, Ticket status, and Watch highlights (F-S10).
- On mobile: convert the utility rail into a bottom sheet that does not cover the article text.
- Action labels: derive the linked competition/team from article metadata so links remain contextual rather than generic.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
F-S9	Utility rail on story pages	Add right rail or sticky side sheet for Scores today, Rankings latest, Tickets official source, Watch now.	Task continuity; reduced jumping.	Story readers can branch into utilitarian tasks in context.	May distract from article reading.
F-S10	Embedded action chips in articles	Add context chips in article header: Open Match Centre, View Tickets, Watch on FIFA+.	Contextual navigation; information scent.	Users can act from the article without searching navigation again.	Requires article metadata rules.


Chess.com solution set

Focus area	Problem class	Main solution direction	Why it matters
Onboarding	Feature overload for novices	Goal-based onboarding and personal dashboard	Beginner users see goals before product taxonomy.
Analysis	High Cognitive load	Beginner analysis preset and inline glossary	Game Review becomes readable before expert controls appear.
Learning access	Premium gates interrupt momentum	Upfront entitlement labels and soft landing	Users know access limits before investing attention.
Fast play	Preempt risk and hidden Focus Mode	Queue preview, clear shortcut, coachmark, settings shortcut	Better Error prevention, recovery, and discoverability.

C-D1 - Chess.com drawback and solution card

Problem The broad menu and feature taxonomy overload novices before they know which path fits their goal.	Persona C-P1	Context First visit and beginner study.	HCI cause Choice overload; Progressive disclosure.
Evidence C-01/C-06 + C-HCI7 + [10][18][19][20]	Severity High	Priority High	Effort Medium

Live web evidence	Required UI changes
-------------------	---------------------



Chess.com home navigation and task surface. Corresponds to ProductResearch C-01/C-06 and C-HCI7.

- Change the following UI locations:**
- First-run home area: replace product taxonomy with goal choices—Play now, Review, Learn basics, and Train puzzles (C-S1).
 - After goal selection: reveal only the next two or three relevant actions, with a View all features escape hatch.
 - Returning-user home: add a personal dashboard where users pin three frequent tasks and hide unused modules (C-S2).
 - Left navigation: keep stable labels but visually separate beginner goals from advanced tools and community content.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
C-S1	Goal-based onboarding home	First-run chooser: Play now, Review last game, Learn basics, Solve puzzles, Join tournament.	Progressive disclosure; recognition over recall.	New users see goals before feature taxonomy.	Adds onboarding state management.
C-S2	Personal dashboard mode	User pins top three tasks and hides unused modules for 30 days.	Personalization; cognitive load reduction.	Homepage better matches user intent.	May hide growth paths if poorly explained.

C-D2 - Chess.com drawback and solution card

Problem Game Review and Analysis expose dense charts, lines, classifications, toggles, and labels before novices know what matters.	Persona C-P1 / C-P3	Context Post-loss review on laptop or desktop.	HCI cause Cognitive load; external cognition.
Evidence C-03 + C-HCI4/C-HCI10 + [15] [16][17]	Severity High	Priority High	Effort Low

Live web evidence



Chess.com Analysis Board UI. Corresponds to ProductResearch C-03, C-HCI4/C-HCI10, and sources [15] [16][17].

Required UI changes

Change the following UI locations:


- Game Review toolbar: add a Beginner preset that keeps evaluation, best move, and one plain-language explanation visible (C-S3).
- Advanced charts, engine lines, classifications, and toggles: place them behind a clearly labelled Advanced controls disclosure.
- Beside unfamiliar labels: add tap/hover glossary definitions in plain language (C-S4).
- Move explanation panel: present one recommended action first, then progressively reveal engine depth and alternative lines.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
C-S3	Beginner analysis preset	One-click preset keeps evaluation bar, best move, and plain-language coach notes.	Progressive disclosure; low-friction defaults.	Novices get a readable analysis surface.	Advanced controls become one step deeper.
C-S4	Inline analysis glossary	Hover or tap chart and toggle labels for plain-language explanations.	Learnability; reduced memory load.	Users learn the meaning of graphs and labels in place.	Adds copy maintenance and localization work.

C-D3 - Chess.com drawback and solution card

Problem Lesson, puzzle, and review limits can appear after attention is invested and interrupt learning momentum.	Persona C-P1 / C-P3	Context Beginner learning path after a loss.	HCI cause Expectation setting; continuity; visibility of access state.
Evidence C-05 + C-HCI9 + [19]	Severity Medium	Priority Medium	Effort Low

Live web evidence



Chess.com Lessons UI with learning routes and access prompts. Corresponds to ProductResearch C-05/C-HCI9 and source [19].

Required UI changes

Change the following UI locations:

- Lesson, puzzle, and review cards: label Free, Daily limit, or Premium before users start (C-S5).
- Progress area: show remaining free attempts and reset time without forcing users into the activity first.
- When a limit is reached: offer a free alternative, resume-later action, and a saved-progress confirmation (C-S6).
- Upgrade prompt: keep the user's current learning context visible and avoid replacing the entire task surface.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
C-S5	Upfront entitlement labels	Mark each lesson, puzzle, and analysis feature with access labels before click.	Expectation setting; error prevention.	Users know limits before investing attention.	Access labels may add visual noise.
C-S6	Soft-landing after limit reached	After a limit wall, offer free alternative, reset timer, and queue for later.	Continuity; frustration reduction.	Users keep learning instead of stopping abruptly.	May reduce upgrade pressure.

C-D4 - Chess.com drawback and solution card

Problem A legal queued premove may execute after an unexpected reply and create a blunder.	Persona C-P2	Context Blitz or bullet under clock pressure.	HCI cause Speed-accuracy tradeoff; Error prevention; recoverability.
Evidence C-03 + C-HCI8 + [12]	Severity High	Priority High	Effort Medium

Live web evidence



Chess.com live board and Options area where premove behavior is configured. Corresponds to ProductResearch C-03/C-HCI8 and source [12].

Required UI changes

Change the following UI locations:

- Board edge/status area: show every queued premove as a visible pending sequence (C-S7).
- Queued move indicator: add a warning when the opponent's reply could invalidate the user's tactical assumption.
- Near the board and in keyboard help: provide a one-click Clear action and Esc shortcut (C-S8).
- After clearing: show immediate confirmation and restore normal legal-move highlighting without interrupting the clock.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
C-S7	Premove queue preview	Show pending premoves with danger icon when opponent reply tree makes risk high.	Error prevention; system status.	Users see what will execute before it happens.	Risk estimate can be imperfect.
C-S8	Fast clear shortcut	One-click Clear or Esc clears queued premove chain.	Recoverability; user control.	Users recover from risky queued intent quickly.	Adds one more in-game control.

C-D5 - Chess.com drawback and solution card

Problem Focus Mode is hard to discover because related controls appear on hover near the board boundary.	Persona C-P2 / C-P3	Context Serious-game setup on desktop.	HCI cause Discoverability; hidden controls; contextual help.
Evidence C-03 + C-HCI3 + [13][14]	Severity Medium	Priority Medium	Effort Low

Live web evidence



Chess.com board UI and Options area where Focus Mode must be discoverable. Corresponds to ProductResearch C-03/C-HCI3 and sources [13][14].

Required UI changes

Change the following UI locations:

- After two completed games: show a one-time coachmark beside the board—Need fewer distractions? Try Focus Mode (C-S9).
- Board settings: add a persistent Focus Mode toggle instead of requiring hover discovery (C-S10).
- In-game top bar: show the active Focus Mode state and provide a reversible exit action.
- Mobile board menu: place the same toggle under Display/Board settings so the control is consistent across viewports.

ID	Solution concept	How the UI fixes it	HCI principle	Expected result	Tradeoff
C-S9	First-time coachmark	After two full games, show Need fewer distractions? Try Focus Mode.	Discoverability; contextual help.	Users learn the hidden control when it is relevant.	Coachmarks can annoy expert users.
C-S10	Persistent settings shortcut	Add Focus Mode toggle into board settings and keyboard shortcut help.	Consistency; discoverability.	Focus Mode becomes findable without hover discovery.	Settings panel grows slightly.

Prioritized rollout plan

Quick wins

ID	Concept	Why first
F-S2	Audience intent switcher	High priority with Low effort. Can be tested without changing the full product architecture.
F-S3	Handoff explainer card	High priority with Low effort. Can be tested without changing the full product architecture.
C-S3	Beginner analysis preset	High priority with Low effort. Can be tested without changing the full product architecture.
C-S5	Upfront entitlement labels	High priority with Low effort. Can be tested without changing the full product architecture.
F-S9	Utility rail on story pages	Medium priority with Low effort. Can be tested without changing the full product architecture.
F-S10	Embedded action chips in articles	Medium priority with Low effort. Can be tested without changing the full product architecture.
C-S8	Fast clear shortcut	Medium priority with Low effort. Can be tested without changing the full product architecture.
C-S9	First-time coachmark	Medium priority with Low effort. Can be tested without changing the full product architecture.
C-S10	Persistent settings shortcut	Medium priority with Low effort. Can be tested without changing the full product architecture.

Deeper redesigns

ID	Concept	Why deeper
F-S1	Task-first global nav	Requires cross-page, data, personalization, or cross-property coordination.
F-S4	Shared breadcrumb and visual bridge	Requires cross-page, data, personalization, or cross-property coordination.
F-S5	Filter-first rail controls	Requires cross-page, data, personalization, or cross-property coordination.

ID	Concept	Why deeper
F-S6	Compact scan mode	Requires cross-page, data, personalization, or cross-property coordination.
F-S7	Ticket status dashboard	Requires cross-page, data, personalization, or cross-property coordination.
F-S8	Official availability alerts	Requires cross-page, data, personalization, or cross-property coordination.
C-S1	Goal-based onboarding home	Requires cross-page, data, personalization, or cross-property coordination.
C-S2	Personal dashboard mode	Requires cross-page, data, personalization, or cross-property coordination.
C-S4	Inline analysis glossary	Requires cross-page, data, personalization, or cross-property coordination.
C-S6	Soft-landing after limit reached	Requires cross-page, data, personalization, or cross-property coordination.
C-S7	Premove queue preview	Requires cross-page, data, personalization, or cross-property coordination.

Rollout plan

Sprint 1 implements quick wins, tests wording and UI placement, and validates with the personas most affected by each drawback. Sprint 2 handles task-first navigation, ticket status, FIFA+ filters, personalized Chess.com home, glossary behavior, and premove queue preview. QA checks that every drawback from ProductResearch still maps to exactly two solutions.

Compact solution detail matrix								
ID	Drawback	Concept	Detailed UI behavior	HCI mapping	Expected effect	Tradeoff	Priority	Effort
F-S1	F-D1	Task-first global nav	Keep Match Centre, News, Rankings, Tickets, Watch at top level; move Store, Collect, and Rewards into More FIFA.	Recognition over recall; Cognitive load reduction.	Fewer property jumps for common tasks.	Store and collectibles receive less top-level exposure.	High	Medium

F-S2	F-D1	Audience intent switcher	Add five quick-intent chips under the hero: Scores, News, Rankings, Tickets, Watch.	Feedforward; efficient entry.	Users choose by intent before reading navigation labels.	One more row competes for above-fold attention.	High	Low
F-S3	F-D2	Handoff explainer card	Before leaving FIFA.com, show You are opening FIFA+ powered by DAZN with destination benefits and sign-in expectation.	Visibility of system status; trust.	Users understand why branding and login state change.	Adds one step for repeat viewers.	High	Low
F-S4	F-D2	Shared breadcrumb and visual bridge	Add persistent Back to FIFA.com strip and tournament breadcrumb on FIFA+.	Continuity; orientation.	Users retain orientation across the watch boundary.	Needs cross-property coordination.	Medium	Medium
F-S5	F-D3	Filter-first rail controls	Provide filters for Live, Highlights, Documentaries, Competition, and Duration above rails.	Visual filtering; reduced scan cost.	Users narrow a large content surface faster.	Filter accuracy depends on metadata quality.	High	Medium
F-S6	F-D3	Compact scan mode	Collapse nonmatching rails into section labels until expanded.	Progressive disclosure; visual economy.	Lower vertical scanning burden.	Some content feels less discoverable.	Medium	Medium
F-S7	F-D4	Ticket status dashboard	Show Official sale, Resale open, Waiting room, Coming soon, and Latest update time by tournament.	Visibility of system status; planning support.	Users know whether to act now or wait.	Requires reliable status data and governance.	High	Medium
F-S8	F-D4	Official availability alerts	Offer email and browser alerts by tournament and market, confirmed by receipt.	Memory load reduction; trust.	Users stop manually rechecking availability.	Notification fatigue and opt-in compliance.	Medium	Medium
F-S9	F-D5	Utility rail on story pages	Add right rail or sticky side sheet for Scores today, Rankings latest, Tickets official source, Watch now.	Task continuity; reduced jumping.	Story readers can branch into utilitarian tasks in context.	May distract from article reading.	Medium	Low
F-S10	F-D5	Embedded action chips in articles	Add context chips in article header: Open Match Centre, View Tickets, Watch on FIFA+.	Contextual navigation; information scent.	Users can act from the article without searching navigation again.	Requires article metadata rules.	Medium	Low
C-S1	C-D1	Goal-based onboarding home	First-run chooser: Play now, Review last game, Learn basics, Solve	Progressive disclosure;	New users see goals before feature taxonomy.	Adds onboarding state	High	Medium

			puzzles, Join tournament.	recognition over recall.		management.		
C-S2	C-D1	Personal dashboard mode	User pins top three tasks and hides unused modules for 30 days.	Personalization; cognitive load reduction.	Homepage better matches user intent.	May hide growth paths if poorly explained.	Medium	Medium
C-S3	C-D2	Beginner analysis preset	One-click preset keeps evaluation bar, best move, and plain-language coach notes.	Progressive disclosure; low-friction defaults.	Novices get a readable analysis surface.	Advanced controls become one step deeper.	High	Low
C-S4	C-D2	Inline analysis glossary	Hover or tap chart and toggle labels for plain-language explanations.	Learnability; reduced memory load.	Users learn the meaning of graphs and labels in place.	Adds copy maintenance and localization work.	Medium	Medium
C-S5	C-D3	Upfront entitlement labels	Mark each lesson, puzzle, and analysis feature with access labels before click.	Expectation setting; error prevention.	Users know limits before investing attention.	Access labels may add visual noise.	High	Low
C-S6	C-D3	Soft-landing after limit reached	After a limit wall, offer free alternative, reset timer, and queue for later.	Continuity; frustration reduction.	Users keep learning instead of stopping abruptly.	May reduce upgrade pressure.	Medium	Medium
C-S7	C-D4	Premove queue preview	Show pending premoves with danger icon when opponent reply tree makes risk high.	Error prevention; system status.	Users see what will execute before it happens.	Risk estimate can be imperfect.	High	Medium
C-S8	C-D4	Fast clear shortcut	One-click Clear or Esc clears queued premove chain.	Recoverability; user control.	Users recover from risky queued intent quickly.	Adds one more in-game control.	Medium	Low
C-S9	C-D5	First-time coachmark	After two full games, show Need fewer distractions? Try Focus Mode.	Discoverability; contextual help.	Users learn the hidden control when it is relevant.	Coachmarks can annoy expert users.	Medium	Low
C-S10	C-D5	Persistent settings shortcut	Add Focus Mode toggle into board settings and keyboard shortcut help.	Consistency; discoverability.	Focus Mode becomes findable without hover discovery.	Settings panel grows slightly.	Medium	Low

References

[1] Inside FIFA. Official FIFA news and navigation. <https://inside.fifa.com/>. Accessed 2026-06-10.

[2] All stories and topics. Official FIFA topic index. <https://inside.fifa.com/all-stories>. Accessed 2026-06-10.

[3] FIFA World Cup 2026 Blog. Official FIFA tournament story hub. <https://inside.fifa.com/blogs/fwc-2026>. Accessed 2026-06-10.

- [4] FIFA World Cup 26 Ticketing Programme launches this September. Official FIFA media release. <https://inside.fifa.com/tournament-organisation/commercial/media-releases/world-cup-26-ticketing-programme-launch-september>. Accessed 2026-06-10.
- [5] FIFA World Cup 2026 Last-Minute Sales Phase. Official FIFA media release. <https://inside.fifa.com/media-releases/last-minute-ticket-sales-phase-fifa-world-cup-2026>. Accessed 2026-06-10.
- [6] Watch FIFA+ Live Stream Online. Official FIFA+ watch destination. <https://www.plus.fifa.com/>. Accessed 2026-06-10.
- [7] Match Centre. Official FIFA fixtures and results page. <https://www.fifa.com/en/match-centre>. Accessed 2026-06-10.
- [9] Tickets and Hospitality. Official FIFA ticket entry point. <https://www.fifa.com/en/tickets>. Accessed 2026-06-10.
- [10] Chess.com homepage. <https://www.chess.com/>. Accessed 2026-06-10.
- [11] How do I start a game on Chess.com? Official Chess.com help. <https://support.chess.com/en/articles/8609779-how-do-i-start-a-game-on-chess-com>. Accessed 2026-06-10.
- [12] What are pre-moves and how do they work? Official Chess.com help. <https://support.chess.com/en/articles/8562432-what-are-pre-moves-and-how-do-they-work>. Accessed 2026-06-10.
- [13] What is Focus Mode? How do I turn it on? Official Chess.com help. <https://support.chess.com/en/articles/8588088-what-is-focus-mode-how-do-i-turn-it-on>. Accessed 2026-06-10.
- [14] How do I change my board size? Official Chess.com help. <https://support.chess.com/en/articles/8609533-how-do-i-change-my-board-size>. Accessed 2026-06-10.
- [15] How does Game Review work? Official Chess.com help. <https://support.chess.com/en/articles/8584089-how-does-game-review-work>. Accessed 2026-06-10.
- [17] How do I use the Analysis Board? Official Chess.com help. <https://support.chess.com/en/articles/8583825-how-do-i-use-the-analysis-board>. Accessed 2026-06-10.
- [19] How do Lessons work on Chess.com? Official Chess.com help. <https://support.chess.com/en/articles/8609703-how-do-lessons-work-on-chess-com>. Accessed 2026-06-10.
- [20] Chess Study Plans for All Levels. Official Chess.com article. <https://www.chess.com/article/view/study-plan-directory>. Accessed 2026-06-10.