

PROJECT ASSIGNMENT 2

Group10-PA2 Project Proposal

Two bounded modules, six alternatives, weighted recommendation, and PA3 test plans

FIFA.com and Chess.com

Course	CSC13112 - UI/UX Design, FIT-HCMUS
Group	Group10
Team	Le Minh (21127645); Nguyen Vu Bach (21127224); Pham Nguyen Gia Bao (20127119); Trang Minh Nhut (22127318)
Scope	Two bounded modules, six alternatives, weighted recommendation, and PA3 test plans

Contents

Contents	2
1. Proposal scope and traceability	4
2. FIFA Ticket Confidence Module alternatives	5
2.1 F-A1 Status Dashboard	5
2.2 F-A2 Guided Concierge	7
2.3 F-A3 Alert-First Planner	9
3. Chess Guided Beginner Review Module alternatives	11
3.1 C-A1 Beginner Review Preset	11
3.2 C-A2 Conversational Coach	13
3.3 C-A3 Visual Game Story	15
4. Weighted comparison method	16
5. Recommendations and retained alternatives	19
6. PA3 parallel-prototyping plan	20
7. Design rationale and validation target	21
Guided Concierge Flow - Detailed Revision	21
Guided Concierge branch matrix	23
Guided Concierge Screens	25
Empty, Error, and Validation State Contract	32
Mini Design System Appendix	36

Practical Difficulties and Lessons Learned

38

1. Proposal scope and traceability

FIFA Ticket Confidence Module: Users need to compare current ticket state, freshness and official destination before leaving FIFA.com.

Chess Guided Beginner Review Module: Beginners need one interpretable mistake and one next practice action before advanced analysis.

Screen evidence: F2-E03/E04/E09 and C2-E05/E07-E10 bound the visible interface claims.

Simulated study: Scenario records inform hypothesis coverage only; no expected benefit is an observed outcome.

Design inference: The modules preserve current products and introduce bounded decision/learning layers.

2. FIFA Ticket Confidence Module alternatives

2.1 F-A1 Status Dashboard

Field	Record
Concept	Status Dashboard within FIFA Ticket Confidence Module
Target user	Trust-sensitive ticket planners
Task flow	Choose context -> compare states -> inspect freshness -> preview official destination -> act or stay
Main screen	Status comparison dashboard
Interaction	Filter, expand provenance, preview handoff, save/alert
Problem coverage	Directly covers status, freshness, and destination confidence
Accessibility	Text labels, table semantics, keyboard order, color-independent states
Privacy	Minimize saved preferences; explicit alert consent
Data dependency	Governed ticket-state feed, timestamps, partner metadata
Failure recovery	Keep last timestamped state, distinguish missing/stale, retry without losing context
Risk	Feed inconsistency or false confidence
Tradeoff	Highest clarity; requires reliable governed data
PA3 test plan	Test state interpretation, destination recognition, stay/continue choice, and recovery

PP-F-A1 Status Dashboard Flow




Figure PP-F-A1. Status Dashboard task-flow model
Source: Design inference based on TP-FIFA
Related: Test state interpretation, destination recognition, stay/continue choice, and recovery

2.2 F-A2 Guided Concierge

Field	Record
Concept	Guided Concierge within FIFA Ticket Confidence Module
Target user	Infrequent and first-time planners
Task flow	State intent -> answer questions -> receive route -> preview destination -> confirm
Main screen	Step-by-step concierge
Interaction	Single-choice questions, back/edit, recommendation rationale
Problem coverage	Covers complex choice and handoff confidence
Accessibility	Progress, plain labels, keyboard/radio semantics
Privacy	Avoid sensitive profiling; delete draft answers
Data dependency	Eligibility rules, ticket channels, partner metadata
Failure recovery	Explain unsupported markets, preserve answers, offer dashboard
Risk	Long flow and rule maintenance
Tradeoff	More guidance; slower comparison
PA3 test plan	Test completion, backtracking, recommendation comprehension, and unsupported-state recovery

PP-F-A2 Guided Concierge Flow




Figure PP-F-A2. Guided Concierge task-flow model
Source: Design inference based on TP-FIFA
Related: Test completion, backtracking, recommendation comprehension, and unsupported-state recovery

2.3 F-A3 Alert-First Planner

Field	Record
Concept	Alert-First Planner within FIFA Ticket Confidence Module
Target user	Followers waiting for sale changes
Task flow	Follow context -> set preference -> wait -> receive verified change -> open destination
Main screen	Saved-plan and alert center
Interaction	Follow, consent, edit, snooze, stop, open alert
Problem coverage	Covers freshness and return; weaker immediate comparison
Accessibility	Channel alternatives, readable timestamps, no color-only urgency
Privacy	Explicit permission, minimal contact data, retention limit
Data dependency	Change events, notification channel, partner metadata
Failure recovery	Retain local plan if permission denied; retry irrelevant or failed alerts
Risk	Notification fatigue and delayed data
Tradeoff	Strong return support; depends on alert quality
PA3 test plan	Test permission denial, alert relevance, freshness comprehension, and return context

PP-F-A3 Alert-First Planner Flow




Figure PP-F-A3. Alert-First Planner task-flow model
Source: Design inference based on TP-FIFA
Related: Test permission denial, alert relevance, freshness comprehension, and return context

3. Chess Guided Beginner Review Module alternatives

3.1 C-A1 Beginner Review Preset

Field	Record
Concept	Beginner Review Preset within Chess Guided Beginner Review Module
Target user	First-time and returning low-analysis learners
Task flow	Open game -> select preset -> identify one mistake -> try move -> read explanation -> practice or depth
Main screen	Primary mistake card beside board
Interaction	Try move, reveal why, continue practice, reveal advanced detail
Problem coverage	Directly covers one interpretable mistake and next practice action
Accessibility	Keyboard board alternative, focus order, plain language, color-independent evaluation
Privacy	Use only selected game; explain retention and sharing
Data dependency	Game artifact, analysis service, explanation rules, learning catalog
Failure recovery	Handle no game, invalid PGN, engine unavailable, no major mistake, restriction
Risk	Oversimplification or incorrect explanation
Tradeoff	Strongest beginner interpretation; constrains initial depth
PA3 test plan	Test mistake comprehension, move trial, practice selection, and depth disclosure

PP-C-A1 Beginner Review Preset Flow





Figure PP-C-A1. Beginner Review Preset task-flow model
Source: Design inference based on TP-CHESS
Related: Test mistake comprehension, move trial, practice selection, and depth disclosure

3.2 C-A2 Conversational Coach

Field	Record
Concept	Conversational Coach within Chess Guided Beginner Review Module
Target user	Beginners who prefer question-led guidance
Task flow	Open review -> state intent -> coach clarifies -> explain position -> try move -> practice
Main screen	Conversation plus board
Interaction	Choose intent, ask why, try move, request another explanation
Problem coverage	Covers interpretation and vocabulary
Accessibility	Structured choices, transcript headings, keyboard board alternative
Privacy	Do not collect unrelated personal data; clear conversation retention
Data dependency	Game artifact, explanation service, learning catalog
Failure recovery	Offer fixed explanation cards if the coach service fails
Risk	Wording can vary and the extra question adds time
Tradeoff	The question-led route can address several intentions, but response consistency must be tested.
PA3 test plan	Test response consistency, vocabulary comprehension, and service fallback

PP-C-A2 Conversational Coach Flow



Breakdowns / decision risks



Figure PP-C-A2. Conversational Coach task-flow model
Source: Design inference based on TP-CHESS
Related: Test response consistency, vocabulary comprehension, and service fallback

3.3 C-A3 Visual Game Story

Field	Record
Concept	Visual Game Story within Chess Guided Beginner Review Module
Target user	Returning learners who scan game turning points
Task flow	Open review -> view chapters -> inspect turning point -> replay chance -> choose next action
Main screen	Chapter timeline with board snapshots
Interaction	Scrub chapters, select turning point, replay, continue
Problem coverage	Covers prioritization and narrative continuation
Accessibility	Text chapter list, reduced motion, keyboard timeline
Privacy	Use game data only; respect game visibility
Data dependency	Game segmentation, analysis service, learning catalog
Failure recovery	Fall back to a single mistake card if segmentation fails
Risk	Long games and multiple comparable mistakes
Tradeoff	Strong overview; less direct for first-time beginners
PA3 test plan	Test turning-point recognition, replay accuracy, and continuation choice

PP-C-A3 Visual Game Story Flow




Figure PP-C-A3. Visual Game Story task-flow model
Source: Design inference based on TP-CHESS
Related: Test turning-point recognition, replay accuracy, and continuation choice

4. Weighted comparison method

Formula: Weighted score = Problem coverage x 30% + Learnability x 20% + Accessibility x 15% + Recovery x 15% + Data feasibility x 10% + PA3 testability x 10%. Factors use 1-5; maximum is 5.00.

Record 1

Alternative	F-A1 Status Dashboard
Coverage 30%	5
Learnability 20%	4
Accessibility 15%	5
Recovery 15%	5
Data 10%	3
PA3 10%	5
Weighted	4.55
Reason	Direct comparison and recovery; reliable feed is the main dependency.

Record 2

Alternative	F-A2 Guided Concierge
Coverage 30%	4
Learnability 20%	5
Accessibility 15%	4
Recovery 15%	4
Data 10%	3
PA3 10%	4
Weighted	4.05
Reason	High guidance but a longer flow and heavier rule maintenance.

Record 3

Alternative	F-A3 Alert-First Planner
Coverage 30%	3
Learnability 20%	4
Accessibility 15%	4
Recovery 15%	4
Data 10%	3
PA3 10%	4
Weighted	3.65
Reason	Strong freshness/return support but weaker immediate comparison.

Record 4

Alternative	C-A1 Beginner Review Preset
Coverage 30%	5
Learnability 20%	5
Accessibility 15%	5
Recovery 15%	5
Data 10%	4
PA3 10%	5
Weighted	4.90
Reason	Best alignment to one mistake, move trial, explanation, and practice.

Record 5

Alternative	C-A2 Conversational Coach
Coverage 30%	4
Learnability 20%	5
Accessibility 15%	4
Recovery 15%	3
Data 10%	2
PA3 10%	3
Weighted	3.75
Reason	The extra question may clarify intent, but wording consistency and service fallback still need testing.

Record 6

Alternative	C-A3 Visual Game Story
Coverage 30%	4
Learnability 20%	4
Accessibility 15%	4
Recovery 15%	4
Data 10%	3
PA3 10%	4
Weighted	3.90
Reason	Good overview but less direct for a first-time beginner.

5. Recommendations and retained alternatives

Recommendation - FIFA: Select Status Dashboard because it most directly combines ticket state, freshness, official destination preview, user control, and recovery. Guided Concierge and Alert-First Planner remain PA3 parallel prototypes.

Recommendation - Chess: Select Beginner Review Preset because it establishes one interpretable mistake and one next practice action before advanced depth. Conversational Coach and Visual Game Story remain PA3 parallel prototypes.

Record 1

Recommendation	F-A1 Status Dashboard
Reason	Highest weighted FIFA score and strongest tough-problem coverage
Principal risk	Stale or conflicting governed data
PA3 validation target	Accurate state/freshness interpretation and calibrated handoff confidence

Record 2

Recommendation	C-A1 Beginner Review Preset
Reason	Highest weighted Chess score and clearest learning priority
Principal risk	Oversimplification or explanation error
PA3 validation target	Mistake comprehension, better-move trial, and relevant practice choice

6. PA3 parallel-prototyping plan**Record 1**

Product	FIFA
Parallel concepts	Status Dashboard; Guided Concierge; Alert-First Planner
Common scenario	Compare a missing/stale ticket state and decide whether to leave FIFA.com
Measures	State accuracy; destination recognition; confidence calibration; recovery
Stop/iterate rule	Reject a concept that causes state misinterpretation or implies partner completion

Record 2

Product	Chess
Parallel concepts	Beginner Review Preset; Conversational Coach; Visual Game Story
Common scenario	Open a completed game, identify one mistake, try a better move, continue practice
Measures	Explanation accuracy; wrong path; continuation relevance; depth control
Stop/iterate rule	Reject a concept that hides correction, blocks keyboard use, or overstates certainty




PA3 validation target: Expected benefits remain hypotheses until prototype sessions produce observed evidence.


7. Design rationale and validation target

HCI rationale: Course basis: LN01 - Introduction - v2.pdf, pp. 20, 22, 24; LN02 - Fundamental Concepts - Usability Dimensions_2.pdf, pp. 62-67, 74-76, 83-84, 101-115; LN03 - UI Design Process.pdf, pp. 16-19, 23-24, 28-30, 34-36; LN04 - Task Analysis.pdf, pp. 3, 6-15, 39-49.

Guided Concierge Flow - Detailed Revision

1. User enters Ticket Concierge.
2. User selects a tournament.
3. User selects a match or event preference.
4. User selects party size.
5. User answers eligibility and context questions.
6. System checks the known ticket state.
7. System explains the current state in plain language.
8. System shows the available next options.
9. User compares official ticket, register interest, resale, hospitality, and wait.
10. System previews the destination.
11. User chooses Continue or Stay.
12. If Continue, the system explains the partner domain and account expectation.
13. If Stay, the system preserves tournament, match, and party context.
14. User may set an alert.
15. System confirms the choice and saved context.
16. A recovery branch returns the user to a safe step without discarding valid answers.

Guided Concierge - Overview**Decision and recovery branches****Figure PP-GC-FLOW-01.** Guided Concierge overview flow*Source: PA2 design QA artifact**Related: Steps 1-6; entry, context, and known-state check***Guided Concierge - Decision and Handoff****Decision and recovery branches****Figure PP-GC-FLOW-02.** Guided Concierge decision branch flow*Source: PA2 design QA artifact**Related: Steps 7-12; option comparison, destination preview, Continue or Stay*

Guided Concierge - Confirmation and Recovery**Figure PP-GC-FLOW-03.** Guided Concierge error and recovery flow*Source: PA2 design QA artifact**Related: Steps 13-16; preserved context, alert, confirmation, and recovery***Guided Concierge branch matrix****Record 1**

Branch	No tickets
Trigger	Known state shows no official inventory
Message	No official tickets are available for this selection.
User action	Compare register interest, resale, hospitality, or wait
Recovery path	Keep the selection and return to options

Record 2

Branch	Unknown status
Trigger	No governed status is available
Message	Current ticket status is unknown; this is not a sold-out result.
User action	Stay or retry
Recovery path	Retry the state check without losing answers

Record 3

Branch	Stale status
Trigger	Last update exceeds the freshness rule
Message	This status may be outdated.
User action	Refresh or wait
Recovery path	Show the last update only with a stale label

Record 4

Branch	Partner unavailable
Trigger	The official destination cannot respond
Message	The partner service is unavailable.
User action	Stay on FIFA.com
Recovery path	Preserve context and retry later

Record 5

Branch	User not eligible
Trigger	Eligibility answer conflicts with route rules
Message	This route is not available for the supplied context.
User action	Review answers or compare other routes
Recovery path	Return to the relevant question

Record 6

Branch	No matching event
Trigger	Tournament/match filters return no result
Message	No event matches these filters.
User action	Change tournament or match
Recovery path	Keep party size and eligibility

Record 7

Branch	Invalid input
Trigger	A required answer is missing or malformed
Message	Correct the highlighted field.
User action	Edit the field
Recovery path	Keep all valid answers

Record 8

Branch	Alert permission denied
Trigger	Browser notification permission is denied
Message	Browser alerts are off.
User action	Use an on-site reminder or change permission
Recovery path	Do not block the ticket decision

Record 9

Branch	Network failure
Trigger	The state request times out
Message	The network request failed; no ticket outcome is inferred.
User action	Retry or stay
Recovery path	Resume from the state check

Guided Concierge Screens

Ticket Concierge

Step: 1 - Entry
Screen goal: Start with tournament context

Choose a tournament

Use recent tournament context

Why we ask

Start

Figure PP-GC-ENTRY. Entry screen. User step: Entry screen; screen goal: Choose tournament context; next action: Start.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5

Your ticket needs

Step: 2-5 - Questions

Screen goal: Collect match, party size, and eligibility

Match or event preference

Party size

Eligibility and location

Back preserves answers

Check options

Figure PP-GC-QUESTION. Question step. User step: Question step; screen goal: Collect match, party, and eligibility inputs; next action: Check options.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5

Current ticket options

Step: 7-9 - Recommendation
Screen goal: Compare routes without implying inventory

Official ticket - state and freshness

Register interest / resale / hospitality

Wait - why and alert option

Preview destination

Figure PP-GC-RECOMMENDATION. Recommendation result. User step: Recommendation result; screen goal: Compare five ticket routes with current-state language; next action: Preview destination.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5

Before you continue

Step: 10-12 - Destination preview
Screen goal: Explain domain, account, and return behavior

Official partner name and domain

Account expectation

What stays saved if you return

Continue to partner

Figure PP-GC-DESTINATION. Destination preview. User step: Destination preview; screen goal: Explain partner domain, account, and return behavior; next action: Continue or Stay.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5




Figure PP-GC-EMPTY. Empty state. User step: Empty state; screen goal: Explain that filters produced no matching event; next action: Change filters.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5




Figure PP-GC-ERROR. Error state. User step: Error state; screen goal: Prevent an unavailable status from being read as sold out; next action: Retry or Stay.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5

Complete this step

Step: Recovery - validation
Screen goal: Identify missing input beside the field

Select a tournament

Enter a valid email such as minh.anh@example.com

Permission denial keeps an on-site reminder option

Review answers

Figure PP-GC-VALIDATION. Validation state. User step: Validation state; screen goal: Identify missing or invalid input beside the field; next action: Correct input.

Source: Guided Concierge detailed flow and state requirements

Related: 14.5

Empty, Error, and Validation State Contract

FIFA Ticket Concierge - Empty, Error, and Validation

EMPTY	ERROR	VALIDATION
Trigger No tournament matches filters Message No matching tournament. Change tournament or date. User action Change filters Recovery Keep party size and eligibility answers	Trigger Status or partner service fails Message Ticket status is unavailable. No sale outcome is inferred. User action Retry or stay Recovery Show last update only when labeled stale	Trigger Tournament, email, or permission is missing Message Select a tournament and enter a valid email. User action Correct the field Recovery Offer on-site reminder when permission is denied

Figure PP-STATE-FIFA. FIFA state contract with trigger, message, action, and recovery

Source: PA2 design QA artifact

Related: No match, status/partner failure, invalid tournament/email/permission

Chess Beginner Review - Empty, Error, and Validation

EMPTY	ERROR	VALIDATION
Trigger No recent game is available Message No game is ready for review. Import a PGN or play a game. User action Import game Recovery Return to recent activity after a game exists	Trigger Analysis service or network fails Message Analysis is unavailable. Your game remains saved. User action Retry analysis Recovery Open board-only review or return later	Trigger PGN or required input is missing Message Add a valid game or PGN before review starts. User action Fix input Recovery Keep valid fields and show the failing line

Figure PP-STATE-CHESS. Chess state contract with trigger, message, action, and recovery
Source: PA2 design QA artifact
Related: No game, analysis/network failure, invalid PGN or required input

Record 1

Concept and state	FIFA Ticket Concierge - EMPTY
Trigger	No tournament matches
Message	No matching tournament. Change tournament or date.
User action	Change filters
Recovery path	Keep party size and eligibility

Record 2

Concept and state	FIFA Ticket Concierge - ERROR
Trigger	Ticket status or partner service fails
Message	Ticket status is unavailable; no sale outcome is inferred.
User action	Retry or stay
Recovery path	Use a labeled last update or retry

Record 3

Concept and state	FIFA Ticket Concierge - VALIDATION
Trigger	Tournament or email is invalid
Message	Select a tournament and enter a valid email such as minh.anh@example.com.
User action	Correct the field
Recovery path	Retain every valid answer

Record 4

Concept and state	Chess Beginner Review - EMPTY
Trigger	No recent game exists
Message	No game is ready for review. Import a PGN or play a game.
User action	Import game
Recovery path	Return after a game exists

Record 5

Concept and state	Chess Beginner Review - ERROR
Trigger	Analysis service or network fails
Message	Analysis is unavailable; the game remains saved.
User action	Retry analysis
Recovery path	Open board-only review or return later

Record 6

Concept and state	Chess Beginner Review - VALIDATION
Trigger	PGN or required input is missing
Message	Add a valid game or PGN before review starts.
User action	Fix input
Recovery path	Keep valid fields and identify the failing line

Mini Design System Appendix

Mini Design System - Shared FIFA and Chess Rules

TYPE + SPACE	CONTROLS	FEEDBACK
Trigger Body, caption, table, figure labels Message Arial 14 pt minimum; headings 16/17/28 pt User action Use 8/16/24/32 px spacing Recovery Split tables or change orientation; never shrink below 14 pt	Trigger Primary action or required input Message Buttons: 48 px height, 12 px radius; inputs: persistent label User action Use verb labels: Continue, Stay, Retry Recovery Show field-level errors and retain valid values	Trigger Empty, error, success, or status change Message Status chips use text plus color User action Offer one primary and one recovery action Recovery Keep navigation, footer, card padding, and mobile gaps consistent

Figure PP-DS-01. Shared typography, spacing, control, card, status, error, success, and empty-state rules
Source: FIFA and Chess concept screens
Related: 16.0

Token or component	Shared rule
Typography	Arial; body, caption, table, and figure labels use 14 pt minimum; headings use 16/17/28 pt.
Spacing	Use 8/16/24/32 px steps; mobile cards keep a 16 px gap.
Buttons	48 px height, 12 px radius, verb label such as Continue, Stay, or Retry.
Inputs	Persistent label, 48 px height, field-level error, and retained valid values.
Cards	16 px radius and 16 px padding.
Status chips	Status chips use a text label plus color; include freshness where it affects a decision.

Token or component	Shared rule
Error and validation	State the problem, one user action, and one recovery path.
Success and empty	Confirm saved context or explain what is missing and how to continue.
Navigation and footer	Use the same order, labels, icon size, and mobile spacing across concept screens.

Practical Difficulties and Lessons Learned

Record 1

Practical difficulty	Empty, error, and validation screens exposed requirements missing from the happy path.
How the group handled it	The group added triggers, messages, user actions, and recovery paths before comparing concepts.
Lesson learned	A concept is incomplete when failure changes the user decision.
Impact on the final version	The final proposal includes two product state contracts and three recovery flows.

Record 2

Practical difficulty	The original Guided Concierge flow was too compressed.
How the group handled it	The group divided it into overview, decision/handoff, and recovery flows.
Lesson learned	Long flows should be split at decision boundaries.
Impact on the final version	The final version contains 16 numbered steps and nine named branches.