

PROJECT ASSIGNMENT 2

Group10-PA2 User Analysis

Clearly labeled simulated brainstorming, affinity analysis, voting, and prioritization

FIFA.com and Chess.com

Course	CSC13112 - UI/UX Design, FIT-HCMUS
Group	Group10
Team	Le Minh (21127645); Nguyen Vu Bach (21127224); Pham Nguyen Gia Bao (20127119); Trang Minh Nhut (22127318)
Evidence date	Local evidence audited through 30 July 2026
Document type	Evidence-based redesign report
Status	FINAL - simulated-study evidence explicitly labeled

Contents

Contents	2
1. Analysis boundary and source discipline	3
2. Simulated brainstorming session	3
3. Raw notes: 36 FIFA and 36 Chess	4
4. Affinity diagrams and cluster synthesis	6
5. Simulated dot voting	9
6. Weighted prioritization	9
7. Tough problems	11
7.1 TP-FIFA	11
7.2 TP-CHESS	11
8. Course-source application	11

1. Analysis boundary and source discipline

Simulated brainstorming record: The workshop, raw-note generation, votes, discussion, attendance, and consensus below are scenario-based synthetic evidence prepared for course reporting. They are not contemporaneous meeting evidence.

- Screen evidence:** Visible interface states seed observable notes only.
- Simulated study:** Participant-behavior notes and votes are synthetic scenario records.
- Design inference:** Clusters and priorities are interpretations that require PA3 testing.

2. Simulated brainstorming session

Field	Record
Record type	Simulated brainstorming record
Date and duration	22 Jul 2026, 19:30-20:45 (75 minutes)
Participants	Le Minh; Nguyen Vu Bach; Pham Nguyen Gia Bao; Trang Minh Nhut
Objective	Transform PA1 continuity, screen evidence, and simulated-study patterns into prioritized PA2 problems.
Silent note generation	12 minutes; each member drafts atomic notes independently.
Round-robin sharing	16 minutes; one note per turn, no evaluation during sharing.
Clustering	18 minutes; group by user task and breakdown rather than feature.
Duplicate merging	8 minutes; retain the clearest atomic wording and all source tags.
Cluster naming	6 minutes; name clusters with user-facing task language.
Prioritization	8 minutes; six simulated votes per member per product.
Consensus	5 minutes; review weighted scores and resolve the selected problem statement.
Owner assignment	2 minutes; Bach owns FIFA synthesis, Bao owns Chess synthesis, Nhut owns diagrams/HCI mapping, Le owns integration/traceability.

3. Raw notes: 36 FIFA and 36 Chess

Note ID	Product	Cluster	Atomic note	Source type
F-RN-01	FIFA	Ticket status clarity	Current sale state needs one label	screen evidence
F-RN-02	FIFA	Ticket status clarity	Missing state differs from sold out	simulated participant behavior
F-RN-03	FIFA	Ticket status clarity	Resale must not look like primary sale	PA1 inherited finding
F-RN-04	FIFA	Ticket status clarity	Waiting room is a temporary state	design inference
F-RN-05	FIFA	Ticket status clarity	Hospitality is a distinct option	screen evidence
F-RN-06	FIFA	Ticket status clarity	State comparison belongs in one view	simulated participant behavior
F-RN-07	FIFA	Handoff trust	Preview the destination domain	PA1 inherited finding
F-RN-08	FIFA	Handoff trust	Explain why departure is needed	design inference
F-RN-09	FIFA	Handoff trust	Offer stay on FIFA.com	screen evidence
F-RN-10	FIFA	Handoff trust	Preserve a safe return route	simulated participant behavior
F-RN-11	FIFA	Handoff trust	Do not imply partner transaction status	PA1 inherited finding
F-RN-12	FIFA	Handoff trust	Keep tournament context through handoff	design inference
F-RN-13	FIFA	Mobile overview	Keep selected tournament first	screen evidence
F-RN-14	FIFA	Mobile overview	Avoid a long undifferentiated card stack	simulated participant behavior
F-RN-15	FIFA	Mobile overview	Restore filters on return	PA1 inherited finding
F-RN-16	FIFA	Mobile overview	Use labels that survive small screens	design inference
F-RN-17	FIFA	Mobile overview	Make status scannable without color	screen evidence
F-RN-18	FIFA	Mobile overview	Resume with one recognition step	simulated participant behavior
F-RN-19	FIFA	Browse load	Ticket entry competes with content	PA1 inherited finding
F-RN-20	FIFA	Browse load	Repeated cards increase scanning	design inference
F-RN-21	FIFA	Browse load	Tournament identity should anchor actions	screen evidence
F-RN-22	FIFA	Browse load	Reduce cross-page comparison	simulated participant behavior
F-RN-23	FIFA	Browse load	Keep action wording consistent	PA1 inherited finding
F-RN-24	FIFA	Browse load	Separate browse from purchase intent	design inference
F-RN-25	FIFA	Freshness and alerts	Show last-updated time	screen evidence
F-RN-26	FIFA	Freshness and alerts	Name the governed source	simulated participant behavior
F-RN-27	FIFA	Freshness and alerts	Label stale data explicitly	PA1 inherited finding
F-RN-28	FIFA	Freshness and alerts	Allow relevant change alerts	design inference
F-RN-29	FIFA	Freshness and alerts	Explain notification permission	screen evidence
F-RN-30	FIFA	Freshness and alerts	Let users edit or stop alerts	simulated participant behavior
F-RN-31	FIFA	Recovery and return	Retry missing state without losing context	PA1 inherited finding
F-RN-32	FIFA	Recovery and return	Network loss should retain the last snapshot	design inference

Note ID	Product	Cluster	Atomic note	Source type
F-RN-33	FIFA	Recovery and return	Login mismatch needs safe recovery	screen evidence
F-RN-34	FIFA	Recovery and return	Expired return links need explanation	simulated participant behavior
F-RN-35	FIFA	Recovery and return	Partner failure must offer stay	PA1 inherited finding
F-RN-36	FIFA	Recovery and return	Never infer purchase completion	design inference
C-RN-01	Chess	Entry choice overload	Beginner review needs one named entry	screen evidence
C-RN-02	Chess	Entry choice overload	Analysis setup paths compete	simulated participant behavior
C-RN-03	Chess	Entry choice overload	Feature names require recall	PA1 inherited finding
C-RN-04	Chess	Entry choice overload	Completed game should expose review	design inference
C-RN-05	Chess	Entry choice overload	Expert view opens too early	screen evidence
C-RN-06	Chess	Entry choice overload	Outcome labels are easier to recognize	simulated participant behavior
C-RN-07	Chess	Learning priority	Show one important mistake first	PA1 inherited finding
C-RN-08	Chess	Learning priority	Explain why before numeric depth	design inference
C-RN-09	Chess	Learning priority	Make the next action explicit	screen evidence
C-RN-10	Chess	Learning priority	Keep the lesson goal visible	simulated participant behavior
C-RN-11	Chess	Learning priority	Do not present every candidate equally	PA1 inherited finding
C-RN-12	Chess	Review setup	No game needs a clear setup route	design inference
C-RN-13	Chess	Review setup	Invalid PGN must preserve input	screen evidence
C-RN-14	Chess	Review setup	Board orientation needs confirmation	simulated participant behavior
C-RN-15	Chess	Review setup	Engine failure needs a safe fallback	PA1 inherited finding
C-RN-16	Chess	Review setup	Premium restriction needs honest scope	design inference
C-RN-17	Chess	Vocabulary load	Evaluation terms need inline help	screen evidence
C-RN-18	Chess	Vocabulary load	Plain language should lead	simulated participant behavior
C-RN-19	Chess	Vocabulary load	Terminology help should not interrupt	PA1 inherited finding
C-RN-20	Chess	Vocabulary load	Returning learners forget feature names	design inference
C-RN-21	Chess	Vocabulary load	Recognition should replace recall	screen evidence
C-RN-22	Chess	Mobile scanning	Keep the board and main mistake together	simulated participant behavior
C-RN-23	Chess	Mobile scanning	Collapse secondary panels	PA1 inherited finding
C-RN-24	Chess	Mobile scanning	Use color-independent indicators	design inference
C-RN-25	Chess	Mobile scanning	Preserve state after interruption	screen evidence
C-RN-26	Chess	Mobile scanning	Maintain readable tap targets	simulated participant behavior
C-RN-27	Chess	Practice continuation	Link the mistake to one lesson	PA1 inherited finding
C-RN-28	Chess	Practice continuation	Offer one relevant puzzle	design inference

Note ID	Product	Cluster	Atomic note	Source type
C-RN-29	Chess	Practice continuation	Preserve the reviewed position	screen evidence
C-RN-30	Chess	Practice continuation	Let users continue later	simulated participant behavior
C-RN-31	Chess	Practice continuation	Explain why the practice is relevant	PA1 inherited finding
C-RN-32	Chess	Advanced depth disclosure	Reveal engine detail on demand	design inference
C-RN-33	Chess	Advanced depth disclosure	Do not remove expert access	screen evidence
C-RN-34	Chess	Advanced depth disclosure	Remember the disclosure choice	simulated participant behavior
C-RN-35	Chess	Advanced depth disclosure	Keep beginner explanation stable	PA1 inherited finding
C-RN-36	Chess	Advanced depth disclosure	Separate learning priority from depth	design inference

Scenario-based synthetic evidence: All 72 notes are one-idea records; simulated participant behavior notes are not real observation claims.

4. Affinity diagrams and cluster synthesis

UA-AF-FIFA Affinity Diagram





Figure UA-AF-01. FIFA affinity clusters
Source: Screen evidence + simulated participant behavior + PA1 inherited finding + design inference
Related: 36 FIFA raw notes

UA-AF-CHESS Affinity Diagram



Breakdowns / decision risks



Figure UA-AF-02. Chess affinity clusters
Source: Screen evidence + simulated participant behavior + PA1 inherited finding + design inference
Related: 36 Chess raw notes

Product	Cluster	Count	Representative notes	Pattern	Affected task	Severity	Design direction
FIFA	Ticket status clarity	6	Current sale state needs one label; Missing state differs from sold out	Repeated task-state or orientation breakdown	Compare ticket states	Critical	One comparison dashboard
FIFA	Handoff trust	6	Preview the destination domain; Explain why departure is needed	Repeated task-state or orientation breakdown	Preview destination	High	Destination preview + stay/return
FIFA	Mobile overview	6	Keep selected tournament first; Avoid a long undifferentiated card stack	Repeated task-state or orientation breakdown	Resume on mobile	Medium	Persist tournament context
FIFA	Browse load	6	Ticket entry competes with content; Repeated cards increase scanning	Repeated task-state or orientation breakdown	Find ticket entry	Medium	Task-led entry
FIFA	Freshness and alerts	6	Show last-updated time; Name the governed source	Repeated task-state or orientation breakdown	Inspect freshness / subscribe	Medium	Timestamp + controlled alerts
FIFA	Recovery and return	6	Retry missing state without losing context; Network loss should retain the last snapshot	Repeated task-state or orientation breakdown	Recover and return	Medium	State-specific recovery
Chess	Entry choice overload	6	Beginner review needs one named entry; Analysis setup paths compete	Repeated task-state or orientation breakdown	Open review	Critical	Beginner review preset
Chess	Learning priority	5	Show one important mistake first; Explain why before numeric depth	Repeated task-state or orientation breakdown	Identify mistake	High	One mistake first
Chess	Review setup	5	No game needs a clear setup route; Invalid PGN must preserve input	Repeated task-state or orientation breakdown	Open game	Medium	Validated setup states
Chess	Vocabulary load	5	Evaluation terms need inline help; Plain language should lead	Repeated task-state or orientation breakdown	Read explanation	High	Inline plain-language help
Chess	Mobile scanning	5	Keep the board and main mistake together; Collapse secondary panels	Repeated task-state or orientation breakdown	Review on mobile	Medium	Primary-card hierarchy
Chess	Practice continuation	5	Link the mistake to one lesson; Offer one relevant puzzle	Repeated task-state or orientation breakdown	Continue practice	High	One relevant next exercise
Chess	Advanced depth disclosure	5	Reveal engine detail on demand; Do not remove expert access	Repeated task-state or orientation breakdown	Reveal detail	Medium	Progressive disclosure

5. Simulated dot voting

Simulated brainstorming record: Each member receives six votes for FIFA and six for Chess; totals equal 24 votes per product.								
Member	Status	Handoff	Mobile	Browse	Freshness	Recovery	Total	
Le Minh	3	2	0	0	1	0	6	
Nguyen Vu Bach	3	2	0	0	0	1	6	
Pham Nguyen Gia Bao	2	2	0	1	1	0	6	
Trang Minh Nhut	2	2	1	0	1	0	6	
FIFA cluster				Total votes				
Ticket status clarity				10				
Handoff trust				8				
Freshness and alerts				3				
Mobile overview				1				
Browse load				1				
Recovery and return				1				
Member	Entry	Priority	Setup	Vocabulary	Mobile	Practice	Depth	Total
Le Minh	1	0	0	2	0	2	1	6
Nguyen Vu Bach	1	1	1	1	0	1	1	6
Pham Nguyen Gia Bao	1	1	1	1	0	2	0	6
Trang Minh Nhut	1	1	1	1	1	0	1	6
Chess cluster				Total votes				
Vocabulary load				5				
Practice continuation				5				
Entry choice overload				4				
Learning priority				3				
Review setup				3				
Advanced depth disclosure				3				
Mobile scanning				1				
Field				Record				
Discussion notes				FIFA votes concentrate on status and handoff confidence. Chess votes split across vocabulary and continuation, while entry overload is the enabling problem.				
Tie-break rule				If totals tie, select the item with higher severity, then stronger traceability to the PA3 prototype task.				
Consensus statement				Prioritize FIFA ticket status plus handoff confidence, and treat Chess entry, explanation, and continuation as one guided beginner review problem.				
Selected problems				FIFA: ticket status clarity and handoff trust. Chess: guided beginner review.				

6. Weighted prioritization

Formula: Weighted score = Severity x 25% + Task frequency x 15% + Risk x 20% + Reach x 10% + Evidence strength x 15% + PA3 relevance x 15%. Each factor is scored 1-5; maximum is 5.00.

Candidate	Severity	Frequency	Risk	Reach	Evidence	PA3	Weighted	Score rationale
FIFA status + freshness	5	4	5	4	4	5	4.60	Critical ambiguity; frequent planning; trust risk; broad reach; strong screen/synthetic trace; direct PA3 module.
FIFA handoff confidence	5	3	5	4	4	5	4.45	Critical departure risk; lower frequency; broad consequence; direct PA3 decision.
FIFA mobile overview	3	4	3	4	4	3	3.50	Frequent but lower consequence; evidence supports orientation rather than transaction risk.
Chess guided beginner review	5	5	4	5	4	5	4.65	High learning severity/frequency/reach; strong PA3 relevance; synthetic outcomes require validation.
Chess mobile scanning	3	4	3	4	3	3	3.35	Broad but secondary to entry and learning-priority breakdown.
Chess advanced depth	3	2	3	3	3	4	3.00	Important control but lower beginner frequency; retained as a disclosure requirement.

7. Tough problems

7.1 TP-FIFA

TP-FIFA: Users need to compare current ticket state, freshness and official destination before leaving FIFA.com.

Field	Record
Affected users	Trust-sensitive planners and tournament followers
Context	Ticket planning before an outbound handoff
Screen evidence	F2-E03/E04/E09
Simulated study result	F-SIM-02/04/05/06 show status or handoff hesitation and 2-3/5 confidence
Root cause	State, freshness, and destination are separated
Consequence	Delayed action, unsafe assumption, or abandonment
Market gap	Official sports sites rarely combine governed state, freshness, and destination preview in one decision view
Scope	Comparison, preview, alerts, and recovery inside FIFA.com
Out of scope	Transaction, inventory creation, pricing, or partner redesign
PA3 test question	Can users accurately choose buy, wait, register interest, resale, hospitality, or stay?

7.2 TP-CHESS

TP-CHESS: Beginners need one interpretable mistake and one next practice action before advanced analysis.

Field	Record
Affected users	First-time beginners and returning low-analysis learners
Context	After-game review and practice continuation
Screen evidence	C2-E05/E07-E10
Simulated study result	C-SIM-01/02/04/05/06 show wrong paths, vocabulary hesitation, and continuation need
Root cause	Feature/setup organization precedes the learning outcome
Consequence	Expert view without an actionable learning priority
Market gap	Many analysis tools optimize depth before beginner interpretation and continuation
Scope	Beginner preset, one mistake, try move, explanation, practice, optional depth
Out of scope	Engine redesign, coaching guarantees, or removal of expert controls
PA3 test question	Can users explain one mistake and select one relevant practice action?

8. Course-source application

Course basis: LN01 - Introduction - v2.pdf, pp. 20, 22, 24; LN02 - Fundamental Concepts - Usability Dimensions_2.pdf, pp. 62-67, 74-76, 83-84, 101-115; LN03 - UI Design Process.pdf, pp. 16-19, 23-24, 28-30, 34-36; LN04 - Task Analysis.pdf, pp. 3, 6-15, 39-49.

Design inference: The selection balances effectiveness, efficiency, learnability, memorability, errors, satisfaction, status visibility, recognition, progressive disclosure, user control, and error prevention.