

PROJECT ASSIGNMENT 2

Group10-PA2 Project Proposal

FIFA.com and Chess.com

Course	CSC13112 - UI/UX Design, FIT-HCMUS
Group	Group10
Team	Le Minh (21127645); Nguyen Vu Bach (21127224); Pham Nguyen Gia Bao (20127119); Trang Minh Nhut (22127318)

Contents

1. Proposal scope and traceability	— 2
2. FIFA Ticket Confidence Module alternatives	— 3
2.1 F-A1 Status Dashboard	— 3
2.2 F-A2 Guided Concierge	— 4
2.3 F-A3 Alert-First Planner	— 5
3. Chess Guided Beginner Review Module alternatives	— 6
3.1 C-A1 Beginner Review Preset	— 6
3.2 C-A2 Conversational Coach	— 8
3.3 C-A3 Visual Game Story	— 9
4. Weighted comparison method	— 11
5. Recommendations and retained alternatives	— 12
6. PA3 parallel-prototyping plan	— 13
7. Design rationale and validation target	— 14
8. Guided Concierge Flow - Detailed Revision	— 14
8.1 Guided Concierge branch matrix	— 16
8.2 Guided Concierge Screens	— 18
9. Empty, Error, and Validation State Contract	— 22
9.1 Complete Empty, Error, and Validation Matrix	— 24
10. Mini Design System Appendix	— 27
11. Practical Difficulties and Lessons Learned	— 28

1. Proposal scope and traceability

FIFA Ticket Confidence Module: Users need to compare current ticket state, freshness and official destination before leaving FIFA.com.

Chess Guided Beginner Review Module: Beginners need one interpretable mistake and one next practice action before advanced analysis.

Screen evidence: F2-E03/E04/E09 and C2-E05/E07-E10 bound the visible interface claims.

Simulated study: Scenario records inform hypothesis coverage only; no expected benefit is an observed outcome.

Design inference: The modules preserve current products and introduce bounded decision/learning layers.


2. FIFA Ticket Confidence Module alternatives

2.1 F-A1 Status Dashboard

Field	Record
Concept	Status Dashboard within FIFA Ticket Confidence Module
Target user	Trust-sensitive ticket planners
Task flow	Choose context -> compare states -> inspect freshness -> preview official destination -> act or stay
Main screen	Status comparison dashboard
Interaction	Filter, expand provenance, preview handoff, save/alert
Problem coverage	Directly covers status, freshness, and destination confidence
Accessibility	Text labels, table semantics, keyboard order, color-independent states
Privacy	Minimize saved preferences; explicit alert consent
Data dependency	Governed ticket-state feed, timestamps, partner metadata
Failure recovery	Keep last timestamped state, distinguish missing/stale, retry without losing context

Field	Record
Risk	Feed inconsistency or false confidence
Tradeoff	Highest clarity; requires reliable governed data
PA3 test plan	Test state interpretation, destination recognition, stay/continue choice, and recovery

PP-F-A1 Status Dashboard Flow



Breakdowns / decision risks



Figure PP-F-A1. Status Dashboard task-flow model

Source: Design inference based on TP-FIFA

Related: Test state interpretation, destination recognition, stay/continue choice, and recovery

2.2 F-A2 Guided Concierge

Field	Record
Concept	Guided Concierge within FIFA Ticket Confidence Module
Target user	Infrequent and first-time planners
Task flow	See Section 8: detailed 16-step Guided Concierge flow, branch matrix, and recovery states.
Main screen	Step-by-step concierge
Interaction	Single-choice questions, back/edit,

Field	Record
	recommendation rationale
Problem coverage	Covers complex choice and handoff confidence
Accessibility	Progress, plain labels, keyboard/radio semantics
Privacy	Avoid sensitive profiling; delete draft answers
Data dependency	Eligibility rules, ticket channels, partner metadata
Failure recovery	Explain unsupported markets, preserve answers, offer dashboard
Risk	Long flow and rule maintenance
Tradeoff	More guidance; slower comparison
PA3 test plan	Test completion, backtracking, recommendation comprehension, and unsupported-state recovery

2.3 F-A3 Alert-First Planner

Field	Record
Concept	Alert-First Planner within FIFA Ticket Confidence Module
Target user	Followers waiting for sale changes
Task flow	Follow context -> set preference -> wait -> receive verified change -> open destination
Main screen	Saved-plan and alert center
Interaction	Follow, consent, edit, snooze, stop, open alert
Problem coverage	Covers freshness and return; weaker immediate comparison
Accessibility	Channel alternatives, readable timestamps, no color-only urgency
Privacy	Explicit permission, minimal contact data, retention limit

Field	Record
Data dependency	Change events, notification channel, partner metadata
Failure recovery	Retain local plan if permission denied; retry irrelevant or failed alerts
Risk	Notification fatigue and delayed data
Tradeoff	Strong return support; depends on alert quality
PA3 test plan	Test permission denial, alert relevance, freshness comprehension, and return context

PP-F-A3 Alert-First Planner Flow




Figure PP-F-A3. Alert-First Planner task-flow model
Source: Design inference based on TP-FIFA
Related: Test permission denial, alert relevance, freshness comprehension, and return context

3. Chess Guided Beginner Review Module alternatives

3.1 C-A1 Beginner Review Preset

Field	Record
Concept	Beginner Review Preset within Chess Guided

Field	Record
	Beginner Review Module
Target user	First-time and returning low-analysis learners
Task flow	Open game -> select preset -> identify one mistake -> try move -> read explanation -> practice or depth
Main screen	Primary mistake card beside board
Interaction	Try move, reveal why, continue practice, reveal advanced detail
Problem coverage	Directly covers one interpretable mistake and next practice action
Accessibility	Keyboard board alternative, focus order, plain language, color-independent evaluation
Privacy	Use only selected game; explain retention and sharing
Data dependency	Game artifact, analysis service, explanation rules, learning catalog
Failure recovery	Handle no game, invalid PGN, engine unavailable, no major mistake, restriction
Risk	Oversimplification or incorrect explanation
Tradeoff	Strongest beginner interpretation; constrains initial depth
PA3 test plan	Test mistake comprehension, move trial, practice selection, and depth disclosure

PP-C-A1 Beginner Review Preset Flow




Figure PP-C-A1. Beginner Review Preset task-flow model

Source: Design inference based on TP-CHESS


Related: Test mistake comprehension, move trial, practice selection, and depth disclosure

3.2 C-A2 Conversational Coach

Field	Record
Concept	Conversational Coach within Chess Guided Beginner Review Module
Target user	Beginners who prefer question-led guidance
Task flow	Open review -> state intent -> coach clarifies -> explain position -> try move -> practice
Main screen	Conversation plus board
Interaction	Choose intent, ask why, try move, request another explanation
Problem coverage	Covers interpretation and vocabulary
Accessibility	Structured choices, transcript headings, keyboard board alternative
Privacy	Do not collect unrelated personal data; clear conversation retention

Field	Record
Data dependency	Game artifact, explanation service, learning catalog
Failure recovery	Offer fixed explanation cards if the coach service fails
Risk	Wording can vary and the extra question adds time
Tradeoff	The question-led route can address several intentions, but response consistency must be tested.
PA3 test plan	Test response consistency, vocabulary comprehension, and service fallback

PP-C-A2 Conversational Coach Flow



Breakdowns / decision risks



Figure PP-C-A2. Conversational Coach task-flow model

Source: Design inference based on TP-CHESS

Related: Test response consistency, vocabulary comprehension, and service fallback

3.3 C-A3 Visual Game Story

Field	Record
Concept	Visual Game Story within Chess Guided Beginner Review Module

Field	Record
Target user	Returning learners who scan game turning points
Task flow	Open review -> view chapters -> inspect turning point -> replay chance -> choose next action
Main screen	Chapter timeline with board snapshots
Interaction	Scrub chapters, select turning point, replay, continue
Problem coverage	Covers prioritization and narrative continuation
Accessibility	Text chapter list, reduced motion, keyboard timeline
Privacy	Use game data only; respect game visibility
Data dependency	Game segmentation, analysis service, learning catalog
Failure recovery	Fall back to a single mistake card if segmentation fails
Risk	Long games and multiple comparable mistakes
Tradeoff	Strong overview; less direct for first-time beginners
PA3 test plan	Test turning-point recognition, replay accuracy, and continuation choice

PP-C-A3 Visual Game Story Flow




Figure PP-C-A3. Visual Game Story task-flow model

Source: Design inference based on TP-CHESS

Related: Test turning-point recognition, replay accuracy, and continuation choice

4. Weighted comparison method

Formula: Weighted score = Problem coverage x 30% + Learnability x 20% + Accessibility x 15% + Recovery x 15% + Data feasibility x 10% + PA3 testability x 10%. Factors use 1-5; maximum is 5.00.

Alternative	Weighted score	Score rationale
F-A1 Status Dashboard	4.55	Direct comparison and recovery; reliable feed is the main dependency.
F-A2 Guided Concierge	4.05	High guidance but a longer flow and heavier rule maintenance.
F-A3 Alert-First Planner	3.65	Strong freshness/return support but weaker immediate comparison.
C-A1 Beginner Review Preset	4.90	Best alignment to one mistake, move trial, explanation, and practice.
C-A2 Conversational Coach	3.75	The extra question may clarify intent, but wording consistency and service fallback still need testing.

Alternative	Weighted score	Score rationale
C-A3 Visual Game Story	3.90	Good overview but less direct for a first-time beginner.

5. Recommendations and retained alternatives

Recommendation - FIFA: Select Status Dashboard because it most directly combines ticket state, freshness, official destination preview, user control, and recovery. Guided Concierge and Alert-First Planner remain PA3 parallel prototypes.

Recommendation - Chess: Select Beginner Review Preset because it establishes one interpretable mistake and one next practice action before advanced depth. Conversational Coach and Visual Game Story remain PA3 parallel prototypes.

Recommendation	Reason	Principal risk	PA3 validation target
F-A1 Status Dashboard	Highest weighted FIFA score and strongest tough-problem coverage	Stale or conflicting governed data	Accurate state/freshness interpretation and calibrated handoff confidence
C-A1 Beginner Review Preset	Highest weighted Chess score and clearest learning priority	Oversimplification or explanation error	Mistake comprehension, better-move trial, and relevant practice choice

6. PA3 parallel-prototyping plan

Product	Parallel concepts	Common scenario	Measures	Stop/iterate rule
FIFA	Status Dashboard; Guided Concierge; Alert-First Planner	Compare a missing/stale ticket state and decide whether to leave FIFA.com	State accuracy; destination recognition; confidence calibration; recovery	Reject a concept that causes state misinterpretation or implies partner completion
Chess	Beginner Review Preset; Conversational Coach; Visual Game Story	Open a completed game, identify one mistake, try a better move, continue practice	Explanation accuracy; wrong path; continuation relevance; depth control	Reject a concept that hides correction, blocks keyboard use, or overstates certainty

PA3 validation target: Expected benefits remain hypotheses until prototype sessions produce observed evidence.

7. Design rationale and validation target

HCI rationale: Course basis: LN01 - Introduction - v2.pdf, pp. 20, 22, 24; LN02 - Fundamental Concepts - Usability Dimensions_2.pdf, pp. 62-67, 74-76, 83-84, 101-115; LN03 - UI Design Process.pdf, pp. 16-19, 23-24, 28-30, 34-36; LN04 - Task Analysis.pdf, pp. 3, 6-15, 39-49.

8. Guided Concierge Flow - Detailed Revision

1. User enters Ticket Concierge.
2. User selects a tournament.
3. User selects a match or event preference.
4. User selects party size.
5. User answers eligibility and context questions.
6. System checks the known ticket state.
7. System explains the current state in plain language.
8. System shows the available next options.
9. User compares official ticket, register interest, resale, hospitality, and wait.
10. System previews the destination.
11. User chooses Continue or Stay.
12. If Continue, the system explains the partner domain and account expectation.
13. If Stay, the system preserves tournament, match, and party context.
14. User may set an alert.
15. System confirms the choice and saved context.
16. A recovery branch returns the user to a safe step without discarding valid answers.

Guided Concierge - Overview




Figure PP-GC-FLOW-01. Guided Concierge overview flow

Source: PA2 design QA artifact

Related: Steps 1-6; entry, context, and known-state check

Guided Concierge - Decision and Handoff




Figure PP-GC-FLOW-02. Guided Concierge decision branch flow

Source: PA2 design QA artifact

Related: Steps 7-12; option comparison, destination preview, Continue or Stay

Guided Concierge - Confirmation and Recovery




Figure PP-GC-FLOW-03. Guided Concierge error and recovery flow

Source: PA2 design QA artifact

Related: Steps 13-16; preserved context, alert, confirmation, and recovery

8.1 Guided Concierge branch matrix

Branch	Trigger	Message	User action	Recovery path
No tickets	Known state shows no official inventory	No official tickets are available for this selection.	Compare register interest, resale, hospitality, or wait	Keep the selection and return to options
Unknown status	No governed status is available	Current ticket status is unknown; this is not a sold-out result.	Stay or retry	Retry the state check without losing answers
Stale status	Last update exceeds the freshness rule	This status may be outdated.	Refresh or wait	Show the last update only with a stale label

Branch	Trigger	Message	User action	Recovery path
Partner unavailable	The official destination cannot respond	The partner service is unavailable.	Stay on FIFA.com	Preserve context and retry later
User not eligible	Eligibility answer conflicts with route rules	This route is not available for the supplied context.	Review answers or compare other routes	Return to the relevant question
No matching event	Tournament/ match filters return no result	No event matches these filters.	Change tournament or match	Keep party size and eligibility
Invalid input	A required answer is missing or malformed	Correct the highlighted field.	Edit the field	Keep all valid answers
Alert permission denied	Browser notification permission is denied	Browser alerts are off.	Use an on-site reminder or change permission	Do not block the ticket decision
Network failure	The state request times out	The network request failed; no ticket outcome is inferred.	Retry or stay	Resume from the state check

8.2 Guided Concierge Screens

FIFA

Ticket Concierge

Plan with current status and an official destination preview

FIFA World Cup 2026

SELECT

United States, Canada & Mexico Saved
context: none

Women's World Cup Brazil 2027

RECENT

24 June - 25 July 2027 Status routes
available

Why use the concierge?

Compare official ticket, register-interest, resale, hospitality, and wait routes. You choose whether to continue to an external destination.

Start planning

Figure PP-GC-ENTRY. Entry screen with selectable tournament cards and a clear explanation of the concierge boundary.

FIFA

Your ticket needs

Tournament

FIFA World Cup 2026

Match

Group Stage, Match 17

Party size

2

Location

United States

Eligibility check

Resident location and route eligibility are used only for this recommendation. Valid answers remain saved when you go back.

Back

Check options

Figure PP-GC-QUESTION. Question step with concrete tournament, match, party-size, location, and eligibility values; Back preserves valid answers.

FIFA

Current ticket options

FIFA World Cup 2026 • Group Stage, Match 17 • Party of 2

Official tickets

COMING SOON

No inventory is implied. Last updated: 20:30

Register interest

AVAILABLE

Official interest route No purchase commitment

Hospitality

PARTNER ROUTE

External account may be required Destination preview available

Source and freshness

Status source: FIFA ticket-state snapshot • Retrieved 10 Aug 2026, 20:30 • Refresh before acting

Preview official destination

Figure PP-GC-RECOMMENDATION. Recommendation screen with status chips, last-updated time, source boundary, and route-specific cards.

FIFA

Before you continue

Official destination

EXTERNAL

tickets.fifa.com Purpose: ticket registration and purchasing Account expectation: FIFA ticketing account may be required

What stays saved

Tournament: FIFA World Cup 2026 Match: Group Stage, Match 17 Party size: 2 Returning does not prove a purchase.

Stay on FIFA.com

Continue to tickets.fifa.com

Figure PP-GC-DESTINATION. Destination preview naming tickets.fifa.com, account expectations, transferred context, and Continue/Stay choices.




Figure PP-GC-EMPTY. No-match state with preserved answers, editable filters, and alternative safe routes.




Figure PP-GC-ERROR. Unavailable-status state with no inferred outcome, a labeled stale snapshot, and Retry/Stay recovery.

FIFA

Complete this step

Tournament

FIFA World Cup 2026

VALID

Party size

2

VALID

Alert email

minh.anh@

Enter a complete email address, for example minh.anh@example.com.

Valid tournament and party answers will not be cleared.

Review answers

Figure PP-GC-VALIDATION. Field-level email validation that retains the valid tournament and party-size answers.

9. Empty, Error, and Validation State Contract

FIFA Ticket Concierge - Empty, Error, and Validation

EMPTY	ERROR	VALIDATION
Trigger No tournament matches filters Message No matching tournament. Change tournament or date. User action Change filters Recovery Keep party size and eligibility answers	Trigger Status or partner service fails Message Ticket status is unavailable. No sale outcome is inferred. User action Retry or stay Recovery Show last update only when labeled stale	Trigger Tournament, email, or permission is missing Message Select a tournament and enter a valid email. User action Correct the field Recovery Offer on-site reminder when permission is denied

Figure PP-STATE-FIFA. FIFA state contract with trigger, message, action, and recovery

Source: PA2 design QA artifact

Related: No match, status/partner failure, invalid tournament/email/permission

Chess Beginner Review - Empty, Error, and Validation

EMPTY	ERROR	VALIDATION
Trigger No recent game is available Message No game is ready for review. Import a PGN or play a game. User action Import game Recovery Return to recent activity after a game exists	Trigger Analysis service or network fails Message Analysis is unavailable. Your game remains saved. User action Retry analysis Recovery Open board-only review or return later	Trigger PGN or required input is missing Message Add a valid game or PGN before review starts. User action Fix input Recovery Keep valid fields and show the failing line

Figure PP-STATE-CHESS. Chess state contract with trigger, message, action, and recovery

Source: PA2 design QA artifact

Related: No game, analysis/network failure, invalid PGN or required input

Concept and state	Trigger	Message	User action	Recovery path
FIFA Ticket Concierge - EMPTY	No tournament matches	No matching tournament. Change tournament or date.	Change filters	Keep party size and eligibility
FIFA Ticket Concierge - ERROR	Ticket status or partner service fails	Ticket status is unavailable; no sale outcome is inferred.	Retry or stay	Use a labeled last update or retry
FIFA Ticket Concierge - VALIDATION	Tournament or email is invalid	Select a tournament and enter a valid email such as	Correct the field	Retain every valid answer

Concept and state	Trigger	Message	User action	Recovery path
		minh.anh@example.com.		
Chess Beginner Review - EMPTY	No recent game exists	No game is ready for review. Import a PGN or play a game.	Import game	Return after a game exists
Chess Beginner Review - ERROR	Analysis service or network fails	Analysis is unavailable; the game remains saved.	Retry analysis	Open board-only review or return later
Chess Beginner Review - VALIDATION	PGN or required input is missing	Add a valid game or PGN before review starts.	Fix input	Keep valid fields and identify the failing line

9.1 Complete Empty, Error, and Validation Matrix

State	Contract
FIFA - EMPTY - No tournament	Trigger: No tournament Message: No tournament matches the selected context. Action: Change tournament or date. Recovery: Keep party size and other valid answers.
FIFA - EMPTY - No available ticket route	Trigger: No available ticket route Message: No official route is available for this event. Action: Compare wait, interest, resale, or hospitality when allowed. Recovery: Return to the saved event without restarting.
FIFA - ERROR - Ticket status unavailable	Trigger: Ticket status unavailable Message: Ticket status is unavailable; no sale outcome is inferred. Action: Retry or stay.

State	Contract
	Recovery: Show a labeled last update only when available.
FIFA - ERROR - Partner unavailable	Trigger: Partner unavailable Message: The official destination cannot respond. Action: Stay on FIFA.com. Recovery: Preserve context and retry later.
FIFA - ERROR - Network error	Trigger: Network error Message: The request failed before a result was confirmed. Action: Retry the request. Recovery: Resume at the state check with valid answers intact.
FIFA - VALIDATION - Tournament not selected	Trigger: Tournament not selected Message: Select a tournament to continue. Action: Choose a tournament. Recovery: Return to the question step.
FIFA - VALIDATION - Invalid email	Trigger: Invalid email Message: Enter a valid email address. Action: Correct the email. Recovery: Retain all other answers.
FIFA - VALIDATION - Permission denied	Trigger: Permission denied Message: Browser alerts are off. Action: Use an on-site reminder or change permission. Recovery: Do not block the ticket decision.
Chess - EMPTY - No game to review	Trigger: No game to review Message: No game is ready for review. Action: Import a PGN or play a game. Recovery: Return to review after a game exists.
Chess - EMPTY - No recent game	Trigger: No recent game Message: No recent game was found. Action: Open the archive or import a game. Recovery: Keep the chosen beginner-review mode.
Chess - ERROR - Analysis unavailable	Trigger: Analysis unavailable Message: Analysis is unavailable; the game remains saved. Action: Retry analysis. Recovery: Open board-only review or return

State	Contract
	later.
Chess - ERROR - Import failed	Trigger: Import failed Message: The game could not be imported. Action: Review the PGN and retry. Recovery: Keep the original input for correction.
Chess - ERROR - Network error	Trigger: Network error Message: The analysis request failed. Action: Retry when connected. Recovery: Return to the saved game.
Chess - VALIDATION - Invalid PGN	Trigger: Invalid PGN Message: The PGN contains an invalid or unsupported line. Action: Correct the marked line. Recovery: Retain valid metadata and moves.
Chess - VALIDATION - Missing required game	Trigger: Missing required game Message: Choose or import a game before review starts. Action: Select a game. Recovery: Return to the review entry.
Chess - VALIDATION - Unsupported input	Trigger: Unsupported input Message: This input format is not supported. Action: Use PGN or a recent saved game. Recovery: Keep the current page and help link.

10. Mini Design System Appendix

Mini Design System - Shared FIFA and Chess Rules

TYPE + SPACE	CONTROLS	FEEDBACK
Trigger Body, caption, table, figure labels Message Arial 14 pt minimum; headings 16/17/28 pt User action Use 8/16/24/32 px spacing Recovery Split tables or change orientation; never shrink below 14 pt	Trigger Primary action or required input Message Buttons: 48 px height, 12 px radius; inputs: persistent label User action Use verb labels: Continue, Stay, Retry Recovery Show field-level errors and retain valid values	Trigger Empty, error, success, or status change Message Status chips use text plus color User action Offer one primary and one recovery action Recovery Keep navigation, footer, card padding, and mobile gaps consistent

Figure PP-DS-01. Shared typography, spacing, control, card, status, error, success, and empty-state rules

Source: FIFA and Chess concept screens

Related: 16.0

Token or component	Shared rule
Typography	Arial; body, caption, table, and figure labels use 14 pt minimum; headings use 16/17/28 pt.
Spacing	Use 8/16/24/32 px steps; mobile cards keep a 16 px gap.
Buttons	48 px height, 12 px radius, verb label such as Continue, Stay, or Retry.
Inputs	Persistent label, 48 px height, field-level error, and retained valid values.
Cards	16 px radius and 16 px padding.
Status chips	Status chips use a text label plus

Token or component	Shared rule
	color; include freshness where it affects a decision.
Error and validation	State the problem, one user action, and one recovery path.
Success and empty	Confirm saved context or explain what is missing and how to continue.
Navigation and footer	Use the same order, labels, icon size, and mobile spacing across concept screens.

11. Practical Difficulties and Lessons Learned

Practical difficulty	How the group handled it	Lesson learned	Impact on the final version
Empty, error, and validation screens exposed requirements missing from the happy path.	The group added triggers, messages, user actions, and recovery paths before comparing concepts.	A concept is incomplete when failure changes the user decision.	The final proposal includes two product state contracts and three recovery flows.
The original Guided Concierge flow was too compressed.	The group divided it into overview, decision/handoff, and recovery flows.	Long flows should be split at decision boundaries.	The final version contains 16 numbered steps and nine named branches.