

PROJECT ASSIGNMENT 2

Group10-PA2 User Research

Source analysis, try-it-yourself walkthrough, and clearly labeled simulated study

FIFA.com and Chess.com

Course	CSC13112 - UI/UX Design, FIT-HCMUS
Group	Group10
Team	Le Minh (21127645); Nguyen Vu Bach (21127224); Pham Nguyen Gia Bao (20127119); Trang Minh Nhut (22127318)
Scope	Source analysis, try-it-yourself walkthrough, and clearly labeled simulated study

Contents

Contents **2**

1. Research scope, methods, and validity boundary **4**

2. Tasks and protocol **5**

2.1 FIFA task set 5

2.2 Chess task set 5

3. Simulated participants **6**

4. Three-day simulated session plan **12**

5. Twelve simulated note sheets **17**

5.1 Note sheet F-SIM-01 17

5.2 Note sheet F-SIM-02 19

5.3 Note sheet F-SIM-03 20

5.4 Note sheet F-SIM-04 21

5.5 Note sheet F-SIM-05 22

5.6 Note sheet F-SIM-06 23

5.7 Note sheet C-SIM-01 24

5.8 Note sheet C-SIM-02 25

5.9 Note sheet C-SIM-03 26

5.10 Note sheet C-SIM-04 27

5.11 Note sheet C-SIM-05 28

5.12 Note sheet C-SIM-06	29
6. Simulated task results	30
7. Personas	34
7.1 FIFA trust-sensitive ticket planner	34
7.2 FIFA returning tournament follower	35
7.3 Chess first-time beginner	36
7.4 Chess returning learner who forgets analysis terms	37
9. Findings	37
10. Evidence boundary and citations	45
Revised Work Models	46
Practical Difficulties and Lessons Learned	50

1. Research scope, methods, and validity boundary

Simulated-study disclosure: All participant profiles, sessions, quotations, observations, task outcomes, and ratings in this report are scenario-based synthetic evidence created to test design hypotheses; they are not presented as research with real users.

Record 1

Method	Source analysis
What it supports	Interface inventory, documented states, PA1 continuity
Boundary	A file or screen does not prove behavior
Source label	Screen evidence / PA1 inherited finding

Record 2

Method	Try-it-yourself walkthrough
What it supports	Task path, transition, recovery, and handoff inspection
Boundary	Shows the path available to the evaluator, not population performance
Source label	Screen evidence / Design inference

Record 3

Method	Simulated user sessions
What it supports	Scenario coverage, test cases, hypotheses, and comparison logic
Boundary	Does not represent real-user measurement
Source label	Simulated study / PA3 validation target

Course source: Course basis: LN01 - Introduction - v2.pdf, pp. 20, 22, 24; LN02 - Fundamental Concepts - Usability Dimensions_2.pdf, pp. 62-67, 74-76, 83-84, 101-115; LN03 - UI Design Process.pdf, pp. 16-19, 23-24, 28-30, 34-36; LN04 - Task Analysis.pdf, pp. 3, 6-15, 39-49.

PA1 inherited finding: FIFA separates useful tournament content from ticket decision confidence; Chess.com provides strong play and learning functions but exposes analysis choices with high recall demand.

Design inference: Visibility of system status, recognition over recall, progressive disclosure, user control, and error prevention organize the PA2 questions.

2. Tasks and protocol

2.1 FIFA task set

1. Find ticket entry.
2. Compare tournament status.
3. Decide buy, wait, register interest, resale, or hospitality.
4. Identify destination before leaving FIFA.com.
5. Resume on mobile.
6. Recover from missing or stale status.

2.2 Chess task set

1. Choose a beginner route.
2. Continue a lesson.
3. Solve a puzzle.
4. Open analysis or review.
5. Identify one important mistake.
6. Try a better move.
7. Read a plain-language explanation.
8. Continue to practice.
9. Reveal advanced detail on demand.

Simulated research session protocol: Each 25-35 minute record uses 5 minutes of introduction, 15-20 minutes of task work, and 5 minutes of follow-up. Notes are structured; no audio or video is recorded.

3. Simulated participants

Record 1

ID	F-SIM-01
Role	Casual football fan
Age	18-24
Device	Android phone
Domain / application experience	Follows major finals; Occasional FIFA.com visitor
Frequency	Monthly in season
Motivation and context	Find ticket entry without planning expertise; Commute; one-handed use
Constraints / accessibility	Limited time and data; Large tap targets
Tasks	F1-F6

Record 2

ID	F-SIM-02
Role	Casual football fan
Age	25-34
Device	Windows laptop + phone
Domain / application experience	Watches selected national-team matches; Uses Match Centre occasionally
Frequency	Several times per tournament
Motivation and context	Compare match and ticket status; Evening planning at home
Constraints / accessibility	Avoids creating accounts early; High contrast
Tasks	F1-F6

Record 3

ID	F-SIM-03
Role	Tournament follower
Age	25-34
Device	iPhone
Domain / application experience	Tracks brackets and schedules; Returning FIFA.com visitor
Frequency	Weekly in tournament periods
Motivation and context	Coordinate a group trip; Mobile-first, shared planning
Constraints / accessibility	Needs fast resumption; Text zoom
Tasks	F1-F6

Record 4

ID	F-SIM-04
Role	Tournament follower
Age	35-44
Device	MacBook + Android phone
Domain / application experience	Follows multiple competitions; Regular Match Centre user
Frequency	Weekly
Motivation and context	Connect schedule context to ticket action; Desk-to-mobile transition
Constraints / accessibility	Many open tabs; Keyboard access on laptop
Tasks	F1-F6

Record 5

ID	F-SIM-05
Role	Trust-sensitive ticket planner
Age	35-44
Device	Windows laptop
Domain / application experience	Has bought event tickets online; Knows FIFA.com but not partner boundaries
Frequency	At key sale windows
Motivation and context	Avoid unofficial or stale destinations; Family purchase planning
Constraints / accessibility	Needs provenance before leaving site; Clear status text, not color alone
Tasks	F1-F6

Record 6

ID	F-SIM-06
Role	Trust-sensitive ticket planner
Age	45-54
Device	Android phone
Domain / application experience	Plans international tournament travel; Low-frequency FIFA.com visitor
Frequency	A few times per year
Motivation and context	Know whether to buy, wait, or register interest; Mobile on variable network
Constraints / accessibility	Low confidence after handoff; Plain language and persistent focus
Tasks	F1-F6

Record 7

ID	C-SIM-01
Role	First-time beginner
Age	18-24
Device	Android phone
Domain / application experience	Knows piece movement; First Chess.com week
Frequency	Daily trial week
Motivation and context	Choose a safe beginner route; Short study breaks
Constraints / accessibility	Unfamiliar analysis terms; Plain language
Tasks	C1-C9

Record 8

ID	C-SIM-02
Role	First-time beginner
Age	25-34
Device	Windows laptop
Domain / application experience	Played fewer than ten games; New account
Frequency	Twice weekly
Motivation and context	Understand one mistake; Home learning session
Constraints / accessibility	Fears breaking the position; Keyboard-only path
Tasks	C1-C9

Record 9

ID	C-SIM-03
Role	Returning learner
Age	18-24
Device	iPhone
Domain / application experience	Completed basic lessons; Returns after four months
Frequency	Weekly when active
Motivation and context	Resume without relearning navigation; Mobile evening practice
Constraints / accessibility	Forgets feature locations; Text zoom
Tasks	C1-C9

Record 10

ID	C-SIM-04
Role	Returning learner
Age	35-44
Device	MacBook
Domain / application experience	Knows opening principles; Intermittent lesson and puzzle use
Frequency	Monthly
Motivation and context	Reconnect review to practice; Desktop at home
Constraints / accessibility	Forgets analysis vocabulary; Reduced motion
Tasks	C1-C9

Record 11

ID	C-SIM-05
Role	Intermediate player with low analysis use
Age	25-34
Device	Windows laptop
Domain / application experience	Club-level casual; Plays games and puzzles
Frequency	Weekly
Motivation and context	Review without engine overload; After-game desktop session
Constraints / accessibility	Skips dense panels; Keyboard shortcuts with labels
Tasks	C1-C9

Record 12

ID	C-SIM-06
Role	Intermediate player with low analysis use
Age	35-44
Device	Android tablet
Domain / application experience	Understands tactics; Rarely opens analysis
Frequency	Several times per month
Motivation and context	Find one actionable improvement; Tablet practice session
Constraints / accessibility	Terminology slows scanning; Color-independent indicators
Tasks	C1-C9

Scenario-based synthetic evidence: IDs are fictional study roles; no names identify participants.

4. Three-day simulated session plan

Record 1

Session ID	F-SES-01
Date	16 Jul 2026
Duration	28 min
Participant	F-SIM-01
Device	Android phone
Tasks	F1, F2, F4, F5
Facilitator	Nguyen Vu Bach
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 2

Session ID	F-SES-02
Date	16 Jul 2026
Duration	31 min
Participant	F-SIM-02
Device	Windows laptop + phone
Tasks	F1-F6
Facilitator	Nguyen Vu Bach
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Record 3

Session ID	C-SES-01
Date	16 Jul 2026
Duration	29 min
Participant	C-SIM-01
Device	Android phone
Tasks	C1-C3, C7-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 4

Session ID	C-SES-02
Date	16 Jul 2026
Duration	32 min
Participant	C-SIM-02
Device	Windows laptop
Tasks	C1-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Record 5

Session ID	F-SES-03
Date	17 Jul 2026
Duration	30 min
Participant	F-SIM-03
Device	iPhone
Tasks	F1-F6
Facilitator	Nguyen Vu Bach
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 6

Session ID	F-SES-04
Date	17 Jul 2026
Duration	34 min
Participant	F-SIM-04
Device	MacBook + Android phone
Tasks	F1-F6
Facilitator	Nguyen Vu Bach
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Record 7

Session ID	C-SES-03
Date	17 Jul 2026
Duration	27 min
Participant	C-SIM-03
Device	iPhone
Tasks	C1-C3, C5-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 8

Session ID	C-SES-04
Date	17 Jul 2026
Duration	35 min
Participant	C-SIM-04
Device	MacBook
Tasks	C1-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Record 9

Session ID	F-SES-05
Date	18 Jul 2026
Duration	33 min
Participant	F-SIM-05
Device	Windows laptop
Tasks	F1-F6
Facilitator	Nguyen Vu Bach
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 10

Session ID	F-SES-06
Date	18 Jul 2026
Duration	35 min
Participant	F-SIM-06
Device	Android phone
Tasks	F1-F6
Facilitator	Nguyen Vu Bach
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Record 11

Session ID	C-SES-05
Date	18 Jul 2026
Duration	30 min
Participant	C-SIM-05
Device	Windows laptop
Tasks	C1-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Trang Minh Nhut
Recording method	Structured notes only; no audio/video

Record 12

Session ID	C-SES-06
Date	18 Jul 2026
Duration	34 min
Participant	C-SIM-06
Device	Android tablet
Tasks	C1-C9
Facilitator	Pham Nguyen Gia Bao
Note taker	Le Minh
Recording method	Structured notes only; no audio/video

Simulated research session: This is a simulated session record used for scenario coverage and planning, not an attendance or research claim.

5. Twelve simulated note sheets**5.1 Note sheet F-SIM-01**

Simulated observation: F-SES-01 - 16 Jul 2026 - 28 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-01; Casual football fan; 18-24; Android phone; motivation: Find ticket entry without planning expertise; constraint: Limited time and data; accessibility: Large tap targets
Task	F1, F2, F4, F5
Action sequence	Opens menu, scrolls to Tickets & Hospitality, returns to Match Centre, then reopens ticket page.
Hesitation point	Pauses at tournament cards with different CTA wording.
Visible interface trigger	Tickets & Hospitality card and tournament status text.
Inferred mental model	Ticket page should give one current action.
Simulated quote	"I can find tickets, but I still do not know what is open."
Simulated task result	Partial success
Workaround	Uses Match Centre as a comparison anchor.
Design opportunity	Show state, freshness, and next action together.
Limitation	Scenario-based; no live sale data.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-01 without hiding needed control.

5.2 Note sheet F-SIM-02

Simulated observation: F-SES-02 - 16 Jul 2026 - 31 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-02; Casual football fan; 25-34; Windows laptop + phone; motivation: Compare match and ticket status; constraint: Avoids creating accounts early; accessibility: High contrast
Task	F1-F6
Action sequence	Finds Match Centre quickly, compares schedule, opens ticket entry, then checks destination preview.
Hesitation point	Hesitates before the external handoff.
Visible interface trigger	Match Centre filters and partner CTA.
Inferred mental model	An official domain preview should precede departure.
Simulated quote	"The schedule is clear; the handoff is the risky part."
Simulated task result	Success with hesitation
Workaround	Opens destination in a second tab.
Design opportunity	Keep tournament context and return route.
Limitation	Scenario-based; partner response not tested.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-02 without hiding needed control.

5.3 Note sheet F-SIM-03

Simulated observation: F-SES-03 - 17 Jul 2026 - 30 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-03; Tournament follower; 25-34; iPhone; motivation: Coordinate a group trip; constraint: Needs fast resumption; accessibility: Text zoom
Task	F1-F6
Action sequence	Selects tournament, saves context mentally, moves to phone view, and searches for the same state.
Hesitation point	Loses orientation after the mobile stack changes order.
Visible interface trigger	Long mobile tournament-card stack.
Inferred mental model	Mobile should restore the selected tournament first.
Simulated quote	"I want the same tournament to stay at the top."
Simulated task result	Partial success
Workaround	Uses page search and browser history.
Design opportunity	Persist context across devices.
Limitation	Scenario-based; account synchronization assumed.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-03 without hiding needed control.

5.4 Note sheet F-SIM-04

Simulated observation: F-SES-04 - 17 Jul 2026 - 34 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-04; Tournament follower; 35-44; MacBook + Android phone; motivation: Connect schedule context to ticket action; constraint: Many open tabs; accessibility: Keyboard access on laptop
Task	F1-F6
Action sequence	Uses Match Centre filters, opens ticket card, checks freshness, then returns.
Hesitation point	Questions whether the status changed since the last visit.
Visible interface trigger	Status label without a prominent timestamp.
Inferred mental model	Current state requires visible provenance.
Simulated quote	"Is this from today or from the last sale window?"
Simulated task result	Failure on freshness
Workaround	Refreshes and compares wording.
Design opportunity	Display updated time and governed source.
Limitation	Scenario-based; timestamp policy unknown.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-04 without hiding needed control.

5.5 Note sheet F-SIM-05

Simulated observation: F-SES-05 - 18 Jul 2026 - 33 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-05; Trust-sensitive ticket planner; 35-44; Windows laptop; motivation: Avoid unofficial or stale destinations; constraint: Needs provenance before leaving site; accessibility: Clear status text, not color alone
Task	F1-F6
Action sequence	Compares buy, wait, resale, and hospitality paths before choosing to stay.
Hesitation point	Stops when official destination is not explained.
Visible interface trigger	Multiple commercial paths and outbound CTA.
Inferred mental model	Departure requires trust evidence and safe cancellation.
Simulated quote	"I will not leave until I know where this goes."
Simulated task result	Success by choosing stay
Workaround	Copies the domain name for separate checking.
Design opportunity	Preview destination, purpose, and return behavior.
Limitation	Scenario-based; no transaction attempted.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-05 without hiding needed control.

5.6 Note sheet F-SIM-06

Simulated observation: F-SES-06 - 18 Jul 2026 - 35 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant F-SIM-06; Trust-sensitive ticket planner; 45-54; Android phone; motivation: Know whether to buy, wait, or register interest; constraint: Low confidence after handoff; accessibility: Plain language and persistent focus
Task	F1-F6
Action sequence	Finds ticket page, encounters missing state, retries on variable network, then subscribes conceptually.
Hesitation point	Cannot distinguish missing from sold out.
Visible interface trigger	Empty or stale status region.
Inferred mental model	Missing data is not a ticket outcome.
Simulated quote	"No status should not look like no tickets."
Simulated task result	Recovered after retry
Workaround	Returns to homepage and tries again.
Design opportunity	Differentiate missing, stale, sold out, and waiting room.
Limitation	Scenario-based; notification permission simulated.

PA3 validation target: Test whether the proposed response reduces the hesitation in F-SES-06 without hiding needed control.

5.7 Note sheet C-SIM-01

Simulated observation: C-SES-01 - 16 Jul 2026 - 29 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-01; First-time beginner; 18-24; Android phone; motivation: Choose a safe beginner route; constraint: Unfamiliar analysis terms; accessibility: Plain language
Task	C1-C3, C7-C9
Action sequence	Chooses Learn, continues a lesson, solves a puzzle, then looks for review.
Hesitation point	Opens several analysis entry choices.
Visible interface trigger	Learn cards, puzzle board, analysis entry menu.
Inferred mental model	Review should start with a beginner preset.
Simulated quote	"Which button tells me what I did wrong?"
Simulated task result	Partial success
Workaround	Returns to the completed game screen.
Design opportunity	Offer one labeled beginner route.
Limitation	Scenario-based; no engine output claimed.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-01 without hiding needed control.

5.8 Note sheet C-SIM-02

Simulated observation: C-SES-02 - 16 Jul 2026 - 32 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-02; First-time beginner; 25-34; Windows laptop; motivation: Understand one mistake; constraint: Fears breaking the position; accessibility: Keyboard-only path
Task	C1-C9
Action sequence	Uses keyboard to open a game, selects beginner review, tries a move, and reads help.
Hesitation point	Focus order reaches advanced controls before explanation.
Visible interface trigger	Analysis controls and terminology links.
Inferred mental model	The main mistake should precede advanced depth.
Simulated quote	"I found analysis, but not the first thing to learn."
Simulated task result	Success with wrong path
Workaround	Uses Tab and headings to relocate.
Design opportunity	Order content by learning priority.
Limitation	Scenario-based; keyboard path modeled.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-02 without hiding needed control.

5.9 Note sheet C-SIM-03

Simulated observation: C-SES-03 - 17 Jul 2026 - 27 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-03; Returning learner; 18-24; iPhone; motivation: Resume without relearning navigation; constraint: Forgets feature locations; accessibility: Text zoom
Task	C1-C3, C5-C9
Action sequence	Recognizes puzzles, resumes a lesson, opens a completed game, then searches for analysis.
Hesitation point	Forgets the name of the review feature.
Visible interface trigger	Navigation labels and game actions.
Inferred mental model	Returning learners recognize outcomes, not feature terms.
Simulated quote	"I remember the result, not the menu name."
Simulated task result	Recovered
Workaround	Uses recent activity to reopen the game.
Design opportunity	Add review action at the completed game.
Limitation	Scenario-based; recency history assumed.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-03 without hiding needed control.

5.10 Note sheet C-SIM-04

Simulated observation: C-SES-04 - 17 Jul 2026 - 35 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-04; Returning learner; 35-44; MacBook; motivation: Reconnect review to practice; constraint: Forgets analysis vocabulary; accessibility: Reduced motion
Task	C1-C9
Action sequence	Opens game, selects review, reads one explanation, then continues to a lesson.
Hesitation point	Stops at evaluation and engine terms.
Visible interface trigger	Evaluation label and advanced analysis controls.
Inferred mental model	Terminology help should be available in place.
Simulated quote	"Tell me why before showing the numbers."
Simulated task result	Success with hesitation
Workaround	Opens help text and ignores depth.
Design opportunity	Plain-language explanation with optional terms.
Limitation	Scenario-based; explanation quality not measured.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-04 without hiding needed control.

5.11 Note sheet C-SIM-05

Simulated observation: C-SES-05 - 18 Jul 2026 - 30 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-05; Intermediate player with low analysis use; 25-34; Windows laptop; motivation: Review without engine overload; constraint: Skips dense panels; accessibility: Keyboard shortcuts with labels
Task	C1-C9
Action sequence	Finds analysis, follows one candidate line, returns, and selects a puzzle.
Hesitation point	Takes a wrong path into full analysis first.
Visible interface trigger	Multiple setup paths and engine panel.
Inferred mental model	Low-analysis users need a preset at entry.
Simulated quote	"I opened the expert view by accident."
Simulated task result	Recovered
Workaround	Backs out and uses review link.
Design opportunity	Default to beginner review for the scenario.
Limitation	Scenario-based; recommendation accuracy not claimed.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-05 without hiding needed control.

5.12 Note sheet C-SIM-06

Simulated observation: C-SES-06 - 18 Jul 2026 - 34 min; structured notes only; no audio/video.

Field	Record
Participant profile	Simulated participant C-SIM-06; Intermediate player with low analysis use; 35-44; Android tablet; motivation: Find one actionable improvement; constraint: Terminology slows scanning; accessibility: Color-independent indicators
Task	C1-C9
Action sequence	Opens recent game, identifies one turning point, tries a move, and reveals advanced detail.
Hesitation point	Scans slowly on tablet because labels compete.
Visible interface trigger	Board, move list, explanation, depth disclosure.
Inferred mental model	A single learning card should lead the visual hierarchy.
Simulated quote	"One mistake and one next exercise is enough."
Simulated task result	Success
Workaround	Collapses side panels.
Design opportunity	Progressive disclosure and continuation action.
Limitation	Scenario-based; engine availability assumed.

PA3 validation target: Test whether the proposed response reduces the hesitation in C-SES-06 without hiding needed control.

6. Simulated task results

Record 1

Trace	F-SIM-01 / F-SES-01
Task completion	3/4
Hesitations	3
Wrong paths	1
Recoveries	1
Confidence	3/5
Clarity	3/5

Record 2

Trace	F-SIM-02 / F-SES-02
Task completion	5/6
Hesitations	2
Wrong paths	1
Recoveries	1
Confidence	3/5
Clarity	4/5

Record 3

Trace	F-SIM-03 / F-SES-03
Task completion	4/6
Hesitations	3
Wrong paths	1
Recoveries	1
Confidence	3/5
Clarity	3/5

Record 4

Trace	F-SIM-04 / F-SES-04
Task completion	4/6
Hesitations	3
Wrong paths	0
Recoveries	1
Confidence	2/5
Clarity	3/5

Record 5

Trace	F-SIM-05 / F-SES-05
Task completion	4/6
Hesitations	4
Wrong paths	1
Recoveries	1
Confidence	2/5
Clarity	3/5

Record 6

Trace	F-SIM-06 / F-SES-06
Task completion	3/6
Hesitations	4
Wrong paths	2
Recoveries	2
Confidence	2/5
Clarity	2/5

Record 7

Trace	C-SIM-01 / C-SES-01
Task completion	5/6
Hesitations	3
Wrong paths	2
Recoveries	1
Confidence	3/5
Clarity	3/5

Record 8

Trace	C-SIM-02 / C-SES-02
Task completion	7/9
Hesitations	4
Wrong paths	2
Recoveries	1
Confidence	3/5
Clarity	3/5

Record 9

Trace	C-SIM-03 / C-SES-03
Task completion	6/8
Hesitations	3
Wrong paths	2
Recoveries	2
Confidence	3/5
Clarity	3/5

Record 10

Trace	C-SIM-04 / C-SES-04
Task completion	7/9
Hesitations	3
Wrong paths	1
Recoveries	1
Confidence	3/5
Clarity	4/5

Record 11

Trace	C-SIM-05 / C-SES-05
Task completion	7/9
Hesitations	3
Wrong paths	2
Recoveries	1
Confidence	3/5
Clarity	3/5

Record 12

Trace	C-SIM-06 / C-SES-06
Task completion	8/9
Hesitations	2
Wrong paths	1
Recoveries	1
Confidence	4/5
Clarity	4/5

Simulated task result: The FIFA status/handoff records contain lower confidence and more hesitation than schedule-oriented work. Chess analysis entry has more wrong paths than puzzles; guided lesson work is clearer than analysis entry. No row is perfect, and every number traces to one note sheet.

7. Personas

7.1 FIFA trust-sensitive ticket planner

Field	Record
Persona ID	UR-P-F1
Summary	FIFA trust-sensitive ticket planner
Goals	Compares state and official destination before departure
Behaviors	Checks labels, timestamp, domain, and return route
Context	Family purchase at a sale window
Domain / application experience	High ticket-domain experience; moderate FIFA.com experience
Device pattern	Laptop first; phone resume
Frustrations	Ambiguous status and unexplained handoff
Capabilities	Careful comparison and risk detection
Limitations	Will wait rather than accept uncertainty
Simulated quote	"I need the state and destination before I leave."
Scenario	Compare sale, resale, hospitality, then choose act or stay.
Evidence basis	F-SIM-05/06; F2-E09; PA1 inherited ticket drawback
Assumptions to validate	Whether destination preview improves calibrated trust

7.2 FIFA returning tournament follower

Field	Record
Persona ID	UR-P-F2
Summary	FIFA returning tournament follower
Goals	Reconnect schedule context to ticket action
Behaviors	Starts in Match Centre and expects tournament continuity
Context	Weekly tournament planning
Domain / application experience	High competition knowledge; regular FIFA.com use
Device pattern	Phone first; laptop comparison
Frustrations	Mobile stack and lost filters
Capabilities	Fast recognition of tournaments and schedules
Limitations	Does not remember ticket channel wording
Simulated quote	"Keep my tournament context when I switch devices."
Scenario	Follow a tournament, inspect status, resume on mobile.
Evidence basis	F-SIM-03/04; F2-E03/E04; PA1 continuity
Assumptions to validate	Whether persisted context reduces recovery work

7.3 Chess first-time beginner

Field	Record
Persona ID	UR-P-C1
Summary	Chess first-time beginner
Goals	Understand one important mistake and next action
Behaviors	Uses Learn and Puzzles; avoids engine terminology
Context	Short mobile learning session
Domain / application experience	Basic rules; first week on Chess.com
Device pattern	Phone; occasional laptop
Frustrations	Too many entry choices
Capabilities	Willing to try a move and read a short explanation
Limitations	Cannot interpret evaluation vocabulary
Simulated quote	“Show me what to learn first.”
Scenario	Complete a lesson, puzzle, and beginner review.
Evidence basis	C-SIM-01/02; C2-E05-E10; PA1 learning strength
Assumptions to validate	Whether one preset improves entry selection

7.4 Chess returning learner who forgets analysis terms

Field	Record
Persona ID	UR-P-C2
Summary	Chess returning learner who forgets analysis terms
Goals	Resume review and practice after a gap
Behaviors	Recognizes recent game and lesson outcomes over feature names
Context	Intermittent desktop session
Domain / application experience	Moderate chess knowledge; low analysis use
Device pattern	Laptop; tablet backup
Frustrations	Recall-heavy labels and dense advanced panels
Capabilities	Can compare moves with plain explanations
Limitations	Forgets analysis terminology
Simulated quote	"I remember the game, not the analysis label."
Scenario	Open recent game, identify one mistake, continue practice.
Evidence basis	C-SIM-03/04/05; C2-E07-E10
Assumptions to validate	Whether outcome-oriented labels improve memorability

9. Findings




Figure UR-EV-01. FIFA ticket decision surface used by UR-F01 and UR-F02
Source: Screen evidence F2-E09; captured interface state only
Related: Ticket status clarity, freshness, handoff trust, and TP-FIFA



Figure UR-EV-02. Chess analysis-entry decision surface used by UR-C01 and UR-C02

Source: Screen evidence C2-E10; captured interface state only

Related: Entry choice overload, learning priority, vocabulary load, and TP-CHESS

Record 1

ID	UR-F01
Visible evidence	F2-E09 ticket entry/card state
Simulated study support	F-SIM-04/05/06: status or freshness hesitation
Affected user	Trust-sensitive planners
Context	Sale-window planning
Task	Compare state and freshness
Usability dimension	Visibility; effectiveness; errors
Severity	Critical
Root cause	State, freshness, and action are separated
Consequence	Waiting or unsafe departure
Design implication	Status Dashboard with timestamp and missing/stale distinction
Limitation	Scenario-based; live feed not inspected
PA3 validation question	Can users distinguish missing, stale, sold out, resale, and waiting room?

Record 2

ID	UR-F02
Visible evidence	F2-E09 outbound ticket path
Simulated study support	F-SIM-02/05: handoff confidence 2-3/5
Affected user	Ticket planners
Context	Before leaving FIFA.com
Task	Preview destination
Usability dimension	Satisfaction; user control; error prevention
Severity	High
Root cause	Destination purpose and return path are not one decision object
Consequence	Abandonment or uncalibrated trust
Design implication	Official destination preview with stay/continue/return
Limitation	No transaction performed
PA3 validation question	Does preview improve decision accuracy without overstating safety?

Record 3

ID	UR-F03
Visible evidence	F2-E02 mobile stack; F2-E03/04 schedule context
Simulated study support	F-SIM-03/04: context recovery
Affected user	Tournament followers
Context	Desk-to-mobile continuation
Task	Resume mobile
Usability dimension	Efficiency; memorability
Severity	Medium
Root cause	Context is not visibly persisted
Consequence	Repeat search and filter work
Design implication	Restore selected tournament and freshness
Limitation	Account sync assumed
PA3 validation question	Can users resume with one recognition step?

Record 4

ID	UR-C01
Visible evidence	C2-E10 analysis entry choices
Simulated study support	C-SIM-01/02/05: 2 wrong paths in several records
Affected user	First-time and low-analysis players
Context	After-game review
Task	Open analysis
Usability dimension	Learnability; recognition over recall; errors
Severity	Critical
Root cause	Entry is organized by feature/setup rather than learning outcome
Consequence	Expert view opens before a learning priority
Design implication	Beginner Review Preset
Limitation	No completed engine review observed
PA3 validation question	Can beginners choose the review route without terminology help?

Record 5

ID	UR-C02
Visible evidence	C2-E07/08 learning routes and C2-E10 analysis entry
Simulated study support	C-SIM-02/04/06: explanation priority
Affected user	Beginners and returning learners
Context	Review after game
Task	Identify mistake and read explanation
Usability dimension	Effectiveness; satisfaction; progressive disclosure
Severity	High
Root cause	Advanced detail competes with plain explanation
Consequence	Numbers are seen before meaning
Design implication	One mistake card, why, try move, then depth
Limitation	Explanation accuracy unmeasured
PA3 validation question	Can users explain the mistake in their own words?

Record 6

ID	UR-C03
Visible evidence	C2-E05/07 practice artifacts
Simulated study support	C-SIM-03/04/06: continuation chosen after review
Affected user	Returning learners
Context	Short practice session
Task	Continue to practice
Usability dimension	Efficiency; memorability
Severity	Medium
Root cause	Review and practice are separate destinations
Consequence	Insight does not become deliberate practice
Design implication	Relevant lesson/puzzle continuation
Limitation	Recommendation relevance is hypothetical
PA3 validation question	Does one next practice action increase correct continuation?

10. Evidence boundary and citations

Screen evidence: F2-E02-E04 and F2-E09 support FIFA navigation/status claims; C2-E05, C2-E07-E10 support Chess learning and analysis-entry claims.

PA1 inherited finding: The product pair, drawbacks, and evidence limits remain continuous with PA1.

Simulated study: Twelve scenario records generate hypotheses and traceable synthetic metrics only.

Design inference: Effectiveness, efficiency, learnability, memorability, errors, satisfaction, visibility, recognition, progressive disclosure, control, and prevention guide the implications.


PA3 validation target: Prototype testing must replace synthetic expectations with observed user evidence.

Course basis: LN01 - Introduction - v2.pdf, pp. 20, 22, 24; LN02 - Fundamental Concepts - Usability Dimensions_2.pdf, pp. 62-67, 74-76, 83-84, 101-115; LN03 - UI Design Process.pdf, pp. 16-19, 23-24, 28-30, 34-36; LN04 - Task Analysis.pdf, pp. 3, 6-15, 39-49.

Revised Work Models

Each model uses a distinct shape for actor, task/artifact/system, decision, interruption, recovery, and output. The flow reads left to right. Captions identify the current state, problem point, user decision, recovery path, and design opportunity.

FIFA Ticket Planning Task Flow



Problem point: Status is missing or stale

Recovery path: Keep context and retry or wait

Design opportunity: Place state, freshness, and options together


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-FIFA-PLANNING. Wm Fifa Planning

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

FIFA Ticket Verification Sequence



Problem point: Freshness cannot be established

Recovery path: Do not infer a sale outcome

Design opportunity: Expose timestamp and source boundary


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-FIFA-VERIFICATION. Wm Fifa Verification

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

FIFA Partner Handoff Flow



Problem point: Partner service is unavailable

Recovery path: Stay on FIFA.com with context

Design opportunity: Explain destination before departure


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-FIFA-HANDOFF. Wm Fifa Handoff

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

FIFA Artifact and Information Model



Problem point: State and destination data age differently

Recovery path: Label stale fields separately

Design opportunity: Keep provenance beside each value


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-FIFA-ARTIFACT. Wm Fifa Artifact

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

Chess Beginner Learning Flow



Problem point: No reviewable game exists

Recovery path: Offer import or play without losing place

Design opportunity: Put review entry beside the game result


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-CHESS-LEARNING. Wm Chess Learning

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

Chess Review-Entry Sequence



Problem point: PGN or game input fails validation

Recovery path: Point to the failing input and keep the rest

Design opportunity: Separate Beginner Review from advanced setup


Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-CHESS-ENTRY. Wm Chess Entry

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

Chess Explanation-to-Practice Flow



Problem point: A move is illegal or service fails

Recovery path: Keep the position and allow retry

Design opportunity: Explain legality separately from quality

Legend: ellipse = actor; rounded box = task/artifact/system/recovery/output; diamond = decision; octagon = interruption

Figure UR-WM-CHESS-PRACTICE. Wm Chess Practice

Source: PA2 design QA artifact

Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

Chess Learning Artifact Model




Figure UR-WM-CHESS-ARTIFACT. Wm Chess Artifact
Source: PA2 design QA artifact
Related: FIFA or Chess task evidence, interruption, recovery, and design opportunity

Practical Difficulties and Lessons Learned

Record 1

Practical difficulty	Screenshots did not always show the state needed for a claim.
How the group handled it	The group separated captured state from simulated behavior and design inference.
Lesson learned	A screenshot proves only the visible state and capture time.
Impact on the final version	Claims now name their evidence boundary and recovery assumptions.

Record 2

Practical difficulty	Desktop and mobile pages expose different ordering and page length.
How the group handled it	The group used separate mobile evidence and task models.
Lesson learned	Cross-device continuity must be specified as a requirement.
Impact on the final version	The revised models preserve tournament/game context during recovery.