

PROJECT ASSIGNMENT 3

Group10-PA3 Formative Testing

Executable plan, simulated pretest, and evidence-ready result framework

REAL PARTICIPANT TESTING NOT YET EVIDENCED

Field	Record
Course	CSC13112 - UI/UX Design, FIT-HCMUS
Group	Group10
Team	Le Minh (21127645); Nguyen Vu Bach (21127224); Pham Nguyen Gia Bao (20127119); Trang Minh Nhut (22127318)
Scope	FIFA.com and Chess.com

Evidence status: Real participant testing has not yet been evidenced in the project files. Requirement 2 empirical testing remains incomplete. The simulated pretest below is design rehearsal only and cannot support final prototype selection.

1. Testing Plan

1.1 Objectives

Scenario	Evaluation targets
FIFA.com	Ticket-state comprehension; freshness/source recognition; next-action recognition; official-option discovery; external-handoff understanding; hesitation and navigation breakdowns.
Chess.com	Mistake recognition; explanation comprehension; recommended-move discovery and trial; practice continuation; entry-choice difficulty; perceived control; information overload.

1.2 Target Users

- FIFA: trust-sensitive ticket planners or tournament followers with realistic need to act, wait, compare, or review an official destination.
- Chess: first-time beginners or returning low-analysis learners who know basic rules but need a clear review and next-learning path.
- Do not recruit team members or anyone already briefed on the sketches; screen for no prior prototype knowledge.

1.3 Participant Requirement

Official PA3 requirement: conduct several testing sessions with 2-3 participants who do not have prior knowledge about the prototype being tested. The group must systematically document qualitative observations, feedback, encountered issues, and points of improvement.

1.4 Method

1. Screen the participant and record only an anonymous participant ID plus relevant experience.
2. Present the neutral scenario and paper prototype without explaining controls or intended workflow.
3. Ask the participant to think aloud while completing the task; the moderator manipulates paper states only in response to a visible action.
4. Observe first action, task path, hesitations, wrong paths, misunderstandings, interventions, and participant language.
5. Run a short post-task interview, then compare all three alternatives for the scenario.
6. Separate observed behavior, participant feedback, and team interpretation during synthesis.

1.5 Order and Bias Control

Participant	FIFA order	Chess order
P01	Status Dashboard -> Timeline Tracker -> Action Hub	Beginner Review Flow -> Visual Card Dashboard -> Side-by-Side Assistant
P02	Timeline Tracker -> Action Hub -> Status Dashboard	Visual Card Dashboard -> Side-by-Side Assistant -> Beginner Review Flow
P03	Action Hub -> Status Dashboard -> Timeline Tracker	Side-by-Side Assistant -> Beginner Review Flow -> Visual Card Dashboard

If only two participants are recruited, use P01 and P02 orders and note the smaller counterbalancing coverage as a limitation.

1.6 Testing Tasks

Scenario prompt	Success conditions tied to final PA2
-----------------	--------------------------------------

Scenario prompt	Success conditions tied to final PA2
FIFA: You want to attend a FIFA event. Understand the current ticket situation and decide the correct next step without assuming that an external partner has completed the task.	Select context (F-UC01); interpret official state/options (F-UC02-F-UC03); locate alert/plan support if relevant (F-UC04); identify destination and choose Continue or Stay (F-UC05); explain return/recovery (F-UC06).
Chess: You completed a game. Find one important mistake, explain why it matters, try the recommended move, and choose useful practice.	Open/start Beginner Review (C-UC01-C-UC02); explain the main mistake and recommended move (C-UC03); try it safely (C-UC04); find optional advanced depth (C-UC05); continue to a relevant lesson or puzzle (C-UC06).

1.7 Success Criteria

Measure	Observable criterion	Rationale
Task completion	Completes the scenario without facilitator intervention; partial/failed is recorded with the stopping point.	Direct effectiveness evidence.
State / mistake comprehension	Explains the ticket state or chess mistake in their own words without merely repeating a label.	Tests interpretation, not recognition alone.
Correct next action	Chooses a context-appropriate action and explains why.	Tests decision clarity.
Provenance / handoff	Recognizes official source or partner boundary before leaving FIFA.com.	Tests calibrated trust.
Move trial / practice	Finds and tries the recommended move, then reaches a relevant practice path.	Tests learning continuation.
Wrong paths	Each unrelated selection or reversal is counted and annotated by cause.	Locates navigation breakdowns.

Measure	Observable criterion	Rationale
Hesitation	Moderator marks pauses accompanied by scanning, uncertainty, or a question; no arbitrary time threshold is imposed.	Avoids unsupported numeric targets.
Perceived control	Participant can state what they can do next and how to return or change direction.	Tests user control/recovery.

1.8 Moderator Script

7. Thank you for helping us evaluate the design, not your ability. We will not collect your name in the report.
8. You have not seen this prototype before. I will not explain the interface; please act on what you see.
9. Read the scenario prompt. Tell me what you are thinking as you decide where to look or act.
10. Neutral reminders: What are you looking for? What do you expect that to do? What makes you say that? Please keep thinking aloud.
11. Avoid praise, correction, feature names not yet noticed, or questions that imply the intended answer.
12. Post-task: What was clear? What was confusing? What did you expect next? What would you change? Which alternative best supports the task, and why?
13. Close by explaining that the notes will be anonymized and used to revise the paper prototype.

1.9 Observation Sheet

Field	Record during session
Participant ID / relevant profile	
Scenario / alternative / order	
Task completion and stopping point	

Field	Record during session
First action	
Hesitations	
Wrong paths	
Questions	
Misunderstandings	
Facilitator intervention	
Participant comments (verbatim only if genuinely recorded)	
Observed issue / severity	
Improvement opportunity	

2. SIMULATED PRETEST - NOT HUMAN PARTICIPANT EVIDENCE

Purpose: rehearse the protocol and expose likely ambiguities before recruitment. The following are independent role-play hypotheses. They are not participants, sessions, measured results, quotes, or evidence of Requirement 2 completion.

FIFA-P1 - casual fan; moderate web experience; low FIFA ticketing familiarity

Alternative	Likely reasoning / breakdown	Improvement to test	Provisio nal preferen ce
-------------	---------------------------------	------------------------	-----------------------------------

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Status Dashboard	Starts with Pending/What does this mean; notices counts and validity; may confuse View Tickets with View Order.	Add expected resolution and clarify pending reason.	Preferred: answers whether tickets are okay with least interpretation.
Timeline Tracker	Traces pending stages; may read future gray stages as required tasks.	Label milestone owner and normal waiting clearly.	Useful but busier.
Action Hub	Starts with View Tickets; optional official packages may look required.	Separate Manage my ticket from Optional extras.	Concrete but choice-heavy.

FIFA-P2 - online shopper/travel planner; strong transaction familiarity

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Status Dashboard	Looks for pending order/payment detail and last update.	Expose pending reason and transaction milestone inline.	Familiar but not diagnostic enough.

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Timeline Tracker	Uses current milestone and update history to establish trust.	Add owner, normal duration, and escalation threshold.	Preferred for transaction trust.
Action Hub	Uses ticket/calendar/travel shortcuts; scrutinizes partner policy.	Show provider, inclusions, and policy before handoff.	Strong for post-purchase planning.

FIFA-P3 - experienced event attendee; high web fluency

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Status Dashboard	Immediately opens confirmed tickets; asks whether confirmed means usable now.	Separate confirmed allocation from mobile-ticket readiness.	Fast triage.
Timeline Tracker	Checks Ticket ready timing and exception handling.	Add exception branches and action-required state.	Preferred for troubleshooting.
Action Hub	Uses View/Transfer Tickets; repeated/equal shortcuts slow routine action.	Rank applicable actions and disable unavailable ones.	Preferred for routine management.

CHESS-P1 - basic rules; minimal Chess.com Analysis experience

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Beginner Review Flow	Uses Show me on the board; notation and hanging pieces remain barriers.	Pair notation with piece names and arrows.	Preferred for explicit guidance.
Visual Card Dashboard	Clicks highlighted card; may treat checks as completion and cannot choose priority.	Recommend one starting card while preserving choice.	Crowded for a first review.
Side-by-Side Assistant	Uses suggested question; may not detect inconsistent pawn references.	Provide Explain this move without notation and uncertainty cues.	Approachable only with strong prompts.

CHESS-P2 - casual beginner/intermediate; puzzle/lesson oriented

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Beginner Review Flow	Tries move then practice; worries review position will be lost.	Make practice inline or guarantee return state.	Strong guided path.
Visual Card Dashboard	Chooses tactic/puzzle cards and may skip strategic weaknesses.	Add recommended priority and learning-goal tags.	Preferred for self-directed learning.

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Side-by-Side Assistant	Uses similar-ideas prompt; dialogue may not create retained practice.	Add Practice this idea after explanations.	Feels like coaching.

CHESS-P3 - low-rated casual; some Chess.com experience; low engine vocabulary

Alternative	Likely reasoning / breakdown	Improvement to test	Provisional preference
Beginner Review Flow	Reads plain explanation but may memorize Qe2 without principle.	Visualize before/after defended squares and name the concept.	Safest learning flow.
Visual Card Dashboard	Follows red severity; taxonomy may discourage or distract.	Lead with beginner learning priority, not raw severity.	Useful overview after orientation.
Side-by-Side Assistant	Asks about red key moment; broad prompts may yield shallow or contradictory answers.	Add beginner-language mode, reviewed checklist, and confidence cue.	Preferred only if answer quality is reliable.

2.7 UX Auditor Synthesis

Recurring provisional risk	Affected alternatives	Implication for real testing
----------------------------	-----------------------	------------------------------

Recurring provisional risk	Affected alternatives	Implication for real testing
Labels do not distinguish system work, user work, and normal waiting.	FIFA Status Dashboard; Timeline Tracker	Probe who owns the next step and whether waiting is interpreted as failure.
Commercial or equally weighted shortcuts compete with core ticket tasks.	FIFA Action Hub	Observe first action and whether optional extras are mistaken for requirements.
Official source/partner language may be over-trusted.	All FIFA alternatives	Ask the participant to explain provider, destination, data transfer, and return expectations.
Chess notation and engine vocabulary remain despite beginner framing.	All Chess alternatives	Ask for explanation in the participant's own words and note every term requiring help.
Practice can break review context or be skipped.	Beginner Review Flow; Card Dashboard; Assistant	Test return state and whether practice relevance is understood.
High user control can lead to skipping the most important learning moment.	Card Dashboard; Assistant	Record chosen order, ignored moments, and rationale.
Conversational answers can be inconsistent or unbounded.	Side-by-Side Assistant	Include a deliberately ambiguous follow-up and observe confidence calibration.

3. Real Formative Testing Results

Real participant testing has not yet been evidenced in the project files. This section must be completed using 2-3 genuine participants according to the PA3 brief.

Participant	Relevant profile	Scenario	Alternative order	Task result	Errors / hesitations	Feedback / issues
P01		FIFA / Chess				
P02		FIFA / Chess				
P03 (if recruited)		FIFA / Chess				

4. Evaluation

PROVISIONAL ONLY: the simulated pretest suggests which risks to probe; it does not establish task performance or comparative superiority. After real sessions, compare each alternative by scenario and maintain three columns: observed evidence, participant feedback, and team interpretation.

Alternative	Observed evidence	Participant feedback	Team interpretation
Status Dashboard			
Timeline Tracker			
Action Hub			
Beginner Review Flow			
Visual Card Dashboard			
Side-by-Side Assistant			

5. Points of Improvement

Evidence	Observed problem	Likely cause	Severity	Affected alternative	Proposed change	Expected benefit	Retest
Simulated pretest only	Pending/future states may be misread as user tasks.	Milestone ownership is implicit.	Provisional major	Status Dashboard ; Timeline Tracker	Label system-owned versus user-owned steps and normal duration.	Calmer, more accurate next-action choice.	Required
Simulated pretest only	Core tasks compete with optional purchases.	Equal visual weight and mixed grouping.	Provisional major	Action Hub	Separate Manage my ticket from Optional extras; rank applicable tasks.	Lower choice cost and fewer commercial detours.	Required
Simulated pretest only	Notation and terminology can block explanation.	Beginner mode still leads with chess codes.	Provisional major	All Chess alternatives	Lead with piece names/plain concepts; retain notation secondarily.	Improved comprehension without removing depth.	Required
Simulated pretest only	Review context may be lost when practice starts.	Practice is modeled as navigation away.	Provisional moderate	Beginner Flow; Card Dashboard	Use inline mini-practice or guaranteed return state.	Stronger review-to-practice continuity.	Required
Simulated pretest only	Assistant answer may be inconsistent or over-trusted.	No provenance/confidence or contradiction handling.	Provisional critical	Side-by-Side Assistant	Add uncertainty cue, correction path, reviewed-moment checklist, and practice action.	Calibrated trust and bounded learning progress.	Required

6. Best Prototype Selection

Final best-prototype selection pending real formative testing. Simulated-pretest preferences are mixed by profile and therefore cannot justify a final winner. Selection must be based on genuine task evidence, participant feedback, issue severity, and retest results.

7. Improved Prototype Specification

Provisional cross-cutting revision specification: clarify ownership and freshness for FIFA states; separate essential ticket management from optional offers; expose provider and return behavior before handoff; lead Chess explanations with piece names and principles; preserve review position through practice; provide a visible learning priority and a clear completion/recovery path. Apply only the changes supported by real session evidence, then retest the revised concept.

8. YouTube Link for Best Improved Paper Prototype

[YOUTUBE LINK REQUIRED]

Appendix A - Participant Screening Checklist

- Participant has no prior knowledge of the paper prototypes.
- Participant is not a Group10 member and has not participated in sketch creation.
- Relevant FIFA ticket-planning or beginner Chess profile is recorded without unnecessary personal data.
- Participant understands think-aloud and voluntary participation; local course consent practice is followed.
- Alternative order is assigned before the session.
- Recording, if any, is used only with explicit permission and stored according to course rules.

Appendix B - Post-Task Questions

- What did you think the current situation or main learning point was?
- What did you expect to happen after your first action?
- Which label, control, or explanation was hardest to interpret?
- How would you recover, go back, or choose another path?
- Which alternative best supported the task? What concrete behavior made it better?
- What is the single most important change before another person uses it?