

Group10-PA3 Paper Prototypes

Requirement 1 - Storyboarding, motivation, problem/solution, strengths/weaknesses

Field	Value
Group	Group 10
Project	FIFA.com Ticket Confidence + Chess.com Beginner Review
Prototype alternatives	6 paper prototypes: 3 FIFA and 3 Chess.com
Selected directions	FIFA Alt 1 Status Dashboard Chess Alt 2 Card Review Mode

Prototype Demonstration Video

This video presents all six paper prototypes:

- FIFA Status Dashboard
- FIFA Timeline Tracker
- FIFA Action Hub
- Chess Beginner Review Flow
- Chess Card Review Mode
- Chess Side-by-Side AI Assistant

Video: <https://www.youtube.com/watch?v=1DvikSQggyQ&feature=youtu.be>

1. Scenario and design space

The group designed three FIFA alternatives and three Chess alternatives for the two scenarios. FIFA focuses on ticket status, progress, and action; Chess focuses on guided review, review cards, and an assistant-led review. The alternatives are different approaches for the same scenarios, not six features that would appear together.

2. FIFA alternatives

Scenario 1: a ticket holder needs status, the next step, and a common action before travelling.

FIFA Alt 1 - Status Dashboard




Figure 1. FIFA Alt 1 - Status Dashboard

Problem: A novice needs to know whether a ticket is safe, pending, or needs action before travel.

Motivation: Reduce status uncertainty to one first scan while keeping common ticket actions close to the state.

Solution: A status-first dashboard with summary counts, event cards, a pending/confirmed distinction, freshness cue, and quick actions.

Strengths: Fast current-state recognition; confirmed and pending states are scannable; direct actions are close to the relevant event.

Weaknesses: Pending originally lacked a clear reason, owner, timing, and partner-transition cue; View Order and View Tickets could be confused.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens the ticket dashboard and sees one confirmed and one pending event.	The dashboard shows status summary cards and event-level status.
2	Trigger	User selects the pending event.	The event card shows the current status and the related action.
3	Interaction	User checks what Pending means.	The card explains the current state and the next available action.
4	Action	User selects View Order or another ticket action.	The related ticket information opens and the destination is clear.
5	Goal	User understands the ticket state and knows what to do next.	The user returns to the dashboard if further status checking is needed.

FIFA Alt 2 - Timeline Tracker




Figure 2. FIFA Alt 2 - Timeline Tracker

Problem: A novice needs to understand where an order is in a multi-stage ticket process.

Motivation: Make progress, freshness, and the next expected milestone visible as a sequence.

Solution: Per-event timelines distinguish completed, current, and upcoming stages and pair progress with source/update cues.

Strengths: Strong process visibility; current stage and freshness cues support trust; pending work has a visible position.

Weaknesses: Ticket actions can disappear from the scan path; future stages may look like user tasks; ownership and timing need clearer labels.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens the timeline for an event with several ticket stages.	The timeline shows completed, current, and upcoming stages.
2	Trigger	User scans the current marker and the later stages.	The current step and the next milestone are visually separated.
3	Interaction	User selects a stage or opens its details.	The stage explains its status, owner, and last update.
4	Action	User looks for a ticket action from the event details.	The timeline links the user to the relevant ticket action.
5	Goal	User understands progress and what is expected next.	The user returns to the timeline when the event still needs checking.

FIFA Alt 3 - Action Hub




Figure 3. FIFA Alt 3 - Action Hub

Problem: A novice needs a fast route to common ticket actions without losing trust context.

Motivation: Put high-frequency actions first and explain the partner boundary before the user leaves FIFA.com.

Solution: A shortcut-led hub groups transfer, calendar, ticket, support, and official-option actions.

Strengths: Fast action discovery; familiar labels; useful shortcuts and a visible partner-transition treatment.

Weaknesses: Action-first entry can hide status meaning; equal-weight tiles create choice load; official context can arrive too late.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens the action hub because they need a ticket-related action.	The hub presents View Tickets, Transfer Ticket, Add to Calendar, and support.
2	Trigger	User scans the quick-action labels.	The action cards explain the scope of each option.
3	Interaction	User selects Transfer Ticket, Add to Calendar, or View Tickets.	The selected card shows the information needed before continuing.
4	Action	User opens an official option or support path.	The hub explains whether the next step stays on FIFA.com or uses a partner service.
5	Goal	User completes the common action with enough context to trust it.	The user returns to the hub to choose another action or check the ticket state.

3. Chess alternatives

Scenario 2 asks a beginner to understand one important mistake, learn a better move, and decide what to practise next.

Chess Alt 1 - Beginner Review Flow




Figure 4. Chess Alt 1 - Beginner Review Flow

Problem: A beginner needs to turn one unfamiliar chess mistake into an understandable practice step.

Motivation: Lower memory load by controlling the order from mistake to explanation to practice.

Solution: A guided flow with progress, plain-language cause, better move, try interaction, practice bridge, and next-mistake recovery.

Strengths: Clear novice entry; strong mistake-to-practice continuity; one focused sequence limits choice load.

Weaknesses: The original flow could hide recovery, alternate review, and the practical meaning of notation.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens a completed game and chooses Beginner Review.	The review opens with one mistake and a progress indicator.
2	Trigger	User starts the first review step.	The flow identifies the game move and the current review step.
3	Interaction	User reads the plain-language cause and the suggested better move.	The board and explanation show what changed and why it matters.
4	Action	User tries the move or opens the board demonstration.	The paper state shows the move result and links it to practice.
5	Goal	User practises the idea or moves to the next mistake.	Practice, help, next-mistake, and back controls keep the learning path clear.

Chess Alt 2 - Card Review Mode




Figure 5. Chess Alt 2 - Card Review Mode

Problem: A learner may want to choose which game moment to review first.

Motivation: Expose choice and visual scanning while retaining a recommended learning entry.

Solution: A card grid with mini-boards, selected-card explanation, and a practice route.

Strengths: Scannable review moments; user control; visual choice can support deliberate review.

Weaknesses: Priority is ambiguous without a Start here cue; several cards can compete before learning begins.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens a game with several review moments.	Cards group moments such as mistakes, blunders, openings, and endgames.
2	Trigger	User scans the cards and compares their visual cues.	Each card shows a short label and a small board state.
3	Interaction	User selects a card or the recommended first moment.	The selected card expands into an explanation of that moment.
4	Action	User reviews the move, tries it, or opens analysis.	The card keeps the move explanation and practice action together.
5	Goal	User understands one moment and chooses whether to continue.	The user returns to the card set or selects another review moment.

Chess Alt 3 - Side-by-Side AI Assistant




Figure 6. Chess Alt 3 - Side-by-Side AI Assistant

Problem: A learner may want to ask a question beside the board while exploring a mistake.

Motivation: Offer flexible questions and contextual explanation without losing the path to practice.

Solution: An assistant panel pairs board context, suggested prompts, explanation, follow-up questions, and practice.

Strengths: Flexible exploration; prompts reduce blank-input load; contextual follow-up can answer a learner's question.

Weaknesses: Open input can delay the first learning action; scope and confidence need bounds; practice can become secondary.

Storyboard

Step	Stage	User action	Paper response
1	Context	User opens a game review with the board and assistant panel visible.	The assistant shows the current position and suggested questions.
2	Trigger	User chooses a suggested question or types a question.	The assistant connects the question to the visible board position.
3	Interaction	User asks why the move was a mistake.	The assistant highlights the relevant pieces and explains the cause.
4	Action	User asks for a better move or uses a suggested follow-up.	The assistant shows the move and an optional board variation.
5	Goal	User practises the idea or asks one more bounded question.	The assistant keeps a clear next question and a path back to review.

4. Conclusion

The six alternatives represent different interaction approaches for the two scenarios.

Requirement 2 later selected FIFA Alt 1 Status Dashboard and Chess Alt 2 Card Review Mode.

The full testing results, reviewer data, and selection reasoning are documented in the Formative Testing report.