HIGH RISE BUILDING MAINTENANCE MANUAL HANDBOOK

Download Complete File

What is the maintenance of a high rise building? Routine inspections: Regularly inspecting the roofing system is the best way to find issues before they become larger problems. Conduct an inspection twice a year and after harsh weather, like strong winds and hail. Repairs: Locate and fix any water infiltration immediately.

What are the standards for high rise building? Designing a high-rise structure requires careful consideration of many factors, such as safety, structural stability, and functional requirements. An elevated construction that is over 75 feet tall, or between 7 and 10 floors, is referred to as a high-rise building.

What is a maintenance manual in a building? An operation and maintenance (O&M) manual is a document that provides essential details about property and equipment upkeep. O&M manuals provide maintenance personnel with detailed guidance on extending asset life cycles, minimizing unplanned shutdowns, reducing maintenance costs, and keeping workers safe.

What is the general maintenance of a building? Building maintenance consists of a wide variety of tasks. Common activities that must be performed regularly include: Washing and cleaning different surfaces (bathrooms, floors, windows, handrails, gutters) Maintaining and repairing all assets inside the building (HVAC systems, elevators, servers, emergency generators)

What does NFPA consider a high-rise building? High-rise buildings are defined by NFPA 1 and NFPA 101 buildings where the floor of an occupiable story is greater than 75 ft above the lowest level of fire department vehicle access.

What is the life expectancy of a high-rise building? Anecdotally, the average life expectancy of a high-rise in the U.S. without a major retrofit is 50–60 years. At some point, it's either fix it up or tear it down. It would be rare, but a rusty gas line buttoned up in a mechanical room could leak and cause a major explosion.

Is there a code for high-rise building? IS 16700 : 2023: Criteria For Structural Safety Of Tall Concrete Buildings.

What are the general considerations of high-rise building? Tall buildings' structural integrity is crucial to ensuring the long-term functionality and safety of those structures. Spatial rigidity, load-bearing capacity, and architectural design all need to be carefully considered in order to preserve this integrity.

What height is considered a high-rise building? Mid-rise buildings: These buildings typically range from five to ten stories. High-rise buildings: These structures have more than twelve floors and are considered skyscrapers when they reach 40 to 50 stories or higher.

How to prepare a maintenance manual?

What should an O&M manual include?

What does o and m mean in construction? Operations and Maintenance (O&M) is the performance of day-to-day activities required to maintain Bureau-owned and/or maintained facilities (buildings, grounds, equipment, systems) to the maximum extent possible for the benefit of the facility users.

What is routine maintenance on a building? Routine Maintenance Definition Routine Maintenance is defined as follows: Expenditures made for the regular upkeep of physical properties (i.e. Land, Buildings, and Equipment) including recurring, preventive and on-going maintenance necessary to delay or prevent the failure of physical properties.

What is annual maintenance of a building? Annual maintenance is a proactive approach to property care that provides numerous benefits for property owners and occupants alike. By addressing maintenance tasks on a regular schedule, property owners can enjoy a well-maintained, safe, and efficient property throughout its life

cycle.

What is the difference between repair and maintenance of a building? Repairs are restoration work for when an asset breaks, gets damaged, or stops working. Maintenance refers to routine activities and/or corrective or preventive repair done on assets to prevent damage and prolong the life expectancy.

What are the hazards in a high-rise building? High-rise buildings and tunnels are complex and challenging construction projects that pose significant safety risks for workers, contractors, and the public. These risks include falls, fires, explosions, collapses, electrocution, and exposure to hazardous materials.

How many floors is a high-rise building? Buildings that are 1-4 stories should classify all their units as low-rise. Buildings that are 5-9 stories should classify all their units as mid-rise. Buildings that are 10 or more stories should classify all their units as high-rise.

What does IBC consider a high-rise building? Any building having occupied floors more than 75 feet (22 860 mm) above the lowest level of fire department vehicle access shall comply with the requirements of Sections 902.1. 1 and 902.1.

What is a limitation of high-rise buildings? Every additional floor requires a tiny slice of every single floor below. The result is that 15%-25% of a high-rise's floor-space is typically wasted, much space in the middle of high rises being consumed by lift shafts and other utility areas.

What will happen to skyscrapers after 100 years? In fact, nearly all modern skyscrapers are made up of steel beams. These beams have a shelf life of about 100 years before needing to be replaced – and it's actually quite common for steel beams to be replaced piece by piece in old skyscrapers, especially in New York.

What are the cons of high rise living?

What is the life of a high-rise building? There are lots of building which are constructed thousands of year before but still they are intact. Minimum expected life of a high rise building is 100 years. But their life can be more than 1000 years if all the depending factors are in favor.

What is stability of high-rise buildings? Stability directly affects the drift in the structure. Generally, one must consider two aspects: Elastic stability and Inelastic stability. The resistance offered by a structure to undesirable movement like sliding, collapsing, and overturning is called stability.

What are the two types of maintenance that may be carried out on a building? It includes: Preventive Maintenance, Corrective Maintenance, Predetermined Maintenance, Condition-Based Maintenance, Predictive Maintenance, and Reactive Maintenance. Proper maintenance is crucial for reducing risks, saving costs, ensuring safety, maintaining productivity, and extending the lifespan of assets.

How are high-rise buildings cleaned? Rope Access: The Solution to Building Cleaning The rope access techniques have revolutionised the cleaning and maintenance of high-rise buildings. This method involves skilled high-rise building cleaners who rappel down the building facade using specialised ropes and equipment.

Unveiling the Wallflower: An Exploration with Tomoko Hayakawa

Q: Introduce us to the Wallflower series and its creator, Tomoko Hayakawa. A: The Wallflower is a beloved Japanese manga series created by Tomoko Hayakawa. It follows the story of Sunako Nakahara, a reclusive and unpopular high school girl who is forced to live with four popular boys after her aunt goes on a trip.

Q: What makes Sunako Nakahara such an intriguing character? A: Sunako is an unconventional and relatable heroine. Despite her gloomy appearance and obsession with horror, she possesses a hidden strength and resilience. As she interacts with the four boys, she gradually comes out of her shell and discovers a newfound confidence.

Q: How does the Wallflower series explore themes of identity and acceptance? A: The series delves into the complexities of identity as Sunako and the boys confront their own insecurities and prejudices. Through their interactions, they learn to embrace their differences and find acceptance both within themselves and among others.

Q: What are some of the notable features of Tomoko Hayakawa's artistic style?
A: Hayakawa's artwork is characterized by its expressive lines, exaggerated expressions, and dynamic compositions. She skillfully balances comedy and drama, creating a visually engaging and emotionally resonant experience for readers.

Q: How has the Wallflower series impacted popular culture and beyond? A: The Wallflower has gained a devoted following worldwide, inspiring several anime adaptations and live-action films. Its themes of acceptance and self-discovery continue to resonate with readers of all ages, making it a timeless and beloved work of fiction.

What is the easiest way to understand subnetting? Quick Definition: Subnetting is the process of taking a network and splitting it into smaller networks, known as subnets. It's used to free up more public IPv4 addresses and segment networks for security and easier management. Subnetting is a fundamental aspect of IP network design and administration.

What is subnetting explained in detail? The process of subnetting involves breaking down an IP address into smaller units that can be assigned to individual network units within the original network. This is done by using various techniques. Subnetting divides an IP address into two parts, namely network address and host address.

How do you solve subnetting? To calculate the number of possible subnets, use the formula 2n, where n equals the number of host bits borrowed. For example, if three host bits are borrowed, then n=3. 23 = 8, so eight subnets are possible if three host bits are borrowed.

How many subnets are in 26?

What are the 3 main classes of subnets?

What does 255 mean in a subnet mask? The 255 address (in binary notation, a host address of all ones) is used to broadcast a message to every host on a network. Just remember that the first and last address in any network or subnet can't be assigned to any individual host.

What is a simple example of subnetting?

What is a subnet in layman's terms? A subnet, or subnetwork, is a network inside a network. Subnets make networks more efficient. Through subnetting, network traffic can travel a shorter distance without passing through unnecessary routers to reach its destination.

Are VLANs and subnets the same? The VLAN will increase communication between the devices on the LAN by making it seem like they're physically connected. The subnet will create multiple hosts to limit the amount of data routed to that host while allowing you to prepare for potential growth.

What is the formula for calculating subnets? If you lend 3 bits for the network portion: Number of subnets = 2^3 = 8 possible subnets. Seen another way 2 x 2 x 2 x 2 = 8 subnets.

How to subnet a network step by step?

What is subnetting calculator? IP subnet calculator is an easy-to-use online tool designed to help network administrators and IT professionals quickly and accurately calculate subnets on a network and use this information for network subnetting.

How many subnets are there in 10.0 0.0 24? For example, if you create a VPC with CIDR block 10.0. 0.0/24 , it supports 256 IP addresses. You can break this CIDR block into two subnets, each supporting 128 IP addresses.

How to determine subnet mask?

What does CIDR mean? Classless Inter-Domain Routing (CIDR) allows network routers to route data packets to the respective device based on the indicated subnet. Instead of classifying the IP address based on classes, routers retrieve the network and host address as specified by the CIDR suffix.

What is the best subnet mask? The most efficient subnet mask for the network is 255.255.254.0. However, due to the limitations of writing the addresses as dotted quads, the valid host address range for each subnet must be written as two ranges.

Do subnet masks need to match? If the subnet mask is 255.255. 0.0, then the first two octets of all devices must be the same. The combination of the last two octets must be different and unique.

What is the default subnet? By default, a default subnet is a public subnet, because the main route table sends the subnet's traffic that is destined for the internet to the internet gateway. You can make a default subnet into a private subnet by removing the route from the destination 0.0. 0.0/0 to the internet gateway.

Is 255.255.255.255 a valid subnet? Subnet masks of 255.255. 255.255 are somewhat common with ISP connections. It allows for more efficient use of IP address space.

What is IP 255.255.255.255 used for? 255.255. 255.255 – Represents the broadcast address, or place to route messages to be sent to every device within a network. 127.0. 0.1 – Represents "localhost" or the "loopback address", allowing a device to refer to itself, regardless of what network it is connected to.

How to convert CIDR to subnet mask?

What is the formula for subnetting? Subnetting formulas can make subnetting much easier. Memorize the following two formulas: 2y - 2 = # of usable subnets (where y is the number of bits borrowed) 2x - 2 = # of usable hosts per subnet (where x is the number of bits remaining in the host filed after borrowing)

How do you explain subnetting? Subnetting is the process of creating a subnetwork (also known as a subnet) within a network. Network interfaces and devices within a subnet can communicate with each other directly. Routers facilitate communication between different subnets.

How to divide IP address into subnets?

What is a subnet mask for dummies? A subnet mask is a 32-bit number created by setting host bits to all 0s and setting network bits to all 1s. In this way, the subnet mask separates the IP address into the network and host addresses. The "255" address is always assigned to a broadcast address, and the "0" address is always assigned to a network address.

Can subnets talk to each other? Each subnet allows its connected devices to communicate directly with each other, while routers are used to facilitate communication between subnets. The size of a subnet is set by the system administrator and depends on the connectivity requirements and the network technology employed.

What is the difference between subnet and subnet mask? A subnet is a smaller network within a network that requires a subnet mask. Subnetting is the process of dividing a network into two or more subnets. Its primary function is to make the routing of data within a network more efficient and secure. Subnetting also helps make better use of IPv4 addresses.

What is the easiest way to calculate subnets? Calculate the subnet size: Use the formula 2^n (where n is the number of host bits) to find how many addresses are in each subnet.

What is the first step in subnetting? The first step in doing so entails determining the size of the subnet block. Then, you calculate the valid host range to see if the second address falls within the same range. You can see the number of network bits is 13, which means the subnet must be set up in the second octet, or the second part of the IP address.

What is a subnet mask in layman's terms? The subnet mask splits the IP address into the host and network addresses, thereby defining which part of the IP address belongs to the device and which part belongs to the network. The device called a gateway or default gateway connects local devices to other networks.

What is a simple example of subnetting?

What subnets does 255.255 255.0 break down into?

How many 24 subnets are in a 16? Since you have 8 more bits to use to define the network in the /24 subnets under the /16, there are 256 /24 subnets in a specific /16.

What is the formula for making a subnet? Subnetting formulas can make subnetting much easier. Memorize the following two formulas: 2y - 2 = # of usable subnets (where y is the number of bits borrowed) 2x - 2 = # of usable hosts per

subnet (where x is the number of bits remaining in the host filed after borrowing)

What is the best explanation of subnetting? Subnetting, the segmentation of a network address space, improves address allocation efficiency. It is described in the formal document, Request for Comments 950, and is tightly linked to IP addresses, subnet masks and Classless Inter-Domain Routing (CIDR) notation.

What is the first IP in a subnet called?

What is the basic knowledge of subnetting? A subnet, or subnetwork, is a network inside a network. Subnets make networks more efficient. Through subnetting, network traffic can travel a shorter distance without passing through unnecessary routers to reach its destination.

What does 32 mean in IP address? This means that the IP address in question represents a single host rather than a network. For example, if the IP address is 192.168.1.100/32, this means that the IP address 192.168.1.100 is being used exclusively by a single device or host.

What does CIDR stand for? Classless Inter-Domain Routing (CIDR) is an IP address allocation method that improves data routing efficiency on the internet. Every machine, server, and end-user device that connects to the internet has a unique number, called an IP address, associated with it.

What are the two main reasons for subnetting a network? It helps avoid congestion by keeping traffic within its own segment and secures data by isolating breaches. It simplifies managing IP addresses and can organize networks across different locations. Essentially, subnetting makes large networks more efficient, secure, and easier to handle.

How to calculate subnetting? You can find the number of subnets by counting the number of bits by which the initial mask was extended, also known as the subnet bits. Our initial address allocation was 192.168.0.0 with a mask of 255.255.0.0. The calculations found a subnet mask of 255.255.254.0 with the host's formula.

What are the two types of subnetting?

How to divide IP address into subnets?

What is the principal components analysis in simple terms? Principal component analysis, or PCA, is a statistical procedure that allows you to summarize the information content in large data tables by means of a smaller set of "summary indices" that can be more easily visualized and analyzed.

What is simple principal components analysis? Principal Component Analysis (PCA) finds a way to reduce the dimensions of your data by projecting it onto lines drawn through your data, starting with the line that goes through the data in the direction of the greatest variance. This is calculated by looking at the eigenvectors of the covariance matrix.

What is an example of principal component analysis? PCA Example Let's say we have a data set of dimension 300 (n) × 50 (p). n represents the number of observations, and p represents the number of predictors. Since we have a large p = 50, there can be p(p-1)/2 scatter plots, i.e., more than 1000 plots possible to analyze the variable relationship.

What is a real life example of PCA? PCA stands for Principal Component Analysis. It is a way of finding the most important features in a dataset. For example, if you have a dataset of pictures of dogs, PCA could find the features that make a dog look like a dog, such as its shape, size, and color.

What does PCA tell you? What does a PCA plot tell you? A principal component analysis (PCA) plot shows similarities between groups of samples in a data set. Each point on a PCA plot represents a correlation between an initial variable and the first and second principal components.

How to interpret PCA results? To interpret each principal components, examine the magnitude and direction of the coefficients for the original variables. The larger the absolute value of the coefficient, the more important the corresponding variable is in calculating the component.

What is principal component analysis in super layman terms? Principal component analysis (PCA) is a technique used to emphasize variation and bring out strong patterns in a dataset. It's often used to make data easy to explore and visualize.

What are the steps of PCA?

When to use a principal component analysis? When/Why to use PCA. PCA technique is particularly useful in processing data where multi-colinearity exists between the features/variables. PCA can be used when the dimensions of the input features are high (e.g. a lot of variables). PCA can be also used for denoising and data compression.

Can you do PCA in Excel? Select the XLSTAT / Analyzing data / Principal components analysis command. The Principal Component Analysis dialog box will appear. Select the data on the Excel sheet. In this example, the data starts from the first row, so it is quicker and easier to use columns selection.

What is the formula for Principal Component Analysis? The k-th principal component of a data vector x(i) can therefore be given as a score tk(i) = x(i) ? w(k) in the transformed coordinates, or as the corresponding vector in the space of the original variables, {x(i) ? w(k)} w(k), where w(k) is the kth eigenvector of XTX.

Do you need to normalize data for PCA? It is utterly important to carefully standardize your data because PCA works under the assumption that the data is normal distributed, and is very sensitive to the variance of the variables.

What is PCA mostly used for? PCA is used to visualize multidimensional data. It is used to reduce the number of dimensions in healthcare data. PCA can help resize an image. It can be used in finance to analyze stock data and forecast returns.

How to use PCA in real life? PCA can help you create data visualizations by reducing the dimensionality of your data to two or three dimensions, which can be easily plotted on a screen or a paper. For example, you can use PCA to visualize complex and high-dimensional data sets such as gene expression, text documents, or social networks.

What is a PCA used for? Patient-controlled analgesia (PCA) is a type of pain management that lets you decide when you will get a dose of pain medicine. In some cases, PCA may be a better choice to ease pain than calling the nurse to give you pain medicine.

How do you explain PCA in an interview? In Principal Component Analysis (PCA) we look to summarize a large set of correlated variables (basically a high dimensional data) into a smaller number of representative variables, called the principal components, that explains most of the variability in the original set.

What is the general purpose of PCA? PCA is used to reduce the dimensionality of the data, while k-means clustering groups data points together based on similarity. The technique you select depends on the specific dataset and goals of your analysis.

What is the goal of PCA analysis? Principal component analysis (PCA) simplifies the complexity in high-dimensional data while retaining trends and patterns. It does this by transforming the data into fewer dimensions, which act as summaries of features.

What is the principal component analysis explained simply? To sum up, principal component analysis (PCA) is a way to bring out strong patterns from large and complex datasets. The essence of the data is captured in a few principal components, which themselves convey the most variation in the dataset. PCA reduces the number of dimensions without selecting or discarding them.

How do you describe PCA analysis? Independent component analysis (ICA) is a method used in signal processing in order to separate a multivariate signal into its subcomponents, where these signals are mutually independent.

How to report principal component analysis results? When reporting a principal components analysis, always include at least these items: A description of any data culling or transformations used prior to ordination. State these in the order that they were performed. Whether the PCA was based on a variance-covariance matrix (i.e., scale.

How to interpret principal component analysis results? Interpretation of the principal components is based on finding which variables are most strongly correlated with each component, i.e., which of these numbers are large in magnitude, the farthest from zero in either direction. Which numbers we consider to be large or small is of course a subjective decision.

How do you interpret PC1 and PC2 in PCA? These axes that represent the variation are "Principal Components", with PC1 representing the most variation in the data and PC2 representing the second most variation in the data. If we had three samples, then we would have an extra direction in which we could have variation.

What is the common principal component analysis? Common principal component analysis (CPCA) is essentially applied in the same areas and analysis as its one-population counterpart. The generalization of one population to multiple populations comes at the cost of being more mathematically involved, and many problems in the area remains to be solved.

What is the main function of principal component analysis? PCA helps you interpret your data, but it will not always find the important patterns. Principal component analysis (PCA) simplifies the complexity in high-dimensional data while retaining trends and patterns. It does this by transforming the data into fewer dimensions, which act as summaries of features.

What is the meaning of principal component factor analysis? Principal components analysis (PCA; Goodall, 1954) is a method for explaining the maximum amount of variance among a set of items by creating linear functions of those items for the purpose of identifying the smallest number of linear functions necessary to explain the total variance observed for the item set in the ...

When to use principal component analysis?

What is the interpretation of the principal component analysis? Interpretation of the principal components is based on finding which variables are most strongly correlated with each component, i.e., which of these numbers are large in magnitude, the farthest from zero in either direction. Which numbers we consider to be large or small is of course a subjective decision.

What is the reason for principal component analysis? PCA helps to visualize high-dimensional data by projecting it into a lower-dimensional space, such as a 2D or 3D plot. This simplifies data interpretation and exploration. PCA can remove noise or redundant information from data by focusing on the principal components that capture the underlying patterns.

What are the main benefits of using principal components analysis? Other benefits of PCA include reduction of noise in the data, feature selection (to a certain extent), and the ability to produce independent, uncorrelated features of the data. PCA also allows us to visualize data and allow for the inspection of clustering/classification algorithms.

What is the essence of principal component analysis? PCA involves an orthogonal transformation of the original data points into a new set of axes called principal components. Orthogonal transformation means that the new axes are perpendicular (or orthogonal) to each other, ensuring that they are linearly independent and uncorrelated.

What is the common principal component analysis? Common principal component analysis (CPCA) is essentially applied in the same areas and analysis as its one-population counterpart. The generalization of one population to multiple populations comes at the cost of being more mathematically involved, and many problems in the area remains to be solved.

What is principal component analysis fundamentals? Principal Component Analysis is a statistical method that transforms high-dimensional data into a lower-dimensional form while preserving the most important information. It accomplishes this by identifying new axes, called principal components, along which the data varies the most.

What is the Kaiser rule in PCA? The Kaiser's rule (Kaiser-Guttman criterion) is a widely used method to evaluate the maximum number of linear combinations to extract from the data set. According to that rule only those principal components are retained, whose variances exceed 1.

When not to use principal component analysis? If the relationship is weak between variables, PCA does not work well to reduce data. Refer to the correlation matrix to determine. In general, if most of the correlation coefficients are smaller than 0.3, PCA will not help.

How to know if PCA is good? You should consider factors such as the scale and distribution of your data, which should be standardized and normally distributed.

Additionally, you should check for outliers and missing values, which can distort the results of PCA and affect interpretation of the principal components.

Is PCA classification or regression? Principal Component Analysis (PCA) is used to reduce the dimensionality of a data set by finding a new set of variables, smaller than the original set of variables, retaining most of the sample's information, and useful for the regression and classification of data.

How to report principal component analysis results? When reporting a principal components analysis, always include at least these items: A description of any data culling or transformations used prior to ordination. State these in the order that they were performed. Whether the PCA was based on a variance-covariance matrix (i.e., scale.

What are the applications of principal component analysis? Applications of PCA in Machine Learning PCA is used to visualize multidimensional data. It is used to reduce the number of dimensions in healthcare data. PCA can help resize an image. It can be used in finance to analyze stock data and forecast returns.

What are the assumptions of principal component analysis? The following assumptions are made by the principal component analysis: There is a linear combination between variables. It assumes that the principal components having the highest variance are more important than those which don't, and consider them to include noise in the data.

the wallflower vol 1 tomoko hayakawa, *subnetting question and answer explanation*, *principal components analysis for dummies*

drilling fundamentals of exploration and production by yamaha nxc125 scooter full service repair manual 2004 2006 restructuring networks in post socialism legacies linkages and localities a next generation smart contract decentralized edmunds car maintenance guide suzuki s40 owners manual error 2503 manual guide smoke gets in your eyes 1999 isuzu trooper manua nissan x trail t30 engine chemistry of heterocyclic compounds 501 spring 2017 by linda s costanzo s aiba biochemical engineering academic press 1973 color guide for us stamps bomag bw 100 ad bw

100 ac bw 120 ad bw 120 ac drum roller service repair workshop manual download basic american grammar and usage an esl efl handbook believers voice of victory network live stream ibotube hoovers fbi 1996 olds aurora buick riviera repair shop manual original 2 volume set harris mastr iii programming manuals means of communication between intermediate places and stations also use of the telephone especially on lines of small traffic a paper read before june 1892 question xviii section b algorithm design manual solution c200 2015 manual emd 645 engine manual man up reimagining modern manhood drugs and behavior mind a historical and philosophical introduction to the major theorieshonda element manual transmission reliability

practiceand problemsolvingworkbook algebra1 answersmacbook promanual restart2012 hondaodysseymanual cecchettiintermediatetheory manualright triangletrigonometry universityofhouston kotleron marketinghowto createwinand dominatemarketsmiracle questionsolutionfocused worksheetcommonlit whydowe hatelove computerorganizationand architecture7thedition day21the hundred2 kassmorganof boostyour iqbycarolyn skittih internationalt6 td6crawler tractorsillustratedparts catalogmanual iplipc downloadiam anemotionalcreature byeveensler lsummary studyguide modernbiology section4 1review answerkey imagesof ancientgreek pederastyboyswere theirgods classicalstudiesmunters mlt800usersmanual manualforallis chalmerstractorskawasaki klf300owners manualbusiness studiesselfstudy guidegrade11sacred groundpluralismprejudice andthe promiseofamerica archetypesinbranding atoolkit forcreativesand strategistsnissancube 2009owners usermanual downloadfirestone2158 manualhyundairobex 200lc manualsonybdp s300service manualcutting edgeadvanced workbookwithkey apractical approachtotask basedlearning goodrichhoistmanual studyguidefor michiganmechanictests thetotalwork ofartin europeanmodernismsignale moderngermanletters culturesand thoughtfiat ducatoowners manualbusinessaccounting 2frank woodtenth editionsnapper v212manual lenovog570 servicemanual

HIGH RISE BUILDING MAINTENANCE MANUAL HANDBOOK