UUL Compass —

David Wu Jerry Shi 2026 4 1
https://github.com/jerryshimax/uul-compass Phase 1 Demo UI + Vercel + Supabase

---

1.1 UUL Global

UUL Global 2004 US United Lines 2026 4 1 Jerry Shi Synergis Capital UUL Global

Source to Site

- / FCL/LCL
-
-
- TL LTL
- LC Warehousing
-

Move the Risk, Not Just the Freight

-
- UUL
-
- Klear

Your Bridge from East to West

-
-
- IRA/
-

- AI
-
-

- Greensboro, NC
-
-
-
-

1.2 Sister Companies

UUL Global

UUL Global	UUL	
Meihang	MH	US United Lines ~50
Star Navigation	XH	
Sage Line Logistics	SAGE	

Jerry " 3 50 "—— UUL 3,000 TEU

LC Warehousing **Compass** LC preferred vendor UUL + + LC fulfillment UUL renewable energy/AIDC/logistics

1.3 Compass

Compass

100 PMI

- 2026 4 1 Day 1 100 2026 7 10
- Board Billy Season C-suite Jason CEO Josh COO Serena CFO
- ——

UUL Operational OS

- US HK
- origin → ocean freight → domestic logistics → drayage → delivery
- Pallet AI

1.4 AIOS AI

UUL **Pallet** pallet.com pilot Pallet AI workforce 15+ use cases

1. —
2. — pilot 95%
3. —
4. —
5. —
6. —
7. —
8. —
9. — API/EDI
10. —
11. —
12. —
13. POD —
14. —
15. —

```
Compass 结构化数据 → Pallet AI 全链路运营 → 90% AI 驱动的物流公司
```

100

1. **structural architecture** —
2. **SOP +** **tribal knowledge** — Marco
3. — AI

2.1 8

Jerry Shi		Owner & Board Chair		/	
Alic Ge		Board Director		/	—
Billy		Board Director		—	Board
Season	—	Board Director, Finance			Board
Jason Likens	—	CEO, US Operations			2026 3 16
Josh Foster	—	COO, US Operations			2026 3 16
Serena Lin		CFO		—	CFO
David Wu	—	Engineer			

2.2

RBAC

		100						

Owner (Jerry)								
Board (, Billy, Season)								
Executive (Jason, Josh, Serena)					*			

*Serena CFO

2.3 Multi-Entity RLS

`entity_id`

- Jerry UUL + + + Sage Line
- Marco UUL +
-
- owner / board / executive / finance

Supabase Row Level Security RLS API

2.4

- **Magic Link** —
- **Google SSO** — Google Workspace
- — Jerry
- **7** — Board

3.1

	Next.js (App Router)	16.2.2	React Server Components JS Server Actions REST API
	TypeScript (strict)	5.x	schema

UI	**shadcn/ui + Tailwind 4**	React 19, Tailwind 4	shadcn/ui npm Tailwind 4 utility-first CSS
	Recharts	3.x	React API KPI
	Supabase (Postgres)	—	PostgreSQL + Auth + +
ORM	**Drizzle ORM**	0.45.x	SQL schema migration
	Vercel (dev/staging) → **Docker** (prod)	—	Vercel Next.js Docker
PWA	**Web App Manifest**	—	" " native app
	Resend (Phase 4)	—	API React Email

3.2

React Native / Flutter App

- 3-5 Web PWA
-
-

REST API +

- Next.js Server Actions RPC API /
-

Supabase Postgres

- Supabase Auth magic link SSO Jerry RLS
- WebSocket
- Supabase Docker

3.3

```
uul-compass/
├── src/
│   ├── app/                          ← Next.js 页面（App Router 约定）
│   │   ├── (auth)/                   ← 认证相关页面（不带 dashboard 布局）
│   │   │   └── login/page.tsx        ← 登录页
│   │   ├── (dashboard)/              ← 主应用页面（带 sidebar + topbar 布局）
│   │   │   ├── layout.tsx            ← Dashboard 壳：sidebar(desktop) +
bottomnav(mobile) + topbar
│   │   │   ├── page.tsx              ← 首页仪表盘
│   │   │   ├── plan/page.tsx         ← 100天计划看板
│   │   │   ├── decisions/page.tsx    ← 决议追踪
│   │   │   └── settings/page.tsx     ← 团队管理 + 实体设置
│   │   ├── layout.tsx                ← 根布局（字体、元数据、PWA 配置）
```

```
│   │   ├── page.tsx                      ← 根路由（重定向到 dashboard）
│   │   └── globals.css                   ← 全局主题变量（navy 配色方案）
│   │
│   ├── components/                       ← React 组件
│   │   ├── plan/                         ← 100天计划专用组件
│   │   │   ├── kanban-board.tsx          ← Kanban 看板（5列状态）
│   │   │   └── task-card.tsx             ← 单个任务卡片
│   │   ├── shared/                       ← 全局共享组件
│   │   │   ├── sidebar.tsx               ← 深色 navy 侧边栏（仅桌面端可见）
│   │   │   ├── topbar.tsx                ← 顶部导航栏（毛玻璃效果）
│   │   │   ├── bottom-nav.tsx            ← 移动端底部标签导航
│   │   │   └── nav-items.ts             ← 导航项定义（标签、图标、路由、阶段标记）
│   │   └── ui/                           ← shadcn/ui 组件库（15个已安装组件）
│   │       ├── button.tsx, card.tsx, badge.tsx, avatar.tsx
│   │       ├── input.tsx, textarea.tsx, select.tsx
│   │       ├── dialog.tsx, sheet.tsx, dropdown-menu.tsx
│   │       ├── tabs.tsx, separator.tsx, tooltip.tsx
│   │       ├── progress.tsx, scroll-area.tsx
│   │       └── （可通过 npx shadcn@latest add [name] 添加更多）
│   │
│   ├── db/                               ← 数据库层
│   │   ├── schema/                       ← Drizzle ORM Schema 定义
│   │   │   ├── enums.ts                  ← 20+ 枚举类型定义
│   │   │   ├── org.ts                    ← 组织结构：entities, offices, departments,
users, contacts
│   │   │   ├── pmi.ts                    ← 100天计划：workstreams, milestones, tasks
│   │   │   ├── communication.ts          ← 活动流、评论、会议纪要、行动项
│   │   │   ├── integration.ts            ← 集成日志、审计日志
│   │   │   └── index.ts                  ← 统一导出
│   │   └── index.ts                      ← 数据库客户端初始化
│   │
│   ├── lib/                              ← 工具库
│   │   ├── supabase/
│   │   │   ├── client.ts                 ← 浏览器端 Supabase 客户端
│   │   │   ├── server.ts                 ← 服务端 Supabase 客户端
│   │   │   └── middleware.ts             ← Auth 会话中间件（刷新 token、保护路由）
│   │   └── utils.ts                      ← 工具函数（cn 类名合并等）
│   │
│   └── middleware.ts                     ← Next.js 中间件（Auth 路由保护，当前 dev 模式已
禁用）
│
├── public/
│   └── manifest.json                     ← PWA 配置（应用名、图标、启动方式）
│
├── docs/
│   └── compass-handoff.md                ← 本文档
│
├── Dockerfile                            ← Docker 多阶段构建（builder + runner）
├── docker-compose.yml                    ← Docker Compose 一键部署
├── drizzle.config.ts                     ← Drizzle ORM 配置（数据库连接）
├── next.config.ts                        ← Next.js 配置（standalone output for
Docker）
```

```
├── .env.local.example                    ← 环境变量模板
├── package.json                          ← 依赖列表
└── tsconfig.json                         ← TypeScript 配置
```

---

47 12

Compass 100

4.1

#				
1		5	entities, offices, departments, users, contacts	
2	**CRM**	3	customers, sales_pipeline, customer_sops	SOP
3		5	carriers, contracts, lanes, rates, performance	
4		3	quote_requests, quotes, quote_line_items	RFQ origin + freight + destination
5		6	shipments, containers, milestones, charges, exceptions, D&D	
6		3	customs_entries, tariff_classifications, compliance_docs	HS IRA FTZ
7		9	vendors, invoices, payments, vendor_bills, GL, KPIs	AR AP KPI
8	**3PL**	2	warehouse_vendors, warehouse_bookings	LC
9		1	documents	GDrive metadata +
10	**100 PMI**	3	pmi_workstreams, pmi_milestones, pmi_tasks	SOP + tribal knowledge
11		4	activities, comments, meeting_notes, action_items	
12		3	integration_logs, audit_log, user_entity_access	

4.2

```
entities (UUL, 美航, 星航, Sage Line)
    │ 每张表都有 entity_id → 实体级数据隔离
    │
    ├── users (内部团队)
    │
    ├── customers ──→ quote_requests ──→ quotes (+ line items) ──→ shipments
    │                                          ↑                       │
    ├── carriers ──→ carrier_rates ────────────┘                       ├── containers (集
装箱)
    │              → carrier_contracts (合同)                          ├── milestones (追
踪节点)
    │              → carrier_lanes (航线)                              ├── charges (收支明
细)
    │                                                                  ├──
customs_entries (报关)
    │                                                                  ├── exceptions (异
常)
    │                                                                  ├── invoices →
payments (AR)
    │                                                                  ├── vendor_bills
 (AP)
    │                                                                  ├── documents (单
证)
    │                                                                  └──
warehouse_bookings
    │
    ├── pmi_workstreams → pmi_milestones → pmi_tasks (100天计划)
    │
    └── activities, comments (多态关联，可评论任何实体)
```

4.3 Pallet AI

Compass Pallet

`carrier_rates` — Pallet

- × × ×
- carrier_id, origin_port UN/LOCODE , destination_port, mode ocean_fcl/air/trucking , container_type 20GP/40HC
- rate, rate_currency, rate_unit per_container/per_kg/per_cbm
- effective_date, expiry_date, is_spot vs
- (carrier_id, origin_port, dest_port, mode, container_type, effective_date) — Pallet

`quotes` + **`quote_line_items`** —

- line items
- line items charge_category origin / freight / / destination / customs / trucking / insurance / warehousing
- buy_rate UUL sell_rate margin

- pallet_quote_id + pallet_confidence Pallet AI

Marco Phase 2 rate card Pallet AI

4.4

`shipments` —

- ocean_fcl, ocean_lcl, air, trucking_ftl, trucking_ltl, drayage, rail, courier, multi_modal
- import , export , domestic , cross_trade
- draft → booked → confirmed → in_transit_origin → at_origin_port → departed → in_transit → arrived → customs_hold → customs_cleared → in_delivery → delivered → completed
- customer , carrier , quote , ops_owner , sales_owner
- bl_number , booking_number , vessel_name/voyage_number / , ETD/ETA/ATD/ATA /

`shipment_charges` —

- charge_category origin / freight / destination / customs / trucking / warehousing
- buy_amount + sell_amount →
- invoice vendor_bill

4.5

- **AR** invoices → invoice_line_items → payments → payment_allocations
- **AP** vendor_bills → vendor_bill_line_items
- **KPI** kpi_snapshots revenue, EBITDA, DSO, shipment_count

- gl_transactions QuickBooks/Xero

4.6 Schema Phase 1

`src/db/schema/` Drizzle schema

enums.ts	20+ user_role, transport_mode, shipment_status, container_type	
org.ts	entities, offices, departments, users, contacts, user_entity_access	
pmi.ts	pmi_workstreams, pmi_milestones, pmi_tasks	
communication.ts	activities, comments, meeting_notes, action_items	
integration.ts	integration_logs, audit_log	

Schema Phase 2-4

		Phase

customers.ts	customers, sales_pipeline, customer_sops	Phase 2
carriers.ts	carriers, carrier_contracts, carrier_lanes, carrier_rates, carrier_performance	Phase 2
quotes.ts	quote_requests, quotes, quote_line_items	Phase 2
shipments.ts	shipments, shipment_containers, shipment_milestones, shipment_charges, shipment_exceptions, demurrage_detention	Phase 3
finance.ts	vendors, invoices, invoice_line_items, payments, payment_allocations, vendor_bills, vendor_bill_line_items, kpi_snapshots, gl_transactions	Phase 3
customs.ts	customs_entries, tariff_classifications, compliance_documents	Phase 3
warehousing.ts	warehouse_vendors, warehouse_bookings	Phase 4
documents.ts	documents	Phase 4

Phase 1 Demo

5.1 5

1. Dashboard `/`

- Hero 100 8% Overdue/Active/Open
- 4 KPI Workstreams 6 Overdue 3 This Week 4 Blocked 1
- VP Finance Silfab 30% AR Target Account List v2
-

2. 100-Day Plan `/plan`

- Kanban To Do (11) → In Progress (7) → Blocked (1) → Review (0) → Done (3)
- 22 board meeting
- 6 workstreams Finance( ), Operations( ), Sales( ), Marketing( ), Technology( ), Org&HR( )
- workstream Critical/High/Medium/Low +

3. Decisions `/decisions`

- 4 board meeting
  - 3/23 Board Sync Silfab Plan A Board CEO/COO
  - 3/25 Operations & Cash Flow Review VP Finance $20K Bridge
  - 3/26 Board Decision Q2 3

- 3/31 Strategy Call LC+Packsmith WMS Ben Fogarty

4. Settings `/settings`

- 8 badge
- UUL Global, Meihang ( ), Star Nav ( ), Sage Line

5. Login `/login`

- Magic link
- Compass logo + "Post-Merger Command Center"
- "Invitation-only. Contact Jerry for access."

5.2

- navy `oklch(0.18 0.04 250)`
- MAIN Dashboard, 100-Day Plan OPERATIONS Shipments, Quotes, Customers, Carriers, Finance — P2/P3 SYSTEM Decisions, Documents, Settings
- Day +

- + backdrop-blur
- System Online
- Day 1 of 100 badge + +

- 4 Home, Plan, Decisions, Settings
-
-

- `0.75rem`
- hover +
- =Critical/Overdue, =High/Warning, =Medium/In Progress, =Completed, =Low/Not Started

UI generic Linear Vercel Dashboard Notion

5.3

demo Supabase

-
- UI
-

Supabase " "

Phase 1 + PMI Week 1-2

board sync live 100

- ✅ Next.js 16 + Tailwind 4 + shadcn/ui
- ✅ Drizzle ORM Schema Phase 1 5 ~15
- ✅ Supabase Auth dev bypass
- ✅ 5 UI + demo
- ✅ Mobile-first sidebar + bottom nav
- ✅ PWA manifest
- ✅ Dockerfile + docker-compose.yml

David

- 🔲 UI
- 🔲 Vercel Jerry board URL demo
- 🔲 Supabase + migration
- 🔲 Supabase Server Actions
- 🔲 Auth magic link
- 🔲 4 entities, 8 users, 6 departments, 6 workstreams, 22 tasks
- 🔲 PWA + Service Worker

Phase 2 — + + Week 3-4

Pallet

- Schema customers.ts + carriers.ts + quotes.ts
- UI
- **Rate card** — Marco
- RFQ → → line items →
- CRM SOP
- Pipeline Kanban board
- Pallet carrier_rates API endpoint + quote webhook

Phase 3 + Week 5-7

+

- Schema shipments.ts + finance.ts + customs.ts
- → booking → tracking → delivery → POD
- +
- AR Silfab + aging buckets 30/60/90+
- AP
- + KPI Recharts
-
- + /

Phase 4 OS Week 8-12

+ +

- 3PL LC preferred vendor
- GDrive API `[02] UUL Global/`
- Email (Resend) + Telegram Group (Cloud bot)
- Weekly board digest + TG
- Brain file sync → decisions/action items

- Google Calendar
- PDF board deck
- Org chart

David

A Vercel

URL Jerry demo board

1. vercel.com GitHub
2. "Import Project" `jerryshimax/uul-compass`
3. Framework Preset Next.js Deploy
4. — demo Supabase
5. URL `uul-compass-xxx.vercel.app`
6. `compass.uulglobal.com`
7. **URL** —

B UI

dashboard " " " " Jerry

- navy sidebar —
- Linear (linear.app), Vercel Dashboard, Notion, Raycast
- / navy + teal
- board

1. **Dashboard** — hero progress card KPI milestones
2. **Kanban** — modal
3. —
4. — hover
5. — +
6. — overdue= , in progress= , done= , blocked=

- Tailwind 4 — utility class
- shadcn/ui — 15 `npx shadcn@latest add [component]` table, chart, calendar, popover
- Recharts — /
- Lucide React —

`src/app/globals.css`

Primary (Navy)	

Accent (Teal)	
Background ( )	
Card ( )	
Destructive ( )	
Success ( )	
Warning ( )	

Workstream

- Finance Integration: `#ef4444` ( )
- Operations Consolidation: `#f97316` ( )
- Sales Engine: `#3b82f6` ( )
- Brand & Marketing: `#8b5cf6` ( )
- Technology & AI: `#06b6d4` ( )
- Organization & HR: `#22c55e` ( )

C Supabase — A B

" "___

1. supabase.com tier demo
2. Project URL Anon Key Database URL
3. `.env.local` `.env.local.example`

```
NEXT_PUBLIC_SUPABASE_URL=https://xxx.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=eyJ...
DATABASE_URL=postgresql://postgres:xxx@db.xxx.supabase.co:5432/postgres
NEXT_PUBLIC_APP_URL=https://你的vercel域名
```

4. `npx drizzle-kit push` — `src/db/schema/` Supabase
5. `src/middleware.ts` `updateSession` Auth
6. `src/db/seed/` 4 entities, 8 users, 6 departments, 6 workstreams, 22 tasks
7. demo Supabase Server Actions in `src/lib/actions/`
8. Vercel
9.

D PWA

app native app

1. `icon-192.png` `icon-512.png` Compass logo navy
2. `@serwist/next` Service Worker
3.
4. " " iOS Safari Android Chrome

8.1

- Node.js 22+ nvm
- npm npm pnpm
- Git

8.2

```
# 克隆仓库
git clone https://github.com/jerryshimax/uul-compass.git
cd uul-compass

# 安装依赖
npm install

# 启动开发服务器
npm run dev

# 浏览器打开 http://localhost:3000
```

8.3

`.env.local.example` `.env.local` Supabase

```
NEXT_PUBLIC_SUPABASE_URL=https://your-project.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=your-anon-key
DATABASE_URL=postgresql://postgres:password@db.your-project.supabase.co:5432/postgres
NEXT_PUBLIC_APP_URL=http://localhost:3000
```

`.env.local` demo Auth

8.4 shadcn/ui

```
# 添加单个组件
npx shadcn@latest add table
npx shadcn@latest add calendar
npx shadcn@latest add popover

# 查看所有可用组件
npx shadcn@latest add
```

8.5

```
# 根据 schema 创建/更新数据库表
npx drizzle-kit push

# 生成 migration SQL 文件（用于生产部署）
```

```
npx drizzle-kit generate

# 打开 Drizzle Studio（可视化数据库管理器）
npx drizzle-kit studio
```

8.6 Docker

```
# 构建并启动
docker compose up --build

# 应用跑在 3000 端口
# 需要设置环境变量（在 docker-compose.yml 中或通过 .env 文件）
```

Dockerfile　　Next.js standalone

8.7

```
# TypeScript 类型检查
npx tsc --noEmit

# 生产构建
npm run build

# 运行生产构建
npm start
```

Linear (linear.app)	
Vercel Dashboard	KPI
Notion	/ /
Airplane.dev	UI
Flexport Dashboard	UI

Jerry Shi		Telegram　Email	
David Wu		—	

Alic Ge ( )	Board	Telegram	**UI**
Jason Likens	CEO US	Email	

---

1. — " " " "

2. **UI** —
3. **PWA** —
4. **Day 1** — 4 1 Day 1 board
5. — RLS

2026 4 1 Drizzle schema `src/db/schema/`