



MAGNE.AI

**MAGNE.AI Phone Gen1 (MAG1)
Explanatory Note on Google / Android Partner
Approval Materials
(20260402)**

MAGNE AI Global Tech Limited

MAGNE.AI Phone Gen1 (MAG1)

Explanatory Note on Google / Android Partner Approval Materials

Issued by	MAGNE AI Global Tech Limited
Date	April 2, 2026
Use	Investor Communication / Due Diligence Reference
Document Status	Formal explanatory letter

Purpose

This explanatory letter is intended to help investors and counterparties quickly understand the product progress, approval scope, and commercial meaning of the Google / Android Partner Approval materials for MAG1.

1. Overall conclusion

MAG1 has completed key commercialization approval milestones within the Google Android Partner Approval workflow.

The current materials support a coherent Google commercial approval package, including an approved commercial build, shipment approval, a worldwide commercial build approval path with explicit regional exclusions, a separate EEA regional approval path, backend metadata showing APPROVED status under a MADA licensing framework, and approved-configuration support for Widevine DRM Level 1.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf; G2 — G2-Android Build Approval Worldwide.pdf; G3 — G3-build.pdf; G4 — G4-Details of Approval.pdf; G9 — G9-WIDEVINE L1.pdf

In practical terms, these materials do not reflect a handset that is merely “applying for Google support.” They reflect a product that has already entered the commercial distribution approval stage within Google's partner system.

2. What the main files mean

Worldwide Approval: Google granted final approval for the MAG1 worldwide commercial build MAG1WW34F for commercial distribution to most global markets, while explicitly excluding Russia, Belarus, Kazakhstan, Turkey, and EEA countries.

Supporting Appendix: G2 — G2-Android Build Approval Worldwide.pdf

EEA Regional Approval: Google separately granted final approval for the MAG1 EEA build MAG1EA08 for EEA countries only, with explicit restrictions against distribution outside the approved region and against OTA delivery to devices with different BRAND / DEVICE / PRODUCT values.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf

Build Metadata: The backend metadata page records Approval Status as APPROVED, Approved On as 2025/11/1 19:56:56, Licensing Agreement Type as MADA, Platform Version as 15, and Model Name as MA1.

Supporting Appendix: G3 — G3-build.pdf

Shipment Approval: Google approval communications also state that shipment approval has been granted for the approved MaQ MAG1 SKU and configuration.

Supporting Appendix: G4 — G4-Details of Approval.pdf

Product and Device Pages: The backend records align the naming structure across Model Name MA1, Product / Device Name MAG1, Marketing Name M.AI Phone Gen1, Retail Branding MaQ(Global), and manufacturer / company records tied to MagneAI and E-dong - FIH Foxconn.

Supporting Appendix: G5 — G5-device.pdf; G7 — G7-product.pdf; G14 — G14-deviceinfo.pdf

3. Approved shipment countries / territories

Based on G1 and G2, MAG1's currently approved commercial shipping footprint can be stated more explicitly as follows.

EEA build (G1): countries covered

Austria, Belgium, Bulgaria, Croatia, Cyprus, Czechia, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf

Worldwide build (G2): countries / territories covered

As shown in G2, the worldwide build applies to all other markets except the full EEA list above, together with Russia, Belarus, Kazakhstan, and Turkey. Expanded country coverage is set out below:

Asia: Afghanistan, Armenia, Azerbaijan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, Georgia, India, Indonesia, Iran, Iraq, Israel, Japan, Jordan, Kuwait, Kyrgyzstan, Lao People's Democratic Republic, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, Oman, Pakistan, Philippines, Qatar, Republic of Korea, Saudi Arabia, Singapore, Sri Lanka, Syrian Arab Republic, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Viet Nam, Yemen.

Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cabo Verde, Cameroon, Central African Republic, Chad, Comoros, Congo, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Morocco, Mozambique, Namibia, Niger, Nigeria, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, South Sudan, Sudan, Togo, Tunisia, Uganda, United Republic of Tanzania, Zambia, Zimbabwe.

Europe (non-EEA and excluding Russia, Belarus, Kazakhstan, and Turkey): Albania, Andorra, Bosnia and Herzegovina, Moldova, Monaco, Montenegro, North Macedonia, San Marino, Serbia, Switzerland, Ukraine, United Kingdom.

North America / Latin America / Caribbean: Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Canada, Chile, Colombia, Costa Rica, Cuba, Dominica, Dominican Republic, Ecuador, El Salvador, Grenada, Guatemala, Guyana, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Paraguay, Peru, Saint Kitts and Nevis, Saint Lucia, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, United States of America, Uruguay, Venezuela.

Oceania: Australia, Fiji, Kiribati, Marshall Islands, Micronesia (Federated States of), Nauru, New Zealand, Palau, Papua New Guinea, Samoa, Solomon Islands, Tonga, Tuvalu, Vanuatu.

Supporting Appendix: G2 — G2-Android Build Approval Worldwide.pdf

Taken together, G1 and G2 indicate that MAG1 currently covers the 30 EEA countries through the EEA build and the above-listed non-EEA countries / territories through the worldwide build. The countries not currently within the scope of these two approved build paths are Russia, Belarus, Kazakhstan, and Turkey.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf; G2 — G2-Android Build Approval Worldwide.pdf

4. How the testing record should be understood

The Google partner approval overview shows Total tests run: 6,573,527, Failed: 0, Aggregated Pass: 13, Warning: 1, and Accepted Failures: 1.

Supporting Appendix: G6 — G6-overview.pdf; G10 — G10-Android Partner Approvals.pdf

Accordingly, the most accurate external description is that the currently approved MAG1 build shows no failed tests in the Google partner approval record, while still carrying one warning and one accepted failure. It should not be described as an absolute zero-issue approval record.

The tests shown across the current record cover major Android / Google test suites, including CTS, VTS, GTS, STS, CTS Verifier, BTS_V2, and CTS_ON_GSI.

Supporting Appendix: G12 — G12-Reports - Build Details - Android Partner Approvals.pdf; G13 — G13-Tests - Build Details - Android Partner Approvals.pdf

5. What these materials mean for investors

The product is already within a real commercial approval framework, rather than a concept-stage or lab-only state.

The project has demonstrated regional release management capability through parallel worldwide and EEA build approval paths.

The product identity, naming layers, hardware parameters, and approval objects are internally consistent within Google's own backend environment.

The approved configuration supports Widevine DRM Level 1, which is commercially relevant for protected content and streaming scenarios.

Supporting Appendix: G9 — G9-WIDEVINE L1.pdf; G14 — G14-deviceinfo.pdf

Additional Secure Element related Android / CTS compatibility screenshots in the current evidence set show passed OMAPI and Secure Element access-control test items.

Supporting Appendix: G15 — G15-SE.pdf

6. Google / GMS Compatibility of HyperSeed N60 (CC EAL6+ Secure Element)

Within the MAG1 security architecture, the embedded Secure Element referred to in project materials as HyperSeed N60 is mapped to an underlying secure chip with Common Criteria EAL6+ certification. In the current diligence set, the significance of this Secure Element lies not only in its high-assurance security certification, but also in the fact that its device-side functionality has been brought into the Google / Android compatibility workflow and validated through relevant standard test items.

[Supporting Appendix: G15 — G15-SE.pdf; reference supporting materials: 2026-01-30_SecurityCertificationMappingNote_MAGNEAIphoneGen1.pdf;](#)

As shown in G15, the MAG1 device passed multiple Android / CTS test suites directly relevant to Secure Element functionality, including CtsOmaapiTestCases, CtsSecureElementAccessControlTestCases1, CtsSecureElementAccessControlTestCases2, and CtsSecureElementAccessControlTestCases3, and the test results shown in the uploaded pages are recorded as pass.

[Supporting Appendix: G15 — G15-SE.pdf](#)

From a technical perspective, these tests cover key Secure Element compatibility paths in the Android / GMS environment, including OMAPI interface handling, APDU transmission, and Secure Element access control behavior. Accordingly, G15 serves as direct supporting evidence that the Secure Element functionality associated with HyperSeed N60 (CC EAL6+ Secure Element) has been validated through relevant standard Android compatibility tests within the Google / Android workflow, thereby supporting the Secure Element compliance and usability narrative of MAG1 under the approved Google ecosystem configuration.

Supporting Appendix: G15 — G15-SE.pdf

For investor interpretation, the importance of G15 is that MAG1 not only incorporates a high-assurance Secure Element backed by a recognized security certification level, but also demonstrates that the device-side Secure Element integration has passed relevant Google / Android compatibility tests. This materially strengthens both the security and the platform compatibility positioning of the product.

Supporting Appendix: G15 — G15-SE.pdf; reference supporting materials: 2026-01-30_SecurityCertificationMappingNote_MAGNEAIPhoneGen1.pdf;

7. Note on Gemini Preinstallation

Based on the current Google / GMS commercial approval status of MAG1, the uploaded materials show that the relevant approved build is recorded as APPROVED and is governed under a Google commercial framework of MADA type. Within such an approved Google ecosystem configuration, the basis for the inclusion, preinstallation, and use of standard Google applications and services should be understood as deriving from the applicable Google commercial approval workflow and framework agreements.

Supporting Appendix: G3 — G3-build.pdf; G4 — G4-Details of Approval.pdf; G6 — G6-overview.pdf; G7 — G7-product.pdf

On that basis, if Gemini is included within the approved factory configuration of MAG1 as part of the standard Google ecosystem application set, the commercial basis for such inclusion and use should be traced to the applicable MADA / GMS approval basis, rather than to a separate device-specific standalone Gemini authorization document shown in the present diligence set. In other words, within the current approval and commercial structure reflected by the uploaded materials, Gemini availability and preinstallation should be understood as part of the approved Google ecosystem configuration.

Supporting Appendix: G3 — G3-build.pdf; G4 — G4-Details of Approval.pdf; G6 — G6-overview.pdf; G7 — G7-product.pdf

Recommended external wording: “MAG1 has completed key Google / GMS commercial approval milestones; within the approved Google ecosystem configuration, the commercial basis for standard Google applications (including Gemini, where included in the factory configuration) is understood to be covered by the relevant MADA / GMS framework.”

8. Supplemental Note on the Regional Agreement Framework Before and After 1 April 2026

With respect to the current Google / GMS shipment scope of MAG1, and in addition to the existing build approval structure evidenced by G1 and G2, the project team provides the following supplemental explanation based on its current operational understanding of the regional agreement framework applicable before and after 1 April 2026.

Under the legacy regional framework understood to have applied prior to 1 April 2026, the relevant regions were broadly structured as: EU, Russia, Turkey, and Non-EU. Within that legacy logic, India, while falling within the Non-EU grouping, required corresponding software-side configuration in advance

in order to be shipped under the shared Non-EU version. According to the current project configuration, MAG1 already included such India-related software setting in advance, and therefore India may be treated as covered within the Non-EU version logic under the legacy framework.

On that basis, and taking into account the current approved build status of MAG1, the project team's present understanding is that MAG1 may currently be shipped to EU and Non-EU markets, but not to Turkey or Russia.

According to the project team's current operational understanding, the new regional framework effective from 1 April 2026 further differentiates the market structure into: EU, United States, Turkey, Russia, Japan (at least with specific requirements for phone products), and Non-EU. In addition, markets such as India, Brazil, and Australia are understood to require prior declaration and corresponding software marking in the Non-EU build in order to be shipped under a shared version structure.

Because MAG1 completed its relevant certification / approval workflow before the effective date of the new regional framework, the project team currently understands MAG1 to remain subject to the legacy framework logic. Based on currently available information, no express instruction has yet been identified requiring an immediate halt to shipments under the existing approved build structure. According to the project team's present operational understanding, a transition / grace period of approximately eight months is expected to apply. The handling approach after the end of such period, however, remains to be further clarified through future official guidance or actual execution practice.

Even so, the project team expects that any future adaptation to the new framework can be addressed through subsequent software / release-structure adjustments, including for example migration to a later major Android / LR version (such as Android 16), addition of a specific regional build (for example, a United States build), and implementation of further region-specific flags and release configuration under the new framework.

Accordingly, from a commercial execution perspective, MAG1's Google / GMS shipment logic should be understood not as interrupted, but rather as operating under a legacy framework that remains executable for now and can be progressively adapted to the new framework through subsequent version management.

9. Recommended external wording

It is appropriate to state that MAG1 has obtained Google commercial build approval, shipment approval for the approved configuration, worldwide and EEA regional approved build paths, and Widevine DRM Level 1 support in the approved configuration.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf; G2 — G2-Android Build Approval Worldwide.pdf; G3 — G3-build.pdf; G4 — G4-Details of Approval.pdf; G9 — G9-WIDEVINE L1.pdf; G14 — G14-deviceinfo.pdf

It is not appropriate to state that a single build is unconditionally approved for every country, that every test result is issue-free, or that any arbitrary software version has passed Google approval.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf; G2 — G2-Android Build Approval Worldwide.pdf; G13 — G13-Tests - Build Details - Android Partner Approvals.pdf

10. Closing statement

In summary, the Google / Android Partner Approval materials for MAG1 demonstrate that the product has already completed key commercialization approval steps and that the project now holds a credible

Google commercial approval evidence package that can be understood and reviewed by investors, counterparties, and diligence teams.

Supporting Appendix: G1 — G1-Android Build Approval Regional.pdf; G2 — G2-Android Build Approval Worldwide.pdf; G3 — G3-build.pdf; G4 — G4-Details of Approval.pdf; G6 — G6-overview.pdf; G7 — G7-product.pdf; G9 — G9-WIDEVINE L1.pdf; G10 — G10-Android Partner Approvals.pdf; G12 — G12-Reports - Build Details - Android Partner Approvals.pdf; G13 — G13-Tests - Build Details - Android Partner Approvals.pdf; G14 — G14-deviceinfo.pdf; G15 — G15-SE.pdf

Further backend screenshots, reports, notes, and supporting materials can be made available under appropriate confidentiality arrangements.

Appendix Index

Appendix	File name	Topic	Use / summary
G1	G1-Android Build Approval Regional.pdf	EEA regional approval	Final approval for the EEA regional commercial build (MAG1EA08), corresponding to shipment coverage across the 30 EEA countries.
G2	G2-Android Build Approval Worldwide.pdf	Worldwide approval	Final approval for the worldwide commercial build (MAG1WW34F), covering global markets other than the EEA, Russia, Belarus, Kazakhstan, and Turkey.
G3	G3-build.pdf	Build metadata	Backend metadata showing APPROVED status, approval timestamp, MA1, Android 15 and MADA.
G4	G4-Details of Approval.pdf	Shipment approval details	Google approval communication for shipment of the approved MaQ MAG1 SKU/configuration.
G5	G5-device.pdf	Device metadata	Backend device record showing identity and principal hardware parameters.

Appendix	File name	Topic	Use / summary
G6	G6-overview.pdf	Approval overview	Backend overview showing build status, test statistics and test cost reduction qualification.
G7	G7-product.pdf	Product metadata	Backend product record showing product name, marketing name, retail branding and launch information.
G8	G8-sublicense.pdf	Technical details / dates	Technical details page with Android 15, UMS9620S, storage, product imagery and target dates.
G9	G9-WIDEVINE L1.pdf	Widevine / keybox	Screen showing Widevine Security Level DRM_LEVEL_1 and Keybox provisioning method.
G10	G10-Android Partner Approvals.pdf	Expanded overview	Overview page including build notes, device info and compatibility report preview.
G11	G11-Extended Info - Build Details - Android Partner Approvals.pdf	Extended info	Combined EDI / extended build details, including Google feature and backend device information.
G12	G12-Reports - Build Details - Android Partner Approvals.pdf	Reports list	Report list covering CTS, GTS, VTS, BTS and related Android / Google test reports.
G13	G13-Tests - Build Details - Android Partner Approvals.pdf	Tests detail	Detailed test summary showing Failed 0, Warning 1, Accepted Failures 1 and Aggregated Pass 13.
G14	G14-deviceinfo.pdf	DRM / property mapping	DRM registration page showing Supports DRM, Widevine Level 1, Keybox method and model/property mapping.

Appendix	File name	Topic	Use / summary
G15	G15-SE.pdf	Secure Element CTS evidence	Shows that Secure Element functionality associated with HyperSeed N60 passed Android / CTS standard tests covering OMAPI and Secure Element access-control scenarios.