



CE Radio Test Report

APPLICANT : Magne AI Global tech limited
EQUIPMENT : MAG1
BRAND NAME : MaQ
MODEL NAME : MA1
STANDARD : ETSI EN 301 908-1 V15.2.1 (2023-01)
TEST DATE(S) : Feb. 22, 2026 ~ Mar. 14, 2026

The measurements shown in this test report were tested in accordance with the procedures given in ETSI Standard EN 301 908-1 V15.2.1 (2023-01).

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (KunShan), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia



Sporton International Inc. (Kunshan)

**No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China**



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1. GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test	5
1.4 Product Specification of Equipment Under Test	6
1.5 Modification of EUT	7
1.6 Testing Facility	8
1.7 Test Software	8
1.8 Applied Standards	8
2. TEST CONFIGURATION OF EQUIPMENT UNDER TEST	9
2.1 Test Mode	9
2.2 Connection Diagram of Test System	9
2.3 Support Unit used in test configuration and system	9
3. TRANSMITTER PARAMETERS	10
3.1 Radiated Emissions	10
3.2 Control and Monitoring Function (UE)	13
4. LIST OF MEASURING EQUIPMENT	15
5. MEASUREMENT UNCERTAINTY	16
APPENDIX A. RADIATED SPURIOUS EMISSION TEST DATA	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
EM612311A	Rev. 01	Initial issue of report	May 25, 2026

SUMMARY OF TEST RESULT

CLAUSE (EN 301 908-1)	TEST PARAMETER	RESULT	REMARK
4.2.2	Radiated Emission (UE)	PASS	Under limit 4.09 dB at 6982.39 MHz
4.2.4	Control and monitoring functions (UE)	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty"

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1. General Description

1.1 Applicant

Magne AI Global tech limited

FLAT 1019B,10/F,LIVEN HOUSE,NO.61-63 KING YIP STREET KWUN TONG HK

1.2 Manufacturer

Magne AI Global tech limited

FLAT 1019B,10/F,LIVEN HOUSE,NO.61-63 KING YIP STREET KWUN TONG HK

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	MAG1
Brand Name	MaQ
Model Name	MA1
IMEI Code	Conducted: 016813000000339/ 016813000000347 Radiation: 016813000001816
EUT Stage	Production Unit

Remark:

1. The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.
2. For other wireless features of this EUT, test report will be issued separately.

1.4 Product Specification of Equipment Under Test

Product Specification subjective to this standard	
Tx Frequency Range	WCDMA Band I: 1920 MHz ~ 1980 MHz WCDMA Band V: 824 MHz ~ 849 MHz WCDMA Band VIII: 880 MHz ~ 915 MHz LTE Band 1: 1920 MHz ~ 1980 MHz LTE Band 3: 1710 MHz ~ 1785 MHz LTE Band 5 : 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 8: 880 MHz ~ 915 MHz LTE Band 20: 832 MHz ~ 862 MHz LTE Band 28: 703 MHz ~ 748 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 40: 2300 MHz ~ 2400 MHz LTE Band 41 : 2496 MHz ~ 2690 MHz LTE Band 42 : 3400 MHz ~ 3600 MHz 5G NR n1: 1920 MHz ~ 1980 MHz 5G NR n3: 1710 MHz ~ 1785 MHz 5G NR n5: 824 MHz ~ 849 MHz 5G NR n7: 2500 MHz ~ 2570 MHz 5G NR n8: 880 MHz ~ 915 MHz 5G NR n20: 832 MHz ~ 862 MHz 5G NR n28: 703 MHz ~ 748 MHz 5G NR n38: 2570 MHz ~ 2620 MHz 5G NR n40: 2300 MHz ~ 2400 MHz 5G NR n41: 2496 MHz ~ 2690 MHz 5G NR n77: 3300 MHz ~ 4200 MHz 5G NR n78: 3300 MHz ~ 3800 MHz 5G NR n79: 4400 MHz ~ 5000 MHz
Rx Frequency Range	WCDMA Band I: 2110 MHz ~ 2170MHz WCDMA Band V: 869 MHz ~ 894 MHz WCDMA Band VIII: 925 MHz ~ 960 MHz LTE Band 1: 2110 MHz ~ 2170 MHz LTE Band 3: 1805 MHz ~ 1880 MHz LTE Band 5 : 869MHz ~ 894 MHz LTE Band 7: 2620 MHz ~ 2690 MHz LTE Band 8: 925 MHz ~ 960 MHz LTE Band 20: 791 MHz ~ 821 MHz LTE Band 28: 758 MHz ~ 803 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 40: 2300 MHz ~ 2400 MHz LTE Band 41 : 2496 MHz ~ 2690 MHz LTE Band 42 : 3400 MHz ~ 3600 MHz 5G NR n1: 2110 MHz ~ 2170 MHz 5G NR n3: 1805 MHz ~ 1880 MHz 5G NR n5: 869MHz ~ 894 MHz 5G NR n7: 2620 MHz ~ 2690 MHz

	5G NR n8: 925 MHz ~ 960 MHz 5G NR n20: 791 MHz ~ 821 MHz 5G NR n28: 758 MHz ~ 803 MHz 5G NR n38: 2570 MHz ~ 2620 MHz 5G NR n40: 2300 MHz ~ 2400 MHz 5G NR n41: 2496 MHz ~ 2690 MHz 5G NR n77: 3300 MHz ~ 4200 MHz 5G NR n78: 3300 MHz ~ 3800 MHz 5G NR n79: 4400 MHz ~ 5000 MHz			
EN-DC Combos (Uplink)	DC_8A_n1A	DC_1A_n77A	DC_1A_n78A	DC_1A_n79A
	DC_8A_n3A	DC_3A_n77A	DC_3A_n78A	DC_3A_n79A
		DC_5A_n77A	DC_5A_n78A	
		DC_41A_n77A	DC_41A_n78A	
			DC_66A_n78A	
Antenna Type	LDS Antenna			
Type of Modulation	WCDMA : BPSK HSPA : QPSK HSPA+ : 16QAM DC-HSDPA : 64QAM LTE: QPSK / 16QAM / 64QAM 5G NR: DFT-s-OFDM (PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM) CP-OFDM (QPSK / 16QAM / 64QAM / 256QAM)			

Note: 5G NR n38/n41/n77/n78/n79 support HPUE mode.

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Testing Facility

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Lab.	Sporton International Inc. (Kunshan)
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158
Test Site No.	Sporton Site No. : TH01-KS; 05CH02-KS

1.7 Test Software

Item	Site	Manufacturer	Name	Version
1.	05CH02-KS	AUDIX	E3	210616

1.8 Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of **ETSI EN 301 908-1 V15.2.1 (2023-01)**.

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.

2. Test Configuration of Equipment under Test


2.1 Test Mode

During testing, the interface cables and equipment positions were arranged according to European Standard EN 301 908-1 V15.2.1 (2023-01).

The EUT is tested under normal test conditions (NV/NT) as specified in the functional standards.

- The same set of Tx/Rx antennas for LTE(including CA)/UMTS, thus, LTE bands covers UMTS Bands for RSE testing.
- For NSA mode, pre-scanned the harmonics for all supported EN-DC Combos, only the worse cases EN-DC for each NR band are shown in the report.
- Pre-scanned harmonic for testing, we choose the worst antenna mode to test.
- For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z. The worst cases were recorded as Appendix A in this report.

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model Name	FCC ID	Data Cable	Power Cord
1.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	NR Base Station	Anritsu	MT8000A	N/A	N/A	Unshielded, 1.8m
3.	Earphone	N/A	N/A	N/A	N/A	N/A

3. Transmitter Parameters

3.1 Radiated Emissions

3.1.1 Limit of Radiated Emissions

SUBCLAUSE 4.2.2.2			
Frequency	Min requirement (e.r.p)/reference bandwidth idle mode	Min requirement (e.r.p)/reference bandwidth traffic mode	Applicability
$30 \text{ MHz} \leq f < 1000 \text{ MHz}$	-57 dBm / 100 kHz	-36 dBm / 100 kHz	All
$1 \text{ GHz} \leq f < 12.75 \text{ GHz}$	-47 dBm / 1 MHz	-30 dBm / 1 MHz	All
12,75 GHz $\leq f < 5$ th harmonic of the upper frequency edge of the Uplink operating band in GHz	-47 dBm / 1 MHz	-30 dBm / 1 MHz	All (note 1)
$12,75 \text{ GHz} < f < 26 \text{ GHz}$	-47 dBm / 1 MHz	-30 dBm / 1 MHz	All (note 2)

NOTE 1: Applies for Band that the upper frequency edge of the Uplink Band more than 2.69 GHz.

NOTE 2: Applies for Band that the upper frequency edge of the Uplink Band more than 5.2 GHz.

3.1.2 Measuring Instruments


The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedure


- The equipment under test (EUT) was placed on a turntable inside a fully anechoic chamber.
- Established EUT link (dedicated mode) with system simulator (Base Station) and allocated a channel with maximum output power.
- Compensated the air loss in Base Station, the BS level is set to -75 dBm.
- The pre-calibration method has been performed ahead of testing so as to correct the readings from the spectrum analyzer.
- The LTE / 5G NR link mode was scanned for harmonics in 3 test planes (Y, Z and X planes) for both horizontal and vertical polarizations, and then the worst mode was performed the full test. All spurious emissions radiated by the EUT were detected by the receive antenna and the test frequency range is referring the table above.
- Repeat the testing for LTE / 5G NR link and idle mode.
- Test Results Explanation:
 Level (dBm) = Read Level (dBm) + Factor (dB)
 Over Limit (dB) = Level (dBm) – Limit Line (dBm)

3.1.4 Test Setup

<Below 1GHz>



<Above 1GHz>




3.1.5 Test Results

Please refer to Appendix A.

3.1.6 Setup Photographs of Radiated Emission Test Configuration

X Plane



Z Plane



3.2 Control and Monitoring Function (UE)

3.2.1 Limit of Control and Monitoring Function (UE)

SUBCLAUSE 4.2.4.2	
TEST CONDITION	LIMIT
Under all test conditions	-30 dBm


3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

- The EUT is tested under normal test conditions (NV/NT) as specified in the functional standards
- Set up EUT with spectrum analyzer through power divider to monitor its behavior as figure below.
- Switch EUT off at the beginning.
- Switch EUT on for a period of 15 minutes, and then switch it off.
- The EUT should remain switched off for a period of 30 seconds, and then switch it on for a period of 1 minute.
- Record the maximum power emitted from EUT during the test.

3.2.4 Test Setup



**3.2.5 Test Result**

Temperature :	21~25°C
Relative Humidity :	51~55%
Test Engineer :	Mitato Zhang

Function Type	Level (dBm)	Limit (dBm)	Result
WCDMA Band I	-71.62	-30	PASS
WCDMA Band V	-72.39	-30	PASS
WCDMA Band VIII	-72.46	-30	PASS
LTE Band 1	-71.00	-30	PASS
LTE Band 3	-71.41	-30	PASS
LTE Band 5	-71.68	-30	PASS
LTE Band 7	-68.91	-30	PASS
LTE Band 8	-71.73	-30	PASS
LTE Band 20	-72.06	-30	PASS
LTE Band 28	-72.78	-30	PASS
LTE Band 38	-69.36	-30	PASS
LTE Band 40	-70.37	-30	PASS
LTE Band 41	-69.05	-30	PASS
LTE Band 42	-68.36	-30	PASS
5G NR n1	-70.99	-30	PASS
5G NR n3	-71.14	-30	PASS
5G NR n5	-72.24	-30	PASS
5G NR n7	-69.47	-30	PASS
5G NR n8	-71.28	-30	PASS
5G NR n20	-71.32	-30	PASS
5G NR n28	-71.64	-30	PASS
5G NR n38	-69.37	-30	PASS
5G NR n40	-70.85	-30	PASS
5G NR n41	-69.81	-30	PASS
5G NR n77	-67.41	-30	PASS
5G NR n78	-67.57	-30	PASS
5G NR n79	-66.28	-30	PASS



4. List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Jul. 07, 2025	Feb. 22, 2026	Jul. 06, 2026	Conducted (TH01-KS)
Pulse Power Sensor	Anritsu	MA2411B	0917070	30MHz~40GHz	Dec. 25, 2025	Feb. 22, 2026	Dec. 24, 2026	Conducted (TH01-KS)
Power Meter	Anritsu	ML2495A	1005002	50MHz Bandwidth	Dec. 25, 2025	Feb. 22, 2026	Dec. 24, 2026	Conducted (TH01-KS)
Power divider	STI	STI08-0055	-	0.5~40GHz	NCR	Feb. 22, 2026	NCR	Conducted (TH01-KS)
Signal and spectrum analyzer	Rohde & Schwarz	FSV3044	101177	10Hz~44GHz	Jul. 03, 2025	Mar. 14, 2026	Jul. 02, 2026	Radiation (05CH02-KS)
Log-periodic antenna	R&S	HL562	100446	30MHz~3GHz	Jan. 09, 2026	Mar. 14, 2026	Jan. 08, 2027	Radiation (05CH02-KS)
Horn Antenna	R&S	HF906	100485	1GHz~18GHz	Feb 07, 2026	Mar. 14, 2026	Feb 06, 2027	Radiation (05CH02-KS)
SHF-EHF Horn	Com-Power	AH-840	101116	18GHz~40GHz	Oct. 18, 2025	Mar. 14, 2026	Oct. 17, 2026	Radiation (05CH02-KS)
Amplifier	Keysight	83017A	MY53270360	500MHz~26.5GHz	Apr. 09, 2025	Mar. 14, 2026	Apr. 08, 2026	Radiation (05CH02-KS)
Amplifier	SONOMA	310N	372171	9KHz ~1GHz	Dec. 24, 2025	Mar. 14, 2026	Dec. 23, 2026	Radiation (05CH02-KS)
Amplifier	EM	EM18G40GA	060851	18~40GHz	Dec. 26, 2025	Mar. 14, 2026	Dec. 25, 2026	Radiation (05CH02-KS)
Amplifier	EM	EM01G18GA	060839	1GHz~18GHz	Sep. 19, 2025	Mar. 14, 2026	Sep. 18, 2026	Radiation (05CH02-KS)
Turn Table	MF	MF7802	N/A	0~360 degree	NCR	Mar. 14, 2026	NCR	Radiation (05CH02-KS)
Antenna Mast	MF	MF7802	N/A	1 m~4 m	NCR	Mar. 14, 2026	NCR	Radiation (05CH02-KS)

NCR: No Calibration Required



5. Measurement Uncertainty

Test Item	Frequency Range	Uncertainty
Radiated spurious emissions	25MHz ~ 1GHz	±2.54dB
	1GHz ~ 18GHz	±2.54dB
	18GHz ~ 40GHz	±2.54dB

Test Item	Uncertainty
Control and Monitoring function	±0.90dB

————THE END————



Appendix A. Radiated Spurious Emission Test Data

Test Engineer :	Juggler Zhang	Relative Humidity :	42~43 %
		Temperature :	22~23 °C

Radiated Spurious Emission Test Modes



Antenna	Mode	Test Mode		Channel	Condition	Traffic / Idle	Axis
0	Mode 1	LTE	Band 1	CH 18300	20M 1RB0 QPSK	Traffic	X
0	Mode 2	LTE	Band 3	CH 19575	20M 1RB0 QPSK	Traffic	X
0	Mode 3	LTE	Band 5	CH 20525	10M 1RB0 QPSK	Traffic	X
0	Mode 4	LTE	Band 7	CH 21100	20M 1RB0 QPSK	Traffic	Z
0	Mode 5	LTE	Band 8	CH 21625	10M 1RB0 QPSK	Traffic	X
0	Mode 6	LTE	Band 20	CH 24300	20M 1RB0 QPSK	Traffic	X
0	Mode 7	LTE	Band 28	CH 27435	20M 1RB0 QPSK	Traffic	X
0	Mode 9	LTE	Band 38	CH 38000	20M 1RB0 QPSK	Traffic	Z
0	Mode 10	LTE	Band 40	CH 39150	20M 1RB0 QPSK	Traffic	Z
0	Mode 11	LTE	Band 41	CH 40620	20M 1RB0 QPSK	Traffic	Z
0	Mode 12	LTE	Band 42	CH 42590	20M 1RB0 QPSK	Traffic	Z
0	Mode 13	LTE	Band 42	CH 42590	20M 1RB0 QPSK	Idle	Z
4	Mode 14	NR	n1	428000	50M 1RB1 QPSK	Traffic	X
0+4	Mode 15	ENDC	8A_n1A	LTE:21625 NR:428000	LTE:10M 50RB0 QPSK NR:50M 1RB1 QPSK	Traffic	X
4	Mode 16	NR	n3	368500	50M 1RB1 QPSK	Traffic	X
0+4	Mode 17	ENDC	8A_n3A	LTE:21625 NR:368500	LTE:10M 50RB0 QPSK NR:50M 1RB1 QPSK	Traffic	X
4	Mode 18	NR	n5	176300	25M 1RB1 QPSK	Traffic	X
4	Mode 19	NR	n7	531000	50M 1RB1 QPSK	Traffic	Z
4	Mode 20	NR	n8	188500	20M 1RB1 QPSK	Traffic	X
4	Mode 21	NR	n20	161200	20M 1RB1 QPSK	Traffic	X
4	Mode 22	NR	n28	154600	30M 1RB1 QPSK	Traffic	X
4	Mode 23	NR	n38	519000	40M 1RB1 QPSK	Traffic	Z
4	Mode 24	NR	n40	470000	80M 1RB1 QPSK	Traffic	Z
4	Mode 25	NR	n41	518598	100M 1RB1 QPSK	Traffic	Z
4	Mode 26	NR	n77	650000	100M 1RB1 QPSK	Traffic	Z
0+4	Mode 27	ENDC	3A_n77A	LTE:19575 NR:650000	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK	Traffic	Z
4	Mode 28	NR	n78	636666	100M 1RB1 QPSK	Traffic	Z
0+4	Mode 29	ENDC	3A_n78A	LTE:19575 NR:636666	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK	Traffic	Z
4	Mode 30	NR	n79	713334	100M 1RB1 QPSK	Traffic	Z
0+4	Mode 31	ENDC	3A_n79A	LTE:19575 NR:713334	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK	Traffic	Z
4	Mode 32	NR	n78	636666	100M 1RB1 QPSK	Idle	Z

Note: RX mode is verified worse case of TX modes.

Summary of each worse mode

Mode	Freq. (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization	Result
1	12685.54	-42.34	-30.00	-12.34	Horizontal	Pass
2	12683.37	-42.17	-30.00	-12.17	Horizontal	Pass
3	2496.25	-42.75	-30.00	-12.75	Vertical	Pass
4	12695.83	-42.23	-30.00	-12.23	Horizontal	Pass
5	2679.04	-53.11	-30.00	-23.11	Horizontal	Pass
6	2514.53	-53.19	-30.00	-23.19	Horizontal	Pass
7	12676.23	-42.58	-30.00	-12.58	Horizontal	Pass
9	5172.20	-45.25	-30.00	-15.25	Horizontal	Pass
10	4681.97	-47.15	-30.00	-17.15	Vertical	Pass
11	5167.87	-46.43	-30.00	-16.43	Horizontal	Pass
12	6982.39	-34.09	-30.00	-4.09	Horizontal	Pass
13	31.94	-64.99	-57.00	-7.99	Horizontal	Pass
14	12650.33	-41.46	-30.00	-11.46	Horizontal	Pass
15	12635.70	-42.06	-30.00	-12.06	Horizontal	Pass
16	12676.87	-42.21	-30.00	-12.21	Horizontal	Pass
17	12672.54	-42.69	-30.00	-12.69	Horizontal	Pass
18	2474.05	-47.66	-30.00	-17.66	Horizontal	Pass
19	12532.24	-42.41	-30.00	-12.41	Horizontal	Pass
20	9540.11	-45.65	-30.00	-15.65	Vertical	Pass
21	2513.22	-53.22	-30.00	-23.22	Horizontal	Pass
22	12665.13	-41.92	-30.00	-11.92	Horizontal	Pass
23	12642.74	-42.25	-30.00	-12.25	Horizontal	Pass
24	12693.66	-42.53	-30.00	-12.53	Horizontal	Pass
25	12688.79	-42.71	-30.00	-12.71	Horizontal	Pass
26	17733.57	-39.93	-30.00	-9.93	Horizontal	Pass
27	17889.47	-38.69	-30.00	-8.69	Horizontal	Pass
28	7002.83	-37.19	-30.00	-7.19	Horizontal	Pass
29	7002.83	-37.67	-30.00	-7.67	Horizontal	Pass
30	17741.88	-39.70	-30.00	-9.70	Horizontal	Pass
31	17498.45	-39.25	-30.00	-9.25	Horizontal	Pass
32	31.94	-64.91	-57.00	-7.91	Horizontal	Pass





Mode	1																																																																							
	LTE Band 1	Channel CH 18300	20M 1RB0 QPSK																																																																					
Ant	0																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot includes a red limit line labeled EN301908-LINK and three blue vertical lines labeled 1, 2, and 3. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.	 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot includes a red limit line labeled EN301908-LINK and three blue vertical lines labeled 1, 2, and 3. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1802.50</td><td>-53.93</td><td>-23.93</td><td>-30.00</td><td>-67.47</td><td>13.54 HORIZONTAL</td></tr><tr><td>2</td><td>2821.00</td><td>-48.96</td><td>-18.96</td><td>-30.00</td><td>-68.23</td><td>19.27 HORIZONTAL</td></tr><tr><td>3 @</td><td>12685.54</td><td>-42.34</td><td>-12.34</td><td>-30.00</td><td>-78.33</td><td>35.99 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1802.50	-53.93	-23.93	-30.00	-67.47	13.54 HORIZONTAL	2	2821.00	-48.96	-18.96	-30.00	-68.23	19.27 HORIZONTAL	3 @	12685.54	-42.34	-12.34	-30.00	-78.33	35.99 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1795.00</td><td>-55.69</td><td>-25.69</td><td>-30.00</td><td>-66.09</td><td>10.40 VERTICAL</td></tr><tr><td>2</td><td>2138.50</td><td>-51.07</td><td>-21.07</td><td>-30.00</td><td>-64.09</td><td>13.02 VERTICAL</td></tr><tr><td>3 @</td><td>9254.97</td><td>-46.23</td><td>-16.23</td><td>-30.00</td><td>-78.09</td><td>31.86 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1795.00	-55.69	-25.69	-30.00	-66.09	10.40 VERTICAL	2	2138.50	-51.07	-21.07	-30.00	-64.09	13.02 VERTICAL	3 @	9254.97	-46.23	-16.23	-30.00	-78.09
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	1802.50	-53.93	-23.93	-30.00	-67.47	13.54 HORIZONTAL																																																																		
2	2821.00	-48.96	-18.96	-30.00	-68.23	19.27 HORIZONTAL																																																																		
3 @	12685.54	-42.34	-12.34	-30.00	-78.33	35.99 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	1795.00	-55.69	-25.69	-30.00	-66.09	10.40 VERTICAL																																																																		
2	2138.50	-51.07	-21.07	-30.00	-64.09	13.02 VERTICAL																																																																		
3 @	9254.97	-46.23	-16.23	-30.00	-78.09	31.86 VERTICAL																																																																		





Mode	2																																																																								
	LTE Band 3	Channel CH 19575	20M 1RB0 QPSK																																																																						
Ant	0																																																																								
Pol.	Horizontal	Vertical																																																																							
Traffic	Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the EN301908-LINK limit and three blue vertical lines representing traffic peaks at 1395.00 MHz, 2827.50 MHz, and 12683.37 MHz. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.		Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the EN301908-LINK limit and three blue vertical lines representing traffic peaks at 1477.00 MHz, 2858.00 MHz, and 9427.23 MHz. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1395.00</td><td>-54.24</td><td>-24.24</td><td>-30.00</td><td>-66.48</td><td>12.24 HORIZONTAL</td></tr><tr><td>2</td><td>2827.50</td><td>-49.21</td><td>-19.21</td><td>-30.00</td><td>-68.47</td><td>19.26 HORIZONTAL</td></tr><tr><td>3 @</td><td>12683.37</td><td>-42.17</td><td>-12.17</td><td>-30.00</td><td>-78.16</td><td>35.99 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1395.00	-54.24	-24.24	-30.00	-66.48	12.24 HORIZONTAL	2	2827.50	-49.21	-19.21	-30.00	-68.47	19.26 HORIZONTAL	3 @	12683.37	-42.17	-12.17	-30.00	-78.16	35.99 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1477.00</td><td>-56.66</td><td>-26.66</td><td>-30.00</td><td>-65.36</td><td>8.70 VERTICAL</td></tr><tr><td>2</td><td>2858.00</td><td>-51.22</td><td>-21.22</td><td>-30.00</td><td>-67.08</td><td>15.86 VERTICAL</td></tr><tr><td>3 @</td><td>9427.23</td><td>-46.18</td><td>-16.18</td><td>-30.00</td><td>-78.15</td><td>31.97 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1477.00	-56.66	-26.66	-30.00	-65.36	8.70 VERTICAL	2	2858.00	-51.22	-21.22	-30.00	-67.08	15.86 VERTICAL	3 @	9427.23	-46.18	-16.18	-30.00	-78.15	31.97 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	1395.00	-54.24	-24.24	-30.00	-66.48	12.24 HORIZONTAL																																																																			
2	2827.50	-49.21	-19.21	-30.00	-68.47	19.26 HORIZONTAL																																																																			
3 @	12683.37	-42.17	-12.17	-30.00	-78.16	35.99 HORIZONTAL																																																																			
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	1477.00	-56.66	-26.66	-30.00	-65.36	8.70 VERTICAL																																																																			
2	2858.00	-51.22	-21.22	-30.00	-67.08	15.86 VERTICAL																																																																			
3 @	9427.23	-46.18	-16.18	-30.00	-78.15	31.97 VERTICAL																																																																			





Mode	3																																																																								
	LTE Band 5	Channel CH 20525	10M 1RB0 QPSK																																																																						
Ant	0																																																																								
Pol.	Horizontal	Vertical																																																																							
Traffic																																																																									
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>757.50</td><td>-67.47</td><td>-31.47</td><td>-36.00</td><td>-67.97</td><td>0.50 HORIZONTAL</td></tr><tr><td>2</td><td>939.86</td><td>-65.95</td><td>-29.95</td><td>-36.00</td><td>-69.12</td><td>3.17 HORIZONTAL</td></tr><tr><td>3 @</td><td>2496.25</td><td>-44.70</td><td>-14.70</td><td>-30.00</td><td>-62.59</td><td>17.89 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	757.50	-67.47	-31.47	-36.00	-67.97	0.50 HORIZONTAL	2	939.86	-65.95	-29.95	-36.00	-69.12	3.17 HORIZONTAL	3 @	2496.25	-44.70	-14.70	-30.00	-62.59	17.89 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>755.56</td><td>-67.58</td><td>-31.58</td><td>-36.00</td><td>-68.04</td><td>0.46 VERTICAL</td></tr><tr><td>2</td><td>992.24</td><td>-65.74</td><td>-29.74</td><td>-36.00</td><td>-70.23</td><td>4.49 VERTICAL</td></tr><tr><td>3 @</td><td>2496.25</td><td>-42.75</td><td>-12.75</td><td>-30.00</td><td>-56.96</td><td>14.21 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	755.56	-67.58	-31.58	-36.00	-68.04	0.46 VERTICAL	2	992.24	-65.74	-29.74	-36.00	-70.23	4.49 VERTICAL	3 @	2496.25	-42.75	-12.75	-30.00	-56.96	14.21 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	757.50	-67.47	-31.47	-36.00	-67.97	0.50 HORIZONTAL																																																																			
2	939.86	-65.95	-29.95	-36.00	-69.12	3.17 HORIZONTAL																																																																			
3 @	2496.25	-44.70	-14.70	-30.00	-62.59	17.89 HORIZONTAL																																																																			
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	755.56	-67.58	-31.58	-36.00	-68.04	0.46 VERTICAL																																																																			
2	992.24	-65.74	-29.74	-36.00	-70.23	4.49 VERTICAL																																																																			
3 @	2496.25	-42.75	-12.75	-30.00	-56.96	14.21 VERTICAL																																																																			





Mode	4																																																																							
	LTE Band 7	Channel CH 21100	20M 1RB0 QPSK																																																																					
Ant	0																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic																																																																								
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2306.00</td><td>-51.45</td><td>-21.45</td><td>-30.00</td><td>-68.66</td><td>17.21 HORIZONTAL</td></tr><tr><td>2</td><td>2865.00</td><td>-49.14</td><td>-19.14</td><td>-30.00</td><td>-68.35</td><td>19.21 HORIZONTAL</td></tr><tr><td>3 @</td><td>12695.83</td><td>-42.23</td><td>-12.23</td><td>-30.00</td><td>-78.27</td><td>36.04 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2306.00	-51.45	-21.45	-30.00	-68.66	17.21 HORIZONTAL	2	2865.00	-49.14	-19.14	-30.00	-68.35	19.21 HORIZONTAL	3 @	12695.83	-42.23	-12.23	-30.00	-78.27	36.04 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2376.50</td><td>-52.97</td><td>-22.97</td><td>-30.00</td><td>-67.07</td><td>14.10 VERTICAL</td></tr><tr><td>2</td><td>2944.00</td><td>-51.13</td><td>-21.13</td><td>-30.00</td><td>-67.27</td><td>16.14 VERTICAL</td></tr><tr><td>3 @</td><td>9284.23</td><td>-46.27</td><td>-16.27</td><td>-30.00</td><td>-78.15</td><td>31.88 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2376.50	-52.97	-22.97	-30.00	-67.07	14.10 VERTICAL	2	2944.00	-51.13	-21.13	-30.00	-67.27	16.14 VERTICAL	3 @	9284.23	-46.27	-16.27	-30.00	-78.15
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	2306.00	-51.45	-21.45	-30.00	-68.66	17.21 HORIZONTAL																																																																		
2	2865.00	-49.14	-19.14	-30.00	-68.35	19.21 HORIZONTAL																																																																		
3 @	12695.83	-42.23	-12.23	-30.00	-78.27	36.04 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	2376.50	-52.97	-22.97	-30.00	-67.07	14.10 VERTICAL																																																																		
2	2944.00	-51.13	-21.13	-30.00	-67.27	16.14 VERTICAL																																																																		
3 @	9284.23	-46.27	-16.27	-30.00	-78.15	31.88 VERTICAL																																																																		





Mode	5																																																																							
	LTE Band 8	Channel CH 21625	10M 1RB0 QPSK																																																																					
Ant	0																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic																																																																								
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>773.99</td><td>-67.11</td><td>-31.11</td><td>-36.00</td><td>-67.79</td><td>0.68 HORIZONTAL</td></tr><tr><td>2</td><td>988.36</td><td>-65.30</td><td>-29.30</td><td>-36.00</td><td>-69.95</td><td>4.65 HORIZONTAL</td></tr><tr><td>3 @</td><td>2679.04</td><td>-53.11</td><td>-23.11</td><td>-30.00</td><td>-71.42</td><td>18.31 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	773.99	-67.11	-31.11	-36.00	-67.79	0.68 HORIZONTAL	2	988.36	-65.30	-29.30	-36.00	-69.95	4.65 HORIZONTAL	3 @	2679.04	-53.11	-23.11	-30.00	-71.42	18.31 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>860.32</td><td>-66.39</td><td>-30.39</td><td>-36.00</td><td>-68.26</td><td>1.87 VERTICAL</td></tr><tr><td>2</td><td>957.32</td><td>-65.58</td><td>-29.58</td><td>-36.00</td><td>-69.15</td><td>3.57 VERTICAL</td></tr><tr><td>3 @</td><td>2679.04</td><td>-53.33</td><td>-23.33</td><td>-30.00</td><td>-68.15</td><td>14.82 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	860.32	-66.39	-30.39	-36.00	-68.26	1.87 VERTICAL	2	957.32	-65.58	-29.58	-36.00	-69.15	3.57 VERTICAL	3 @	2679.04	-53.33	-23.33	-30.00	-68.15
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	773.99	-67.11	-31.11	-36.00	-67.79	0.68 HORIZONTAL																																																																		
2	988.36	-65.30	-29.30	-36.00	-69.95	4.65 HORIZONTAL																																																																		
3 @	2679.04	-53.11	-23.11	-30.00	-71.42	18.31 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	860.32	-66.39	-30.39	-36.00	-68.26	1.87 VERTICAL																																																																		
2	957.32	-65.58	-29.58	-36.00	-69.15	3.57 VERTICAL																																																																		
3 @	2679.04	-53.33	-23.33	-30.00	-68.15	14.82 VERTICAL																																																																		





Mode	6																																																																																							
	LTE Band 20			Channel CH 24300	20M 1RB0 QPSK																																																																																			
Ant	0																																																																																							
Pol.	Horizontal			Vertical																																																																																				
Traffic																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th rowspan="2">Pol/Phase</th></tr><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Line</th><th>Level</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>697.36</td><td>-68.52</td><td>-32.52</td><td>-36.00</td><td>-68.25</td><td>-0.27 HORIZONTAL</td></tr><tr><td>2</td><td>984.48</td><td>-65.25</td><td>-29.25</td><td>-36.00</td><td>-69.79</td><td>4.54 HORIZONTAL</td></tr><tr><td>3 @</td><td>2514.53</td><td>-53.19</td><td>-23.19</td><td>-30.00</td><td>-71.14</td><td>17.95 HORIZONTAL</td></tr></table>					Limit		Read		Pol/Phase	Result	Freq	Level	Margin	Line	Level		MHz	dBm	dB	dBm	dBm	dB	1	697.36	-68.52	-32.52	-36.00	-68.25	-0.27 HORIZONTAL	2	984.48	-65.25	-29.25	-36.00	-69.79	4.54 HORIZONTAL	3 @	2514.53	-53.19	-23.19	-30.00	-71.14	17.95 HORIZONTAL	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th rowspan="2">Pol/Phase</th></tr><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Line</th><th>Level</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>764.29</td><td>-67.41</td><td>-31.41</td><td>-36.00</td><td>-67.86</td><td>0.45 VERTICAL</td></tr><tr><td>2</td><td>995.15</td><td>-65.58</td><td>-29.58</td><td>-36.00</td><td>-70.14</td><td>4.56 VERTICAL</td></tr><tr><td>3 @</td><td>2514.53</td><td>-55.13</td><td>-25.13</td><td>-30.00</td><td>-69.39</td><td>14.26 VERTICAL</td></tr></table>					Limit		Read		Pol/Phase	Result	Freq	Level	Margin	Line	Level		MHz	dBm	dB	dBm	dBm	dB	1	764.29	-67.41	-31.41	-36.00	-67.86	0.45 VERTICAL	2	995.15	-65.58	-29.58	-36.00	-70.14	4.56 VERTICAL	3 @	2514.53	-55.13	-25.13	-30.00	-69.39	14.26 VERTICAL
			Limit		Read		Pol/Phase																																																																																	
	Result	Freq	Level	Margin	Line	Level																																																																																		
	MHz	dBm	dB	dBm	dBm	dB																																																																																		
1	697.36	-68.52	-32.52	-36.00	-68.25	-0.27 HORIZONTAL																																																																																		
2	984.48	-65.25	-29.25	-36.00	-69.79	4.54 HORIZONTAL																																																																																		
3 @	2514.53	-53.19	-23.19	-30.00	-71.14	17.95 HORIZONTAL																																																																																		
		Limit		Read		Pol/Phase																																																																																		
Result	Freq	Level	Margin	Line	Level																																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																																		
1	764.29	-67.41	-31.41	-36.00	-67.86	0.45 VERTICAL																																																																																		
2	995.15	-65.58	-29.58	-36.00	-70.14	4.56 VERTICAL																																																																																		
3 @	2514.53	-55.13	-25.13	-30.00	-69.39	14.26 VERTICAL																																																																																		





Mode	7																																																																																	
	LTE Band 28	Channel CH 27435	20M 1RB0 QPSK																																																																															
Ant	0																																																																																	
Pol.	Horizontal	Vertical																																																																																
Traffic																																																																																		
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th>Factor</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>604.24</td><td>-69.71</td><td>-33.71</td><td>-36.00</td><td>-68.82</td><td>-0.89</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>996.12</td><td>-65.48</td><td>-29.48</td><td>-36.00</td><td>-70.37</td><td>4.89</td><td>HORIZONTAL</td></tr><tr><td>3 @</td><td>12676.23</td><td>-42.58</td><td>-12.58</td><td>-30.00</td><td>-78.55</td><td>35.97</td><td>HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase		MHz	dBm	dB	dBm	dBm	dB		1	604.24	-69.71	-33.71	-36.00	-68.82	-0.89	HORIZONTAL	2	996.12	-65.48	-29.48	-36.00	-70.37	4.89	HORIZONTAL	3 @	12676.23	-42.58	-12.58	-30.00	-78.55	35.97	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th>Factor</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>601.33</td><td>-69.62</td><td>-33.62</td><td>-36.00</td><td>-68.84</td><td>-0.78</td><td>VERTICAL</td></tr><tr><td>2 @</td><td>962.17</td><td>-66.03</td><td>-30.03</td><td>-36.00</td><td>-69.73</td><td>3.70</td><td>VERTICAL</td></tr><tr><td>3</td><td>1433.47</td><td>-62.16</td><td>-32.16</td><td>-30.00</td><td>-70.90</td><td>8.74</td><td>VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase		MHz	dBm	dB	dBm	dBm	dB		1	601.33	-69.62	-33.62	-36.00	-68.84	-0.78	VERTICAL	2 @	962.17	-66.03	-30.03	-36.00	-69.73	3.70	VERTICAL	3	1433.47	-62.16	-32.16	-30.00	-70.90	8.74
Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase																																																																											
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	604.24	-69.71	-33.71	-36.00	-68.82	-0.89	HORIZONTAL																																																																											
2	996.12	-65.48	-29.48	-36.00	-70.37	4.89	HORIZONTAL																																																																											
3 @	12676.23	-42.58	-12.58	-30.00	-78.55	35.97	HORIZONTAL																																																																											
Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase																																																																											
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	601.33	-69.62	-33.62	-36.00	-68.84	-0.78	VERTICAL																																																																											
2 @	962.17	-66.03	-30.03	-36.00	-69.73	3.70	VERTICAL																																																																											
3	1433.47	-62.16	-32.16	-30.00	-70.90	8.74	VERTICAL																																																																											





Mode	9																																																																																	
	LTE Band 38	Channel CH 38000	20M 1RB0 QPSK																																																																															
Ant	0																																																																																	
Pol.	Horizontal		Vertical																																																																															
Traffic																																																																																		
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2472.00</td><td>-50.39</td><td>-20.39</td><td>-30.00</td><td>-68.16</td><td>17.77</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>2815.00</td><td>-48.53</td><td>-18.53</td><td>-30.00</td><td>-67.81</td><td>19.28</td><td>HORIZONTAL</td></tr><tr><td>3 @</td><td>5172.20</td><td>-45.25</td><td>-15.25</td><td>-30.00</td><td>-72.01</td><td>26.76</td><td>HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2472.00	-50.39	-20.39	-30.00	-68.16	17.77	HORIZONTAL	2	2815.00	-48.53	-18.53	-30.00	-67.81	19.28	HORIZONTAL	3 @	5172.20	-45.25	-15.25	-30.00	-72.01	26.76	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2435.50</td><td>-52.17</td><td>-22.17</td><td>-30.00</td><td>-66.38</td><td>14.21</td><td>VERTICAL</td></tr><tr><td>2</td><td>2940.50</td><td>-50.51</td><td>-20.51</td><td>-30.00</td><td>-66.65</td><td>16.14</td><td>VERTICAL</td></tr><tr><td>3 @</td><td>5172.20</td><td>-46.61</td><td>-16.61</td><td>-30.00</td><td>-70.77</td><td>24.16</td><td>VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2435.50	-52.17	-22.17	-30.00	-66.38	14.21	VERTICAL	2	2940.50	-50.51	-20.51	-30.00	-66.65	16.14	VERTICAL	3 @	5172.20	-46.61	-16.61	-30.00	-70.77	24.16
Result	Freq	Level	Margin	Limit	Read																																																																													
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	2472.00	-50.39	-20.39	-30.00	-68.16	17.77	HORIZONTAL																																																																											
2	2815.00	-48.53	-18.53	-30.00	-67.81	19.28	HORIZONTAL																																																																											
3 @	5172.20	-45.25	-15.25	-30.00	-72.01	26.76	HORIZONTAL																																																																											
Result	Freq	Level	Margin	Limit	Read																																																																													
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	2435.50	-52.17	-22.17	-30.00	-66.38	14.21	VERTICAL																																																																											
2	2940.50	-50.51	-20.51	-30.00	-66.65	16.14	VERTICAL																																																																											
3 @	5172.20	-46.61	-16.61	-30.00	-70.77	24.16	VERTICAL																																																																											







Mode	10																																																																							
	LTE Band 40	Channel CH 39150	20M 1RB0 QPSK																																																																					
Ant	0																																																																							
Pol.	Horizontal		Vertical																																																																					
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -24.3 dBm and a red read line at -36.9 dBm. Three peaks are labeled 1, 2, and 3. The x-axis ranges from 30 to 12750 MHz, and the y-axis ranges from -100 to -11.6 dBm.		 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -24.3 dBm and a red read line at -36.9 dBm. Three peaks are labeled 1, 2, and 3. The x-axis ranges from 30 to 12750 MHz, and the y-axis ranges from -100 to -11.6 dBm.																																																																					
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Pol/Phase</th></tr><tr><td>1</td><td>2144.00</td><td>-51.56</td><td>-21.56</td><td>-30.00</td><td>-67.86</td><td>16.30 HORIZONTAL</td></tr><tr><td>2 @</td><td>2751.50</td><td>-48.75</td><td>-18.75</td><td>-30.00</td><td>-67.53</td><td>18.78 HORIZONTAL</td></tr><tr><td>3</td><td>4682.51</td><td>-50.58</td><td>-20.58</td><td>-30.00</td><td>-76.89</td><td>26.31 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Pol/Phase	1	2144.00	-51.56	-21.56	-30.00	-67.86	16.30 HORIZONTAL	2 @	2751.50	-48.75	-18.75	-30.00	-67.53	18.78 HORIZONTAL	3	4682.51	-50.58	-20.58	-30.00	-76.89	26.31 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Pol/Phase</th></tr><tr><td>1</td><td>2168.50</td><td>-53.08</td><td>-23.08</td><td>-30.00</td><td>-66.48</td><td>13.40 VERTICAL</td></tr><tr><td>2</td><td>2767.50</td><td>-51.49</td><td>-21.49</td><td>-30.00</td><td>-66.97</td><td>15.48 VERTICAL</td></tr><tr><td>3 @</td><td>4681.97</td><td>-47.15</td><td>-17.15</td><td>-30.00</td><td>-70.88</td><td>23.73 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Pol/Phase	1	2168.50	-53.08	-23.08	-30.00	-66.48	13.40 VERTICAL	2	2767.50	-51.49	-21.49	-30.00	-66.97	15.48 VERTICAL	3 @	4681.97	-47.15	-17.15	-30.00	-70.88
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	Pol/Phase																																																																		
1	2144.00	-51.56	-21.56	-30.00	-67.86	16.30 HORIZONTAL																																																																		
2 @	2751.50	-48.75	-18.75	-30.00	-67.53	18.78 HORIZONTAL																																																																		
3	4682.51	-50.58	-20.58	-30.00	-76.89	26.31 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	Pol/Phase																																																																		
1	2168.50	-53.08	-23.08	-30.00	-66.48	13.40 VERTICAL																																																																		
2	2767.50	-51.49	-21.49	-30.00	-66.97	15.48 VERTICAL																																																																		
3 @	4681.97	-47.15	-17.15	-30.00	-70.88	23.73 VERTICAL																																																																		





Mode	11																																																																																		
	LTE Band 41	Channel CH 40620	20M 1RB0 QPSK																																																																																
Ant	0																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Traffic																																																																																			
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2464.00</td><td>-50.67</td><td>-20.67</td><td>-30.00</td><td>-68.41</td><td>17.74</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>2834.50</td><td>-49.02</td><td>-19.02</td><td>-30.00</td><td>-68.28</td><td>19.26</td><td>HORIZONTAL</td></tr><tr><td>3 @</td><td>5167.87</td><td>-46.43</td><td>-16.43</td><td>-30.00</td><td>-73.20</td><td>26.77</td><td>HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2464.00	-50.67	-20.67	-30.00	-68.41	17.74	HORIZONTAL	2	2834.50	-49.02	-19.02	-30.00	-68.28	19.26	HORIZONTAL	3 @	5167.87	-46.43	-16.43	-30.00	-73.20	26.77	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2438.00</td><td>-52.53</td><td>-22.53</td><td>-30.00</td><td>-66.75</td><td>14.22</td><td>VERTICAL</td></tr><tr><td>2</td><td>2955.50</td><td>-50.78</td><td>-20.78</td><td>-30.00</td><td>-66.96</td><td>16.18</td><td>VERTICAL</td></tr><tr><td>3 @</td><td>5168.41</td><td>-47.15</td><td>-17.15</td><td>-30.00</td><td>-71.31</td><td>24.16</td><td>VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2438.00	-52.53	-22.53	-30.00	-66.75	14.22	VERTICAL	2	2955.50	-50.78	-20.78	-30.00	-66.96	16.18	VERTICAL	3 @	5168.41	-47.15	-17.15	-30.00	-71.31	24.16	VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																													
	MHz	dBm	dB	dBm	dBm	dB																																																																													
1	2464.00	-50.67	-20.67	-30.00	-68.41	17.74	HORIZONTAL																																																																												
2	2834.50	-49.02	-19.02	-30.00	-68.28	19.26	HORIZONTAL																																																																												
3 @	5167.87	-46.43	-16.43	-30.00	-73.20	26.77	HORIZONTAL																																																																												
Result	Freq	Level	Margin	Limit	Read																																																																														
	MHz	dBm	dB	dBm	dBm	dB																																																																													
1	2438.00	-52.53	-22.53	-30.00	-66.75	14.22	VERTICAL																																																																												
2	2955.50	-50.78	-20.78	-30.00	-66.96	16.18	VERTICAL																																																																												
3 @	5168.41	-47.15	-17.15	-30.00	-71.31	24.16	VERTICAL																																																																												





Mode	12																																																																																			
	LTE Band 42	Channel CH 42590	20M 1RB0 QPSK																																																																																	
Ant	0																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Traffic																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th rowspan="2">Pol/Phase</th></tr><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Line</th><th>Level</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>3135.38</td><td>-48.90</td><td>-18.90</td><td>-30.00</td><td>-69.00</td><td>20.10 HORIZONTAL</td></tr><tr><td>2</td><td>3847.63</td><td>-46.14</td><td>-16.14</td><td>-30.00</td><td>-69.69</td><td>23.55 HORIZONTAL</td></tr><tr><td>3 @</td><td>6982.39</td><td>-34.09</td><td>-4.09</td><td>-30.00</td><td>-63.17</td><td>29.08 HORIZONTAL</td></tr></table>			Limit		Read		Pol/Phase	Result	Freq	Level	Margin	Line	Level		MHz	dBm	dB	dBm	dB		1	3135.38	-48.90	-18.90	-30.00	-69.00	20.10 HORIZONTAL	2	3847.63	-46.14	-16.14	-30.00	-69.69	23.55 HORIZONTAL	3 @	6982.39	-34.09	-4.09	-30.00	-63.17	29.08 HORIZONTAL	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th rowspan="2">Pol/Phase</th></tr><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Line</th><th>Level</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>3132.63</td><td>-50.03</td><td>-20.03</td><td>-30.00</td><td>-67.42</td><td>17.39 VERTICAL</td></tr><tr><td>2</td><td>3832.50</td><td>-47.79</td><td>-17.79</td><td>-30.00</td><td>-68.17</td><td>20.38 VERTICAL</td></tr><tr><td>3 @</td><td>6982.39</td><td>-37.01</td><td>-7.01</td><td>-30.00</td><td>-63.59</td><td>26.58 VERTICAL</td></tr></table>				Limit		Read		Pol/Phase	Result	Freq	Level	Margin	Line	Level		MHz	dBm	dB	dBm	dB		1	3132.63	-50.03	-20.03	-30.00	-67.42	17.39 VERTICAL	2	3832.50	-47.79	-17.79	-30.00	-68.17	20.38 VERTICAL	3 @	6982.39	-37.01	-7.01	-30.00	-63.59
		Limit		Read		Pol/Phase																																																																														
Result	Freq	Level	Margin	Line	Level																																																																															
	MHz	dBm	dB	dBm	dB																																																																															
1	3135.38	-48.90	-18.90	-30.00	-69.00	20.10 HORIZONTAL																																																																														
2	3847.63	-46.14	-16.14	-30.00	-69.69	23.55 HORIZONTAL																																																																														
3 @	6982.39	-34.09	-4.09	-30.00	-63.17	29.08 HORIZONTAL																																																																														
		Limit		Read		Pol/Phase																																																																														
Result	Freq	Level	Margin	Line	Level																																																																															
	MHz	dBm	dB	dBm	dB																																																																															
1	3132.63	-50.03	-20.03	-30.00	-67.42	17.39 VERTICAL																																																																														
2	3832.50	-47.79	-17.79	-30.00	-68.17	20.38 VERTICAL																																																																														
3 @	6982.39	-37.01	-7.01	-30.00	-63.59	26.58 VERTICAL																																																																														

Mode	13																																																										
	LTE Band 42	Channel CH 42590	20M 1RB0 QPSK																																																								
Ant	0																																																										
Pol.	Horizontal	Vertical																																																									
Idle																																																											
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1 @</td><td>31.94</td><td>-64.99</td><td>-7.99</td><td>-57.00</td><td>-65.93</td><td>0.94 HORIZONTAL</td></tr><tr><td>2</td><td>17100.84</td><td>-57.77</td><td>-10.77</td><td>-47.00</td><td>-52.35</td><td>-5.42 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1 @	31.94	-64.99	-7.99	-57.00	-65.93	0.94 HORIZONTAL	2	17100.84	-57.77	-10.77	-47.00	-52.35	-5.42 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>31.94</td><td>-68.24</td><td>-11.24</td><td>-57.00</td><td>-67.15</td><td>-1.09 VERTICAL</td></tr><tr><td>2 @</td><td>17829.99</td><td>-55.88</td><td>-8.88</td><td>-47.00</td><td>-49.72</td><td>-6.16 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	31.94	-68.24	-11.24	-57.00	-67.15	-1.09 VERTICAL	2 @	17829.99	-55.88	-8.88	-47.00	-49.72	-6.16 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																					
	MHz	dBm	dB	dBm	dBm	dB																																																					
1 @	31.94	-64.99	-7.99	-57.00	-65.93	0.94 HORIZONTAL																																																					
2	17100.84	-57.77	-10.77	-47.00	-52.35	-5.42 HORIZONTAL																																																					
Result	Freq	Level	Margin	Limit	Read																																																						
	MHz	dBm	dB	dBm	dBm	dB																																																					
1	31.94	-68.24	-11.24	-57.00	-67.15	-1.09 VERTICAL																																																					
2 @	17829.99	-55.88	-8.88	-47.00	-49.72	-6.16 VERTICAL																																																					





Mode	14																																																																												
	NR n1			Channel 428000		50M 1RB1 QPSK																																																																							
Ant	4																																																																												
Pol.	Horizontal				Vertical																																																																								
Traffic																																																																													
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1681.50</td><td>-54.92</td><td>-24.92</td><td>-30.00</td><td>-67.15</td><td>12.23 HORIZONTAL</td></tr><tr><td>2</td><td>2286.50</td><td>-51.90</td><td>-21.90</td><td>-30.00</td><td>-69.06</td><td>17.16 HORIZONTAL</td></tr><tr><td>3 @</td><td>12650.33</td><td>-41.46</td><td>-11.46</td><td>-30.00</td><td>-77.34</td><td>35.88 HORIZONTAL</td></tr></table>				Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1681.50	-54.92	-24.92	-30.00	-67.15	12.23 HORIZONTAL	2	2286.50	-51.90	-21.90	-30.00	-69.06	17.16 HORIZONTAL	3 @	12650.33	-41.46	-11.46	-30.00	-77.34	35.88 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1699.50</td><td>-56.02</td><td>-26.02</td><td>-30.00</td><td>-65.09</td><td>9.07 VERTICAL</td></tr><tr><td>2</td><td>2273.00</td><td>-52.91</td><td>-22.91</td><td>-30.00</td><td>-66.69</td><td>13.78 VERTICAL</td></tr><tr><td>3 @</td><td>10674.22</td><td>-45.52</td><td>-15.52</td><td>-30.00</td><td>-76.87</td><td>31.35 VERTICAL</td></tr></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1699.50	-56.02	-26.02	-30.00	-65.09	9.07 VERTICAL	2	2273.00	-52.91	-22.91	-30.00	-66.69	13.78 VERTICAL	3 @	10674.22	-45.52	-15.52	-30.00	-76.87	31.35 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																							
		MHz	dBm	dB	dBm	dBm	dB																																																																						
1	1681.50	-54.92	-24.92	-30.00	-67.15	12.23 HORIZONTAL																																																																							
2	2286.50	-51.90	-21.90	-30.00	-69.06	17.16 HORIZONTAL																																																																							
3 @	12650.33	-41.46	-11.46	-30.00	-77.34	35.88 HORIZONTAL																																																																							
Result	Freq	Level	Margin	Limit	Read																																																																								
	MHz	dBm	dB	dBm	dBm	dB																																																																							
1	1699.50	-56.02	-26.02	-30.00	-65.09	9.07 VERTICAL																																																																							
2	2273.00	-52.91	-22.91	-30.00	-66.69	13.78 VERTICAL																																																																							
3 @	10674.22	-45.52	-15.52	-30.00	-76.87	31.35 VERTICAL																																																																							





Mode	15																																																																																																			
	ENDC 8A_n1A	Channel LTE:21625 NR:428000	LTE:10M 50RB0 QPSK NR:50M 1RB1 QPSK																																																																																																	
Ant	0+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Traffic																																																																																																				
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>836.07</td><td>-67.93</td><td>-31.93</td><td>-36.00</td><td>-69.18</td><td>1.25 HORIZONTAL</td></tr><tr><td>2</td><td>977.69</td><td>-66.99</td><td>-30.99</td><td>-36.00</td><td>-71.31</td><td>4.32 HORIZONTAL</td></tr><tr><td>3</td><td>1733.50</td><td>-54.71</td><td>-24.71</td><td>-30.00</td><td>-67.50</td><td>12.79 HORIZONTAL</td></tr><tr><td>4</td><td>2322.00</td><td>-51.83</td><td>-21.83</td><td>-30.00</td><td>-69.08</td><td>17.25 HORIZONTAL</td></tr><tr><td>5 @</td><td>12635.70</td><td>-42.06</td><td>-12.06</td><td>-30.00</td><td>-77.88</td><td>35.82 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	836.07	-67.93	-31.93	-36.00	-69.18	1.25 HORIZONTAL	2	977.69	-66.99	-30.99	-36.00	-71.31	4.32 HORIZONTAL	3	1733.50	-54.71	-24.71	-30.00	-67.50	12.79 HORIZONTAL	4	2322.00	-51.83	-21.83	-30.00	-69.08	17.25 HORIZONTAL	5 @	12635.70	-42.06	-12.06	-30.00	-77.88	35.82 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>829.28</td><td>-67.31</td><td>-31.31</td><td>-36.00</td><td>-68.52</td><td>1.21 VERTICAL</td></tr><tr><td>2</td><td>974.78</td><td>-66.89</td><td>-30.89</td><td>-36.00</td><td>-70.92</td><td>4.03 VERTICAL</td></tr><tr><td>3</td><td>1788.00</td><td>-55.60</td><td>-25.60</td><td>-30.00</td><td>-65.90</td><td>10.30 VERTICAL</td></tr><tr><td>4</td><td>2262.50</td><td>-53.40</td><td>-23.40</td><td>-30.00</td><td>-67.17</td><td>13.77 VERTICAL</td></tr><tr><td>5 @</td><td>8795.07</td><td>-45.89</td><td>-15.89</td><td>-30.00</td><td>-77.25</td><td>31.36 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	829.28	-67.31	-31.31	-36.00	-68.52	1.21 VERTICAL	2	974.78	-66.89	-30.89	-36.00	-70.92	4.03 VERTICAL	3	1788.00	-55.60	-25.60	-30.00	-65.90	10.30 VERTICAL	4	2262.50	-53.40	-23.40	-30.00	-67.17	13.77 VERTICAL	5 @	8795.07	-45.89	-15.89	-30.00	-77.25
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	836.07	-67.93	-31.93	-36.00	-69.18	1.25 HORIZONTAL																																																																																														
2	977.69	-66.99	-30.99	-36.00	-71.31	4.32 HORIZONTAL																																																																																														
3	1733.50	-54.71	-24.71	-30.00	-67.50	12.79 HORIZONTAL																																																																																														
4	2322.00	-51.83	-21.83	-30.00	-69.08	17.25 HORIZONTAL																																																																																														
5 @	12635.70	-42.06	-12.06	-30.00	-77.88	35.82 HORIZONTAL																																																																																														
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	829.28	-67.31	-31.31	-36.00	-68.52	1.21 VERTICAL																																																																																														
2	974.78	-66.89	-30.89	-36.00	-70.92	4.03 VERTICAL																																																																																														
3	1788.00	-55.60	-25.60	-30.00	-65.90	10.30 VERTICAL																																																																																														
4	2262.50	-53.40	-23.40	-30.00	-67.17	13.77 VERTICAL																																																																																														
5 @	8795.07	-45.89	-15.89	-30.00	-77.25	31.36 VERTICAL																																																																																														





Mode	16																																																																												
	NR n3			Channel 368500		50M 1RB1 QPSK																																																																							
Ant	4																																																																												
Pol.	Horizontal				Vertical																																																																								
Traffic																																																																													
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1517.50</td><td>-56.16</td><td>-26.16</td><td>-30.00</td><td>-67.52</td><td>11.36 HORIZONTAL</td></tr><tr><td>2</td><td>1987.50</td><td>-53.35</td><td>-23.35</td><td>-30.00</td><td>-67.89</td><td>14.54 HORIZONTAL</td></tr><tr><td>3 @</td><td>12676.87</td><td>-42.21</td><td>-12.21</td><td>-30.00</td><td>-78.18</td><td>35.97 HORIZONTAL</td></tr></table>				Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1517.50	-56.16	-26.16	-30.00	-67.52	11.36 HORIZONTAL	2	1987.50	-53.35	-23.35	-30.00	-67.89	14.54 HORIZONTAL	3 @	12676.87	-42.21	-12.21	-30.00	-78.18	35.97 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1504.00</td><td>-56.77</td><td>-26.77</td><td>-30.00</td><td>-65.44</td><td>8.67 VERTICAL</td></tr><tr><td>2</td><td>2054.00</td><td>-54.72</td><td>-24.72</td><td>-30.00</td><td>-66.89</td><td>12.17 VERTICAL</td></tr><tr><td>3 @</td><td>9808.05</td><td>-46.00</td><td>-16.00</td><td>-30.00</td><td>-78.16</td><td>32.16 VERTICAL</td></tr></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1504.00	-56.77	-26.77	-30.00	-65.44	8.67 VERTICAL	2	2054.00	-54.72	-24.72	-30.00	-66.89	12.17 VERTICAL	3 @	9808.05	-46.00	-16.00	-30.00	-78.16	32.16 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																							
	MHz	dBm	dB	dBm	dBm	dB																																																																							
1	1517.50	-56.16	-26.16	-30.00	-67.52	11.36 HORIZONTAL																																																																							
2	1987.50	-53.35	-23.35	-30.00	-67.89	14.54 HORIZONTAL																																																																							
3 @	12676.87	-42.21	-12.21	-30.00	-78.18	35.97 HORIZONTAL																																																																							
Result	Freq	Level	Margin	Limit	Read																																																																								
	MHz	dBm	dB	dBm	dBm	dB																																																																							
1	1504.00	-56.77	-26.77	-30.00	-65.44	8.67 VERTICAL																																																																							
2	2054.00	-54.72	-24.72	-30.00	-66.89	12.17 VERTICAL																																																																							
3 @	9808.05	-46.00	-16.00	-30.00	-78.16	32.16 VERTICAL																																																																							





Mode	17																																																																																																			
	ENDC 8A_N3a	Channel LTE:21625 NR:368500	LTE:10M 50RB0 QPSK NR:50M 1RB1 QPSK																																																																																																	
Ant	0+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -36.9 dBm and a red read line at -36.9 dBm. Blue vertical lines represent traffic peaks at 825.40, 991.27, 1454.50, 1979.00, and 12672.54 MHz. The peak at 12672.54 MHz is labeled 'EN301908-LINK'.	 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -36.9 dBm and a red read line at -36.9 dBm. Blue vertical lines represent traffic peaks at 838.01, 991.27, 1476.00, 2040.50, and 9108.72 MHz. The peak at 9108.72 MHz is labeled 'EN301908-LINK'.																																																																																																		
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>825.40</td><td>-67.78</td><td>-31.78</td><td>-36.00</td><td>-68.95</td><td>1.17 HORIZONTAL</td></tr><tr><td>2</td><td>991.27</td><td>-65.55</td><td>-29.55</td><td>-36.00</td><td>-70.30</td><td>4.75 HORIZONTAL</td></tr><tr><td>3</td><td>1454.50</td><td>-54.85</td><td>-24.85</td><td>-30.00</td><td>-66.65</td><td>11.80 HORIZONTAL</td></tr><tr><td>4</td><td>1979.00</td><td>-53.10</td><td>-23.10</td><td>-30.00</td><td>-67.59</td><td>14.49 HORIZONTAL</td></tr><tr><td>5 @</td><td>12672.54</td><td>-42.69</td><td>-12.69</td><td>-30.00</td><td>-78.64</td><td>35.95 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	825.40	-67.78	-31.78	-36.00	-68.95	1.17 HORIZONTAL	2	991.27	-65.55	-29.55	-36.00	-70.30	4.75 HORIZONTAL	3	1454.50	-54.85	-24.85	-30.00	-66.65	11.80 HORIZONTAL	4	1979.00	-53.10	-23.10	-30.00	-67.59	14.49 HORIZONTAL	5 @	12672.54	-42.69	-12.69	-30.00	-78.64	35.95 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>838.01</td><td>-67.40</td><td>-31.40</td><td>-36.00</td><td>-68.86</td><td>1.46 VERTICAL</td></tr><tr><td>2</td><td>991.27</td><td>-65.90</td><td>-29.90</td><td>-36.00</td><td>-70.36</td><td>4.46 VERTICAL</td></tr><tr><td>3</td><td>1476.00</td><td>-56.44</td><td>-26.44</td><td>-30.00</td><td>-65.14</td><td>8.70 VERTICAL</td></tr><tr><td>4</td><td>2040.50</td><td>-54.22</td><td>-24.22</td><td>-30.00</td><td>-66.29</td><td>12.07 VERTICAL</td></tr><tr><td>5 @</td><td>9108.72</td><td>-46.25</td><td>-16.25</td><td>-30.00</td><td>-77.79</td><td>31.54 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	838.01	-67.40	-31.40	-36.00	-68.86	1.46 VERTICAL	2	991.27	-65.90	-29.90	-36.00	-70.36	4.46 VERTICAL	3	1476.00	-56.44	-26.44	-30.00	-65.14	8.70 VERTICAL	4	2040.50	-54.22	-24.22	-30.00	-66.29	12.07 VERTICAL	5 @	9108.72	-46.25	-16.25	-30.00	-77.79
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	825.40	-67.78	-31.78	-36.00	-68.95	1.17 HORIZONTAL																																																																																														
2	991.27	-65.55	-29.55	-36.00	-70.30	4.75 HORIZONTAL																																																																																														
3	1454.50	-54.85	-24.85	-30.00	-66.65	11.80 HORIZONTAL																																																																																														
4	1979.00	-53.10	-23.10	-30.00	-67.59	14.49 HORIZONTAL																																																																																														
5 @	12672.54	-42.69	-12.69	-30.00	-78.64	35.95 HORIZONTAL																																																																																														
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	838.01	-67.40	-31.40	-36.00	-68.86	1.46 VERTICAL																																																																																														
2	991.27	-65.90	-29.90	-36.00	-70.36	4.46 VERTICAL																																																																																														
3	1476.00	-56.44	-26.44	-30.00	-65.14	8.70 VERTICAL																																																																																														
4	2040.50	-54.22	-24.22	-30.00	-66.29	12.07 VERTICAL																																																																																														
5 @	9108.72	-46.25	-16.25	-30.00	-77.79	31.54 VERTICAL																																																																																														





Mode	18																																																																							
	NR n5	Channel 176300	25M 1RB1 QPSK																																																																					
Ant	4																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic																																																																								
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>766.23</td><td>-67.59</td><td>-31.59</td><td>-36.00</td><td>-68.19</td><td>0.60 HORIZONTAL</td></tr><tr><td>2</td><td>956.35</td><td>-66.71</td><td>-30.71</td><td>-36.00</td><td>-70.36</td><td>3.65 HORIZONTAL</td></tr><tr><td>3 @</td><td>2474.05</td><td>-47.66</td><td>-17.66</td><td>-30.00</td><td>-65.44</td><td>17.78 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	766.23	-67.59	-31.59	-36.00	-68.19	0.60 HORIZONTAL	2	956.35	-66.71	-30.71	-36.00	-70.36	3.65 HORIZONTAL	3 @	2474.05	-47.66	-17.66	-30.00	-65.44	17.78 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>756.53</td><td>-67.88</td><td>-31.88</td><td>-36.00</td><td>-68.34</td><td>0.46 VERTICAL</td></tr><tr><td>2</td><td>916.58</td><td>-66.87</td><td>-30.87</td><td>-36.00</td><td>-69.49</td><td>2.62 VERTICAL</td></tr><tr><td>3 @</td><td>2474.05</td><td>-54.04</td><td>-24.04</td><td>-30.00</td><td>-68.24</td><td>14.20 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	756.53	-67.88	-31.88	-36.00	-68.34	0.46 VERTICAL	2	916.58	-66.87	-30.87	-36.00	-69.49	2.62 VERTICAL	3 @	2474.05	-54.04	-24.04	-30.00	-68.24
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	766.23	-67.59	-31.59	-36.00	-68.19	0.60 HORIZONTAL																																																																		
2	956.35	-66.71	-30.71	-36.00	-70.36	3.65 HORIZONTAL																																																																		
3 @	2474.05	-47.66	-17.66	-30.00	-65.44	17.78 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	756.53	-67.88	-31.88	-36.00	-68.34	0.46 VERTICAL																																																																		
2	916.58	-66.87	-30.87	-36.00	-69.49	2.62 VERTICAL																																																																		
3 @	2474.05	-54.04	-24.04	-30.00	-68.24	14.20 VERTICAL																																																																		





Mode	19																																																																							
	NR n7	Channel 531000	50M 1RB1 QPSK																																																																					
Ant	4																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -24.3 dBm and a red read line at -36.9 dBm. Three blue vertical lines are present at 2336.50 MHz (labeled 1), 2706.50 MHz (labeled 2), and 12532.24 MHz (labeled 3). The EN301908-LINK label is visible in the top right corner.	 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red limit line at -24.3 dBm and a red read line at -36.9 dBm. Three blue vertical lines are present at 2336.50 MHz (labeled 1), 2898.50 MHz (labeled 2), and 9371.98 MHz (labeled 3). The EN301908-LINK label is visible in the top right corner.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Pol/Phase</th></tr><tr><td>1</td><td>2336.50</td><td>-52.23</td><td>-22.23</td><td>-30.00</td><td>-69.53</td><td>17.30 HORIZONTAL</td></tr><tr><td>2</td><td>2706.50</td><td>-50.92</td><td>-20.92</td><td>-30.00</td><td>-69.22</td><td>18.30 HORIZONTAL</td></tr><tr><td>3 @</td><td>12532.24</td><td>-42.41</td><td>-12.41</td><td>-30.00</td><td>-77.87</td><td>35.46 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Pol/Phase	1	2336.50	-52.23	-22.23	-30.00	-69.53	17.30 HORIZONTAL	2	2706.50	-50.92	-20.92	-30.00	-69.22	18.30 HORIZONTAL	3 @	12532.24	-42.41	-12.41	-30.00	-77.87	35.46 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Pol/Phase</th></tr><tr><td>1</td><td>2336.50</td><td>-53.52</td><td>-23.52</td><td>-30.00</td><td>-67.45</td><td>13.93 VERTICAL</td></tr><tr><td>2</td><td>2898.50</td><td>-51.53</td><td>-21.53</td><td>-30.00</td><td>-67.52</td><td>15.99 VERTICAL</td></tr><tr><td>3 @</td><td>9371.98</td><td>-46.35</td><td>-16.35</td><td>-30.00</td><td>-78.31</td><td>31.96 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Pol/Phase	1	2336.50	-53.52	-23.52	-30.00	-67.45	13.93 VERTICAL	2	2898.50	-51.53	-21.53	-30.00	-67.52	15.99 VERTICAL	3 @	9371.98	-46.35	-16.35	-30.00	-78.31
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	Pol/Phase																																																																		
1	2336.50	-52.23	-22.23	-30.00	-69.53	17.30 HORIZONTAL																																																																		
2	2706.50	-50.92	-20.92	-30.00	-69.22	18.30 HORIZONTAL																																																																		
3 @	12532.24	-42.41	-12.41	-30.00	-77.87	35.46 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	Pol/Phase																																																																		
1	2336.50	-53.52	-23.52	-30.00	-67.45	13.93 VERTICAL																																																																		
2	2898.50	-51.53	-21.53	-30.00	-67.52	15.99 VERTICAL																																																																		
3 @	9371.98	-46.35	-16.35	-30.00	-78.31	31.96 VERTICAL																																																																		





Mode	20																																																																																			
	NR n8			Channel 188500		20M 1RB1 QPSK																																																																														
Ant	4																																																																																			
Pol.	Horizontal				Vertical																																																																															
Traffic																																																																																				
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Factor Pol/Phase</th></tr><tr><td>1</td><td>839.95</td><td>-67.85</td><td>-31.85</td><td>-36.00</td><td>-69.13</td><td>1.28 HORIZONTAL</td></tr><tr><td>2</td><td>967.02</td><td>-66.52</td><td>-30.52</td><td>-36.00</td><td>-70.51</td><td>3.99 HORIZONTAL</td></tr><tr><td>3 @</td><td>2664.68</td><td>-49.47</td><td>-19.47</td><td>-30.00</td><td>-67.77</td><td>18.30 HORIZONTAL</td></tr></table>				Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Factor Pol/Phase	1	839.95	-67.85	-31.85	-36.00	-69.13	1.28 HORIZONTAL	2	967.02	-66.52	-30.52	-36.00	-70.51	3.99 HORIZONTAL	3 @	2664.68	-49.47	-19.47	-30.00	-67.77	18.30 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>Factor Pol/Phase</th></tr><tr><td>1</td><td>843.83</td><td>-66.97</td><td>-30.97</td><td>-36.00</td><td>-68.58</td><td>1.61 VERTICAL</td></tr><tr><td>2</td><td>987.39</td><td>-66.12</td><td>-30.12</td><td>-36.00</td><td>-70.48</td><td>4.36 VERTICAL</td></tr><tr><td>3</td><td>2664.68</td><td>-54.55</td><td>-24.55</td><td>-30.00</td><td>-69.31</td><td>14.76 VERTICAL</td></tr><tr><td>4 @</td><td>9540.11</td><td>-45.65</td><td>-15.65</td><td>-30.00</td><td>-77.62</td><td>31.97 VERTICAL</td></tr></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	Factor Pol/Phase	1	843.83	-66.97	-30.97	-36.00	-68.58	1.61 VERTICAL	2	987.39	-66.12	-30.12	-36.00	-70.48	4.36 VERTICAL	3	2664.68	-54.55	-24.55	-30.00	-69.31	14.76 VERTICAL	4 @	9540.11	-45.65	-15.65	-30.00	-77.62	31.97 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																														
	MHz	dBm	dB	dBm	dBm	Factor Pol/Phase																																																																														
1	839.95	-67.85	-31.85	-36.00	-69.13	1.28 HORIZONTAL																																																																														
2	967.02	-66.52	-30.52	-36.00	-70.51	3.99 HORIZONTAL																																																																														
3 @	2664.68	-49.47	-19.47	-30.00	-67.77	18.30 HORIZONTAL																																																																														
Result	Freq	Level	Margin	Limit	Read																																																																															
	MHz	dBm	dB	dBm	dBm	Factor Pol/Phase																																																																														
1	843.83	-66.97	-30.97	-36.00	-68.58	1.61 VERTICAL																																																																														
2	987.39	-66.12	-30.12	-36.00	-70.48	4.36 VERTICAL																																																																														
3	2664.68	-54.55	-24.55	-30.00	-69.31	14.76 VERTICAL																																																																														
4 @	9540.11	-45.65	-15.65	-30.00	-77.62	31.97 VERTICAL																																																																														





Mode	21																																																																												
	NR n20			Channel 161200		20M 1RB1 QPSK																																																																							
Ant	4																																																																												
Pol.	Horizontal				Vertical																																																																								
Traffic																																																																													
	<table><thead><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>762.35</td><td>-67.56</td><td>-31.56</td><td>-36.00</td><td>-68.12</td><td>0.56 HORIZONTAL</td></tr><tr><td>2</td><td>962.17</td><td>-66.21</td><td>-30.21</td><td>-36.00</td><td>-70.05</td><td>3.84 HORIZONTAL</td></tr><tr><td>3 @</td><td>2513.22</td><td>-53.22</td><td>-23.22</td><td>-30.00</td><td>-71.17</td><td>17.95 HORIZONTAL</td></tr></tbody></table>				Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	762.35	-67.56	-31.56	-36.00	-68.12	0.56 HORIZONTAL	2	962.17	-66.21	-30.21	-36.00	-70.05	3.84 HORIZONTAL	3 @	2513.22	-53.22	-23.22	-30.00	-71.17	17.95 HORIZONTAL	<table><thead><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>703.18</td><td>-68.46</td><td>-32.46</td><td>-36.00</td><td>-68.63</td><td>0.17 VERTICAL</td></tr><tr><td>2</td><td>964.11</td><td>-65.94</td><td>-29.94</td><td>-36.00</td><td>-69.69</td><td>3.75 VERTICAL</td></tr><tr><td>3 @</td><td>2513.22</td><td>-56.93</td><td>-26.93</td><td>-30.00</td><td>-71.19</td><td>14.26 VERTICAL</td></tr></tbody></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	703.18	-68.46	-32.46	-36.00	-68.63	0.17 VERTICAL	2	964.11	-65.94	-29.94	-36.00	-69.69	3.75 VERTICAL	3 @	2513.22	-56.93	-26.93	-30.00	-71.19	14.26 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																							
		MHz	dBm	dB	dBm	dBm	dB																																																																						
1	762.35	-67.56	-31.56	-36.00	-68.12	0.56 HORIZONTAL																																																																							
2	962.17	-66.21	-30.21	-36.00	-70.05	3.84 HORIZONTAL																																																																							
3 @	2513.22	-53.22	-23.22	-30.00	-71.17	17.95 HORIZONTAL																																																																							
Result	Freq	Level	Margin	Limit	Read																																																																								
	MHz	dBm	dB	dBm	dBm	dB																																																																							
1	703.18	-68.46	-32.46	-36.00	-68.63	0.17 VERTICAL																																																																							
2	964.11	-65.94	-29.94	-36.00	-69.69	3.75 VERTICAL																																																																							
3 @	2513.22	-56.93	-26.93	-30.00	-71.19	14.26 VERTICAL																																																																							





Mode	22																																																																																	
	NR n28	Channel 154600	30M 1RB1 QPSK																																																																															
Ant	4																																																																																	
Pol.	Horizontal	Vertical																																																																																
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the read level. The read level is significantly below the limit across the frequency range from 30 to 12750 MHz.	 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the read level. The read level is significantly below the limit across the frequency range from 30 to 12750 MHz.																																																																																
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th>Factor</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>602.30</td><td>-69.90</td><td>-33.90</td><td>-36.00</td><td>-69.02</td><td>-0.88</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>854.50</td><td>-67.14</td><td>-31.14</td><td>-36.00</td><td>-68.56</td><td>1.42</td><td>HORIZONTAL</td></tr><tr><td>3 @</td><td>12665.13</td><td>-41.92</td><td>-11.92</td><td>-30.00</td><td>-77.84</td><td>35.92</td><td>HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase		MHz	dBm	dB	dBm	dBm	dB		1	602.30	-69.90	-33.90	-36.00	-69.02	-0.88	HORIZONTAL	2	854.50	-67.14	-31.14	-36.00	-68.56	1.42	HORIZONTAL	3 @	12665.13	-41.92	-11.92	-30.00	-77.84	35.92	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th>Factor</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>599.39</td><td>-69.77</td><td>-33.77</td><td>-36.00</td><td>-68.99</td><td>-0.78</td><td>VERTICAL</td></tr><tr><td>2</td><td>864.20</td><td>-66.37</td><td>-30.37</td><td>-36.00</td><td>-68.28</td><td>1.91</td><td>VERTICAL</td></tr><tr><td>3 @</td><td>9774.47</td><td>-45.80</td><td>-15.80</td><td>-30.00</td><td>-77.99</td><td>32.19</td><td>VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase		MHz	dBm	dB	dBm	dBm	dB		1	599.39	-69.77	-33.77	-36.00	-68.99	-0.78	VERTICAL	2	864.20	-66.37	-30.37	-36.00	-68.28	1.91	VERTICAL	3 @	9774.47	-45.80	-15.80	-30.00	-77.99	32.19
Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase																																																																											
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	602.30	-69.90	-33.90	-36.00	-69.02	-0.88	HORIZONTAL																																																																											
2	854.50	-67.14	-31.14	-36.00	-68.56	1.42	HORIZONTAL																																																																											
3 @	12665.13	-41.92	-11.92	-30.00	-77.84	35.92	HORIZONTAL																																																																											
Result	Freq	Level	Margin	Limit	Read	Factor	Pol/Phase																																																																											
	MHz	dBm	dB	dBm	dBm	dB																																																																												
1	599.39	-69.77	-33.77	-36.00	-68.99	-0.78	VERTICAL																																																																											
2	864.20	-66.37	-30.37	-36.00	-68.28	1.91	VERTICAL																																																																											
3 @	9774.47	-45.80	-15.80	-30.00	-77.99	32.19	VERTICAL																																																																											





Mode	23																																																																																		
	NR n38	Channel 519000	40M 1RB1 QPSK																																																																																
Ant	4																																																																																		
Pol.	Horizontal		Vertical																																																																																
Traffic																																																																																			
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2241.50</td><td>-51.30</td><td>-21.30</td><td>-30.00</td><td>-68.34</td><td>17.04</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>2792.50</td><td>-49.04</td><td>-19.04</td><td>-30.00</td><td>-68.26</td><td>19.22</td><td>HORIZONTAL</td></tr><tr><td>3 @</td><td>12642.74</td><td>-42.25</td><td>-12.25</td><td>-30.00</td><td>-78.10</td><td>35.85</td><td>HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2241.50	-51.30	-21.30	-30.00	-68.34	17.04	HORIZONTAL	2	2792.50	-49.04	-19.04	-30.00	-68.26	19.22	HORIZONTAL	3 @	12642.74	-42.25	-12.25	-30.00	-78.10	35.85	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>2370.50</td><td>-52.89</td><td>-22.89</td><td>-30.00</td><td>-66.97</td><td>14.08</td><td>VERTICAL</td></tr><tr><td>2</td><td>2942.00</td><td>-50.98</td><td>-20.98</td><td>-30.00</td><td>-67.12</td><td>16.14</td><td>VERTICAL</td></tr><tr><td>3 @</td><td>9150.43</td><td>-46.20</td><td>-16.20</td><td>-30.00</td><td>-77.87</td><td>31.67</td><td>VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	2370.50	-52.89	-22.89	-30.00	-66.97	14.08	VERTICAL	2	2942.00	-50.98	-20.98	-30.00	-67.12	16.14	VERTICAL	3 @	9150.43	-46.20	-16.20	-30.00	-77.87	31.67	VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																													
	MHz	dBm	dB	dBm	dBm	dB																																																																													
1	2241.50	-51.30	-21.30	-30.00	-68.34	17.04	HORIZONTAL																																																																												
2	2792.50	-49.04	-19.04	-30.00	-68.26	19.22	HORIZONTAL																																																																												
3 @	12642.74	-42.25	-12.25	-30.00	-78.10	35.85	HORIZONTAL																																																																												
Result	Freq	Level	Margin	Limit	Read																																																																														
	MHz	dBm	dB	dBm	dBm	dB																																																																													
1	2370.50	-52.89	-22.89	-30.00	-66.97	14.08	VERTICAL																																																																												
2	2942.00	-50.98	-20.98	-30.00	-67.12	16.14	VERTICAL																																																																												
3 @	9150.43	-46.20	-16.20	-30.00	-77.87	31.67	VERTICAL																																																																												





Mode	24																																																																								
	NR n40	Channel 470000	80M 1RB1 QPSK																																																																						
Ant	4																																																																								
Pol.	Horizontal	Vertical																																																																							
Traffic																																																																									
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2137.00</td><td>-52.75</td><td>-22.75</td><td>-30.00</td><td>-68.96</td><td>16.21 HORIZONTAL</td></tr><tr><td>2</td><td>2588.00</td><td>-51.22</td><td>-21.22</td><td>-30.00</td><td>-69.40</td><td>18.18 HORIZONTAL</td></tr><tr><td>3 @</td><td>12693.66</td><td>-42.53</td><td>-12.53</td><td>-30.00</td><td>-78.56</td><td>36.03 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2137.00	-52.75	-22.75	-30.00	-68.96	16.21 HORIZONTAL	2	2588.00	-51.22	-21.22	-30.00	-69.40	18.18 HORIZONTAL	3 @	12693.66	-42.53	-12.53	-30.00	-78.56	36.03 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2184.50</td><td>-54.10</td><td>-24.10</td><td>-30.00</td><td>-67.70</td><td>13.60 VERTICAL</td></tr><tr><td>2</td><td>2492.00</td><td>-53.40</td><td>-23.40</td><td>-30.00</td><td>-67.60</td><td>14.20 VERTICAL</td></tr><tr><td>3 @</td><td>9444.57</td><td>-46.47</td><td>-16.47</td><td>-30.00</td><td>-78.46</td><td>31.99 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2184.50	-54.10	-24.10	-30.00	-67.70	13.60 VERTICAL	2	2492.00	-53.40	-23.40	-30.00	-67.60	14.20 VERTICAL	3 @	9444.57	-46.47	-16.47	-30.00	-78.46	31.99 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	2137.00	-52.75	-22.75	-30.00	-68.96	16.21 HORIZONTAL																																																																			
2	2588.00	-51.22	-21.22	-30.00	-69.40	18.18 HORIZONTAL																																																																			
3 @	12693.66	-42.53	-12.53	-30.00	-78.56	36.03 HORIZONTAL																																																																			
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	2184.50	-54.10	-24.10	-30.00	-67.70	13.60 VERTICAL																																																																			
2	2492.00	-53.40	-23.40	-30.00	-67.60	14.20 VERTICAL																																																																			
3 @	9444.57	-46.47	-16.47	-30.00	-78.46	31.99 VERTICAL																																																																			





Mode	25																																																																							
	NR n41	Channel 518598	100M 1RB1 QPSK																																																																					
Ant	4																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot includes a red limit line labeled 'EN301908-LINK' and three blue vertical lines labeled 1, 2, and 3. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.	 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot includes a red limit line labeled 'EN301908-LINK' and three blue vertical lines labeled 1, 2, and 3. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 12750 MHz.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2333.50</td><td>-52.35</td><td>-22.35</td><td>-30.00</td><td>-69.63</td><td>17.28 HORIZONTAL</td></tr><tr><td>2</td><td>2849.50</td><td>-49.86</td><td>-19.86</td><td>-30.00</td><td>-69.09</td><td>19.23 HORIZONTAL</td></tr><tr><td>3 @</td><td>12688.79</td><td>-42.71</td><td>-12.71</td><td>-30.00</td><td>-78.71</td><td>36.00 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2333.50	-52.35	-22.35	-30.00	-69.63	17.28 HORIZONTAL	2	2849.50	-49.86	-19.86	-30.00	-69.09	19.23 HORIZONTAL	3 @	12688.79	-42.71	-12.71	-30.00	-78.71	36.00 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>2433.50</td><td>-52.57</td><td>-22.57</td><td>-30.00</td><td>-66.78</td><td>14.21 VERTICAL</td></tr><tr><td>2</td><td>2862.00</td><td>-51.20</td><td>-21.20</td><td>-30.00</td><td>-67.07</td><td>15.87 VERTICAL</td></tr><tr><td>3 @</td><td>9284.77</td><td>-46.37</td><td>-16.37</td><td>-30.00</td><td>-78.25</td><td>31.88 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	2433.50	-52.57	-22.57	-30.00	-66.78	14.21 VERTICAL	2	2862.00	-51.20	-21.20	-30.00	-67.07	15.87 VERTICAL	3 @	9284.77	-46.37	-16.37	-30.00	-78.25
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	2333.50	-52.35	-22.35	-30.00	-69.63	17.28 HORIZONTAL																																																																		
2	2849.50	-49.86	-19.86	-30.00	-69.09	19.23 HORIZONTAL																																																																		
3 @	12688.79	-42.71	-12.71	-30.00	-78.71	36.00 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	2433.50	-52.57	-22.57	-30.00	-66.78	14.21 VERTICAL																																																																		
2	2862.00	-51.20	-21.20	-30.00	-67.07	15.87 VERTICAL																																																																		
3 @	9284.77	-46.37	-16.37	-30.00	-78.25	31.88 VERTICAL																																																																		





Mode	26																																																																								
	NR n77	Channel 650000	100M 1RB1 QPSK																																																																						
Ant	4																																																																								
Pol.	Horizontal		Vertical																																																																						
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays three distinct signals labeled 1, 2, and 3. A red line indicates the EN301908-LINK limit. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.		 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays three distinct signals labeled 1, 2, and 3. A red line indicates the EN301908-LINK limit. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3068.00</td><td>-48.97</td><td>-18.97</td><td>-30.00</td><td>-68.65</td><td>19.68 HORIZONTAL</td></tr><tr><td>2</td><td>4821.13</td><td>-44.03</td><td>-14.03</td><td>-30.00</td><td>-71.04</td><td>27.01 HORIZONTAL</td></tr><tr><td>3 @</td><td>17733.57</td><td>-39.93</td><td>-9.93</td><td>-30.00</td><td>-78.23</td><td>38.30 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3068.00	-48.97	-18.97	-30.00	-68.65	19.68 HORIZONTAL	2	4821.13	-44.03	-14.03	-30.00	-71.04	27.01 HORIZONTAL	3 @	17733.57	-39.93	-9.93	-30.00	-78.23	38.30 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3099.63</td><td>-50.11</td><td>-20.11</td><td>-30.00</td><td>-67.52</td><td>17.41 VERTICAL</td></tr><tr><td>2</td><td>4674.00</td><td>-45.99</td><td>-15.99</td><td>-30.00</td><td>-69.68</td><td>23.69 VERTICAL</td></tr><tr><td>3 @</td><td>14204.15</td><td>-43.50</td><td>-13.50</td><td>-30.00</td><td>-77.28</td><td>33.78 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3099.63	-50.11	-20.11	-30.00	-67.52	17.41 VERTICAL	2	4674.00	-45.99	-15.99	-30.00	-69.68	23.69 VERTICAL	3 @	14204.15	-43.50	-13.50	-30.00	-77.28
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	3068.00	-48.97	-18.97	-30.00	-68.65	19.68 HORIZONTAL																																																																			
2	4821.13	-44.03	-14.03	-30.00	-71.04	27.01 HORIZONTAL																																																																			
3 @	17733.57	-39.93	-9.93	-30.00	-78.23	38.30 HORIZONTAL																																																																			
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	3099.63	-50.11	-20.11	-30.00	-67.52	17.41 VERTICAL																																																																			
2	4674.00	-45.99	-15.99	-30.00	-69.68	23.69 VERTICAL																																																																			
3 @	14204.15	-43.50	-13.50	-30.00	-77.28	33.78 VERTICAL																																																																			





Mode	27																																																																																																			
	ENDC 3A_n77A	Channel LTE:19575 NR:650000	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK																																																																																																	
Ant	0+4																																																																																																			
Pol.	Horizontal		Vertical																																																																																																	
Traffic	 Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the EN301908-LINK limit and several blue vertical lines representing traffic peaks. The peaks are labeled 2, 3, 4, and 5. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.		 Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays a red line for the EN301908-LINK limit and several blue vertical lines representing traffic peaks. The peaks are labeled 2, 3, 4, and 5. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.																																																																																																	
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1726.00</td><td>-52.50</td><td>-22.50</td><td>-30.00</td><td>-65.22</td><td>12.72 HORIZONTAL</td></tr><tr><td>2</td><td>1773.50</td><td>-52.04</td><td>-22.04</td><td>-30.00</td><td>-65.23</td><td>13.19 HORIZONTAL</td></tr><tr><td>3</td><td>3391.13</td><td>-57.85</td><td>-27.85</td><td>-30.00</td><td>-78.59</td><td>20.74 HORIZONTAL</td></tr><tr><td>4</td><td>4371.13</td><td>-56.93</td><td>-26.93</td><td>-30.00</td><td>-81.02</td><td>24.09 HORIZONTAL</td></tr><tr><td>5 @</td><td>17889.47</td><td>-38.69</td><td>-8.69</td><td>-30.00</td><td>-77.16</td><td>38.47 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1726.00	-52.50	-22.50	-30.00	-65.22	12.72 HORIZONTAL	2	1773.50	-52.04	-22.04	-30.00	-65.23	13.19 HORIZONTAL	3	3391.13	-57.85	-27.85	-30.00	-78.59	20.74 HORIZONTAL	4	4371.13	-56.93	-26.93	-30.00	-81.02	24.09 HORIZONTAL	5 @	17889.47	-38.69	-8.69	-30.00	-77.16	38.47 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1640.00</td><td>-56.83</td><td>-26.83</td><td>-30.00</td><td>-65.45</td><td>8.62 VERTICAL</td></tr><tr><td>2</td><td>1854.50</td><td>-55.14</td><td>-25.14</td><td>-30.00</td><td>-65.80</td><td>10.66 VERTICAL</td></tr><tr><td>3</td><td>3370.13</td><td>-59.71</td><td>-29.71</td><td>-30.00</td><td>-77.49</td><td>17.78 VERTICAL</td></tr><tr><td>4</td><td>4345.75</td><td>-57.96</td><td>-27.96</td><td>-30.00</td><td>-78.88</td><td>20.92 VERTICAL</td></tr><tr><td>5 @</td><td>7402.80</td><td>-42.47</td><td>-12.47</td><td>-30.00</td><td>-71.12</td><td>28.65 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1640.00	-56.83	-26.83	-30.00	-65.45	8.62 VERTICAL	2	1854.50	-55.14	-25.14	-30.00	-65.80	10.66 VERTICAL	3	3370.13	-59.71	-29.71	-30.00	-77.49	17.78 VERTICAL	4	4345.75	-57.96	-27.96	-30.00	-78.88	20.92 VERTICAL	5 @	7402.80	-42.47	-12.47	-30.00	-71.12
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	1726.00	-52.50	-22.50	-30.00	-65.22	12.72 HORIZONTAL																																																																																														
2	1773.50	-52.04	-22.04	-30.00	-65.23	13.19 HORIZONTAL																																																																																														
3	3391.13	-57.85	-27.85	-30.00	-78.59	20.74 HORIZONTAL																																																																																														
4	4371.13	-56.93	-26.93	-30.00	-81.02	24.09 HORIZONTAL																																																																																														
5 @	17889.47	-38.69	-8.69	-30.00	-77.16	38.47 HORIZONTAL																																																																																														
Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																														
1	1640.00	-56.83	-26.83	-30.00	-65.45	8.62 VERTICAL																																																																																														
2	1854.50	-55.14	-25.14	-30.00	-65.80	10.66 VERTICAL																																																																																														
3	3370.13	-59.71	-29.71	-30.00	-77.49	17.78 VERTICAL																																																																																														
4	4345.75	-57.96	-27.96	-30.00	-78.88	20.92 VERTICAL																																																																																														
5 @	7402.80	-42.47	-12.47	-30.00	-71.12	28.65 VERTICAL																																																																																														



Mode	28																																																																							
	NR n78	Channel 636666	100M 1RB1 QPSK																																																																					
Ant	4																																																																							
Pol.	Horizontal	Vertical																																																																						
Traffic																																																																								
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3194.50</td><td>-48.80</td><td>-18.80</td><td>-30.00</td><td>-69.03</td><td>20.23 HORIZONTAL</td></tr><tr><td>2</td><td>4565.38</td><td>-44.71</td><td>-14.71</td><td>-30.00</td><td>-70.46</td><td>25.75 HORIZONTAL</td></tr><tr><td>3 @</td><td>7002.83</td><td>-37.19</td><td>-7.19</td><td>-30.00</td><td>-66.55</td><td>29.36 HORIZONTAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3194.50	-48.80	-18.80	-30.00	-69.03	20.23 HORIZONTAL	2	4565.38	-44.71	-14.71	-30.00	-70.46	25.75 HORIZONTAL	3 @	7002.83	-37.19	-7.19	-30.00	-66.55	29.36 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3128.50</td><td>-50.15</td><td>-20.15</td><td>-30.00</td><td>-67.55</td><td>17.40 VERTICAL</td></tr><tr><td>2</td><td>3747.25</td><td>-47.37</td><td>-17.37</td><td>-30.00</td><td>-67.53</td><td>20.16 VERTICAL</td></tr><tr><td>3 @</td><td>7002.83</td><td>-39.24</td><td>-9.24</td><td>-30.00</td><td>-65.93</td><td>26.69 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3128.50	-50.15	-20.15	-30.00	-67.55	17.40 VERTICAL	2	3747.25	-47.37	-17.37	-30.00	-67.53	20.16 VERTICAL	3 @	7002.83	-39.24	-9.24	-30.00	-65.93
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	3194.50	-48.80	-18.80	-30.00	-69.03	20.23 HORIZONTAL																																																																		
2	4565.38	-44.71	-14.71	-30.00	-70.46	25.75 HORIZONTAL																																																																		
3 @	7002.83	-37.19	-7.19	-30.00	-66.55	29.36 HORIZONTAL																																																																		
Result	Freq	Level	Margin	Limit	Read																																																																			
	MHz	dBm	dB	dBm	dBm	dB																																																																		
1	3128.50	-50.15	-20.15	-30.00	-67.55	17.40 VERTICAL																																																																		
2	3747.25	-47.37	-17.37	-30.00	-67.53	20.16 VERTICAL																																																																		
3 @	7002.83	-39.24	-9.24	-30.00	-65.93	26.69 VERTICAL																																																																		





Mode	29																																																																																																																		
	ENDC 3A_n78A	Channel LTE:19575 NR:636666	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK																																																																																																																
Ant	0+4																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Traffic																																																																																																																			
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>1687.50</td><td>-54.26</td><td>-24.26</td><td>-30.00</td><td>-66.57</td><td>12.31</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>1903.50</td><td>-52.46</td><td>-22.46</td><td>-30.00</td><td>-66.52</td><td>14.06</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>3189.88</td><td>-57.93</td><td>-27.93</td><td>-30.00</td><td>-78.15</td><td>20.22</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>4393.88</td><td>-55.89</td><td>-25.89</td><td>-30.00</td><td>-80.15</td><td>24.26</td><td>HORIZONTAL</td></tr><tr><td>5 @</td><td>7002.83</td><td>-37.67</td><td>-7.67</td><td>-30.00</td><td>-67.03</td><td>29.36</td><td>HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	1687.50	-54.26	-24.26	-30.00	-66.57	12.31	HORIZONTAL	2	1903.50	-52.46	-22.46	-30.00	-66.52	14.06	HORIZONTAL	3	3189.88	-57.93	-27.93	-30.00	-78.15	20.22	HORIZONTAL	4	4393.88	-55.89	-25.89	-30.00	-80.15	24.26	HORIZONTAL	5 @	7002.83	-37.67	-7.67	-30.00	-67.03	29.36	HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th><th></th></tr><tr><td>1</td><td>1541.50</td><td>-56.38</td><td>-26.38</td><td>-30.00</td><td>-64.97</td><td>8.59</td><td>VERTICAL</td></tr><tr><td>2</td><td>1884.00</td><td>-55.21</td><td>-25.21</td><td>-30.00</td><td>-66.01</td><td>10.80</td><td>VERTICAL</td></tr><tr><td>3</td><td>3104.13</td><td>-59.52</td><td>-29.52</td><td>-30.00</td><td>-76.92</td><td>17.40</td><td>VERTICAL</td></tr><tr><td>4</td><td>3868.00</td><td>-57.61</td><td>-27.61</td><td>-30.00</td><td>-78.06</td><td>20.45</td><td>VERTICAL</td></tr><tr><td>5 @</td><td>7002.83</td><td>-38.83</td><td>-8.83</td><td>-30.00</td><td>-65.52</td><td>26.69</td><td>VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read				MHz	dBm	dB	dBm	dBm	dB		1	1541.50	-56.38	-26.38	-30.00	-64.97	8.59	VERTICAL	2	1884.00	-55.21	-25.21	-30.00	-66.01	10.80	VERTICAL	3	3104.13	-59.52	-29.52	-30.00	-76.92	17.40	VERTICAL	4	3868.00	-57.61	-27.61	-30.00	-78.06	20.45	VERTICAL	5 @	7002.83	-38.83	-8.83	-30.00	-65.52	26.69	VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																																																													
	MHz	dBm	dB	dBm	dBm	dB																																																																																																													
1	1687.50	-54.26	-24.26	-30.00	-66.57	12.31	HORIZONTAL																																																																																																												
2	1903.50	-52.46	-22.46	-30.00	-66.52	14.06	HORIZONTAL																																																																																																												
3	3189.88	-57.93	-27.93	-30.00	-78.15	20.22	HORIZONTAL																																																																																																												
4	4393.88	-55.89	-25.89	-30.00	-80.15	24.26	HORIZONTAL																																																																																																												
5 @	7002.83	-37.67	-7.67	-30.00	-67.03	29.36	HORIZONTAL																																																																																																												
Result	Freq	Level	Margin	Limit	Read																																																																																																														
	MHz	dBm	dB	dBm	dBm	dB																																																																																																													
1	1541.50	-56.38	-26.38	-30.00	-64.97	8.59	VERTICAL																																																																																																												
2	1884.00	-55.21	-25.21	-30.00	-66.01	10.80	VERTICAL																																																																																																												
3	3104.13	-59.52	-29.52	-30.00	-76.92	17.40	VERTICAL																																																																																																												
4	3868.00	-57.61	-27.61	-30.00	-78.06	20.45	VERTICAL																																																																																																												
5 @	7002.83	-38.83	-8.83	-30.00	-65.52	26.69	VERTICAL																																																																																																												





Mode	30																																																																								
	NR n79	Channel 713334	100M 1RB1 QPSK																																																																						
Ant	4																																																																								
Pol.	Horizontal		Vertical																																																																						
Traffic	Horizontal Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays three peaks labeled 1, 2, and 3. A red line indicates the EN301908-LINK limit. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.		Vertical Traffic Spectrum Plot showing Level (dBm) vs Frequency (MHz). The plot displays three peaks labeled 1, 2, and 3. A red line indicates the EN301908-LINK limit. The y-axis ranges from -100 to -11.6 dBm, and the x-axis ranges from 30 to 26500 MHz.																																																																						
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3998.88</td><td>-47.71</td><td>-17.71</td><td>-30.00</td><td>-70.70</td><td>22.99 HORIZONTAL</td></tr><tr><td>2</td><td>5175.88</td><td>-44.41</td><td>-14.41</td><td>-30.00</td><td>-71.18</td><td>26.77 HORIZONTAL</td></tr><tr><td>3 @</td><td>17741.88</td><td>-39.70</td><td>-9.70</td><td>-30.00</td><td>-78.01</td><td>38.31 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3998.88	-47.71	-17.71	-30.00	-70.70	22.99 HORIZONTAL	2	5175.88	-44.41	-14.41	-30.00	-71.18	26.77 HORIZONTAL	3 @	17741.88	-39.70	-9.70	-30.00	-78.01	38.31 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>3928.75</td><td>-48.17</td><td>-18.17</td><td>-30.00</td><td>-68.69</td><td>20.52 VERTICAL</td></tr><tr><td>2</td><td>5127.75</td><td>-45.58</td><td>-15.58</td><td>-30.00</td><td>-69.73</td><td>24.15 VERTICAL</td></tr><tr><td>3 @</td><td>13651.48</td><td>-43.70</td><td>-13.70</td><td>-30.00</td><td>-77.41</td><td>33.71 VERTICAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	3928.75	-48.17	-18.17	-30.00	-68.69	20.52 VERTICAL	2	5127.75	-45.58	-15.58	-30.00	-69.73	24.15 VERTICAL	3 @	13651.48	-43.70	-13.70	-30.00	-77.41
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	3998.88	-47.71	-17.71	-30.00	-70.70	22.99 HORIZONTAL																																																																			
2	5175.88	-44.41	-14.41	-30.00	-71.18	26.77 HORIZONTAL																																																																			
3 @	17741.88	-39.70	-9.70	-30.00	-78.01	38.31 HORIZONTAL																																																																			
Result	Freq	Level	Margin	Limit	Read																																																																				
	MHz	dBm	dB	dBm	dBm	dB																																																																			
1	3928.75	-48.17	-18.17	-30.00	-68.69	20.52 VERTICAL																																																																			
2	5127.75	-45.58	-15.58	-30.00	-69.73	24.15 VERTICAL																																																																			
3 @	13651.48	-43.70	-13.70	-30.00	-77.41	33.71 VERTICAL																																																																			



Mode	31																																																																																																				
	ENDC 3A_n79A	Channel LTE:19575 NR:713334	LTE:10M 50RB0 QPSK NR:100M 1RB1 QPSK																																																																																																		
Ant	0+4																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Traffic																																																																																																					
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1627.50</td><td>-55.22</td><td>-25.22</td><td>-30.00</td><td>-66.72</td><td>11.50 HORIZONTAL</td></tr><tr><td>2</td><td>1903.00</td><td>-52.91</td><td>-22.91</td><td>-30.00</td><td>-66.97</td><td>14.06 HORIZONTAL</td></tr><tr><td>3</td><td>4405.25</td><td>-54.82</td><td>-24.82</td><td>-30.00</td><td>-79.16</td><td>24.34 HORIZONTAL</td></tr><tr><td>4</td><td>5051.00</td><td>-53.04</td><td>-23.04</td><td>-30.00</td><td>-79.91</td><td>26.87 HORIZONTAL</td></tr><tr><td>5 @</td><td>17498.45</td><td>-39.25</td><td>-9.25</td><td>-30.00</td><td>-77.28</td><td>38.03 HORIZONTAL</td></tr></table>		Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1627.50	-55.22	-25.22	-30.00	-66.72	11.50 HORIZONTAL	2	1903.00	-52.91	-22.91	-30.00	-66.97	14.06 HORIZONTAL	3	4405.25	-54.82	-24.82	-30.00	-79.16	24.34 HORIZONTAL	4	5051.00	-53.04	-23.04	-30.00	-79.91	26.87 HORIZONTAL	5 @	17498.45	-39.25	-9.25	-30.00	-77.28	38.03 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>1671.50</td><td>-57.06</td><td>-27.06</td><td>-30.00</td><td>-65.80</td><td>8.74 VERTICAL</td></tr><tr><td>2</td><td>1798.00</td><td>-55.38</td><td>-25.38</td><td>-30.00</td><td>-65.90</td><td>10.52 VERTICAL</td></tr><tr><td>3</td><td>4378.13</td><td>-57.44</td><td>-27.44</td><td>-30.00</td><td>-78.57</td><td>21.13 VERTICAL</td></tr><tr><td>4</td><td>5142.88</td><td>-54.62</td><td>-24.62</td><td>-30.00</td><td>-78.77</td><td>24.15 VERTICAL</td></tr><tr><td>5 @</td><td>14172.84</td><td>-42.78</td><td>-12.78</td><td>-30.00</td><td>-76.60</td><td>33.82 VERTICAL</td></tr></table>	Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	1671.50	-57.06	-27.06	-30.00	-65.80	8.74 VERTICAL	2	1798.00	-55.38	-25.38	-30.00	-65.90	10.52 VERTICAL	3	4378.13	-57.44	-27.44	-30.00	-78.57	21.13 VERTICAL	4	5142.88	-54.62	-24.62	-30.00	-78.77	24.15 VERTICAL	5 @	14172.84	-42.78	-12.78	-30.00	-76.60	33.82 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																																																															
	MHz	dBm	dB	dBm	dBm	dB																																																																																															
1	1627.50	-55.22	-25.22	-30.00	-66.72	11.50 HORIZONTAL																																																																																															
2	1903.00	-52.91	-22.91	-30.00	-66.97	14.06 HORIZONTAL																																																																																															
3	4405.25	-54.82	-24.82	-30.00	-79.16	24.34 HORIZONTAL																																																																																															
4	5051.00	-53.04	-23.04	-30.00	-79.91	26.87 HORIZONTAL																																																																																															
5 @	17498.45	-39.25	-9.25	-30.00	-77.28	38.03 HORIZONTAL																																																																																															
Result	Freq	Level	Margin	Limit	Read																																																																																																
	MHz	dBm	dB	dBm	dBm	dB																																																																																															
1	1671.50	-57.06	-27.06	-30.00	-65.80	8.74 VERTICAL																																																																																															
2	1798.00	-55.38	-25.38	-30.00	-65.90	10.52 VERTICAL																																																																																															
3	4378.13	-57.44	-27.44	-30.00	-78.57	21.13 VERTICAL																																																																																															
4	5142.88	-54.62	-24.62	-30.00	-78.77	24.15 VERTICAL																																																																																															
5 @	14172.84	-42.78	-12.78	-30.00	-76.60	33.82 VERTICAL																																																																																															



Mode	32																																																													
	NR n78			Channel 636666		100M 1RB1 QPSK																																																								
Ant	4																																																													
Pol.	Horizontal			Vertical																																																										
Idle																																																														
	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1 @</td><td>31.94</td><td>-64.91</td><td>-7.91</td><td>-57.00</td><td>-65.85</td><td>0.94 HORIZONTAL</td></tr><tr><td>2</td><td>14386.35</td><td>-57.44</td><td>-10.44</td><td>-47.00</td><td>-51.33</td><td>-6.11 HORIZONTAL</td></tr></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1 @	31.94	-64.91	-7.91	-57.00	-65.85	0.94 HORIZONTAL	2	14386.35	-57.44	-10.44	-47.00	-51.33	-6.11 HORIZONTAL	<table><tr><th>Result</th><th>Freq</th><th>Level</th><th>Margin</th><th>Limit</th><th>Read</th><th></th></tr><tr><th></th><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dBm</th><th>dB</th></tr><tr><td>1</td><td>31.94</td><td>-68.40</td><td>-11.40</td><td>-57.00</td><td>-67.31</td><td>-1.09 VERTICAL</td></tr><tr><td>2 @</td><td>13648.70</td><td>-56.47</td><td>-9.47</td><td>-47.00</td><td>-49.49</td><td>-6.98 VERTICAL</td></tr></table>			Result	Freq	Level	Margin	Limit	Read			MHz	dBm	dB	dBm	dBm	dB	1	31.94	-68.40	-11.40	-57.00	-67.31	-1.09 VERTICAL	2 @	13648.70	-56.47	-9.47	-47.00	-49.49	-6.98 VERTICAL
	Result	Freq	Level	Margin	Limit	Read																																																								
		MHz	dBm	dB	dBm	dBm	dB																																																							
1 @	31.94	-64.91	-7.91	-57.00	-65.85	0.94 HORIZONTAL																																																								
2	14386.35	-57.44	-10.44	-47.00	-51.33	-6.11 HORIZONTAL																																																								
Result	Freq	Level	Margin	Limit	Read																																																									
	MHz	dBm	dB	dBm	dBm	dB																																																								
1	31.94	-68.40	-11.40	-57.00	-67.31	-1.09 VERTICAL																																																								
2 @	13648.70	-56.47	-9.47	-47.00	-49.49	-6.98 VERTICAL																																																								