

Plot No.01 T-Coil Signal Test Report

Measurement performed on April 27, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	EDGE-FDD (TDMA, 8PSK, TN 0-1)	189	836.4

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.01



Plot No.01 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
66	284	18	26



Plot No.02 T-Coil Signal Test Report

Measurement performed on April 27, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	EDGE-FDD (TDMA, 8PSK, TN 0-1)	661	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.04



Plot No.02 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
147	401	18	26



Plot No.03 T-Coil Signal Test Report

Measurement performed on April 26, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 2	UMTS-FDD (HSPA+)	9400	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.66	0.06



Plot No.03 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
329	535	24	26



Plot No.04 T-Coil Signal Test Report

Measurement performed on April 27, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 4	UMTS-FDD (HSPA+)	1413	1732.6

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.69	0.38



Plot No.04 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
268	510	22	26



Plot No.05 T-Coil Signal Test Report

Measurement performed on April 26, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 5	UMTS-FDD (HSPA+)	4182	836.4

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.64	0.08



Plot No.05 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
294	499	23	26



Plot No.06 T-Coil Signal Test Report

Measurement performed on April 26, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26340	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.12	0.11



Plot No.06 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
320	520	23	26



Plot No.07 T-Coil Signal Test Report

Measurement performed on April 26, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 42	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	42590	3500.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.32	0.01



Plot No.07 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
172	374	17	26



Plot No.08 T-Coil Signal Test Report

Measurement performed on April 26, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, BPSK, 15 kHz)	349000	1745.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.51	0.56



Plot No.08 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
282	483	21	26



Plot No.09 T-Coil Signal Test Report

Measurement performed on April 25, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, BPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.49	0.16



Plot No.09 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
177	377	17	26



Plot No.10 T-Coil Signal Test Report

Measurement performed on May 14, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	6	2437.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.73	0.22



Plot No.10 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
217	415	17	26



Plot No.11 T-Coil Signal Test Report

Measurement performed on May 14, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	40	5200.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.52	0.38



Plot No.11 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
221	424	21	26



Plot No.12 T-Coil Signal Test Report

Measurement performed on May 14, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	60	5300.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.48	0.26



Plot No.12 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
217	415	21	26



Plot No.13 T-Coil Signal Test Report

Measurement performed on May 14, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	116	5580.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.68	0.03



Plot No.13 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
223	414	17	26



Plot No.14 T-Coil Signal Test Report

Measurement performed on May 15, 2026

Device Under Test

Dimensions [mm]	Speaker Position [mm]
167.0 x 78.0 x 8.0	166.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 10, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	149	5745.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.49	0.18



Plot No.14 T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
262	455	19	26

