- 1 2022-07-30 20:14:58.620 16578-16578/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 2 2022-07-30 20:14:58.628 16578-16578/com.example.foodo I/chatty: uid=10140(com.example.foodo) identical 1 line
- 3 2022-07-30 20:14:58.628 16578-16578/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 4 2022-07-30 20:14:58.975 16578-16578/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 5 2022-07-30 20:14:58.976 16578-16578/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 6 2022-07-30 20:14:59.311 16578-16578/com.example.foodo
  W/m.example.food: Accessing hidden method Landroid/
  app/Instrumentation;->execStartActivity(Landroid/
  content/Context;Landroid/os/IBinder;Landroid/os/
  IBinder;Landroid/app/Activity;Landroid/content/Intent
  ;ILandroid/os/Bundle;)Landroid/app/
  Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 7 2022-07-30 20:14:59.311 16578-16578/com.example.foodo
   W/m.example.food: Accessing hidden method Landroid/
   app/Instrumentation;->execStartActivity(Landroid/
   content/Context;Landroid/os/IBinder;Landroid/os/
   IBinder;Ljava/lang/String;Landroid/content/Intent;
   ILandroid/os/Bundle;)Landroid/app/
   Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 8 2022-07-30 20:14:59.317 16578-16578/com.example.foodo I/MonitoringInstr: newApplication called!
- 9 2022-07-30 20:14:59.360 16578-16578/com.example.foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]
- 10 2022-07-30 20:14:59.408 16578-16578/com.example.foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 11 2022-07-30 20:14:59.418 16578-16626/com.example.foodo I/DynamiteModule: Considering local module com.

- 11 google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite: 75
- 12 2022-07-30 20:14:59.418 16578-16626/com.example.foodo
  I/DynamiteModule: Selected remote version of com.
  google.android.gms.measurement.dynamite, version >=
  75
- 13 2022-07-30 20:14:59.424 16578-16578/com.example.foodo I/MonitoringInstr: Instrumentation started!
- 14 2022-07-30 20:14:59.428 16578-16578/com.example.foodo D/ClassesArgTokenizer: input: com.example.foodo. SearchForRestaurantInformationTest
- 15 2022-07-30 20:14:59.429 16578-16578/com.example.foodo D/ClassesArgTokenizer: result: [com.example.foodo. SearchForRestaurantInformationTest]
- 16 2022-07-30 20:14:59.429 16578-16578/com.example.foodo D/ClassesArgTokenizer: input: null
- 17 2022-07-30 20:14:59.429 16578-16578/com.example.foodo D/ClassesArgTokenizer: result: []
- 18 2022-07-30 20:14:59.439 16578-16630/com.example.foodo D/AndroidJUnitRunner: onStart is called.
- 20 2022-07-30 20:14:59.451 16578-16630/com.example.foodo D/TestRequestBuilder: Skipping class path scanning and directly running [com.example.foodo. SearchForRestaurantInformationTest]
- 21 2022-07-30 20:14:59.457 16578-16630/com.example.foodo D/ClassesArgTokenizer: input: com.example.foodo. SearchForRestaurantInformationTest
- 22 2022-07-30 20:14:59.457 16578-16630/com.example.foodo D/ClassesArgTokenizer: result: [com.example.foodo. SearchForRestaurantInformationTest]
- 23 2022-07-30 20:14:59.457 16578-16630/com.example.foodo D/ClassesArgTokenizer: input: null
- 24 2022-07-30 20:14:59.457 16578-16630/com.example.foodo D/ClassesArgTokenizer: result: []
- 25 2022-07-30 20:14:59.465 16578-16630/com.example.foodo D/AndroidJUnitRunner: Use the raw file system for managing file I/O.
- 26 2022-07-30 20:14:59.469 16578-16630/com.example.foodo

- 26 D/TestExecutor: Adding listener androidx.test. internal.runner.listener.LogRunListener
- 27 2022-07-30 20:14:59.469 16578-16630/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.InstrumentationResultPrinter
- 28 2022-07-30 20:14:59.469 16578-16630/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.ActivityFinisherRunListener
- 29 2022-07-30 20:14:59.469 16578-16630/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.TraceRunListener
- 30 2022-07-30 20:14:59.471 16578-16630/com.example.foodo I/TestRunner: run started: 1 tests
- 31 2022-07-30 20:14:59.472 16578-16630/com.example.foodo I/TestRunner: started: searchForRestaurantInformationTest(com.example.foodo. SearchForRestaurantInformationTest)
- 32 2022-07-30 20:14:59.488 16578-16630/com.example.foodo I/GrantPermissionCallable: Permission: android. permission.ACCESS\_COARSE\_LOCATION is already granted!
- 33 2022-07-30 20:14:59.488 16578-16630/com.example.foodo I/GrantPermissionCallable: Permission: android. permission.ACCESS\_FINE\_LOCATION is already granted!
- 34 2022-07-30 20:14:59.495 16578-16630/com.example.foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to android.provider.Settings.Global, returning read-only value.
- 35 2022-07-30 20:14:59.571 16578-16633/com.example.foodo I/FA: App measurement initialized, version: 66000
- 36 2022-07-30 20:14:59.571 16578-16633/com.example.foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 39 2022-07-30 20:14:59.571 16578-16633/com.example.foodo D/FA: Debug-level message logging enabled
- 40 2022-07-30 20:14:59.646 16578-16633/com.example.foodo D/FA: Connected to remote service

- 41 2022-07-30 20:14:59.833 16578-16578/com.example.foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@1d0d2af
- 42 2022-07-30 20:14:59.850 16578-16675/com.example.foodo D/libEGL: Emulator has host GPU support, qemu.gles is set to 1.
- 43 2022-07-30 20:14:59.851 16578-16675/com.example.foodo W/libc: Unable to set property "qemu.gles" to "1": connection failed; errno=13 (Permission denied)
- 44 2022-07-30 20:14:59.837 16578-16578/com.example.foodo
  W/RenderThread: type=1400 audit(0.0:97): avc: denied
  { write } for name="property\_service" dev="tmpfs"
  ino=9248 scontext=u:r:untrusted\_app:s0:c140,c256,c512
  ,c768 tcontext=u:object\_r:property\_socket:s0 tclass=
  sock\_file permissive=0
- 45 2022-07-30 20:14:59.904 16578-16675/com.example.foodo D/libEGL: loaded /vendor/lib/egl/libEGL\_emulation.so
- 46 2022-07-30 20:14:59.906 16578-16675/com.example.foodo D/libEGL: loaded /vendor/lib/egl/ libGLESv1\_CM\_emulation.so
- 47 2022-07-30 20:14:59.908 16578-16675/com.example.foodo D/libEGL: loaded /vendor/lib/egl/libGLESv2\_emulation .so
- 48 2022-07-30 20:14:59.917 16578-16578/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: PRE\_ON\_CREATE
- 49 2022-07-30 20:14:59.951 16578-16578/com.example.foodo W/m.example.food: Accessing hidden method Landroid/ view/View;->computeFitSystemWindows(Landroid/graphics/Rect;Landroid/graphics/Rect;)Z (greylist, reflection, allowed)
- 50 2022-07-30 20:14:59.952 16578-16578/com.example.foodo W/m.example.food: Accessing hidden method Landroid/ view/ViewGroup;->makeOptionalFitsSystemWindows()V ( greylist, reflection, allowed)
- 51 2022-07-30 20:15:00.100 16578-16578/com.example.foodo D/MainActivity:
  eyJhbGciOiJSUzI1NiIsImtpZCI6IjE1NDllMGFlZjU3NGQxYzdiZ GQxMzZjMjAyYjhkMjkwNTgwYjE2NWMiLCJ0eXAiOiJKV1QifQ.
  eyJpc3MiOiJodHRwczovL2FjY291bnRzLmdvb2dsZS5jb20iLCJhe nAiOiIOMTUyNDM1Njk3MTUtMGNoM2c2N25tbmRuZnZlNmFtOWk3Nj

51

c3amwxbTVlZmMuYXBwcy5nb29nbGV1c2VyY29udGVudC5jb20iLCJhdWQi0iI0MTUyNDM1Njk3MTUtZnQwaDgxcHN2cGttM3VmYmM5aDVxbGtvbXJkMWs4YnAuYXBwcy5nb29nbGV1c2VyY29udGVudC5jb20iLCJzdWIi0iIxMDc1NzgxMDAyMDM1NjMx0TAxNTAiLCJlbWFpbCI6ImNwZW4zMjFlc3ByZXNzb0BnbWFpbC5jb20iLCJlbWFpbF92ZXJpZmllZCI6dHJ1ZSwibmFtZSI6IlRlc3QgQWNjb3VudCIsInBpY3R1cmUi0iJodHRwczovL2xoMy5nb29nbGV1c2VyY29udGVudC5jb20vYS9BSXRidm1ucDhveXpLT040TFNrRzRIWVFfbkk1SFFBTHJZM2JGMkNaUXktZT1z0TYtYyIsImdpdmVuX25hbWUi0iJUZXN0IiwiZmFtaWx5X25hbWUi0iJBY2NvdW50IiwibG9jYWxlIjoiZW4iLCJpYXQi0jE2NTkyMzUyNzEsImV4cCI6MTY10TIz0Dg3MX0.STg7b-

RXZ2kARONXZtarJSoruglhIVmxZTwJcMWED6-

VceXzbI9XKf15exHAVbL700SzT3e76\_Fei53vvoCdjI7rQaH4KM8h KohsRntDTGH0JBkCs67j2pfckEPylGmEEPTuVpYjZo3ZxJJf6ba1n0m5wFBeA7skQ6UkM4gKpMc-

H\_rr9dW4TifTR9f8asLs36qQU3Mv0EHM3kNfNryVTQNM7HVnxp\_KavPgsVylzoVi\_qgzH\_B54XexStsNj0KAbPZJsx1ZAo\_iW85iH5fxCqT3oJzbuVi0cIj6MnvgFCCcEkVgQ6z8xe5odIuwFsGtdmJE0YEUfgCF0ryJUYd9Q and Test Account

- 52 2022-07-30 20:15:00.100 16578-16578/com.example.foodo D/MainActivity: Test Account
- 53 2022-07-30 20:15:00.217 16578-16578/com.example.foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 54 2022-07-30 20:15:00.247 16578-16578/com.example.foodo D/MainActivity: starting idling resource
- 55 2022-07-30 20:15:00.259 16578-16578/com.example.foodo D/FoodoListService: Test Account
- 56 2022-07-30 20:15:00.265 16578-16578/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: CREATED
- 57 2022-07-30 20:15:00.276 16578-16578/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: STARTED
- 58 2022-07-30 20:15:00.285 16578-16578/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: RESUMED
- 59 2022-07-30 20:15:00.291 16578-16630/com.example.foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to

- 59 android.provider.Settings.Global, returning read-only value.
- 60 2022-07-30 20:15:00.296 16578-16633/com.example.foodo I/FA: Tag Manager is not found and thus will not be used
- 61 2022-07-30 20:15:00.331 16578-16686/com.example.foodo
   W/m.example.food: Accessing hidden method Lsun/misc/
   Unsafe;->getInt(Ljava/lang/Object;J)I (greylist,
   linking, allowed)
- 62 2022-07-30 20:15:00.331 16578-16686/com.example.foodo
  W/m.example.food: Accessing hidden method Lsun/misc/
  Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/
  Object; (greylist, linking, allowed)
- 63 2022-07-30 20:15:00.331 16578-16686/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 64 2022-07-30 20:15:00.331 16578-16686/com.example.foodo
  W/m.example.food: Accessing hidden method Lsun/misc/
  Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core
  -platform-api, linking, allowed)
- 65 2022-07-30 20:15:00.333 16578-16686/com.example.foodo
   W/m.example.food: Accessing hidden method Lsun/misc/
   Unsafe;->objectFieldOffset(Ljava/lang/reflect/Field;)
   J (greylist,core-platform-api, linking, allowed)
- 66 2022-07-30 20:15:00.334 16578-16686/com.example.foodo
   W/m.example.food: Accessing hidden method Lsun/misc/
   Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/
   Object;)V (greylist, linking, allowed)
- 67 2022-07-30 20:15:00.334 16578-16686/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
- 68 2022-07-30 20:15:00.342 16578-16686/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
- 69 2022-07-30 20:15:00.343 16578-16686/com.example.foodo
  W/m.example.food: Accessing hidden method Lsun/misc/
  Unsafe;->allocateInstance(Ljava/lang/Class;)Ljava/
  lang/Object; (greylist, linking, allowed)

- 70 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekLong(JZ)J (greylist, reflection, allowed)
- 71 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeLong(JJZ)V (greylist, reflection, allowed)
- 72 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeInt(JIZ)V (greylist, reflection, allowed)
- 73 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekInt(JZ)I (greylist, reflection, allowed)
- 74 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeByte(JB)V (greylist, reflection, allowed)
- 75 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByte(J)B (greylist, reflection, allowed)
- 76 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeByteArray(J[BII)V (greylist, reflection, allowed)
- 77 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByteArray(J[BII)V (greylist, reflection, allowed)
- 78 2022-07-30 20:15:00.347 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->arrayBaseOffset(Ljava/lang/Class;)I (greylist,core-platform-api, linking, allowed)
- 79 2022-07-30 20:15:00.347 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->arrayIndexScale(Ljava/lang/Class;)I (
   greylist, linking, allowed)
- 80 2022-07-30 20:15:00.347 16578-16686/com.example.

```
80 foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->qetInt(Ljava/lang/Object;J)I (
   greylist, linking, allowed)
81 2022-07-30 20:15:00.347 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
   greylist,core-platform-api, linking, allowed)
82 2022-07-30 20:15:00.347 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
   lang/Object; (greylist, linking, allowed)
83 2022-07-30 20:15:00.348 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
   greylist, linking, allowed)
84 2022-07-30 20:15:00.348 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (
   greylist, linking, allowed)
85 2022-07-30 20:15:00.349 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
   lang/Object;)V (greylist, linking, allowed)
86 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->qetInt(Ljava/lang/Object;J)I (
   greylist, reflection, allowed)
87 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
   greylist, reflection, allowed)
88 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->qetLong(Ljava/lang/Object;J)J (
   greylist,core-platform-api, reflection, allowed)
89 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (
   greylist, reflection, allowed)
90 2022-07-30 20:15:00.350 16578-16686/com.example.
```

foodo W/m.example.food: Accessing hidden method Lsun

```
90 /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
   lang/Object; (greylist, reflection, allowed)
91 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
   lang/Object;)V (greylist, reflection, allowed)
92 2022-07-30 20:15:00.350 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden field Ljava
   /nio/Buffer;->address:J (greylist, reflection,
   allowed)
93 2022-07-30 20:15:00.350 16578-16680/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
   /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
   lang/Object; (greylist, linking, allowed)
94 2022-07-30 20:15:00.366 16578-16674/com.example.
   foodo D/HostConnection: HostConnection::get() New
   Host Connection established Oxde8cf5d0, tid 16674
95 2022-07-30 20:15:00.367 16578-16674/com.example.
   foodo D/HostConnection: HostComposition ext
   ANDROID_EMU_CHECKSUM_HELPER_v1 ANDROID_EMU_dma_v1
   ANDROID_EMU_direct_mem
   ANDROID_EMU_host_composition_v1
   ANDROID_EMU_host_composition_v2 ANDROID_EMU_vulkan
   ANDROID_EMU_deferred_vulkan_commands
   ANDROID_EMU_vulkan_null_optional_strings
   ANDROID_EMU_vulkan_create_resources_with_requirement
   s ANDROID_EMU_YUV420_888_to_NV21
   ANDROID_EMU_YUV_Cache
   ANDROID_EMU_vulkan_free_memory_sync
   ANDROID_EMU_vulkan_shader_float16_int8
   ANDROID_EMU_vulkan_async_queue_submit
   ANDROID_EMU_sync_buffer_data
   GL_OES_vertex_array_object
   GL_KHR_texture_compression_astc_ldr
   ANDROID_EMU_host_side_tracing
   ANDROID_EMU_gles_max_version_2
96 2022-07-30 20:15:00.368 16578-16681/com.example.
   foodo D/FoodoListService: {"_id":"
   107578100203563190150", "name": "Test Account", "email
   ":"cpen321espresso@gmail.com","__v":0}
97 2022-07-30 20:15:00.369 16578-16681/com.example.
```

- 97 foodo D/FoodoListService: {"\_id":"
  107578100203563190150","name":"Test Account","email
  ":"cpen321espresso@gmail.com","\_\_v":0}
- 98 2022-07-30 20:15:00.369 16578-16681/com.example. foodo D/FoodoListService: 107578100203563190150
- 99 2022-07-30 20:15:00.369 16578-16681/com.example. foodo D/FoodoListService: Test Account
- 100 2022-07-30 20:15:00.369 16578-16681/com.example. foodo D/FoodoListService: userID: 107578100203563190150
- 101 2022-07-30 20:15:00.370 16578-16680/com.example. foodo D/MainActivity: {"\_id":"107578100203563190150 ","name":"Test Account","email":"cpen321espresso@gmail.com","\_\_v":0}
- 102 2022-07-30 20:15:00.370 16578-16680/com.example. foodo D/MainActivity: 107578100203563190150
- 103 2022-07-30 20:15:00.370 16578-16680/com.example. foodo D/MainActivity: intent extras have all been added
- 104 2022-07-30 20:15:00.375 16578-16682/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 105 2022-07-30 20:15:00.375 16578-16674/com.example. foodo W/OpenGLRenderer: Failed to choose config with EGL\_SWAP\_BEHAVIOR\_PRESERVED, retrying without...
- 106 2022-07-30 20:15:00.375 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 107 2022-07-30 20:15:00.375 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 108 2022-07-30 20:15:00.393 16578-16674/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 0 0
- 109 2022-07-30 20:15:00.393 16578-16674/com.example. foodo D/EGL\_emulation: eglCreateContext: 0xebb74120 : maj 2 min 0 rcv 2
- 110 2022-07-30 20:15:00.394 16578-16686/com.example.

```
| Tile-unknown | Tile
```

- 115 2022-07-30 20:15:00.404 16578-16674/com.example. foodo D/HostConnection: HostConnection::get() New Host Connection established 0xde8d1d30, tid 16674
- 116 2022-07-30 20:15:00.405 16578-16674/com.example.
  foodo D/HostConnection: HostComposition ext
  ANDROID\_EMU\_CHECKSUM\_HELPER\_v1 ANDROID\_EMU\_dma\_v1
  ANDROID\_EMU\_direct\_mem

ANDROID\_EMU\_host\_composition\_v1

ANDROID\_EMU\_host\_composition\_v2 ANDROID\_EMU\_vulkan

ANDROID\_EMU\_deferred\_vulkan\_commands

ANDROID\_EMU\_vulkan\_null\_optional\_strings

ANDROID\_EMU\_vulkan\_create\_resources\_with\_requirement s ANDROID\_EMU\_YUV420\_888\_to\_NV21

ANDROID\_EMU\_YUV\_Cache

ANDROID\_EMU\_vulkan\_free\_memory\_sync

ANDROID\_EMU\_vulkan\_shader\_float16\_int8

ANDROID\_EMU\_vulkan\_async\_queue\_submit

ANDROID\_EMU\_sync\_buffer\_data

GL\_OES\_vertex\_array\_object

GL\_KHR\_texture\_compression\_astc\_ldr

ANDROID\_EMU\_host\_side\_tracing

ANDROID\_EMU\_gles\_max\_version\_2

- 117 2022-07-30 20:15:00.405 16578-16674/com.example. foodo D/eglCodecCommon: allocate: Ask for block of size 0x1000
- 118 2022-07-30 20:15:00.405 16578-16674/com.example. foodo D/eglCodecCommon: allocate: ioctl allocate

- 118 returned offset 0x3ff708000 size 0x2000
- 119 2022-07-30 20:15:00.409 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 120 2022-07-30 20:15:00.410 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 121 2022-07-30 20:15:00.411 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 122 2022-07-30 20:15:00.411 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 123 2022-07-30 20:15:00.411 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 124 2022-07-30 20:15:00.412 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 125 2022-07-30 20:15:00.413 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 126 2022-07-30 20:15:00.413 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 127 2022-07-30 20:15:00.413 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 128 2022-07-30 20:15:00.413 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)

- 129 2022-07-30 20:15:00.414 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 130 2022-07-30 20:15:00.414 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 131 2022-07-30 20:15:00.414 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 132 2022-07-30 20:15:00.415 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 133 2022-07-30 20:15:00.424 16578-16674/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 1 0
- 134 2022-07-30 20:15:00.512 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 135 2022-07-30 20:15:00.513 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: PAUSED
- 136 2022-07-30 20:15:00.544 16578-16578/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@eb1bf28
- 137 2022-07-30 20:15:00.549 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: PRE\_ON\_CREATE
- 138 2022-07-30 20:15:00.579 16578-16578/com.example.
  foodo D/MainActivity:
  eyJhbGciOiJSUzI1NiIsImtpZCI6IjE1NDllMGFlZjU3NGQxYzdi
  ZGQxMzZjMjAyYjhkMjkwNTgwYjE2NWMiLCJ0eXAiOiJKV1QifQ.
  eyJpc3MiOiJodHRwczovL2FjY291bnRzLmdvb2dsZS5jb20iLCJh
  enAiOiIOMTUyNDM1Njk3MTUtMGNoM2c2N25tbmRuZnZlNmFtOWk3
  Njc3amwxbTVlZmMuYXBwcy5nb29nbGV1c2VyY29udGVudC5jb20i
  LCJhdWQiOiIOMTUyNDM1Njk3MTUtZnQwaDgxcHN2cGttM3VmYmM5
  aDVxbGtvbXJkMWs4YnAuYXBwcy5nb29nbGV1c2VyY29udGVudC5j

138

b20iLCJzdWIi0iIxMDc1NzgxMDAyMDM1NjMxOTAxNTAiLCJlbWFp bCI6ImNwZW4zMjFlc3ByZXNzb0BnbWFpbC5jb20iLCJlbWFpbF92 ZXJpZmllZCI6dHJ1ZSwibmFtZSI6IlRlc3QgQWNjb3VudCIsInBp Y3R1cmUi0iJodHRwczovL2xoMy5nb29nbGV1c2VyY29udGVudC5j b20vYS9BSXRidm1ucDhveXpLT040TFNrRzRIWVFfbkk1SFFBTHJZ M2JGMkNaUXktZT1z0TYtYyIsImdpdmVuX25hbWUi0iJUZXN0Iiwi ZmFtaWx5X25hbWUi0iJBY2NvdW50IiwibG9jYWxlIjoiZW4iLCJp YXQiOjE2NTkyMzUyNzEsImV4cCI6MTY1OTIzODg3MXO.STg7b-RXZ2kARONXZtarJSoruglhIVmxZTwJcMWED6-VceXzbI9XKf15exHAVbL700SzT3e76\_Fei53vvoCdjI7rQaH4KM8 hKohsRntDTGHOJBkCs67j2pfckEPylGmEEPTuVpYjZo3ZxJJf6ba1n0m5wFBeA7skQ6UkM4gKpMc-H\_rr9dW4TifTR9f8asLs36qQU3Mv0EHM3kNfNryVTQNM7HVnxp\_K avPgsVylzoVi\_qgzH\_B54XexStsNjOKAbPZJsx1ZAo\_iW85iH5fx CqT3oJzbuVi0cIj6MnvgFCCcEkVgQ6z8xe5odIuwFsGtdmJE0YEU fgCF0ryJUYd9Q and Test Account

- 139 2022-07-30 20:15:00.579 16578-16578/com.example. foodo D/MainActivity: Test Account
- 140 2022-07-30 20:15:00.580 16578-16578/com.example. foodo D/MainActivity: starting idling resource
- 141 2022-07-30 20:15:00.580 16578-16578/com.example. foodo D/FoodoListService: Test Account
- 142 2022-07-30 20:15:00.587 16578-16682/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 143 2022-07-30 20:15:00.587 16578-16680/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 144 2022-07-30 20:15:00.587 16578-16682/com.example. foodo D/MainActivity: {"\_id":"107578100203563190150 ","name":"Test Account","email":"cpen321espresso@gmail.com","\_\_v":0}
- 145 2022-07-30 20:15:00.587 16578-16682/com.example. foodo D/MainActivity: 107578100203563190150
- 146 2022-07-30 20:15:00.587 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (greylist, linking, allowed)

- 147 2022-07-30 20:15:00.587 16578-16682/com.example. foodo D/MainActivity: intent extras have all been added
- 148 2022-07-30 20:15:00.587 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 149 2022-07-30 20:15:00.588 16578-16680/com.example.
  foodo D/FoodoListService: {"\_id":"
  107578100203563190150","name":"Test Account","email
  ":"cpen321espresso@gmail.com","\_\_v":0}
- 150 2022-07-30 20:15:00.588 16578-16680/com.example. foodo D/FoodoListService: {"\_id":" 107578100203563190150","name":"Test Account","email ":"cpen321espresso@gmail.com","\_\_v":0}
- 151 2022-07-30 20:15:00.588 16578-16680/com.example. foodo D/FoodoListService: 107578100203563190150
- 152 2022-07-30 20:15:00.588 16578-16680/com.example. foodo D/FoodoListService: Test Account
- 153 2022-07-30 20:15:00.588 16578-16680/com.example. foodo D/FoodoListService: userID: 107578100203563190150
- 154 2022-07-30 20:15:00.588 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: CREATED
- 155 2022-07-30 20:15:00.588 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 156 2022-07-30 20:15:00.588 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 157 2022-07-30 20:15:00.588 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 158 2022-07-30 20:15:00.588 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)

- 159 2022-07-30 20:15:00.589 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 160 2022-07-30 20:15:00.589 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 161 2022-07-30 20:15:00.589 16578-16686/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
   greylist, linking, allowed)
- 162 2022-07-30 20:15:00.589 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 163 2022-07-30 20:15:00.590 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 164 2022-07-30 20:15:00.590 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 165 2022-07-30 20:15:00.590 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 166 2022-07-30 20:15:00.592 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: STARTED
- 167 2022-07-30 20:15:00.593 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: RESUMED
- 168 2022-07-30 20:15:00.609 16578-16682/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 169 2022-07-30 20:15:00.610 16578-16682/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/

- 169 lang/Object;) V (greylist, linking, allowed)
- 170 2022-07-30 20:15:00.616 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 171 2022-07-30 20:15:00.624 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 172 2022-07-30 20:15:00.624 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 173 2022-07-30 20:15:00.624 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 174 2022-07-30 20:15:00.651 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 175 2022-07-30 20:15:00.690 16578-16591/com.example. foodo I/m.example.food: Background young concurrent copying GC freed 52314(5942KB) AllocSpace objects, 25(564KB) LOS objects, 64% free, 3423KB/9567KB, paused 885us total 101.355ms
- 176 2022-07-30 20:15:00.714 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Click Search View
- 177 2022-07-30 20:15:00.717 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 178 2022-07-30 20:15:00.718 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: STOPPED
- 179 2022-07-30 20:15:00.725 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: DESTROYED
- 180 2022-07-30 20:15:00.730 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getLong(Ljava/lang/Object;J)J (

- 180 greylist, core-platform-api, linking, allowed)
- 181 2022-07-30 20:15:00.741 16578-16630/com.example. foodo W/FileTestStorage: Output properties is not supported.
- 182 2022-07-30 20:15:00.743 16578-16630/com.example. foodo I/Tracing: Tracer added: class androidx.test. platform.tracing.AndroidXTracer
- 183 2022-07-30 20:15:00.753 16578-16630/com.example. foodo D/EventInjectionStrategy: Creating injection strategy with input manager.
- 184 2022-07-30 20:15:00.753 16578-16630/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/hardware/input/InputManager;->getInstance()
  Landroid/hardware/input/InputManager; (greylist,
  reflection, allowed)
- 185 2022-07-30 20:15:00.753 16578-16630/com.example. foodo W/m.example.food: Accessing hidden method Landroid/hardware/input/InputManager;-> injectInputEvent(Landroid/view/InputEvent;I)Z (greylist, reflection, allowed)
- 186 2022-07-30 20:15:00.753 16578-16630/com.example.
  foodo W/m.example.food: Accessing hidden field
  Landroid/hardware/input/InputManager;->
  INJECT\_INPUT\_EVENT\_MODE\_WAIT\_FOR\_FINISH:I (greylist
  , reflection, allowed)
- 187 2022-07-30 20:15:00.771 16578-16630/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/ViewConfiguration;-> getDoubleTapMinTime()I (greylist, reflection, allowed)
- 188 2022-07-30 20:15:00.773 16578-16630/com.example. foodo W/FileTestStorage: Test input args is not supported.
- 189 2022-07-30 20:15:00.779 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/os/MessageQueue;->next()Landroid/os/Message
  ; (greylist, reflection, allowed)
- 190 2022-07-30 20:15:00.779 16578-16578/com.example. foodo W/m.example.food: Accessing hidden field Landroid/os/MessageQueue;->mMessages:Landroid/os/Message; (greylist, reflection, allowed)

- 191 2022-07-30 20:15:00.779 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/os/Message;->recycleUnchecked()V (greylist
  , reflection, allowed)
- 192 2022-07-30 20:15:00.780 16578-16630/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getUnsafe()Lsun/misc/Unsafe; (
  greylist,core-platform-api, linking, allowed)
- 193 2022-07-30 20:15:00.780 16578-16630/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 194 2022-07-30 20:15:00.782 16578-16701/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 195 2022-07-30 20:15:00.782 16578-16701/com.example.
   foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->compareAndSwapObject(Ljava/lang/
   Object;JLjava/lang/Object;Ljava/lang/Object;)Z (
   greylist, linking, allowed)
- 196 2022-07-30 20:15:00.782 16578-16701/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 197 2022-07-30 20:15:00.783 16578-16578/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/WindowManagerGlobal;->getInstance() Landroid/view/WindowManagerGlobal; (greylist, reflection, allowed)
- 198 2022-07-30 20:15:00.783 16578-16578/com.example. foodo W/m.example.food: Accessing hidden field Landroid/view/WindowManagerGlobal;->mViews:Ljava/util/ArrayList; (greylist, reflection, allowed)
- 199 2022-07-30 20:15:00.783 16578-16578/com.example. foodo W/m.example.food: Accessing hidden field Landroid/view/WindowManagerGlobal;->mParams:Ljava/util/ArrayList; (greylist, reflection, allowed)
- 200 2022-07-30 20:15:00.788 16578-16578/com.example. foodo I/ViewInteraction: Performing 'single click' action on view (view.getClass().getName() matches:

- 200 is "androidx.appcompat.widget.AppCompatImageView"
   and view.getContentDescription() is "Search" and
   Child at position 1 in parent (view.getClass().
   getName() matches: is "android.widget.LinearLayout"
   and Child at position 0 in parent view.getId() is <
   2131296655/com.example.foodo:id/restaurant\_search>)
   and (view has effective visibility <VISIBLE> and
   view.getGlobalVisibleRect() to return non-empty
   rectangle))
- 201 2022-07-30 20:15:01.109 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Type Tim Hortons in Search Bar
- 202 2022-07-30 20:15:01.113 16578-16578/com.example.
   foodo I/ViewInteraction: Performing 'replace text(
   Tim Hortons)' action on view (view.getClass().
   getName() matches: is "android.widget.
   SearchView\$SearchAutoComplete" and Child at position
   0 in parent (view.getClass().getName() matches: is
   "android.widget.LinearLayout" and Child at position
   1 in parent view.getClass().getName() matches: is "
   android.widget.LinearLayout") and (view has
   effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 203 2022-07-30 20:15:01.135 16578-16578/com.example.
   foodo I/ViewInteraction: Performing 'close keyboard
  ' action on view (view.getClass().getName() matches
  : is "android.widget.SearchView\$SearchAutoComplete"
   and Child at position 0 in parent (view.getClass().
   getName() matches: is "android.widget.LinearLayout"
   and Child at position 1 in parent view.getClass().
   getName() matches: is "android.widget.LinearLayout
  ") and (view has effective visibility <VISIBLE> and
   view.getGlobalVisibleRect() to return non-empty
   rectangle))
- 204 2022-07-30 20:15:01.499 16578-16578/com.example. foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of android.widget.TextView and view.getText() with or without transformation to match: is "Tim Hortons"}' assertion on view (an instance of android.widget.

))

- 204 EditText and an instance of android.widget.TextView
   and view.getText() with or without transformation to
   match: is "Tim Hortons" and view.getParent() (an
   instance of android.widget.LinearLayout and view.
   getParent() an instance of android.widget.
   LinearLayout) and (view has effective visibility <
   VISIBLE> and view.getGlobalVisibleRect() to return
   non-empty rectangle))
- 205 2022-07-30 20:15:01.500 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Click Search Button
- 206 2022-07-30 20:15:01.501 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'input method
  editor' action on view (view.getClass().getName()
  matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
- 207 2022-07-30 20:15:01.502 16578-16578/com.example. foodo D/MainActivity: submit
- 208 2022-07-30 20:15:01.508 16578-16578/com.example. foodo D/MainActivity: unable to get location
- 209 2022-07-30 20:15:01.612 16578-16578/com.example. foodo I/ViewInteraction: Performing 'input method editor' action on view (view.getClass().getName() matches: is "android.widget.
  - SearchView\$SearchAutoComplete" and Child at position 0 in parent (view.getClass().getName() matches: is "android.widget.LinearLayout" and Child at position 1 in parent view.getClass().getName() matches: is "android.widget.LinearLayout") and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect() to return non-empty rectangle
- )) 210 2022-07-30 20:15:01.613 16578-16578/com.example.
- 210 2022-07-30 20:15:01.613 16578-16578/com.example. foodo D/MainActivity: submit

```
211 2022-07-30 20:15:01.615 16578-16578/com.example.
    foodo D/MainActivity: Increment. Awiting
212 2022-07-30 20:15:01.615 16578-16578/com.example.
    foodo D/MainActivity: Hello?
213 2022-07-30 20:15:02.334 16578-16682/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
    lang/Object; (greylist, linking, allowed)
214 2022-07-30 20:15:02.335 16578-16686/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetInt(Ljava/lang/Object;J)I (
    greylist, linking, allowed)
215 2022-07-30 20:15:02.335 16578-16682/com.example.
    foodo D/MainActivity: [{"id":"
    ChijPbaHdrhzhlQReM4dHz3EV0U", "name": "Tim Hortons", "
    address": "1595 W Broadway Unit 101, Vancouver, BC
    V6J 1W6", "lat":49.2638594, "lng":-123.1407054, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2}, {"id":"
    ChIJx7q9G39xhlQRpTJlYCSyvQA", "name": "Tim Hortons", "
    address": "650 W Georgia St, Vancouver, BC V6B 4N7", "
    lat":49.28181499999999, "lng":-123.117732, "openNow":
    false,"businessStatus":"OPERATIONAL","GoogleRating":
    3.7}, {"id": "ChIJaVF2kmZxhlQRI6ciXczvFCU", "name": "Tim
     Hortons", "address": "306 Terminal Ave, Vancouver, BC
     V6A 3W9", "lat":49.2721344, "lnq":-123.0977055,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7},{"id":"
    ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", "
    address":"607 Dunsmuir St, Vancouver, BC V6B 1Y7","
    lat":49.2832573, "lng":-123.1154886, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.8}, {"
    id":"ChIJg4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver, BC
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3},{"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat":49.2860914, "lng":-123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
```

215 .6},{"id":"ChIJzc1cb9RzhlQRnAMnVE92X2M","name":"Tim Hortons", "address": "756 Davie St, Vancouver, BC V6G 1B6", "lat":49.2774788, "lng":-123.1272636, "openNow": true, "businessStatus": "OPERATIONAL", "GoogleRating": 3 .7},{"id":"ChIJfe2sYHhxhlQR6YR9clFor1Y","name":"Tim Hortons", "address": "555 W Hastings St Unit 6, Vancouver, BC V6B 5K3", "lat":49.2849465, "lng":-123. 1119939, "openNow":true, "businessStatus": "OPERATIONAL ", "GoogleRating": 3.5}, {"id": " ChIJ\_Z1eAoNxhlQRbQdkQ4LGL-k","name":"Tim Hortons"," address": "200 Burrard St, Vancouver, BC V6C 3L6", " lat":49.2876619, "lng":-123.1150299, "openNow":false, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim Hortons", "address": "947 Hornby St, Vancouver, BC V6Z 1V3", "lat":49.2811901, "lng":-123.1243774, " businessStatus":"CLOSED\_TEMPORARILY","GoogleRating": 3.8}, {"id": "ChIJnwpTNodxhlQRyMpqlFDPqR4", "name": "Tim Hortons", "address": "1299 Robson St, Vancouver, BC V6E 1C2", "lat":49.2870167, "lng":-123.1283226, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.6},{"id":" ChIJf\_sjnnhxhlQRf\_hegcc08xA","name":"Tim Hortons"," address": "750 W Pender St Unit 104, Vancouver, BC V6C 2T7", "lat":49.2848836, "lng":-123.1157462," openNow":false, "businessStatus": "OPERATIONAL", " GoogleRating":3.8}, {"id":" ChIJy4ytG3BxhlQR48y43xxpeXk", "name": "Tim Hortons", " address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat ":49.2793791, "lng":-123.0995012, "openNow":true, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJHVhQI4JxhlQR7GmTnBOS\_s0","name":"Tim Hortons", "address": "505 Burrard St #107, Vancouver, BC V6C 3A8", "lat":49.28656669999999, "lng":-123. 1184202, "openNow": false, "businessStatus": " OPERATIONAL", "GoogleRating": 3.6}, {"id":" ChIJdcSvYH5xhlQRQyaQn42z1xg", "name": "Tim Hortons", " address": "463 Robson St, Vancouver, BC V6B 6L9", "lat ":49.279958, "lng":-123.1172937, "openNow":false, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim

```
215 Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z
     1A6", "lat":49.2657856, "lng":-123.1224, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T_FIcq", "name": "Tim
    Hortons", "address": "108 W Pender St, Vancouver, BC
    V6B 0K4", "lat":49.2809464, "lng":-123.1078805,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7},{"id":"
    ChIJvbXYl9RzhlQRTdRIIgpysB8","name":"Tim Hortons","
    address": "1205 Burrard St, Vancouver, BC V6Z 1Z5","
    lat":49.2792006, "lng":-123.130006, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.6}, {"
    id":"ChIJbdhY0idyhlQRdIPuNqIgKYM","name":"Tim
    Hortons", "address": "1001 Denman St, Vancouver, BC
    V6G 2M4", "lat":49.2893956, "lng":-123.1390369, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2},{"id":"ChIJqRpYzHhxhlQR7BYMAR02
216 2022-07-30 20:15:02.336 16578-16686/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
    lang/Object; (greylist, linking, allowed)
217 2022-07-30 20:15:02.336 16578-16686/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetLong(Ljava/lang/Object;J)J (
    greylist,core-platform-api, linking, allowed)
218 2022-07-30 20:15:02.336 16578-16686/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
    greylist, linking, allowed)
219 2022-07-30 20:15:02.336 16578-16682/com.example.
    foodo D/MainActivity: response from /
    searchRestaurantsByQuery: [{"id":"
    ChIJPbaHdrhzhlQReM4dHz3EV0U", "name": "Tim Hortons", "
    address": "1595 W Broadway Unit 101, Vancouver, BC
    V6J 1W6", "lat":49.2638594, "lng":-123.1407054, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2},{"id":"
    ChIJx7q9G39xhlQRpTJlYCSyvQA", "name": "Tim Hortons", "
    address": "650 W Georgia St, Vancouver, BC V6B 4N7", "
    lat":49.28181499999999, "lng":-123.117732, "openNow":
    false, "businessStatus": "OPERATIONAL", "GoogleRating":
```

```
219 3.7}, {"id": "ChIJaVF2kmZxhlQRI6ciXczvFCU", "name": "Tim
     Hortons", "address": "306 Terminal Ave, Vancouver, BC
     V6A 3W9", "lat":49.2721344, "lng":-123.0977055,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7}, {"id":"
    ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", "
    address": "607 Dunsmuir St, Vancouver, BC V6B 1Y7","
    lat":49.2832573, "lng":-123.1154886, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.8},{"
    id":"ChIJg4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver, BC
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3},{"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat":49.2860914, "lng":-123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .6}, {"id": "ChIJzc1cb9RzhlQRnAMnVE92X2M", "name": "Tim
    Hortons", "address": "756 Davie St, Vancouver, BC V6G
    1B6", "lat":49.2774788, "lng":-123.1272636, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .7},{"id":"ChIJfe2sYHhxhlQR6YR9clFor1Y","name":"Tim
    Hortons", "address": "555 W Hastings St Unit 6,
    Vancouver, BC V6B 5K3", "lat":49.2849465, "lng":-123.
    1119939, "openNow":true, "businessStatus": "OPERATIONAL
    ", "GoogleRating": 3.5}, {"id":"
    ChIJ_Z1eAoNxhlQRbQdkQ4LGL-k", "name": "Tim Hortons", "
    address": "200 Burrard St, Vancouver, BC V6C 3L6", "
    lat":49.2876619,"lng":-123.1150299,"openNow":false,"
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim
    Hortons", "address": "947 Hornby St, Vancouver, BC V6Z
     1V3", "lat":49.2811901, "lng":-123.1243774, "
    businessStatus":"CLOSED_TEMPORARILY", "GoogleRating":
    3.8}, {"id": "ChIJnwpTNodxhlQRyMpglFDPgR4", "name": "Tim
     Hortons", "address": "1299 Robson St, Vancouver, BC
    V6E 1C2", "lat":49.2870167, "lng":-123.1283226, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.6},{"id":"
    ChIJf_sjnnhxhlQRf_hegcc08xA","name":"Tim Hortons","
```

```
219 address": "750 W Pender St Unit 104, Vancouver, BC
    V6C 2T7", "lat":49.2848836, "lng":-123.1157462,"
    openNow":false, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.8},{"id":"
    ChIJy4ytG3BxhlQR48y43xxpeXk","name":"Tim Hortons","
    address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat
    ":49.2793791, "lng":-123.0995012, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJHVhQI4JxhlQR7GmTnBOS_s0","name":"Tim
    Hortons", "address": "505 Burrard St #107, Vancouver,
    BC V6C 3A8", "lat":49.28656669999999, "lng":-123.
    1184202, "openNow": false, "businessStatus": "
    OPERATIONAL", "GoogleRating": 3.6}, {"id":"
    ChIJdcSvYH5xhlQRQyaQn42z1xg", "name": "Tim Hortons", "
    address": "463 Robson St, Vancouver, BC V6B 6L9", "lat
    ":49.279958, "lng":-123.1172937, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim
    Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z
     1A6", "lat": 49.2657856, "lng": -123.1224, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T_FIcq", "name": "Tim
    Hortons", "address": "108 W Pender St, Vancouver, BC
    V6B 0K4", "lat":49.2809464, "lng":-123.1078805, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7},{"id":"
    ChIJvbXYl9RzhlQRTdRIIgpysB8", "name": "Tim Hortons", "
    address": "1205 Burrard St, Vancouver, BC V6Z 1Z5","
    lat":49.2792006, "lng":-123.130006, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.6},{"
    id":"ChIJbdhY0idyhlQRdIPuNqIgKYM","name":"Tim
    Hortons", "address": "1001 Denman St, Vancouver, BC
    V6G 2M4", "lat":49.2893956, "lng":-123.1390369, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRat
220 2022-07-30 20:15:02.343 16578-16578/com.example.
    foodo D/MainActivity: Decrement
221 2022-07-30 20:15:02.346 16578-16578/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
    lang/Object;)V (greylist, linking, allowed)
```

- 222 2022-07-30 20:15:02.346 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: PAUSED
- 223 2022-07-30 20:15:02.351 16578-16578/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@57e1c71
- 224 2022-07-30 20:15:02.363 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: PRE\_ON\_CREATE
- 225 2022-07-30 20:15:02.389 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: CREATED
- 226 2022-07-30 20:15:02.391 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: STARTED
- 227 2022-07-30 20:15:02.392 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: RESUMED
- 228 2022-07-30 20:15:02.443 16578-16578/com.example. foodo D/RestaurantCardAdapter: false
- 229 2022-07-30 20:15:02.457 16578-16578/com.example. foodo D/RestaurantCardAdapter: false
- 230 2022-07-30 20:15:02.474 16578-16578/com.example. foodo I/chatty: uid=10140(com.example.foodo) identical 2 lines
- 231 2022-07-30 20:15:02.485 16578-16578/com.example. foodo D/RestaurantCardAdapter: false
- 232 2022-07-30 20:15:02.495 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 233 2022-07-30 20:15:02.514 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 234 2022-07-30 20:15:02.536 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 235 2022-07-30 20:15:02.560 16578-16578/com.example.

- 235 foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: STOPPED
- 236 2022-07-30 20:15:03.617 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check search results page displays Tim Hortons in top bar
- 237 2022-07-30 20:15:03.623 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (with index: <0>view.getId() is <
  2131296690/com.example.foodo:id/search\_text> and
  view.getParent() view.getParent() view.getId() is <
  16908290/android:id/content> and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 238 2022-07-30 20:15:03.623 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Assert search results list exists
- 239 2022-07-30 20:15:03.630 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=(view has effective visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle)}' assertion on view (with index: <0>view.getId() is <2131296654/com.example.foodo:id/restaurant\_card\_relative\_layout> and view.getParent() view.getParent() view.getId() is <2131296686/com.example.foodo:id/search\_list> and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect() to return non-empty rectangle ))
- 240 2022-07-30 20:15:03.631 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Tim Hortons is displayed in the search result
- 241 2022-07-30 20:15:03.636 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (view.getId() is <2131296647/com.
  example.foodo:id/restaurantName> and an instance of

- 241 android.widget.TextView and view.getText() with or
   without transformation to match: is "Tim Hortons"
   and view.getParent() (with index: <0>view.getId() is
   <2131296654/com.example.foodo:id/
   restaurant\_card\_relative\_layout> and view.getParent
   () an instance of android.widget.FrameLayout) and (
   view has effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 242 2022-07-30 20:15:03.637 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Click first search result for Tim Hortons query
- 243 2022-07-30 20:15:03.644 16578-16578/com.example.
  foodo I/ViewInteraction: Performing '
  actionOnItemAtPosition performing ViewAction: single
  click on item at position: 0' action on view (view.
  getId() is <2131296686/com.example.foodo:id/
  search\_list> and Child at position 1 in parent view.
  getClass().getName() matches: is "androidx.
  constraintlayout.widget.ConstraintLayout")
- 244 2022-07-30 20:15:03.724 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: PAUSED
- 245 2022-07-30 20:15:03.731 16578-16578/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@9c03cf5
- 246 2022-07-30 20:15:03.744 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : PRE\_ON\_CREATE
- 247 2022-07-30 20:15:03.823 16578-16578/com.example. foodo D/restaurantInfoActivity: ChIJPbaHdrhzhlQReM4dHz3EV0U
- 248 2022-07-30 20:15:03.823 16578-16682/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 249 2022-07-30 20:15:03.823 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (

- 249 greylist, linking, allowed)
- 250 2022-07-30 20:15:03.825 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 251 2022-07-30 20:15:03.825 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 252 2022-07-30 20:15:03.825 16578-16578/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@e8015ad in
  : CREATED
- 253 2022-07-30 20:15:03.825 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 254 2022-07-30 20:15:03.831 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : STARTED
- 255 2022-07-30 20:15:03.835 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : RESUMED
- 256 2022-07-30 20:15:03.889 16578-16578/com.example. foodo E/RecyclerView: No adapter attached; skipping layout
- 257 2022-07-30 20:15:03.913 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 258 2022-07-30 20:15:03.974 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 259 2022-07-30 20:15:03.974 16578-16578/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 260 2022-07-30 20:15:03.974 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 260 com.example.foodo.SearchResultActivity@2c825e2 in: STOPPED
- 261 2022-07-30 20:15:04.010 16578-16680/com.example.
   foodo D/restaurantInfoActivity: {"business\_status":"
   OPERATIONAL", "formatted\_address":"1595 W Broadway
   Unit 101, Vancouver, BC V6J 1W6, Canada","
   formatted\_phone\_number":"(604) 737-7714", "geometry
   ":{"location":{"lat":49.2638594,"lng":-123.1407054
   }}, "name":"Tim Hortons", "opening\_hours":{"open\_now":
   true, "weekday\_text":["Monday: 5:00 AM 11:00 PM","
   Tuesday: 5:00 AM 11:00 PM", "Wednesday: 5:00 AM 11:00 PM", "Thursday: 5:00 AM 11:00 PM", "Friday: 5:
   00 AM 11:00 PM", "Saturday: 5:00 AM 11:00 PM","
   Sunday: 5:00 AM 11:00 PM"]}, "place\_id":"
   ChIJPbaHdrhzhlQReM4dHz3EV0U", "rating":3.2, "reviews
   ":[]}
- 262 2022-07-30 20:15:04.010 16578-16680/com.example. foodo D/restaurantInfoActivity: restaurantID: ChijPbaHdrhzhlQReM4dHz3EV0U
- 263 2022-07-30 20:15:04.011 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 264 2022-07-30 20:15:04.011 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 265 2022-07-30 20:15:04.011 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 266 2022-07-30 20:15:04.191 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Tim Hortons is in the restaurant name field
- 267 2022-07-30 20:15:04.195 16578-16578/com.example.
   foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=an instance of
   android.widget.TextView and view.getText() with or
   without transformation to match: is "Tim Hortons"}'
   assertion on view (view.getId() is <2131296648/com.
   example.foodo:id/restaurantName\_info> and an

- 267 instance of android.widget.TextView and view.getText
   () with or without transformation to match: is "Tim
   Hortons" and view.getParent() view.getParent() view.
   getId() is <2131296535/com.example.foodo:id/
   linearLayout> and (view has effective visibility <
   VISIBLE> and view.getGlobalVisibleRect() to return
   non-empty rectangle))
- 268 2022-07-30 20:15:04.195 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Reviews text is displayed in the restaurant info page
- 269 2022-07-30 20:15:04.198 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Reviews"}'
  assertion on view (view.getId() is <2131296265/com.
  example.foodo:id/Review\_title> and an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Reviews" and
  view.getParent() view.getParent() an instance of
  android.view.ViewGroup and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 270 2022-07-30 20:15:04.199 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Hours text is displayed in the restaurant info page
- 271 2022-07-30 20:15:04.208 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of android.widget.TextView and view.getText() with or without transformation to match: is "Hours"}'
  assertion on view (an instance of android.widget.
  TextView and view.getText() with or without transformation to match: is "Hours" and view.
  getParent() (view.getId() is <2131296535/com.example .foodo:id/linearLayout> and view.getParent() an instance of android.view.ViewGroup) and (view has effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle ))

- 272 2022-07-30 20:15:04.208 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Address text is displayed in the restaurant info page
- 273 2022-07-30 20:15:04.211 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=(view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle)}' assertion on view (view.getId() is <2131296646/com.example.foodo: id/restaurantAddress\_info> and view.getParent() ( view.getId() is <2131296535/com.example.foodo:id/ linearLayout> and view.getParent() an instance of android.view.ViewGroup) and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle))
- 274 2022-07-30 20:15:04.211 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check Phone Number text is displayed in the restaurant info page
- 275 2022-07-30 20:15:04.214 16578-16578/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=(view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle)}' assertion on view (view.getId() is <2131296649/com.example.foodo: id/restaurantNumber\_info> and view.getParent() (view.getId() is <2131296535/com.example.foodo:id/linearLayout> and view.getParent() an instance of android.view.ViewGroup) and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle))
- 276 2022-07-30 20:15:04.214 16578-16630/com.example.
  foodo D/SearchForRestaurantInformationTest: Check
  Rating text is displayed in the restaurant info page
- 277 2022-07-30 20:15:04.218 16578-16578/com.example.
   foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=(view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle)}' assertion on
   view (view.getId() is <2131296651/com.example.foodo:</pre>

- 277 id/restaurantRating\_info> and view.getParent() view.
   getParent() view.getId() is <2131296535/com.example.
   foodo:id/linearLayout> and (view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle))
- 278 2022-07-30 20:15:04.219 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Navigate back to the Search Results Page
- 279 2022-07-30 20:15:04.224 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  qetRootView() to equal view
- 280 2022-07-30 20:15:04.235 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : PAUSED
- 281 2022-07-30 20:15:04.239 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: RESTARTED
- 282 2022-07-30 20:15:04.241 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: STARTED
- 283 2022-07-30 20:15:04.242 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: RESUMED
- 284 2022-07-30 20:15:04.271 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 285 2022-07-30 20:15:04.285 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 286 2022-07-30 20:15:04.317 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 287 2022-07-30 20:15:04.324 16578-16578/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)

- 288 2022-07-30 20:15:04.324 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : STOPPED
- 289 2022-07-30 20:15:04.331 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@e8015ad in : DESTROYED
- 290 2022-07-30 20:15:04.450 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Navigate back to the Main Page
- 291 2022-07-30 20:15:04.452 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  qetRootView() to equal view
- 292 2022-07-30 20:15:04.460 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: PAUSED
- 293 2022-07-30 20:15:04.466 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: RESTARTED
- 294 2022-07-30 20:15:04.469 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: STARTED
- 295 2022-07-30 20:15:04.471 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: RESUMED
- 296 2022-07-30 20:15:04.503 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 297 2022-07-30 20:15:04.571 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: STOPPED
- 298 2022-07-30 20:15:04.578 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@2c825e2 in: DESTROYED
- 299 2022-07-30 20:15:04.728 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Enter in

- 299 an invalid string to the search bar
- 300 2022-07-30 20:15:04.735 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'replace text
  (\*\*&@(#\$&)' action on view (view.getClass().getName
  () matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  - android.widget.LinearLayout") and (view has
    effective visibility <VISIBLE> and view.
    getGlobalVisibleRect() to return non-empty rectangle
    ))
- 301 2022-07-30 20:15:04.760 16578-16578/com.example. foodo W/IInputConnectionWrapper: getTextBeforeCursor on inactive InputConnection
- 302 2022-07-30 20:15:04.767 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'close keyboard
  'action on view (view.getClass().getName() matches
  : is "android.widget.SearchView\$SearchAutoComplete"
  and Child at position 0 in parent (view.getClass().
  getName() matches: is "android.widget.LinearLayout"
  and Child at position 1 in parent view.getClass().
  getName() matches: is "android.widget.LinearLayout
  ") and (view has effective visibility <VISIBLE> and
  view.getGlobalVisibleRect() to return non-empty
  rectangle))
- 303 2022-07-30 20:15:04.775 16578-16578/com.example. foodo W/IInputConnectionWrapper: getSelectedText on inactive InputConnection
- 304 2022-07-30 20:15:04.777 16578-16578/com.example. foodo W/IInputConnectionWrapper: getTextAfterCursor on inactive InputConnection
- 305 2022-07-30 20:15:05.129 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Click search using the invalid query
- 306 2022-07-30 20:15:05.131 16578-16578/com.example.
  foodo I/ViewInteraction: Performing 'input method
  editor' action on view (view.getClass().getName()
  matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position

```
306 0 in parent (view.getClass().getName() matches: is "android.widget.LinearLayout" and Child at position 1 in parent view.getClass().getName() matches: is "android.widget.LinearLayout") and (view has effective visibility <VISIBLE> and view. getGlobalVisibleRect() to return non-empty rectangle ))
```

- 307 2022-07-30 20:15:05.132 16578-16578/com.example. foodo D/MainActivity: submit
- 308 2022-07-30 20:15:05.135 16578-16578/com.example. foodo D/MainActivity: Increment. Awiting
- 309 2022-07-30 20:15:05.135 16578-16578/com.example. foodo D/MainActivity: Hello?
- 310 2022-07-30 20:15:05.222 16578-16680/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 311 2022-07-30 20:15:05.223 16578-16680/com.example. foodo D/MainActivity: []
- 312 2022-07-30 20:15:05.223 16578-16680/com.example. foodo D/MainActivity: response from / searchRestaurantsByQuery: []
- 313 2022-07-30 20:15:05.223 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 314 2022-07-30 20:15:05.224 16578-16686/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 315 2022-07-30 20:15:05.224 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core-platform-api, linking, allowed)
- 316 2022-07-30 20:15:05.224 16578-16686/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 317 2022-07-30 20:15:05.234 16578-16578/com.example. foodo D/MainActivity: Decrement
- 318 2022-07-30 20:15:05.240 16578-16578/com.example.

- 318 foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)
- 319 2022-07-30 20:15:05.240 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: PAUSED
- 320 2022-07-30 20:15:05.245 16578-16578/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@32c3482
- 321 2022-07-30 20:15:05.250 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: PRE\_ON\_CREATE
- 322 2022-07-30 20:15:05.263 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: CREATED
- 323 2022-07-30 20:15:05.267 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: STARTED
- 324 2022-07-30 20:15:05.269 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: RESUMED
- 325 2022-07-30 20:15:05.295 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 326 2022-07-30 20:15:05.322 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 327 2022-07-30 20:15:05.336 16578-16674/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xebb74120: ver 2 0 (tinfo 0xebbb2b10)
- 328 2022-07-30 20:15:05.355 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@8f7a5d4 in: STOPPED
- 329 2022-07-30 20:15:07.138 16578-16630/com.example. foodo D/SearchForRestaurantInformationTest: Check that no search results appear
- 330 2022-07-30 20:15:07.141 16578-16578/com.example.

```
330 foodo I/ViewInteraction: Checking 'com.example.foodo
    SearchForRestaurantInformationTest$RecyclerViewItemC
    ountAssertion@d2e4eb7' assertion on view (view.getId
    () is <2131296686/com.example.foodo:id/search_list>
    and Child at position 1 in parent view.getClass().
    getName() matches: is "androidx.constraintlayout.
    widget.ConstraintLayout")
331 2022-07-30 20:15:07.143 16578-16630/com.example.
    foodo I/TestRunner: finished:
    searchForRestaurantInformationTest(com.example.foodo
    .SearchForRestaurantInformationTest)
332 2022-07-30 20:15:07.145 16578-16578/com.example.
    foodo I/MonitoringInstr: Finishing activity: com.
    example.foodo.SearchResultActivity@16d16ce
333 2022-07-30 20:15:07.150 16578-16578/com.example.
    foodo I/MonitoringInstr: Finishing activity: com.
    example.foodo.MainActivity@8f7a5d4
334 2022-07-30 20:15:07.153 16578-16630/com.example.
    foodo I/MonitoringInstr: Unstopped activity count: 1
335 2022-07-30 20:15:07.154 16578-16578/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
    com.example.foodo.SearchResultActivity@16d16ce in:
    PAUSED
336 2022-07-30 20:15:07.162 16578-16578/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
    com.example.foodo.MainActivity@8f7a5d4 in: DESTROYED
337 2022-07-30 20:15:07.211 16578-16630/com.example.
    foodo I/MonitoringInstr: Unstopped activity count: 1
338 2022-07-30 20:15:07.263 16578-16630/com.example.
    foodo I/MonitoringInstr: Unstopped activity count: 1
339 2022-07-30 20:15:07.289 16578-16578/com.example.
    foodo D/restaurantInfoActivity: Subscribed
340 2022-07-30 20:15:07.314 16578-16630/com.example.
    foodo I/MonitoringInstr: Unstopped activity count: 1
341 2022-07-30 20:15:07.347 16578-16674/com.example.
    foodo D/EGL_emulation: eglMakeCurrent: 0xebb74120:
    ver 2 0 (tinfo 0xebbb2b10)
342 2022-07-30 20:15:07.364 16578-16630/com.example.
    foodo I/MonitoringInstr: Unstopped activity count: 1
343 2022-07-30 20:15:07.419 16578-16630/com.example.
```

- 343 foodo I/MonitoringInstr: Unstopped activity count: 1
- 344 2022-07-30 20:15:07.422 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: STOPPED
- 345 2022-07-30 20:15:07.425 16578-16578/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@16d16ce in: DESTROYED
- 346 2022-07-30 20:15:07.471 16578-16630/com.example. foodo I/TestRunner: run finished: 1 tests, 0 failed , 0 ignored
- 347 2022-07-30 20:15:30.493 16749-16749/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 348 2022-07-30 20:15:30.721 16749-16749/com.example. foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]
- 349 2022-07-30 20:15:30.765 16749-16749/com.example. foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 350 2022-07-30 20:15:30.776 16749-16793/com.example. foodo I/DynamiteModule: Considering local module com.google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite:75
- 351 2022-07-30 20:15:30.777 16749-16793/com.example.
  foodo I/DynamiteModule: Selected remote version of
  com.google.android.gms.measurement.dynamite, version
  >= 75
- 352 2022-07-30 20:15:30.816 16749-16788/com.example. foodo I/TRuntime.CctTransportBackend: Making request to: https://firebaselogging-pa.googleapis.com/v1/firelog/legacy/batchlog
- 353 2022-07-30 20:15:30.822 16749-16788/com.example. foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 354 2022-07-30 20:15:30.870 16749-16798/com.example. foodo I/FA: App measurement initialized, version: 66000
- 355 2022-07-30 20:15:30.870 16749-16798/com.example.

- 355 foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- 356 2022-07-30 20:15:30.870 16749-16798/com.example. foodo I/FA: To enable faster debug mode event logging run:
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 358 2022-07-30 20:15:30.870 16749-16798/com.example. foodo D/FA: Debug-level message logging enabled
- 359 2022-07-30 20:15:30.907 16749-16798/com.example. foodo D/FA: Connected to remote service
- 360 2022-07-30 20:15:32.898 16749-16788/com.example. foodo I/TRuntime.CctTransportBackend: Status Code: 200
- 361 2022-07-30 20:16:37.628 17083-17083/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 362 2022-07-30 20:16:37.634 17083-17083/com.example. foodo I/chatty: uid=10141(com.example.foodo) identical 1 line
- 363 2022-07-30 20:16:37.634 17083-17083/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 364 2022-07-30 20:16:37.992 17083-17083/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 365 2022-07-30 20:16:37.992 17083-17083/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 366 2022-07-30 20:16:38.343 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/app/Instrumentation;->execStartActivity(
  Landroid/content/Context;Landroid/os/IBinder;
  Landroid/os/IBinder;Landroid/app/Activity;Landroid/
  content/Intent;ILandroid/os/Bundle;)Landroid/app/
  Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 367 2022-07-30 20:16:38.343 17083-17083/com.example. foodo W/m.example.food: Accessing hidden method Landroid/app/Instrumentation;->execStartActivity(Landroid/content/Context;Landroid/os/IBinder;

- 367 Landroid/os/IBinder;Ljava/lang/String;Landroid/
   content/Intent;ILandroid/os/Bundle;)Landroid/app/
   Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 368 2022-07-30 20:16:38.350 17083-17083/com.example. foodo I/MonitoringInstr: newApplication called!
- 369 2022-07-30 20:16:38.396 17083-17083/com.example. foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]
- 370 2022-07-30 20:16:38.448 17083-17083/com.example. foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 371 2022-07-30 20:16:38.471 17083-17083/com.example. foodo I/MonitoringInstr: Instrumentation started!
- 372 2022-07-30 20:16:38.473 17083-17129/com.example. foodo I/DynamiteModule: Considering local module com.google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite:75
- 373 2022-07-30 20:16:38.473 17083-17129/com.example.
  foodo I/DynamiteModule: Selected remote version of
  com.google.android.gms.measurement.dynamite, version
  >= 75
- 374 2022-07-30 20:16:38.476 17083-17083/com.example. foodo D/ClassesArgTokenizer: input: com.example. foodo.ManageFoodoListTest#manageFoodoListTest
- 375 2022-07-30 20:16:38.477 17083-17083/com.example. foodo D/ClassesArgTokenizer: result: [com.example. foodo.ManageFoodoListTest#manageFoodoListTest]
- 376 2022-07-30 20:16:38.477 17083-17083/com.example. foodo D/ClassesArgTokenizer: input: null
- 377 2022-07-30 20:16:38.477 17083-17083/com.example. foodo D/ClassesArgTokenizer: result: []
- 378 2022-07-30 20:16:38.489 17083-17134/com.example. foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 379 2022-07-30 20:16:38.492 17083-17135/com.example. foodo D/AndroidJUnitRunner: onStart is called.
- 380 2022-07-30 20:16:38.493 17083-17083/com.example. foodo I/MonitoringInstr: No JSBridge.
- 381 2022-07-30 20:16:38.511 17083-17135/com.example.

- 381 foodo D/TestRequestBuilder: Skipping class path scanning and directly running [com.example.foodo. ManageFoodoListTest]
- 382 2022-07-30 20:16:38.518 17083-17135/com.example. foodo D/ClassesArgTokenizer: input: com.example. foodo.ManageFoodoListTest#manageFoodoListTest
- 383 2022-07-30 20:16:38.518 17083-17135/com.example. foodo D/ClassesArgTokenizer: result: [com.example. foodo.ManageFoodoListTest#manageFoodoListTest]
- 384 2022-07-30 20:16:38.518 17083-17135/com.example. foodo D/ClassesArgTokenizer: input: null
- 385 2022-07-30 20:16:38.518 17083-17135/com.example. foodo D/ClassesArgTokenizer: result: []
- 386 2022-07-30 20:16:38.529 17083-17135/com.example. foodo D/AndroidJUnitRunner: Use the raw file system for managing file I/O.
- 387 2022-07-30 20:16:38.534 17083-17135/com.example. foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.LogRunListener
- 388 2022-07-30 20:16:38.535 17083-17135/com.example.
  foodo D/TestExecutor: Adding listener androidx.test.
  internal.runner.listener.
  InstrumentationResultPrinter
- 389 2022-07-30 20:16:38.535 17083-17135/com.example. foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.ActivityFinisherRunListener
- 390 2022-07-30 20:16:38.535 17083-17135/com.example. foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.TraceRunListener
- 391 2022-07-30 20:16:38.537 17083-17135/com.example. foodo I/TestRunner: run started: 1 tests
- 392 2022-07-30 20:16:38.543 17083-17135/com.example. foodo I/TestRunner: started: manageFoodoListTest(com.example.foodo.ManageFoodoListTest)
- 393 2022-07-30 20:16:38.564 17083-17135/com.example.
  foodo I/UiAutomationShellCmd: Requesting permission
  : pm grant com.example.foodo android.permission.
  ACCESS\_COARSE\_LOCATION
- 394 2022-07-30 20:16:38.564 17083-17135/com.example. foodo W/UiAutomation: UiAutomation. grantRuntimePermission() is more robust and should

- 394 be used instead of 'pm grant'
- 395 2022-07-30 20:16:38.580 17083-17135/com.example.
  foodo I/UiAutomationShellCmd: Requesting permission
  : pm grant com.example.foodo android.permission.
  ACCESS\_FINE\_LOCATION
- 396 2022-07-30 20:16:38.580 17083-17135/com.example. foodo W/UiAutomation: UiAutomation. grantRuntimePermission() is more robust and should be used instead of 'pm grant'
- 397 2022-07-30 20:16:38.620 17083-17135/com.example. foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to android.provider.Settings.Global, returning readonly value.
- 398 2022-07-30 20:16:38.731 17083-17149/com.example. foodo I/FA: App measurement initialized, version: 66000
- 399 2022-07-30 20:16:38.731 17083-17149/com.example. foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- 400 2022-07-30 20:16:38.731 17083-17149/com.example. foodo I/FA: To enable faster debug mode event logging run:
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 402 2022-07-30 20:16:38.731 17083-17149/com.example. foodo D/FA: Debug-level message logging enabled
- 403 2022-07-30 20:16:38.849 17083-17149/com.example. foodo D/FA: Connected to remote service
- 404 2022-07-30 20:16:39.003 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@552785a
- 405 2022-07-30 20:16:39.056 17083-17195/com.example. foodo D/libEGL: Emulator has host GPU support, qemu. gles is set to 1.
- 406 2022-07-30 20:16:39.056 17083-17195/com.example.
  foodo W/libc: Unable to set property "qemu.gles" to
  "1": connection failed; errno=13 (Permission denied
  )
- 407 2022-07-30 20:16:39.037 17083-17083/com.example. foodo W/RenderThread: type=1400 audit(0.0:103): avc

- 407 : denied { write } for name="property\_service" dev="
   tmpfs" ino=9248 scontext=u:r:untrusted\_app:s0:c141,
   c256,c512,c768 tcontext=u:object\_r:property\_socket:
   s0 tclass=sock\_file permissive=0
- 408 2022-07-30 20:16:39.089 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: PRE\_ON\_CREATE
- 409 2022-07-30 20:16:39.125 17083-17195/com.example. foodo D/libEGL: loaded /vendor/lib/egl/ libEGL\_emulation.so
- 410 2022-07-30 20:16:39.128 17083-17195/com.example. foodo D/libEGL: loaded /vendor/lib/egl/ libGLESv1\_CM\_emulation.so
- 411 2022-07-30 20:16:39.130 17083-17195/com.example. foodo D/libEGL: loaded /vendor/lib/egl/ libGLESv2\_emulation.so
- 412 2022-07-30 20:16:39.136 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/view/View;->computeFitSystemWindows(
  Landroid/graphics/Rect;Landroid/graphics/Rect;)Z (
  greylist, reflection, allowed)
- 413 2022-07-30 20:16:39.137 17083-17083/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/ViewGroup;-> makeOptionalFitsSystemWindows()V (greylist, reflection, allowed)
- 414 2022-07-30 20:16:39.318 17083-17083/com.example. foodo D/MainActivity: starting idling resource
- 415 2022-07-30 20:16:39.502 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: CREATED
- 416 2022-07-30 20:16:39.510 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: STARTED
- 417 2022-07-30 20:16:39.517 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: RESUMED
- 418 2022-07-30 20:16:39.521 17083-17135/com.example. foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to

- 418 android.provider.Settings.Global, returning readonly value.
- 419 2022-07-30 20:16:39.561 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 420 2022-07-30 20:16:39.562 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 421 2022-07-30 20:16:39.562 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 422 2022-07-30 20:16:39.562 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 423 2022-07-30 20:16:39.570 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->objectFieldOffset(Ljava/lang/reflect/
  Field;)J (greylist,core-platform-api, linking,
  allowed)
- 424 2022-07-30 20:16:39.571 17083-17192/com.example. foodo D/HostConnection: HostConnection::get() New Host Connection established 0xe1f4d450, tid 17192
- 425 2022-07-30 20:16:39.572 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 426 2022-07-30 20:16:39.572 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
- 427 2022-07-30 20:16:39.574 17083-17192/com.example.
  foodo D/HostConnection: HostComposition ext
  ANDROID\_EMU\_CHECKSUM\_HELPER\_v1 ANDROID\_EMU\_dma\_v1
  ANDROID\_EMU\_direct\_mem
  ANDROID\_EMU\_host\_composition\_v1
  ANDROID\_EMU\_host\_composition\_v2 ANDROID\_EMU\_vulkan
  ANDROID\_EMU\_deferred\_vulkan\_commands

- File unknown 427 ANDROID\_EMU\_vulkan\_null\_optional\_strings ANDROID\_EMU\_vulkan\_create\_resources\_with\_requirement s ANDROID\_EMU\_YUV420\_888\_to\_NV21 ANDROID\_EMU\_YUV\_Cache ANDROID\_EMU\_vulkan\_free\_memory\_sync ANDROID\_EMU\_vulkan\_shader\_float16\_int8 ANDROID\_EMU\_vulkan\_async\_queue\_submit ANDROID\_EMU\_sync\_buffer\_data GL\_OES\_vertex\_array\_object GL\_KHR\_texture\_compression\_astc\_ldr ANDROID\_EMU\_host\_side\_tracing ANDROID\_EMU\_gles\_max\_version\_2 428 2022-07-30 20:16:39.575 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V ( greylist, linking, allowed) 429 2022-07-30 20:16:39.576 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->allocateInstance(Ljava/lang/Class;) Ljava/lang/Object; (greylist, linking, allowed) 430 2022-07-30 20:16:39.577 17083-17192/com.example. foodo W/OpenGLRenderer: Failed to choose config with EGL\_SWAP\_BEHAVIOR\_PRESERVED, retrying without... 431 2022-07-30 20:16:39.580 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekLong(JZ)J (greylist, reflection, allowed) 432 2022-07-30 20:16:39.580 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeLong(JJZ)V (greylist, reflection, allowed) 433 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeInt(JIZ)V (greylist,
- reflection, allowed) 434 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekInt(JZ)I (greylist, reflection, allowed)
- 435 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method

- 435 Llibcore/io/Memory;->pokeByte(JB)V (greylist, reflection, allowed)
- 436 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByte(J)B (greylist, reflection, allowed)
- 437 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeByteArray(J[BII)V (greylist, reflection, allowed)
- 438 2022-07-30 20:16:39.581 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByteArray(J[BII)V (greylist, reflection, allowed)
- 439 2022-07-30 20:16:39.582 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->arrayBaseOffset(Ljava/lang/Class;)I (
  greylist,core-platform-api, linking, allowed)
- 440 2022-07-30 20:16:39.582 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->arrayIndexScale(Ljava/lang/Class;)I (greylist, linking, allowed)
- 441 2022-07-30 20:16:39.582 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 442 2022-07-30 20:16:39.582 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 443 2022-07-30 20:16:39.582 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 444 2022-07-30 20:16:39.583 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 445 2022-07-30 20:16:39.583 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (

- 445 greylist, linking, allowed)
- 446 2022-07-30 20:16:39.583 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 447 2022-07-30 20:16:39.585 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, reflection, allowed)
- 448 2022-07-30 20:16:39.585 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, reflection, allowed)
- 449 2022-07-30 20:16:39.586 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, reflection, allowed)
- 450 2022-07-30 20:16:39.586 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, reflection, allowed)
- 451 2022-07-30 20:16:39.586 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, reflection, allowed)
- 452 2022-07-30 20:16:39.586 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, reflection, allowed)
- 453 2022-07-30 20:16:39.588 17083-17201/com.example. foodo W/m.example.food: Accessing hidden field Ljava /nio/Buffer;->address:J (greylist, reflection, allowed)
- 454 2022-07-30 20:16:39.589 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 455 2022-07-30 20:16:39.593 17083-17192/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 0 0
- 456 2022-07-30 20:16:39.593 17083-17192/com.example.

- 456 foodo D/EGL\_emulation: eglCreateContext: 0xe1f1c340 : maj 2 min 0 rcv 2
- 457 2022-07-30 20:16:39.597 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 458 2022-07-30 20:16:39.598 17083-17201/com.example. foodo I/m.example.food: Waiting for a blocking GC ClassLinker
- 459 2022-07-30 20:16:39.604 17083-17192/com.example. foodo W/Gralloc3: mapper 3.x is not supported
- 460 2022-07-30 20:16:39.615 17083-17192/com.example. foodo D/HostConnection: createUnique: call
- 461 2022-07-30 20:16:39.615 17083-17192/com.example. foodo D/HostConnection: HostConnection::get() New Host Connection established 0xe1f4d900, tid 17192
- 462 2022-07-30 20:16:39.617 17083-17192/com.example. foodo D/HostConnection: HostComposition ext ANDROID\_EMU\_CHECKSUM\_HELPER\_v1 ANDROID\_EMU\_dma\_v1 ANDROID\_EMU\_direct\_mem

ANDROID\_EMU\_host\_composition\_v1

ANDROID\_EMU\_host\_composition\_v2 ANDROID\_EMU\_vulkan

ANDROID\_EMU\_deferred\_vulkan\_commands

ANDROID\_EMU\_vulkan\_null\_optional\_strings

ANDROID\_EMU\_vulkan\_create\_resources\_with\_requirement s ANDROID\_EMU\_YUV420\_888\_to\_NV21

ANDROID\_EMU\_YUV\_Cache

ANDROID\_EMU\_vulkan\_free\_memory\_sync

ANDROID\_EMU\_vulkan\_shader\_float16\_int8

ANDROID\_EMU\_vulkan\_async\_queue\_submit

ANDROID\_EMU\_sync\_buffer\_data

GL\_0ES\_vertex\_array\_object

GL\_KHR\_texture\_compression\_astc\_ldr

ANDROID\_EMU\_host\_side\_tracing

ANDROID\_EMU\_qles\_max\_version\_2

- 463 2022-07-30 20:16:39.618 17083-17192/com.example. foodo D/eglCodecCommon: allocate: Ask for block of size 0x1000
- 464 2022-07-30 20:16:39.618 17083-17192/com.example. foodo D/eglCodecCommon: allocate: ioctl allocate returned offset 0x3ff706000 size 0x2000
- 465 2022-07-30 20:16:39.627 17083-17149/com.example.

- 465 foodo I/FA: Tag Manager is not found and thus will not be used
- 466 2022-07-30 20:16:39.632 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 467 2022-07-30 20:16:39.644 17083-17192/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 1 0
- 468 2022-07-30 20:16:39.690 17083-17096/com.example. foodo I/m.example.food: Background young concurrent copying GC freed 45402(6110KB) AllocSpace objects, 27(988KB) LOS objects, 66% free, 3152KB/9296KB, paused 3.228ms total 106.594ms
- 469 2022-07-30 20:16:39.691 17083-17201/com.example. foodo I/m.example.food: WaitForGcToComplete blocked ClassLinker on ClassLinker for 92.769ms
- 470 2022-07-30 20:16:39.707 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 471 2022-07-30 20:16:39.722 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 472 2022-07-30 20:16:39.732 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 473 2022-07-30 20:16:39.734 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 474 2022-07-30 20:16:39.757 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 475 2022-07-30 20:16:39.757 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: PAUSED
- 476 2022-07-30 20:16:39.790 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no

- 476 activity for token android.os.BinderProxy@d3940da
- 477 2022-07-30 20:16:39.805 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: PRE\_ON\_CREATE
- 478 2022-07-30 20:16:39.843 17083-17083/com.example. foodo D/MainActivity: starting idling resource
- 479 2022-07-30 20:16:39.846 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: CREATED
- 480 2022-07-30 20:16:39.849 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 481 2022-07-30 20:16:39.849 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: STARTED
- 482 2022-07-30 20:16:39.849 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 483 2022-07-30 20:16:39.849 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 484 2022-07-30 20:16:39.850 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: RESUMED
- 485 2022-07-30 20:16:39.850 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 486 2022-07-30 20:16:39.850 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 487 2022-07-30 20:16:39.851 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 488 2022-07-30 20:16:39.859 17083-17192/com.example.

- 488 foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 489 2022-07-30 20:16:39.860 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 490 2022-07-30 20:16:39.861 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: STOPPED
- 491 2022-07-30 20:16:39.867 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 492 2022-07-30 20:16:39.871 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@2c49467 in: DESTROYED
- 493 2022-07-30 20:16:39.914 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 494 2022-07-30 20:16:39.956 17083-17135/com.example. foodo D/ManageFoodoListTest: Initialize UiDevice instance
- 495 2022-07-30 20:16:39.965 17083-17219/com.example.
  foodo D/MyFirebaseMsgService: Refreshed token: fbIBEmIQK2EPWwTU8pNRH:APA91bEyPBK2w03px4oFm0HDNkjgGvNNj5ZpfF5cYl0ylG1G2QKy2kD\_EuH
  SVkSkpnoK38McQWIJddblCc\_W7lQLuURjl6DMnwQkDMy4PXVqbwo
  UrH2In4GHkWvEJDTWpsUl918nFJU
- 496 2022-07-30 20:16:39.965 17083-17219/com.example.
  foodo D/MyFirebaseMsgService: fbI-BEmIQK2EPWwTU8pNRH
  :APA91bEyPBK2w03px4oFm0HDNkjgGvNNj5ZpfF5cYl0ylG1G2QKy2kD\_EuH
  SVkSkpnoK38McQWIJddblCc\_W7lQLuURjl6DMnwQkDMy4PXVqbwo
  UrH2In4GHkWvEJDTWpsUl918nFJU
- 497 2022-07-30 20:16:40.722 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 498 2022-07-30 20:16:40.722 17083-17083/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/

- 498 lang/Object;) V (greylist, linking, allowed)
- 499 2022-07-30 20:16:40.722 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: PAUSED
- 500 2022-07-30 20:16:40.757 17083-17135/com.example. foodo D/ManageFoodoListTest: Wait for launcher
- 501 2022-07-30 20:16:40.826 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 502 2022-07-30 20:16:40.838 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 503 2022-07-30 20:16:40.839 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 504 2022-07-30 20:16:40.844 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: STOPPED
- 505 2022-07-30 20:16:41.348 17083-17135/com.example. foodo D/ManageFoodoListTest: Launch Blueprint app
- 506 2022-07-30 20:16:41.350 17083-17135/com.example. foodo D/ManageFoodoListTest: Wait for the app to appear
- 507 2022-07-30 20:16:42.728 17083-17149/com.example. foodo D/FA: Application going to the background
- 508 2022-07-30 20:16:45.713 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@51617c0
- 509 2022-07-30 20:16:45.759 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: PRE\_ON\_CREATE
- 510 2022-07-30 20:16:45.800 17083-17083/com.example. foodo D/MainActivity: starting idling resource
- 511 2022-07-30 20:16:45.803 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: CREATED
- 512 2022-07-30 20:16:45.812 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 512 com.example.foodo.MainActivity@124efec in: STARTED
- 513 2022-07-30 20:16:45.812 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 514 2022-07-30 20:16:45.812 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 515 2022-07-30 20:16:45.813 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 516 2022-07-30 20:16:45.813 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 517 2022-07-30 20:16:45.814 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 518 2022-07-30 20:16:45.814 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 519 2022-07-30 20:16:45.815 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 520 2022-07-30 20:16:45.818 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 521 2022-07-30 20:16:45.819 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESUMED
- 522 2022-07-30 20:16:45.820 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 523 2022-07-30 20:16:45.874 17083-17192/com.example.

```
523 foodo D/EGL_emulation: eglMakeCurrent: 0xe1f1c340:
    ver 2 0 (tinfo 0xc64497d0)
524 2022-07-30 20:16:45.961 17083-17117/com.example.
    foodo W/System: Ignoring header If-None-Match
    because its value was null.
525 2022-07-30 20:16:46.459 17083-17135/com.example.
    foodo I/QueryController: Matched selector:
    UiSelector[TEXT=LOGIN, CLASS=android.widget.Button
    ] <<==>> [android.view.accessibility.
    AccessibilityNodeInfo@19242; boundsInParent: Rect(0
    , 0 - 242, 132); boundsInScreen: Rect(417, 696 - 659
    , 828); packageName: com.example.foodo; className:
    android.widget.Button; text: LOGIN; error: null;
    maxTextLength: -1; contentDescription: null;
    tooltipText: null; viewIdResName: com.example.foodo:
    id/login_button; checkable: false; checked: false;
    focusable: true; focused: false; selected: false;
    clickable: true; longClickable: false;
    contextClickable: false; enabled: true; password:
    false; scrollable: false; importantForAccessibility
    : true; visible: true; actions: [AccessibilityAction
    : ACTION_SELECT - null, AccessibilityAction:
    ACTION_CLEAR_SELECTION - null, AccessibilityAction:
    ACTION_FOCUS - null, AccessibilityAction:
    ACTION_ACCESSIBILITY_FOCUS - null,
    AccessibilityAction: ACTION_CLICK - null,
    AccessibilityAction: ACTION_SHOW_ON_SCREEN - null,
    AccessibilityAction:
    ACTION_NEXT_AT_MOVEMENT_GRANULARITY - null,
    AccessibilityAction:
    ACTION_PREVIOUS_AT_MOVEMENT_GRANULARITY - null,
    AccessibilityAction: ACTION_SET_SELECTION - null]]
526 2022-07-30 20:16:46.463 17083-17135/com.example.
    foodo I/QueryController: Matched selector:
    UiSelector[TEXT=LOGIN, CLASS=android.widget.Button
    ] <<==>> [android.view.accessibility.
    AccessibilityNodeInfo@19242; boundsInParent: Rect(0
    , 0 - 242, 132); boundsInScreen: Rect(417, 696 - 659
    , 828); packageName: com.example.foodo; className:
    android.widget.Button; text: LOGIN; error: null;
    maxTextLength: -1; contentDescription: null;
```

```
526 tooltipText: null; viewIdResName: com.example.foodo:
    id/login_button; checkable: false; checked: false;
    focusable: true; focused: false; selected: false;
    clickable: true; longClickable: false;
    contextClickable: false; enabled: true; password:
    false; scrollable: false; importantForAccessibility
    : true; visible: true; actions: [AccessibilityAction
    : ACTION_SELECT - null, AccessibilityAction:
    ACTION_CLEAR_SELECTION - null, AccessibilityAction:
    ACTION_FOCUS - null, AccessibilityAction:
    ACTION_ACCESSIBILITY_FOCUS - null,
    AccessibilityAction: ACTION_CLICK - null,
    AccessibilityAction: ACTION_SHOW_ON_SCREEN - null,
    AccessibilityAction:
    ACTION_NEXT_AT_MOVEMENT_GRANULARITY - null,
    AccessibilityAction:
    ACTION_PREVIOUS_AT_MOVEMENT_GRANULARITY - null,
    AccessibilityAction: ACTION_SET_SELECTION - null]]
527 2022-07-30 20:16:46.464 17083-17135/com.example.
    foodo D/InteractionController: clickAndSync(538, 762
528 2022-07-30 20:16:46.594 17083-17083/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
    com.example.foodo.MainActivity@124efec in: PAUSED
529 2022-07-30 20:16:46.595 17083-17203/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
    greylist, linking, allowed)
530 2022-07-30 20:16:46.608 17083-17083/com.example.
    foodo W/ActivityThread: handleWindowVisibility: no
    activity for token android.os.BinderProxy@25a60fa
531 2022-07-30 20:16:46.614 17083-17083/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
    com.google.android.gms.auth.api.signin.internal.
    SignInHubActivity@3b40287 in: PRE_ON_CREATE
532 2022-07-30 20:16:46.624 17083-17083/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
    com.google.android.gms.auth.api.signin.internal.
    SignInHubActivity@3b40287 in: CREATED
533 2022-07-30 20:16:46.631 17083-17083/com.example.
    foodo D/LifecycleMonitor: Lifecycle status change:
```

- 533 com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: STARTED
- 534 2022-07-30 20:16:46.633 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: RESUMED
- 535 2022-07-30 20:16:46.640 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: PAUSED
- 536 2022-07-30 20:16:46.657 17083-17135/com.example. foodo D/ManageFoodoListTest: Select existing account
- 537 2022-07-30 20:16:46.661 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 538 2022-07-30 20:16:46.680 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 539 2022-07-30 20:16:46.703 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 540 2022-07-30 20:16:48.337 17083-17135/com.example. foodo D/InteractionController: clickNoSync (538, 1099)
- 541 2022-07-30 20:16:48.453 17083-17135/com.example. foodo D/ManageFoodoListTest: Select Create Foodo List Button
- 542 2022-07-30 20:16:48.473 17083-17135/com.example. foodo W/FileTestStorage: Output properties is not supported.
- 543 2022-07-30 20:16:48.473 17083-17135/com.example. foodo I/Tracing: Tracer added: class androidx.test. platform.tracing.AndroidXTracer
- 544 2022-07-30 20:16:48.486 17083-17135/com.example. foodo D/EventInjectionStrategy: Creating injection strategy with input manager.
- 545 2022-07-30 20:16:48.486 17083-17135/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/hardware/input/InputManager;->getInstance()
  Landroid/hardware/input/InputManager; (greylist,
  reflection, allowed)

- 546 2022-07-30 20:16:48.486 17083-17135/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/hardware/input/InputManager;->
  injectInputEvent(Landroid/view/InputEvent;I)Z (
  greylist, reflection, allowed)
- 547 2022-07-30 20:16:48.486 17083-17135/com.example.
  foodo W/m.example.food: Accessing hidden field
  Landroid/hardware/input/InputManager;->
  INJECT\_INPUT\_EVENT\_MODE\_WAIT\_FOR\_FINISH:I (greylist
  , reflection, allowed)
- 548 2022-07-30 20:16:48.533 17083-17135/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/ViewConfiguration;-> getDoubleTapMinTime()I (greylist, reflection, allowed)
- 549 2022-07-30 20:16:48.535 17083-17135/com.example. foodo W/FileTestStorage: Test input args is not supported.
- 550 2022-07-30 20:16:48.549 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/os/MessageQueue;->next()Landroid/os/Message
  ; (greylist, reflection, allowed)
- 551 2022-07-30 20:16:48.550 17083-17083/com.example. foodo W/m.example.food: Accessing hidden field Landroid/os/MessageQueue;->mMessages:Landroid/os/Message; (greylist, reflection, allowed)
- 552 2022-07-30 20:16:48.550 17083-17083/com.example. foodo W/m.example.food: Accessing hidden method Landroid/os/Message;->recycleUnchecked()V (greylist, reflection, allowed)
- 553 2022-07-30 20:16:48.551 17083-17135/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getUnsafe()Lsun/misc/Unsafe; (
  greylist,core-platform-api, linking, allowed)
- 554 2022-07-30 20:16:48.551 17083-17135/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 555 2022-07-30 20:16:48.553 17083-17298/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/

- 555 lang/Object; (greylist, linking, allowed)
- 556 2022-07-30 20:16:48.553 17083-17298/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->compareAndSwapObject(Ljava/lang/
  Object;JLjava/lang/Object;Ljava/lang/Object;)Z (
  greylist, linking, allowed)
- 557 2022-07-30 20:16:48.556 17083-17083/com.example. foodo W/RootViewPicker: No activity currently resumed waiting: 10ms for one to appear.
- 558 2022-07-30 20:16:48.569 17083-17083/com.example. foodo W/RootViewPicker: No activity currently resumed waiting: 50ms for one to appear.
- 559 2022-07-30 20:16:48.621 17083-17083/com.example. foodo W/RootViewPicker: No activity currently resumed waiting: 100ms for one to appear.
- 560 2022-07-30 20:16:48.682 17083-17149/com.example. foodo D/FA: Application going to the background
- 561 2022-07-30 20:16:48.723 17083-17083/com.example. foodo W/RootViewPicker: No activity currently resumed waiting: 500ms for one to appear.
- 562 2022-07-30 20:16:48.801 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: RESUMED
- 563 2022-07-30 20:16:48.830 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: PAUSED
- 564 2022-07-30 20:16:48.844 17083-17083/com.example.
  foodo D/MainActivity:
  eyJhbGciOiJSUzI1NiIsImtpZCI6IjE1NDllMGFlZjU3NGQxYzdi
  ZGQxMzZjMjAyYjhkMjkwNTgwYjE2NWMiLCJOeXAiOiJKV1QifQ.
  eyJpc3MiOiJodHRwczovL2FjY291bnRzLmdvb2dsZS5jb2OiLCJh
  enAiOiIOMTUyNDM1Njk3MTUtMGNoM2c2N25tbmRuZnZlNmFtOWk3
  Njc3amwxbTVlZmMuYXBwcy5nb29nbGV1c2VyY29udGVudC5jb2Oi
  LCJhdWQiOiIOMTUyNDM1Njk3MTUtZnQwaDgxcHN2cGttM3VmYmM5
  aDVxbGtvbXJkMWs4YnAuYXBwcy5nb29nbGV1c2VyY29udGVudC5j
  b2OiLCJzdWIiOiIxMDc1NzgxMDAyMDM1NjMxOTAxNTAiLCJlbWFp
  bCI6ImNwZW4zMjFlc3ByZXNzb0BnbWFpbC5jb2OiLCJlbWFpbF92
  ZXJpZmllZCI6dHJ1ZSwibmFtZSI6IlRlc3QgQWNjb3VudCIsInBp
  Y3R1cmUiOiJodHRwczovL2xoMy5nb29nbGV1c2VyY29udGVudC5j

564

b20vYS9BSXRidm1ucDhveXpLT040TFNrRzRIWVFfbkk1SFFBTHJZ M2JGMkNaUXktZT1z0TYtYyIsImdpdmVuX25hbWUi0iJUZXN0Iiwi ZmFtaWx5X25hbWUi0iJBY2NvdW50IiwibG9jYWxlIjoiZW4iLCJp YXQi0jE2NTkyMzUyNzEsImV4cCI6MTY10TIz0Dg3MX0.STg7b-RXZ2kAR0NXZtarJSoruglhIVmxZTwJcMWED6-VceXzbI9XKf15exHAVbL700SzT3e76\_Fei53vvoCdjI7rQaH4KM8 hKohsRntDTGH0JBkCs67j2pfckEPylGmEEPTuVpYjZo3ZxJJf6ba1n0m5wFBeA7skQ6UkM4gKpMc-

- H\_rr9dW4TifTR9f8asLs36qQU3Mv0EHM3kNfNryVTQNM7HVnxp\_KavPgsVylzoVi\_qgzH\_B54XexStsNj0KAbPZJsx1ZAo\_iW85iH5fxCqT3oJzbuVi0cIj6MnvgFCCcEkVgQ6z8xe5odIuwFsGtdmJE0YEUfgCF0ryJUYd9Q and Test Account
- 565 2022-07-30 20:16:48.844 17083-17083/com.example. foodo D/MainActivity: Test Account
- 566 2022-07-30 20:16:48.847 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESUMED
- 567 2022-07-30 20:16:48.853 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 568 2022-07-30 20:16:48.853 17083-17201/com.example. foodo D/MainActivity: {"\_id":"107578100203563190150 ","name":"Test Account","email":"cpen321espresso@gmail.com","\_\_v":0}
- 569 2022-07-30 20:16:48.853 17083-17201/com.example. foodo D/MainActivity: 107578100203563190150
- 570 2022-07-30 20:16:48.853 17083-17201/com.example. foodo D/MainActivity: intent extras have all been added
- 571 2022-07-30 20:16:48.853 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 572 2022-07-30 20:16:48.853 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 573 2022-07-30 20:16:48.861 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 573 /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 574 2022-07-30 20:16:48.862 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 575 2022-07-30 20:16:48.868 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 576 2022-07-30 20:16:48.870 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 577 2022-07-30 20:16:48.905 17083-17096/com.example. foodo I/m.example.food: Background concurrent copying GC freed 66959(3511KB) AllocSpace objects, 34(1576KB) LOS objects, 49% free, 4418KB/8836KB, paused 3.842ms total 115.964ms
- 578 2022-07-30 20:16:48.911 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 579 2022-07-30 20:16:48.912 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: STOPPED
- 580 2022-07-30 20:16:48.931 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.google.android.gms.auth.api.signin.internal. SignInHubActivity@3b40287 in: DESTROYED
- 581 2022-07-30 20:16:49.224 17083-17083/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/WindowManagerGlobal;->getInstance() Landroid/view/WindowManagerGlobal; (greylist, reflection, allowed)
- 582 2022-07-30 20:16:49.224 17083-17083/com.example. foodo W/m.example.food: Accessing hidden field Landroid/view/WindowManagerGlobal;->mViews:Ljava/util/ArrayList; (greylist, reflection, allowed)
- 583 2022-07-30 20:16:49.224 17083-17083/com.example. foodo W/m.example.food: Accessing hidden field

- 583 Landroid/view/WindowManagerGlobal;->mParams:Ljava/ util/ArrayList; (greylist, reflection, allowed)
- 584 2022-07-30 20:16:49.231 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296410/com.
  example.foodo:id/create\_foodo\_list\_button> and view.
  getContentDescription() is "Create Foodo List" and
  Child at position 5 in parent (view.getId() is <
  2131296401/com.example.foodo:id/constraint> and
  Child at position 0 in parent view.getId() is <
  16908290/android:id/content>) and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 585 2022-07-30 20:16:49.275 17083-17083/com.example. foodo D/FoodoListService: User is logged in, allowing them to create FoodoList
- 586 2022-07-30 20:16:49.275 17083-17083/com.example. foodo D/FoodoListService: need to fetch user ID before creating foodo list foodoList
- 587 2022-07-30 20:16:49.275 17083-17083/com.example. foodo D/FoodoListService: Test Account
- 588 2022-07-30 20:16:49.282 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 589 2022-07-30 20:16:49.283 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 590 2022-07-30 20:16:49.283 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 591 2022-07-30 20:16:49.284 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 592 2022-07-30 20:16:49.284 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (

- 592 greylist, core-platform-api, linking, allowed)
- 593 2022-07-30 20:16:49.284 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 594 2022-07-30 20:16:49.285 17083-17201/com.example. foodo D/FoodoListService: {"\_id":" 107578100203563190150","name":"Test Account","email ":"cpen321espresso@gmail.com","\_\_v":0}
- 595 2022-07-30 20:16:49.285 17083-17201/com.example.
  foodo D/FoodoListService: {"\_id":"
  107578100203563190150","name":"Test Account","email
  ":"cpen321espresso@gmail.com","\_\_v":0}
- 596 2022-07-30 20:16:49.285 17083-17201/com.example. foodo D/FoodoListService: 107578100203563190150
- 597 2022-07-30 20:16:49.285 17083-17201/com.example. foodo D/FoodoListService: Test Account
- 598 2022-07-30 20:16:49.285 17083-17201/com.example. foodo D/FoodoListService: userID: 107578100203563190150
- 599 2022-07-30 20:16:49.291 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 600 2022-07-30 20:16:49.291 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 601 2022-07-30 20:16:49.291 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
   greylist, linking, allowed)
- 602 2022-07-30 20:16:49.291 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 603 2022-07-30 20:16:49.293 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 604 2022-07-30 20:16:49.293 17083-17203/com.example.

- 604 foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core-platform-api, linking, allowed)
- 605 2022-07-30 20:16:49.293 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 606 2022-07-30 20:16:49.343 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 607 2022-07-30 20:16:49.368 17083-17192/com.example. foodo I/chatty: uid=10141(com.example.foodo)
  RenderThread identical 2 lines
- 608 2022-07-30 20:16:49.378 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 609 2022-07-30 20:16:49.612 17083-17135/com.example. foodo D/ManageFoodoListTest: Enter name of Foodo List to be 'Yummy Food'
- 611 2022-07-30 20:16:49.625 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 612 2022-07-30 20:16:49.630 17083-17083/com.example.
   foodo I/ViewInteraction: Performing 'close keyboard
   ' action on view (view.getId() is <2131296464/com.
   example.foodo:id/enter\_foodo\_list\_name\_edit\_text>
   and Child at position 0 in parent view.getClass().
   getName() matches: is "androidx.constraintlayout.
   widget.ConstraintLayout" and (view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle))

- 613 2022-07-30 20:16:49.631 17083-17083/com.example. foodo W/CloseKeyboardAction: Attempting to close soft keyboard, while it is not shown.
- 614 2022-07-30 20:16:49.632 17083-17135/com.example. foodo D/ManageFoodoListTest: Create Foodo List called Yummy Food by clicking confirmation button
- 615 2022-07-30 20:16:49.635 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296412/com.
  example.foodo:id/create\_foodo\_list\_confirm\_button>
  and an instance of android.widget.TextView and view.
  getText() with or without transformation to match:
  is "Create Foodo List" and Child at position 1 in
  parent view.getClass().getName() matches: is "
  androidx.constraintlayout.widget.ConstraintLayout"
  and (view has effective visibility <VISIBLE> and
  view.getGlobalVisibleRect() to return non-empty
  rectangle))
- 616 2022-07-30 20:16:49.684 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 617 2022-07-30 20:16:49.685 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 618 2022-07-30 20:16:49.685 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 619 2022-07-30 20:16:49.685 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 620 2022-07-30 20:16:49.686 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 621 2022-07-30 20:16:49.687 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (

- 621 greylist, core-platform-api, linking, allowed)
- 622 2022-07-30 20:16:49.687 17083-17324/com.example. foodo D/FoodoListService: Foodo list Yummy Food was successfully created. Result: Yummy Food
- 623 2022-07-30 20:16:49.687 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 624 2022-07-30 20:16:49.694 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 625 2022-07-30 20:16:49.741 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 626 2022-07-30 20:16:49.983 17083-17135/com.example. foodo D/ManageFoodoListTest: Check that Recycler View has one item
- 627 2022-07-30 20:16:49.987 17083-17083/com.example.
   foodo I/ViewInteraction: Checking 'com.example.foodo
   .ManageFoodoListTest\$RecyclerViewItemCountAssertion@
   fb42a78' assertion on view (view.getId() is <
   2131296485/com.example.foodo:id/foodo\_lists> and
   Child at position 6 in parent view.getId() is <
   2131296401/com.example.foodo:id/constraint>)
- 628 2022-07-30 20:16:49.988 17083-17135/com.example. foodo D/ManageFoodoListTest: Check that Recycler View item has its item labeled Yummy Food
- 629 2022-07-30 20:16:49.999 17083-17083/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Yummy Food"}'
  assertion on view (view.getId() is <2131296484/com.
  example.foodo:id/foodo\_list\_name> and an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Yummy Food" and
  view.getParent() view.getParent() view.getId() is <
  2131296371/com.example.foodo:id/card\_view> and (view
  has effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))

- 630 2022-07-30 20:16:49.999 17083-17135/com.example. foodo D/ManageFoodoListTest: Click on Create Foodo List Button again
- 631 2022-07-30 20:16:50.004 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296410/com.
  example.foodo:id/create\_foodo\_list\_button> and view.
  getContentDescription() is "Create Foodo List" and
  Child at position 5 in parent (view.getId() is <
  2131296401/com.example.foodo:id/constraint> and
  Child at position 0 in parent view.getId() is <
  16908290/android:id/content>) and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 632 2022-07-30 20:16:50.046 17083-17083/com.example. foodo D/FoodoListService: User is logged in, allowing them to create FoodoList
- 633 2022-07-30 20:16:50.077 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 634 2022-07-30 20:16:50.097 17083-17192/com.example. foodo I/chatty: uid=10141(com.example.foodo)
  RenderThread identical 2 lines
- 635 2022-07-30 20:16:50.104 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 636 2022-07-30 20:16:50.341 17083-17135/com.example. foodo D/ManageFoodoListTest: Enter an empty string as the Foodo List name
- 637 2022-07-30 20:16:50.343 17083-17083/com.example.
   foodo I/ViewInteraction: Performing 'replace text
   ( )' action on view (view.getId() is <2131296464/
   com.example.foodo:id/enter\_foodo\_list\_name\_edit\_text
   > and Child at position 0 in parent view.getClass().
   getName() matches: is "androidx.constraintlayout.
   widget.ConstraintLayout" and (view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle))
- 638 2022-07-30 20:16:50.354 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340:

- 638 ver 2 0 (tinfo 0xc64497d0)
- 639 2022-07-30 20:16:50.357 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'close keyboard
  'action on view (view.getId() is <2131296464/com.
  example.foodo:id/enter\_foodo\_list\_name\_edit\_text>
  and Child at position 0 in parent view.getClass().
  getName() matches: is "androidx.constraintlayout.
  widget.ConstraintLayout" and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 640 2022-07-30 20:16:50.358 17083-17083/com.example. foodo W/CloseKeyboardAction: Attempting to close soft keyboard, while it is not shown.
- 641 2022-07-30 20:16:50.358 17083-17135/com.example.
  foodo D/ManageFoodoListTest: Click the Create Foodo
  List button
- 642 2022-07-30 20:16:50.361 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296412/com.
  example.foodo:id/create\_foodo\_list\_confirm\_button>
  and an instance of android.widget.TextView and view.
  getText() with or without transformation to match:
  is "Create Foodo List" and Child at position 1 in
  parent view.getClass().getName() matches: is "
  androidx.constraintlayout.widget.ConstraintLayout"
  and (view has effective visibility <VISIBLE> and
  view.getGlobalVisibleRect() to return non-empty
  rectangle))
- 643 2022-07-30 20:16:50.407 17083-17083/com.example. foodo D/FoodoListService: Unable to submit empty foodoListName
- 644 2022-07-30 20:16:50.640 17083-17135/com.example. foodo D/ManageFoodoListTest: Check that the view does not change and that we remain on the Create Foodo List popup
- 645 2022-07-30 20:16:50.643 17083-17083/com.example.
   foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=(view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle)}' assertion on
   view (view.getId() is <2131296412/com.example.foodo:</pre>

- 645 id/create\_foodo\_list\_confirm\_button> and an instance
   of android.widget.TextView and view.getText() with
   or without transformation to match: is "Create Foodo
   List" and view.getParent() view.getParent() an
   instance of android.widget.FrameLayout and (view has
   effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 646 2022-07-30 20:16:50.643 17083-17135/com.example. foodo D/ManageFoodoListTest: Exit the Create Foodo List popup via the cancel button
- 647 2022-07-30 20:16:50.645 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296411/com.
  example.foodo:id/create\_foodo\_list\_cancel\_button>
  and Child at position 2 in parent view.getClass().
  getName() matches: is "androidx.constraintlayout.
  widget.ConstraintLayout" and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 648 2022-07-30 20:16:50.688 17083-17083/com.example. foodo D/FoodoListService: Cancelled creating Foodo list
- 649 2022-07-30 20:16:50.691 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 650 2022-07-30 20:16:50.719 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 651 2022-07-30 20:16:50.942 17083-17135/com.example. foodo D/ManageFoodoListTest: Search for restaurant
- 652 2022-07-30 20:16:50.946 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getClass().getName() matches:
  is "androidx.appcompat.widget.AppCompatImageView"
  and view.getContentDescription() is "Search" and
  Child at position 1 in parent (view.getClass().
  getName() matches: is "android.widget.LinearLayout"
  and Child at position 0 in parent view.getId() is <
  2131296655/com.example.foodo:id/restaurant\_search>)
  and (view has effective visibility <VISIBLE> and

- 652 view.getGlobalVisibleRect() to return non-empty rectangle))
- 653 2022-07-30 20:16:51.234 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'replace text(
  Tim Hortons)' action on view (view.getClass().
  getName() matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 654 2022-07-30 20:16:51.258 17083-17083/com.example.
   foodo I/ViewInteraction: Performing 'close keyboard
  ' action on view (view.getClass().getName() matches
  : is "android.widget.SearchView\$SearchAutoComplete"
   and Child at position 0 in parent (view.getClass().
   getName() matches: is "android.widget.LinearLayout"
   and Child at position 1 in parent view.getClass().
   getName() matches: is "android.widget.LinearLayout
  ") and (view has effective visibility <VISIBLE> and
   view.getGlobalVisibleRect() to return non-empty
   rectangle))
- 655 2022-07-30 20:16:51.594 17083-17083/com.example.
   foodo I/ViewInteraction: Performing 'input method
   editor' action on view (view.getClass().getName()
   matches: is "android.widget.
   SearchView\$SearchAutoComplete" and Child at position
   0 in parent (view.getClass().getName() matches: is
   "android.widget.LinearLayout" and Child at position
   1 in parent view.getClass().getName() matches: is "
   android.widget.LinearLayout") and (view has
   effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 656 2022-07-30 20:16:51.595 17083-17083/com.example. foodo D/MainActivity: submit
- 657 2022-07-30 20:16:51.599 17083-17083/com.example. foodo D/MainActivity: unable to get location

- 658 2022-07-30 20:16:51.704 17083-17083/com.example.
   foodo I/ViewInteraction: Performing 'input method
   editor' action on view (view.getClass().getName()
   matches: is "android.widget.
   SearchView\$SearchAutoComplete" and Child at position
   0 in parent (view.getClass().getName() matches: is
   "android.widget.LinearLayout" and Child at position
   1 in parent view.getClass().getName() matches: is "
   android.widget.LinearLayout") and (view has
   effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
  659 2022-07-30 20:16:51.705 17083-17083/com.example.
- 659 2022-07-30 20:16:51.705 17083-17083/com.example. foodo D/MainActivity: submit
- 660 2022-07-30 20:16:51.707 17083-17083/com.example. foodo D/MainActivity: Increment. Awiting
- 661 2022-07-30 20:16:51.707 17083-17083/com.example. foodo D/MainActivity: Hello?
- 662 2022-07-30 20:16:52.636 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 663 2022-07-30 20:16:52.636 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 664 2022-07-30 20:16:52.636 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 665 2022-07-30 20:16:52.636 17083-17324/com.example.
   foodo D/MainActivity: [{"id":"
   ChIJPbaHdrhzhlQReM4dHz3EV0U","name":"Tim Hortons","
   address":"1595 W Broadway Unit 101, Vancouver, BC
   V6J 1W6","lat":49.2638594,"lng":-123.1407054,"
   openNow":true,"businessStatus":"OPERATIONAL","
   GoogleRating":3.2},{"id":"
   ChIJx7q9G39xhlQRpTJlYCSyvQA","name":"Tim Hortons","
   address":"650 W Georgia St, Vancouver, BC V6B 4N7","
   lat":49.2818149999999,"lng":-123.117732,"openNow":
   false,"businessStatus":"OPERATIONAL","GoogleRating":

```
665 3.7}, {"id": "ChIJaVF2kmZxhlQRI6ciXczvFCU", "name": "Tim
     Hortons", "address": "306 Terminal Ave, Vancouver, BC
     V6A 3W9", "lat":49.2721344, "lng":-123.0977055,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7}, {"id":"
    ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", "
    address": "607 Dunsmuir St, Vancouver, BC V6B 1Y7","
    lat":49.2832573, "lng":-123.1154886, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.8},{"
    id":"ChIJg4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver, BC
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3},{"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat":49.2860914, "lng":-123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .6}, {"id": "ChIJzc1cb9RzhlQRnAMnVE92X2M", "name": "Tim
    Hortons", "address": "756 Davie St, Vancouver, BC V6G
    1B6", "lat":49.2774788, "lng":-123.1272636, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .7},{"id":"ChIJfe2sYHhxhlQR6YR9clFor1Y","name":"Tim
    Hortons", "address": "555 W Hastings St Unit 6,
    Vancouver, BC V6B 5K3", "lat":49.2849465, "lng":-123.
    1119939, "openNow":true, "businessStatus": "OPERATIONAL
    ", "GoogleRating": 3.5}, {"id":"
    ChIJ_Z1eAoNxhlQRbQdkQ4LGL-k", "name": "Tim Hortons", "
    address": "200 Burrard St, Vancouver, BC V6C 3L6", "
    lat":49.2876619,"lng":-123.1150299,"openNow":false,"
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim
    Hortons", "address": "947 Hornby St, Vancouver, BC V6Z
     1V3", "lat":49.2811901, "lng":-123.1243774, "
    businessStatus":"CLOSED_TEMPORARILY", "GoogleRating":
    3.8}, {"id": "ChIJnwpTNodxhlQRyMpglFDPgR4", "name": "Tim
     Hortons", "address": "1299 Robson St, Vancouver, BC
    V6E 1C2", "lat":49.2870167, "lng":-123.1283226, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.6},{"id":"
    ChIJf_sjnnhxhlQRf_hegcc08xA","name":"Tim Hortons","
```

```
665 address": "750 W Pender St Unit 104, Vancouver, BC
    V6C 2T7", "lat":49.2848836, "lng":-123.1157462,"
    openNow":false, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.8},{"id":"
    ChIJy4ytG3BxhlQR48y43xxpeXk","name":"Tim Hortons","
    address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat
    ":49.2793791, "lng":-123.0995012, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJHVhQI4JxhlQR7GmTnBOS_s0","name":"Tim
    Hortons", "address": "505 Burrard St #107, Vancouver,
    BC V6C 3A8", "lat":49.28656669999999, "lnq":-123.
    1184202, "openNow": false, "businessStatus": "
    OPERATIONAL", "GoogleRating": 3.6}, {"id":"
    ChIJdcSvYH5xhlQRQyaQn42z1xg", "name": "Tim Hortons", "
    address": "463 Robson St, Vancouver, BC V6B 6L9", "lat
    ":49.279958, "lng":-123.1172937, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim
    Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z
     1A6", "lat":49.2657856, "lng":-123.1224, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T_FIcq", "name": "Tim
    Hortons", "address": "108 W Pender St, Vancouver, BC
    V6B 0K4", "lat":49.2809464, "lng":-123.1078805, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7},{"id":"
    ChIJvbXYl9RzhlQRTdRIIgpysB8", "name": "Tim Hortons", "
    address": "1205 Burrard St, Vancouver, BC V6Z 1Z5","
    lat":49.2792006, "lng":-123.130006, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.6},{"
    id":"ChIJbdhY0idyhlQRdIPuNqIgKYM","name":"Tim
    Hortons", "address": "1001 Denman St, Vancouver, BC
    V6G 2M4", "lat":49.2893956, "lng":-123.1390369, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2},{"id":"ChIJqRpYzHhxhlQR7BYMAR02
666 2022-07-30 20:16:52.636 17083-17203/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
    greylist, linking, allowed)
667 2022-07-30 20:16:52.637 17083-17203/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
```

```
667 /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
    lang/Object; (greylist, linking, allowed)
668 2022-07-30 20:16:52.637 17083-17203/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetLong(Ljava/lang/Object;J)J (
    greylist,core-platform-api, linking, allowed)
669 2022-07-30 20:16:52.637 17083-17203/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
    qreylist, linking, allowed)
670 2022-07-30 20:16:52.638 17083-17324/com.example.
    foodo D/MainActivity: response from /
    searchRestaurantsByQuery: [{"id":"
    ChIJPbaHdrhzhlQReM4dHz3EV0U", "name": "Tim Hortons", "
    address": "1595 W Broadway Unit 101, Vancouver, BC
    V6J 1W6", "lat":49.2638594, "lng":-123.1407054, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2}, {"id":"
    ChIJx7q9G39xhlQRpTJlYCSyvQA", "name": "Tim Hortons", "
    address": "650 W Georgia St, Vancouver, BC V6B 4N7", "
    lat":49.28181499999999, "lng":-123.117732, "openNow":
    false, "businessStatus": "OPERATIONAL", "GoogleRating":
    3.7}, {"id": "ChIJaVF2kmZxhlQRI6ciXczvFCU", "name": "Tim
     Hortons", "address": "306 Terminal Ave, Vancouver, BC
     V6A 3W9", "lat":49.2721344, "lng":-123.0977055,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7}, {"id":"
    ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", "
    address": "607 Dunsmuir St, Vancouver, BC V6B 1Y7", "
    lat":49.2832573, "lng":-123.1154886, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.8},{"
    id":"ChIJg4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver,
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3}, {"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat":49.2860914, "lnq":-123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .6}, {"id": "ChIJzc1cb9RzhlQRnAMnVE92X2M", "name": "Tim
```

670 Hortons", "address": "756 Davie St, Vancouver, BC V6G 1B6", "lat":49.2774788, "lng":-123.1272636, "openNow": true, "businessStatus": "OPERATIONAL", "GoogleRating": 3 .7}, {"id": "ChIJfe2sYHhxhlQR6YR9clFor1Y", "name": "Tim Hortons", "address": "555 W Hastings St Unit 6, Vancouver, BC V6B 5K3", "lat":49.2849465, "lng":-123. 1119939, "openNow":true, "businessStatus": "OPERATIONAL ", "GoogleRating": 3.5}, {"id":" ChIJ\_Z1eAoNxhlQRbQdkQ4LGL-k", "name": "Tim Hortons", " address": "200 Burrard St, Vancouver, BC V6C 3L6"," lat":49.2876619,"lng":-123.1150299,"openNow":false," businessStatus":"OPERATIONAL","GoogleRating":3.7},{" id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim Hortons", "address": "947 Hornby St, Vancouver, BC V6Z 1V3", "lat":49.2811901, "lng":-123.1243774, " businessStatus":"CLOSED\_TEMPORARILY","GoogleRating": 3.8}, {"id": "ChIJnwpTNodxhlQRyMpqlFDPqR4", "name": "Tim Hortons", "address": "1299 Robson St, Vancouver, BC V6E 1C2", "lat":49.2870167, "lng":-123.1283226, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.6},{"id":" ChIJf\_sjnnhxhlQRf\_hegcc08xA","name":"Tim Hortons"," address": "750 W Pender St Unit 104, Vancouver, BC V6C 2T7", "lat":49.2848836, "lng":-123.1157462," openNow":false, "businessStatus": "OPERATIONAL", " GoogleRating":3.8},{"id":" ChIJy4ytG3BxhlQR48y43xxpeXk", "name": "Tim Hortons", " address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat ":49.2793791, "lng":-123.0995012, "openNow":true, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJHVhQI4JxhlQR7GmTnBOS\_s0","name":"Tim Hortons", "address": "505 Burrard St #107, Vancouver, BC V6C 3A8", "lat":49.28656669999999, "lnq":-123. 1184202, "openNow": false, "businessStatus": " OPERATIONAL", "GoogleRating": 3.6}, {"id":" ChIJdcSvYH5xhlQRQyaQn42z1xg", "name": "Tim Hortons", " address": "463 Robson St, Vancouver, BC V6B 6L9", "lat ":49.279958, "lng":-123.1172937, "openNow":false, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z

- 1A6","lat":49.2657856,"lng":-123.1224,"openNow": 670 true, "businessStatus": "OPERATIONAL", "GoogleRating": 3 .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T\_FIcq", "name": "Tim Hortons", "address": "108 W Pender St, Vancouver, BC V6B 0K4", "lat":49.2809464, "lng":-123.1078805, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.7},{"id":" ChIJvbXYl9RzhlQRTdRIIqpysB8", "name": "Tim Hortons", " address": "1205 Burrard St, Vancouver, BC V6Z 1Z5"," lat":49.2792006, "lng":-123.130006, "openNow":true, " businessStatus":"OPERATIONAL", "GoogleRating":3.6}, {" id":"ChIJbdhY0idyhlQRdIPuNqIgKYM","name":"Tim Hortons", "address": "1001 Denman St, Vancouver, BC V6G 2M4", "lat":49.2893956, "lng":-123.1390369, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRat
- 671 2022-07-30 20:16:52.647 17083-17083/com.example. foodo D/MainActivity: Decrement
- 672 2022-07-30 20:16:52.648 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 673 2022-07-30 20:16:52.648 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: PAUSED
- 674 2022-07-30 20:16:52.661 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@d27b34f
- 675 2022-07-30 20:16:52.667 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: PRE\_ON\_CREATE
- 676 2022-07-30 20:16:52.683 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: CREATED
- 677 2022-07-30 20:16:52.684 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: STARTED
- 678 2022-07-30 20:16:52.686 17083-17083/com.example.

- 678 foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: RESUMED
- 679 2022-07-30 20:16:52.731 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 680 2022-07-30 20:16:52.742 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 681 2022-07-30 20:16:52.754 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 682 2022-07-30 20:16:52.766 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 683 2022-07-30 20:16:52.779 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 684 2022-07-30 20:16:52.793 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 685 2022-07-30 20:16:52.805 17083-17089/com.example.
  foodo I/m.example.food: JIT allocated 70KB for
  compiled code of void android.view.View.<init>(
  android.content.Context, android.util.AttributeSet,
  int, int)
- 686 2022-07-30 20:16:52.812 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 687 2022-07-30 20:16:52.831 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 688 2022-07-30 20:16:52.850 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: STOPPED
- 689 2022-07-30 20:16:54.710 17083-17135/com.example. foodo D/ManageFoodoListTest: Click first search result for Tim Hortons query
- 690 2022-07-30 20:16:54.714 17083-17083/com.example.
  foodo I/ViewInteraction: Performing '
  actionOnItemAtPosition performing ViewAction: single
  click on item at position: 0' action on view (view.
  getId() is <2131296686/com.example.foodo:id/
  search\_list>)
- 691 2022-07-30 20:16:54.770 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 691 com.example.foodo.SearchResultActivity@43d88c8 in: PAUSED
- 692 2022-07-30 20:16:54.778 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@fb291ac
- 693 2022-07-30 20:16:54.785 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : PRE\_ON\_CREATE
- 694 2022-07-30 20:16:54.848 17083-17083/com.example. foodo D/restaurantInfoActivity: ChIJPbaHdrhzhlQReM4dHz3EV0U
- 695 2022-07-30 20:16:54.850 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : CREATED
- 696 2022-07-30 20:16:54.851 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 697 2022-07-30 20:16:54.851 17083-17324/com.example. foodo D/restaurantInfoActivity: Yummy Food 0
- 698 2022-07-30 20:16:54.852 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : STARTED
- 699 2022-07-30 20:16:54.854 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : RESUMED
- 700 2022-07-30 20:16:54.857 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 701 2022-07-30 20:16:54.857 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 702 2022-07-30 20:16:54.860 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/

- 702 lang/Object; (greylist, linking, allowed)
- 703 2022-07-30 20:16:54.860 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 704 2022-07-30 20:16:54.860 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 705 2022-07-30 20:16:54.888 17083-17149/com.example. foodo I/m.example.food: IncrementDisableThreadFlip blocked for 10.641ms
- 706 2022-07-30 20:16:54.902 17083-17089/com.example. foodo W/m.example.food: Long wait of 3.591ms for Thread[36,tid=17149,Suspended,Thread\*=0xde92fa00, peer=0x15f40028,"Measurement Worker"] suspension!
- 707 2022-07-30 20:16:54.904 17083-17083/com.example. foodo E/RecyclerView: No adapter attached; skipping layout
- 708 2022-07-30 20:16:54.920 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 709 2022-07-30 20:16:54.982 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 710 2022-07-30 20:16:54.982 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 711 2022-07-30 20:16:54.982 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: STOPPED
- 712 2022-07-30 20:16:54.983 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  qreylist,core-platform-api, linking, allowed)
- 713 2022-07-30 20:16:55.004 17083-17201/com.example.
  foodo D/restaurantInfoActivity: {"business\_status":"
  OPERATIONAL", "formatted\_address": "1595 W Broadway

- 713 Unit 101, Vancouver, BC V6J 1W6, Canada","
  formatted\_phone\_number":"(604) 737-7714","geometry
  ":{"location":{"lat":49.2638594,"lng":-123.1407054
  }},"name":"Tim Hortons","opening\_hours":{"open\_now":
  true,"weekday\_text":["Monday: 5:00 AM 11:00 PM","
  Tuesday: 5:00 AM 11:00 PM","Wednesday: 5:00 AM 11:00 PM","Thursday: 5:00 AM 11:00 PM","Friday: 5:
  00 AM 11:00 PM","Saturday: 5:00 AM 11:00 PM","
  Sunday: 5:00 AM 11:00 PM"]},"place\_id":"
  ChIJPbaHdrhzhlQReM4dHz3EVOU","rating":3.2,"reviews
  ":[]}
- 714 2022-07-30 20:16:55.004 17083-17201/com.example. foodo D/restaurantInfoActivity: restaurantID: ChiJPbaHdrhzhlQReM4dHz3EV0U
- 715 2022-07-30 20:16:55.005 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 716 2022-07-30 20:16:55.006 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 717 2022-07-30 20:16:55.006 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 718 2022-07-30 20:16:55.006 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 719 2022-07-30 20:16:55.173 17083-17135/com.example. foodo D/ManageFoodoListTest: Add restaurant to Foodo List
- 720 2022-07-30 20:16:55.176 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296337/com.
  example.foodo:id/add\_restaurant\_to\_list\_button> and
  Child at position 11 in parent (view.getId() is <
  2131296535/com.example.foodo:id/linearLayout> and
  Child at position 1 in parent view.getClass().
  getName() matches: is "androidx.constraintlayout.

- 720 widget.ConstraintLayout") and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle))
- 721 2022-07-30 20:16:55.221 17083-17083/com.example. foodo D/restaurantInfoActivity: Pressed add Foodo restaurant button
- 722 2022-07-30 20:16:55.267 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 723 2022-07-30 20:16:55.295 17083-17192/com.example. foodo I/chatty: uid=10141(com.example.foodo)
  RenderThread identical 2 lines
- 724 2022-07-30 20:16:55.310 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 725 2022-07-30 20:16:55.529 17083-17135/com.example. foodo D/ManageFoodoListTest: Click button to add restaurant to list
- 726 2022-07-30 20:16:55.532 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296336/com.
  example.foodo:id/add\_res\_to\_list\_confirm\_button> and
  Child at position 3 in parent view.getClass().
  getName() matches: is "androidx.constraintlayout.
  widget.ConstraintLayout" and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 727 2022-07-30 20:16:55.536 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 728 2022-07-30 20:16:55.576 17083-17083/com.example.
  foodo D/restaurantInfoActivity: adding restaurant to
  Yummy Food
- 729 2022-07-30 20:16:55.580 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 730 2022-07-30 20:16:55.592 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 731 2022-07-30 20:16:55.592 17083-17201/com.example.

- 731 foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)
- 732 2022-07-30 20:16:55.593 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 733 2022-07-30 20:16:55.593 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 734 2022-07-30 20:16:55.594 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 735 2022-07-30 20:16:55.594 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 736 2022-07-30 20:16:55.594 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 737 2022-07-30 20:16:55.595 17083-17201/com.example.
  foodo D/restaurantInfoActivity: {"\_id":"
  62e5f41888a948f33e36760e","name":"Yummy Food","users
  ":["107578100203563190150"],"restaurants":[{"
  place\_id":"ChIJPbaHdrhzhlQReM4dHz3EV0U","name":"Tim
  Hortons","isVisited":false,"lat":49.2638594,"lng":123.1407054,"\_id":"62e5f41e88a948f33e367612"}],"\_\_v
  ":0}
- 738 2022-07-30 20:16:55.607 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 739 2022-07-30 20:16:55.827 17083-17135/com.example. foodo D/ManageFoodoListTest: Navigate back to MainActivity
- 740 2022-07-30 20:16:55.830 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  getRootView() to equal view

- 741 2022-07-30 20:16:55.841 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : PAUSED
- 742 2022-07-30 20:16:55.845 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: RESTARTED
- 743 2022-07-30 20:16:55.847 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: STARTED
- 744 2022-07-30 20:16:55.847 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: RESUMED
- 745 2022-07-30 20:16:55.872 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 746 2022-07-30 20:16:55.909 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 747 2022-07-30 20:16:55.928 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 748 2022-07-30 20:16:55.935 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 749 2022-07-30 20:16:55.936 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@5836a44 in : STOPPED
- 750 2022-07-30 20:16:55.937 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 751 2022-07-30 20:16:55.940 17083-17083/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@5836a44 in
  : DESTROYED

- 752 2022-07-30 20:16:56.088 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  getRootView() to equal view
- 753 2022-07-30 20:16:56.096 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: PAUSED
- 754 2022-07-30 20:16:56.099 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESTARTED
- 755 2022-07-30 20:16:56.101 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: STARTED
- 756 2022-07-30 20:16:56.102 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESUMED
- 757 2022-07-30 20:16:56.144 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 758 2022-07-30 20:16:56.198 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: STOPPED
- 759 2022-07-30 20:16:56.204 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@43d88c8 in: DESTROYED
- 760 2022-07-30 20:16:56.323 17083-17135/com.example. foodo D/ManageFoodoListTest: Navigate into Yummy Food Foodo List
- 761 2022-07-30 20:16:56.326 17083-17083/com.example.
  foodo I/ViewInteraction: Performing '
  actionOnItemAtPosition performing ViewAction: single
  click on item at position: 0' action on view (view.
  getId() is <2131296485/com.example.foodo:id/
  foodo\_lists> and Child at position 6 in parent view.
  getId() is <2131296401/com.example.foodo:id/
  constraint>)
- 762 2022-07-30 20:16:56.385 17083-17083/com.example. foodo D/FoodoListCardAdapter: Yummy Food item on

- 762 Foodo Lists selected
- 763 2022-07-30 20:16:56.392 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: PAUSED
- 764 2022-07-30 20:16:56.399 17083-17083/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@5765080
- 765 2022-07-30 20:16:56.406 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: PRE\_ON\_CREATE
- 766 2022-07-30 20:16:56.417 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: CREATED
- 767 2022-07-30 20:16:56.421 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 768 2022-07-30 20:16:56.421 17083-17201/com.example.
  foodo D/FoodoListCardService: {"\_id":"
  107578100203563190150","name":"Test Account","email
  ":"cpen321espresso@gmail.com","\_\_v":0}
- 769 2022-07-30 20:16:56.421 17083-17201/com.example. foodo D/FoodoListCardService: 107578100203563190150
- 770 2022-07-30 20:16:56.421 17083-17201/com.example. foodo D/FoodoListCardService: Test Account
- 771 2022-07-30 20:16:56.423 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 772 2022-07-30 20:16:56.423 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 773 2022-07-30 20:16:56.424 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 774 2022-07-30 20:16:56.424 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 774 /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 775 2022-07-30 20:16:56.424 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 776 2022-07-30 20:16:56.426 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: STARTED
- 777 2022-07-30 20:16:56.428 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: RESUMED
- 778 2022-07-30 20:16:56.431 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 779 2022-07-30 20:16:56.431 17083-17324/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 780 2022-07-30 20:16:56.431 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 781 2022-07-30 20:16:56.431 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 782 2022-07-30 20:16:56.431 17083-17324/com.example.
  foodo D/FoodoListCardService: Create Restaurant Card
  for {"place\_id":"ChIJPbaHdrhzhlQReM4dHz3EV0U", "name
  ":"Tim Hortons", "isVisited":false, "lat":49.2638594,"
  lng":-123.1407054, "\_id":"62e5f41e88a948f33e367612"}
  under Foodo List 62e5f41888a948f33e36760e
- 783 2022-07-30 20:16:56.432 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 784 2022-07-30 20:16:56.432 17083-17203/com.example.

- 784 foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core-platform-api, linking, allowed)
- 785 2022-07-30 20:16:56.432 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 786 2022-07-30 20:16:56.466 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 787 2022-07-30 20:16:56.487 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 788 2022-07-30 20:16:56.527 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 789 2022-07-30 20:16:56.563 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 790 2022-07-30 20:16:56.563 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 792 2022-07-30 20:16:56.563 17083-17201/com.example. foodo D/FoodoListCardService: restaurant
- 793 2022-07-30 20:16:56.565 17083-17203/com.example.

- 793 foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getInt(Ljava/lang/Object;J)I ( greylist, linking, allowed)
- 794 2022-07-30 20:16:56.565 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 795 2022-07-30 20:16:56.567 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 796 2022-07-30 20:16:56.567 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 797 2022-07-30 20:16:56.567 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 798 2022-07-30 20:16:56.588 17083-17083/com.example. foodo D/RestaurantCardAdapter: false
- 799 2022-07-30 20:16:56.620 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 800 2022-07-30 20:16:56.621 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: STOPPED
- 801 2022-07-30 20:16:56.812 17083-17135/com.example. foodo D/ManageFoodoListTest: Check Tim Hortons is listed in Yummy Food Foodo List
- 802 2022-07-30 20:16:56.816 17083-17083/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (view.getId() is <2131296647/com.
  example.foodo:id/restaurantName> and an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"
  and view.getParent() (view.getId() is <2131296654/

- 803 2022-07-30 20:16:56.816 17083-17135/com.example. foodo D/ManageFoodoListTest: Uncheck Restaurant
- 804 2022-07-30 20:16:56.820 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296381/com.
  example.foodo:id/check\_button> and Child at position
  0 in parent Child at position 0 in parent view.
  getId() is <2131296654/com.example.foodo:id/
  restaurant\_card\_relative\_layout> and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 805 2022-07-30 20:16:56.869 17083-17083/com.example. foodo D/RestaurantCardAdapter: Checked Tim Hortons
- 806 2022-07-30 20:16:56.869 17083-17083/com.example. foodo D/RestaurantCardAdapter: Card: Restaurant Card (id: 62e5f41e88a948f33e367612) will be checked Tim Hortons
- 807 2022-07-30 20:16:56.877 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 808 2022-07-30 20:16:56.878 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 809 2022-07-30 20:16:56.878 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 810 2022-07-30 20:16:56.879 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 811 2022-07-30 20:16:56.880 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 811 /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 812 2022-07-30 20:16:56.880 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 813 2022-07-30 20:16:56.880 17083-17201/com.example.
  foodo D/RestaurantCardAdapter: {"\_id":"
  62e5f41888a948f33e36760e","name":"Yummy Food","users
  ":["107578100203563190150"],"restaurants":[{"
  place\_id":"ChIJPbaHdrhzhlQReM4dHz3EV0U","name":"Tim
  Hortons","isVisited":true,"lat":49.2638594,"lng":123.1407054,"\_id":"62e5f41e88a948f33e367612"}],"\_\_v
  ":0}
- 814 2022-07-30 20:16:56.881 17083-17083/com.example. foodo D/RestaurantCardAdapter: true
- 815 2022-07-30 20:16:56.896 17083-17083/com.example. foodo D/RestaurantCardAdapter: true
- 816 2022-07-30 20:16:57.092 17083-17135/com.example.
  foodo D/ManageFoodoListTest: Click button to delete
  restaurant from Foodo List
- 817 2022-07-30 20:16:57.094 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view with index: <0>(view.getId() is <
  2131296425/com.example.foodo:id/
  delete\_restaurant\_from\_foodo\_list\_button> and view.
  getContentDescription() is "Delete Restaurant" and
  Child at position 1 in parent Child at position 0 in
  parent view.getId() is <2131296654/com.example.
  foodo:id/restaurant\_card\_relative\_layout> and (view
  has effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 818 2022-07-30 20:16:57.151 17083-17083/com.example. foodo D/RestaurantCardAdapter: Deleted Tim Hortons
- 819 2022-07-30 20:16:57.158 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 820 2022-07-30 20:16:57.158 17083-17201/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 820 /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)
- 821 2022-07-30 20:16:57.158 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 822 2022-07-30 20:16:57.158 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 823 2022-07-30 20:16:57.159 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 824 2022-07-30 20:16:57.160 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 825 2022-07-30 20:16:57.160 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 826 2022-07-30 20:16:57.160 17083-17201/com.example. foodo D/RestaurantCardAdapter: Card with id 62e5f41e88a948f33e367612 will be deleted Tim Hortons
- 827 2022-07-30 20:16:57.371 17083-17135/com.example. foodo D/ManageFoodoListTest: Navigate back to main activity
- 828 2022-07-30 20:16:57.374 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  qetRootView() to equal view
- 829 2022-07-30 20:16:57.386 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: PAUSED
- 830 2022-07-30 20:16:57.390 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESTARTED
- 831 2022-07-30 20:16:57.392 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 831 com.example.foodo.MainActivity@124efec in: STARTED
- 832 2022-07-30 20:16:57.393 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: RESUMED
- 833 2022-07-30 20:16:57.414 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 834 2022-07-30 20:16:57.511 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 835 2022-07-30 20:16:57.512 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: STOPPED
- 836 2022-07-30 20:16:57.517 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.FoodoListActivity@58ee90a in: DESTROYED
- 837 2022-07-30 20:16:57.620 17083-17135/com.example. foodo D/ManageFoodoListTest: Delete Yummy Food Foodo List
- 838 2022-07-30 20:16:57.624 17083-17083/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getId() is <2131296424/com.
  example.foodo:id/delete\_foodo\_list\_button> and Child
  at position 2 in parent Child at position 0 in
  parent view.getId() is <2131296371/com.example.foodo
  :id/card\_view> and (view has effective visibility <
  VISIBLE> and view.getGlobalVisibleRect() to return
  non-empty rectangle))
- 839 2022-07-30 20:16:57.677 17083-17083/com.example. foodo D/FoodoListCardAdapter: Pressed delete Foodo button
- 840 2022-07-30 20:16:57.688 17083-17201/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 841 2022-07-30 20:16:57.688 17083-17203/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (

- 841 greylist, linking, allowed)
- 842 2022-07-30 20:16:57.688 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 843 2022-07-30 20:16:57.689 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 844 2022-07-30 20:16:57.689 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 845 2022-07-30 20:16:57.689 17083-17203/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 846 2022-07-30 20:16:57.689 17083-17201/com.example. foodo D/FoodoListCardAdapter: Foodo list Yummy Food deleted using id 62e5f41888a948f33e36760e
- 847 2022-07-30 20:16:57.899 17083-17135/com.example. foodo D/ManageFoodoListTest: Check Foodo List is no longer rendered
- 848 2022-07-30 20:16:57.905 17083-17083/com.example.
  foodo I/ViewInteraction: Checking 'com.example.foodo
  .ManageFoodoListTest\$RecyclerViewItemCountAssertion@
  7e7c289' assertion on view (view.getId() is <
  2131296485/com.example.foodo:id/foodo\_lists> and
  view.getParent() (view.getId() is <2131296401/com.
  example.foodo:id/constraint> and view.getParent()
  view.getId() is <16908290/android:id/content>) and (
  view has effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 849 2022-07-30 20:16:57.931 17083-17083/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 850 2022-07-30 20:16:57.931 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: PAUSED

- 851 2022-07-30 20:16:58.101 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@f7a90a6 in: DESTROYED
- 852 2022-07-30 20:16:58.182 17083-17192/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1c340: ver 2 0 (tinfo 0xc64497d0)
- 853 2022-07-30 20:16:58.306 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: STOPPED
- 854 2022-07-30 20:16:58.314 17083-17083/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@124efec in: DESTROYED
- 855 2022-07-30 20:16:58.321 17083-17135/com.example. foodo I/TestRunner: finished: manageFoodoListTest(com.example.foodo.ManageFoodoListTest)
- 856 2022-07-30 20:16:58.350 17083-17135/com.example. foodo I/TestRunner: run finished: 1 tests, 0 failed , 0 ignored
- 857 2022-07-30 20:16:58.359 17083-17083/com.example. foodo D/restaurantInfoActivity: Subscribed
- 858 2022-07-30 20:17:09.812 17380-17380/? I/m.example. food: Late-enabling -Xcheck:jni
- 859 2022-07-30 20:17:09.824 17380-17380/? E/m.example. food: Unknown bits set in runtime\_flags: 0x8000
- 860 2022-07-30 20:17:09.825 17380-17380/? W/m.example. food: Unexpected CPU variant for X86 using defaults : x86
- 861 2022-07-30 20:17:09.891 17380-17380/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 862 2022-07-30 20:17:10.150 17380-17380/com.example. foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]
- 863 2022-07-30 20:17:10.197 17380-17380/com.example. foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 864 2022-07-30 20:17:10.209 17380-17424/com.example. foodo I/DynamiteModule: Considering local module com.google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite:75

- 865 2022-07-30 20:17:10.209 17380-17424/com.example.
  foodo I/DynamiteModule: Selected remote version of
  com.google.android.gms.measurement.dynamite, version
  >= 75
- 866 2022-07-30 20:17:10.254 17380-17419/com.example.
  foodo I/TRuntime.CctTransportBackend: Making request
  to: https://firebaselogging-pa.googleapis.com/v1/
  firelog/legacy/batchlog
- 867 2022-07-30 20:17:10.260 17380-17419/com.example. foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 868 2022-07-30 20:17:10.322 17380-17430/com.example. foodo I/FA: App measurement initialized, version: 66000
- 869 2022-07-30 20:17:10.322 17380-17430/com.example. foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- 870 2022-07-30 20:17:10.322 17380-17430/com.example. foodo I/FA: To enable faster debug mode event logging run:
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 872 2022-07-30 20:17:10.322 17380-17430/com.example. foodo D/FA: Debug-level message logging enabled
- 873 2022-07-30 20:17:10.366 17380-17430/com.example. foodo D/FA: Connected to remote service
- 874 2022-07-30 20:17:12.484 17380-17419/com.example. foodo I/TRuntime.CctTransportBackend: Status Code: 200

875