- 1 2022-07-30 20:26:04.123 19498-19498/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 2 2022-07-30 20:26:04.447 19498-19498/com.example.foodo I/chatty: uid=10142(com.example.foodo) identical 3 lines
- 3 2022-07-30 20:26:04.447 19498-19498/com.example.foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 4 2022-07-30 20:26:04.754 19498-19498/com.example.foodo W/m.example.food: Accessing hidden method Landroid/app/Instrumentation;->execStartActivity(Landroid/content/Context;Landroid/os/IBinder;Landroid/os/IBinder;Landroid/os/IBinder;Landroid/app/Activity;Landroid/content/Intent;ILandroid/os/Bundle;)Landroid/app/Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 5 2022-07-30 20:26:04.754 19498-19498/com.example.foodo
   W/m.example.food: Accessing hidden method Landroid/
   app/Instrumentation;->execStartActivity(Landroid/
   content/Context;Landroid/os/IBinder;Landroid/os/
   IBinder;Ljava/lang/String;Landroid/content/Intent;
   ILandroid/os/Bundle;)Landroid/app/
   Instrumentation\$ActivityResult; (greylist, linking, allowed)
- 6 2022-07-30 20:26:04.760 19498-19498/com.example.foodo I/MonitoringInstr: newApplication called!
- 7 2022-07-30 20:26:04.796 19498-19498/com.example.foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]
- 8 2022-07-30 20:26:04.851 19498-19498/com.example.foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 9 2022-07-30 20:26:04.867 19498-19542/com.example.foodo I/DynamiteModule: Considering local module com. google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite: 75
- 10 2022-07-30 20:26:04.867 19498-19542/com.example.foodo I/DynamiteModule: Selected remote version of com. google.android.gms.measurement.dynamite, version >=

- 10 75
- 11 2022-07-30 20:26:04.870 19498-19498/com.example.foodo I/MonitoringInstr: Instrumentation started!
- 12 2022-07-30 20:26:04.874 19498-19498/com.example.foodo D/ClassesArgTokenizer: input: com.example.foodo. SearchForRestaurantInformationTest# searchForRestaurantInformationTest
- 13 2022-07-30 20:26:04.875 19498-19498/com.example.foodo D/ClassesArgTokenizer: result: [com.example.foodo. SearchForRestaurantInformationTest# searchForRestaurantInformationTest]
- 14 2022-07-30 20:26:04.875 19498-19498/com.example.foodo D/ClassesArgTokenizer: input: null
- 15 2022-07-30 20:26:04.875 19498-19498/com.example.foodo D/ClassesArgTokenizer: result: []
- 16 2022-07-30 20:26:04.886 19498-19546/com.example.foodo D/AndroidJUnitRunner: onStart is called.
- 18 2022-07-30 20:26:04.897 19498-19546/com.example.foodo
  D/TestRequestBuilder: Skipping class path scanning
  and directly running [com.example.foodo.
  SearchForRestaurantInformationTest]
- 19 2022-07-30 20:26:04.902 19498-19546/com.example.foodo
  D/ClassesArgTokenizer: input: com.example.foodo.
  SearchForRestaurantInformationTest#
  searchForRestaurantInformationTest
- 20 2022-07-30 20:26:04.903 19498-19546/com.example.foodo D/ClassesArgTokenizer: result: [com.example.foodo. SearchForRestaurantInformationTest# searchForRestaurantInformationTest]
- 21 2022-07-30 20:26:04.903 19498-19546/com.example.foodo D/ClassesArgTokenizer: input: null
- 22 2022-07-30 20:26:04.903 19498-19546/com.example.foodo D/ClassesArgTokenizer: result: []
- 23 2022-07-30 20:26:04.912 19498-19546/com.example.foodo D/AndroidJUnitRunner: Use the raw file system for managing file I/O.
- 24 2022-07-30 20:26:04.916 19498-19546/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.LogRunListener

- 25 2022-07-30 20:26:04.916 19498-19546/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.InstrumentationResultPrinter
- 26 2022-07-30 20:26:04.916 19498-19546/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.ActivityFinisherRunListener
- 27 2022-07-30 20:26:04.916 19498-19546/com.example.foodo D/TestExecutor: Adding listener androidx.test. internal.runner.listener.TraceRunListener
- 28 2022-07-30 20:26:04.919 19498-19546/com.example.foodo I/TestRunner: run started: 1 tests
- 29 2022-07-30 20:26:04.921 19498-19546/com.example.foodo I/TestRunner: started: searchForRestaurantInformationTest(com.example.foodo. SearchForRestaurantInformationTest)
- 30 2022-07-30 20:26:04.935 19498-19546/com.example.foodo I/GrantPermissionCallable: Permission: android. permission.ACCESS\_COARSE\_LOCATION is already granted!
- 31 2022-07-30 20:26:04.935 19498-19546/com.example.foodo I/GrantPermissionCallable: Permission: android. permission.ACCESS\_FINE\_LOCATION is already granted!
- 32 2022-07-30 20:26:04.941 19498-19546/com.example.foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to android.provider.Settings.Global, returning read-only value.
- 33 2022-07-30 20:26:05.031 19498-19549/com.example.foodo I/FA: App measurement initialized, version: 66000
- 34 2022-07-30 20:26:05.031 19498-19549/com.example.foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- 35 2022-07-30 20:26:05.031 19498-19549/com.example.foodo I/FA: To enable faster debug mode event logging run:
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 37 2022-07-30 20:26:05.032 19498-19549/com.example.foodo D/FA: Debug-level message logging enabled
- 38 2022-07-30 20:26:05.111 19498-19549/com.example.foodo D/FA: Connected to remote service
- 39 2022-07-30 20:26:05.254 19498-19498/com.example.foodo W/ActivityThread: handleWindowVisibility: no

- 39 activity for token android.os.BinderProxy@1d0d2af
- 40 2022-07-30 20:26:05.259 19498-19592/com.example.foodo D/libEGL: Emulator has host GPU support, qemu.gles is set to 1.
- 41 2022-07-30 20:26:05.260 19498-19592/com.example.foodo W/libc: Unable to set property "qemu.gles" to "1": connection failed; errno=13 (Permission denied)
- 42 2022-07-30 20:26:05.247 19498-19498/com.example.foodo W/RenderThread: type=1400 audit(0.0:134): avc: denied { write } for name="property\_service" dev=" tmpfs" ino=9248 scontext=u:r:untrusted\_app:s0:c142, c256,c512,c768 tcontext=u:object\_r:property\_socket:s0 tclass=sock\_file permissive=0
- 43 2022-07-30 20:26:05.300 19498-19592/com.example.foodo D/libEGL: loaded /vendor/lib/egl/libEGL\_emulation.so
- 44 2022-07-30 20:26:05.301 19498-19592/com.example.foodo
  D/libEGL: loaded /vendor/lib/egl/
  libGLESv1\_CM\_emulation.so
- 45 2022-07-30 20:26:05.306 19498-19592/com.example.foodo D/libEGL: loaded /vendor/lib/egl/libGLESv2\_emulation .so
- 46 2022-07-30 20:26:05.316 19498-19498/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: PRE\_ON\_CREATE
- 47 2022-07-30 20:26:05.346 19498-19498/com.example.foodo W/m.example.food: Accessing hidden method Landroid/ view/View;->computeFitSystemWindows(Landroid/graphics/Rect;Landroid/graphics/Rect;)Z (greylist, reflection, allowed)
- 48 2022-07-30 20:26:05.347 19498-19498/com.example.foodo
  W/m.example.food: Accessing hidden method Landroid/
  view/ViewGroup;->makeOptionalFitsSystemWindows()V (
  greylist, reflection, allowed)
- 49 2022-07-30 20:26:05.493 19498-19498/com.example.foodo D/MainActivity: starting idling resource
- 50 2022-07-30 20:26:05.618 19498-19498/com.example.foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 51 2022-07-30 20:26:05.646 19498-19498/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: CREATED

- 52 2022-07-30 20:26:05.655 19498-19498/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: STARTED
- 53 2022-07-30 20:26:05.660 19498-19498/com.example.foodo D/LifecycleMonitor: Lifecycle status change: com. example.foodo.MainActivity@cbd02a8 in: RESUMED
- 54 2022-07-30 20:26:05.665 19498-19546/com.example.foodo W/Settings: Setting always\_finish\_activities has moved from android.provider.Settings.System to android.provider.Settings.Global, returning read-only value.
- 55 2022-07-30 20:26:05.669 19498-19549/com.example.foodo I/FA: Tag Manager is not found and thus will not be used
- 56 2022-07-30 20:26:05.692 19498-19598/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getInt(Ljava/lang/Object;J)I (greylist, linking, allowed)
- 57 2022-07-30 20:26:05.692 19498-19598/com.example.foodo
  W/m.example.food: Accessing hidden method Lsun/misc/
  Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/
  Object; (greylist, linking, allowed)
- 58 2022-07-30 20:26:05.692 19498-19598/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 59 2022-07-30 20:26:05.692 19498-19598/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core-platform-api, linking, allowed)
- 60 2022-07-30 20:26:05.696 19498-19598/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->objectFieldOffset(Ljava/lang/reflect/Field;) J (greylist,core-platform-api, linking, allowed)
- 61 2022-07-30 20:26:05.697 19498-19598/com.example.foodo
  W/m.example.food: Accessing hidden method Lsun/misc/
  Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/
  Object;)V (greylist, linking, allowed)
- 62 2022-07-30 20:26:05.698 19498-19598/com.example.foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist,

- 62 linking, allowed)
- 63 2022-07-30 20:26:05.706 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
- 64 2022-07-30 20:26:05.708 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->allocateInstance(Ljava/lang/Class;)
  Ljava/lang/Object; (greylist, linking, allowed)
- 65 2022-07-30 20:26:05.712 19498-19589/com.example. foodo D/HostConnection: HostConnection::get() New Host Connection established 0xe1f4cd70, tid 19589
- 66 2022-07-30 20:26:05.713 19498-19589/com.example. foodo D/HostConnection: HostComposition ext ANDROID\_EMU\_CHECKSUM\_HELPER\_v1 ANDROID\_EMU\_dma\_v1 ANDROID\_EMU\_direct\_mem

ANDROID\_EMU\_host\_composition\_v1

ANDROID\_EMU\_host\_composition\_v2 ANDROID\_EMU\_vulkan

ANDROID\_EMU\_deferred\_vulkan\_commands

ANDROID\_EMU\_vulkan\_null\_optional\_strings

ANDROID\_EMU\_vulkan\_create\_resources\_with\_requirement s ANDROID\_EMU\_YUV420\_888\_to\_NV21

ANDROID\_EMU\_YUV\_Cache

ANDROID\_EMU\_vulkan\_free\_memory\_sync

ANDROID\_EMU\_vulkan\_shader\_float16\_int8

ANDROID\_EMU\_vulkan\_async\_queue\_submit

ANDROID\_EMU\_sync\_buffer\_data

GL\_OES\_vertex\_array\_object

GL\_KHR\_texture\_compression\_astc\_ldr

ANDROID\_EMU\_host\_side\_tracing

ANDROID\_EMU\_gles\_max\_version\_2

- 67 2022-07-30 20:26:05.716 19498-19589/com.example. foodo W/OpenGLRenderer: Failed to choose config with EGL\_SWAP\_BEHAVIOR\_PRESERVED, retrying without...
- 68 2022-07-30 20:26:05.718 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekLong(JZ)J (greylist, reflection, allowed)
- 69 2022-07-30 20:26:05.736 19498-19589/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 0 0

- 70 2022-07-30 20:26:05.736 19498-19589/com.example. foodo D/EGL\_emulation: eglCreateContext: 0xe1f1b320 : maj 2 min 0 rcv 2
- 71 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeLong(JJZ)V (greylist, reflection, allowed)
- 72 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeInt(JIZ)V (greylist, reflection, allowed)
- 73 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekInt(JZ)I (greylist, reflection, allowed)
- 74 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeByte(JB)V (greylist, reflection, allowed)
- 75 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByte(J)B (greylist, reflection, allowed)
- 76 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->pokeByteArray(J[BII)V (greylist, reflection, allowed)
- 77 2022-07-30 20:26:05.738 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Llibcore/io/Memory;->peekByteArray(J[BII)V (greylist, reflection, allowed)
- 78 2022-07-30 20:26:05.739 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->arrayBaseOffset(Ljava/lang/Class;)I (greylist,core-platform-api, linking, allowed)
- 79 2022-07-30 20:26:05.741 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->arrayIndexScale(Ljava/lang/Class;)I (greylist, linking, allowed)
- 80 2022-07-30 20:26:05.742 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 80 /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
   greylist, linking, allowed)
- 81 2022-07-30 20:26:05.742 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 82 2022-07-30 20:26:05.742 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 83 2022-07-30 20:26:05.743 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putInt(Ljava/lang/Object;JI)V ( greylist, linking, allowed)
- 84 2022-07-30 20:26:05.743 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
- 85 2022-07-30 20:26:05.743 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)
- 86 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (greylist, reflection, allowed)
- 87 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, reflection, allowed)
- 88 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (greylist,core-platform-api, reflection, allowed)
- 89 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putLong(Ljava/lang/Object;JJ)V (greylist, reflection, allowed)
- 90 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/

- 90 lang/Object; (greylist, reflection, allowed)
- 91 2022-07-30 20:26:05.744 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, reflection, allowed)
- 92 2022-07-30 20:26:05.744 19498-19598/com.example. foodo W/m.example.food: Accessing hidden field Ljava /nio/Buffer;->address:J (greylist, reflection, allowed)
- 93 2022-07-30 20:26:05.744 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 94 2022-07-30 20:26:05.745 19498-19596/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 95 2022-07-30 20:26:05.753 19498-19589/com.example. foodo W/Gralloc3: mapper 3.x is not supported
- 96 2022-07-30 20:26:05.754 19498-19589/com.example. foodo D/HostConnection: createUnique: call
- 97 2022-07-30 20:26:05.755 19498-19589/com.example. foodo D/HostConnection: HostConnection::get() New Host Connection established 0xe1f4d310, tid 19589
- 98 2022-07-30 20:26:05.756 19498-19589/com.example. foodo D/HostConnection: HostComposition ext ANDROID\_EMU\_CHECKSUM\_HELPER\_v1 ANDROID\_EMU\_dma\_v1 ANDROID\_EMU\_direct\_mem

ANDROID\_EMU\_host\_composition\_v1

ANDROID\_EMU\_host\_composition\_v2 ANDROID\_EMU\_vulkan

ANDROID\_EMU\_deferred\_vulkan\_commands

ANDROID\_EMU\_vulkan\_null\_optional\_strings

ANDROID\_EMU\_vulkan\_create\_resources\_with\_requirement s ANDROID\_EMU\_YUV420\_888\_to\_NV21

ANDROID\_EMU\_YUV\_Cache

ANDROID\_EMU\_vulkan\_free\_memory\_sync

ANDROID\_EMU\_vulkan\_shader\_float16\_int8

ANDROID\_EMU\_vulkan\_async\_queue\_submit

ANDROID\_EMU\_sync\_buffer\_data

GL\_OES\_vertex\_array\_object

GL\_KHR\_texture\_compression\_astc\_ldr

ANDROID\_EMU\_host\_side\_tracing

- 98 ANDROID\_EMU\_gles\_max\_version\_2
- 99 2022-07-30 20:26:05.756 19498-19589/com.example. foodo D/eglCodecCommon: allocate: Ask for block of size 0x1000
- 100 2022-07-30 20:26:05.757 19498-19589/com.example. foodo D/eglCodecCommon: allocate: ioctl allocate returned offset 0x3ff706000 size 0x2000
- 101 2022-07-30 20:26:05.763 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 102 2022-07-30 20:26:05.771 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 103 2022-07-30 20:26:05.780 19498-19589/com.example. foodo D/eglCodecCommon: setVertexArrayObject: set vao to 0 (0) 1 0
- 104 2022-07-30 20:26:05.785 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 105 2022-07-30 20:26:05.796 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 106 2022-07-30 20:26:05.800 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 107 2022-07-30 20:26:05.861 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 108 2022-07-30 20:26:05.862 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: PAUSED
- 109 2022-07-30 20:26:05.960 19498-19498/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@1a80ba4
- 110 2022-07-30 20:26:06.000 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 110 com.example.foodo.MainActivity@41f7d09 in: PRE\_ON\_CREATE
- 111 2022-07-30 20:26:06.058 19498-19498/com.example. foodo D/MainActivity: starting idling resource
- 112 2022-07-30 20:26:06.062 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: CREATED
- 113 2022-07-30 20:26:06.066 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: STARTED
- 114 2022-07-30 20:26:06.067 19498-19596/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 115 2022-07-30 20:26:06.067 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 116 2022-07-30 20:26:06.067 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 117 2022-07-30 20:26:06.068 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 118 2022-07-30 20:26:06.069 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 119 2022-07-30 20:26:06.069 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 120 2022-07-30 20:26:06.071 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: RESUMED
- 121 2022-07-30 20:26:06.084 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 122 2022-07-30 20:26:06.085 19498-19498/com.example.

- 122 foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 123 2022-07-30 20:26:06.087 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: STOPPED
- 124 2022-07-30 20:26:06.100 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 125 2022-07-30 20:26:06.109 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@cbd02a8 in: DESTROYED
- 126 2022-07-30 20:26:06.195 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 127 2022-07-30 20:26:06.238 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Click Search View
- 128 2022-07-30 20:26:06.261 19498-19546/com.example. foodo W/FileTestStorage: Output properties is not supported.
- 129 2022-07-30 20:26:06.261 19498-19546/com.example. foodo I/Tracing: Tracer added: class androidx.test. platform.tracing.AndroidXTracer
- 130 2022-07-30 20:26:06.279 19498-19546/com.example. foodo D/EventInjectionStrategy: Creating injection strategy with input manager.
- 131 2022-07-30 20:26:06.279 19498-19546/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/hardware/input/InputManager;->getInstance()
  Landroid/hardware/input/InputManager; (greylist,
  reflection, allowed)
- 132 2022-07-30 20:26:06.279 19498-19546/com.example. foodo W/m.example.food: Accessing hidden method Landroid/hardware/input/InputManager;-> injectInputEvent(Landroid/view/InputEvent;I)Z (greylist, reflection, allowed)
- 133 2022-07-30 20:26:06.279 19498-19546/com.example. foodo W/m.example.food: Accessing hidden field Landroid/hardware/input/InputManager;->

- 133 INJECT\_INPUT\_EVENT\_MODE\_WAIT\_FOR\_FINISH:I (greylist , reflection, allowed)
- 134 2022-07-30 20:26:06.303 19498-19546/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/ViewConfiguration;-> getDoubleTapMinTime()I (greylist, reflection, allowed)
- 135 2022-07-30 20:26:06.305 19498-19546/com.example. foodo W/FileTestStorage: Test input args is not supported.
- 136 2022-07-30 20:26:06.313 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method
  Landroid/os/MessageQueue;->next()Landroid/os/Message
  ; (greylist, reflection, allowed)
- 137 2022-07-30 20:26:06.314 19498-19498/com.example. foodo W/m.example.food: Accessing hidden field Landroid/os/MessageQueue;->mMessages:Landroid/os/Message; (greylist, reflection, allowed)
- 138 2022-07-30 20:26:06.314 19498-19498/com.example. foodo W/m.example.food: Accessing hidden method Landroid/os/Message;->recycleUnchecked()V (greylist, reflection, allowed)
- 139 2022-07-30 20:26:06.316 19498-19546/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getUnsafe()Lsun/misc/Unsafe; (
  greylist,core-platform-api, linking, allowed)
- 140 2022-07-30 20:26:06.316 19498-19546/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 141 2022-07-30 20:26:06.318 19498-19498/com.example. foodo W/m.example.food: Accessing hidden method Landroid/view/WindowManagerGlobal;->getInstance() Landroid/view/WindowManagerGlobal; (greylist, reflection, allowed)
- 142 2022-07-30 20:26:06.318 19498-19498/com.example. foodo W/m.example.food: Accessing hidden field Landroid/view/WindowManagerGlobal;->mViews:Ljava/util/ArrayList; (greylist, reflection, allowed)
- 143 2022-07-30 20:26:06.318 19498-19498/com.example. foodo W/m.example.food: Accessing hidden field

- 143 Landroid/view/WindowManagerGlobal;->mParams:Ljava/
   util/ArrayList; (greylist, reflection, allowed)
- 144 2022-07-30 20:26:06.319 19498-19546/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 145 2022-07-30 20:26:06.319 19498-19546/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->compareAndSwapObject(Ljava/lang/
  Object;JLjava/lang/Object;Ljava/lang/Object;)Z (
  greylist, linking, allowed)
- 146 2022-07-30 20:26:06.327 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'single click'
  action on view (view.getClass().getName() matches:
  is "androidx.appcompat.widget.AppCompatImageView"
  and view.getContentDescription() is "Search" and
  Child at position 1 in parent (view.getClass().
  getName() matches: is "android.widget.LinearLayout"
  and Child at position 0 in parent view.getId() is <
  2131296655/com.example.foodo:id/restaurant\_search>)
  and (view has effective visibility <VISIBLE> and
  view.getGlobalVisibleRect() to return non-empty
  rectangle))
- 147 2022-07-30 20:26:06.626 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Type Tim Hortons in Search Bar
- 148 2022-07-30 20:26:06.630 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'replace text(
   Tim Hortons)' action on view (view.getClass().
   getName() matches: is "android.widget.
   SearchView\$SearchAutoComplete" and Child at position
   0 in parent (view.getClass().getName() matches: is
   "android.widget.LinearLayout" and Child at position
   1 in parent view.getClass().getName() matches: is "
   android.widget.LinearLayout") and (view has
   effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 149 2022-07-30 20:26:06.659 19498-19498/com.example. foodo I/ViewInteraction: Performing 'close keyboard 'action on view (view.getClass().getName() matches

- 149 : is "android.widget.SearchView\$SearchAutoComplete" and Child at position 0 in parent (view.getClass(). getName() matches: is "android.widget.LinearLayout" and Child at position 1 in parent view.getClass(). getName() matches: is "android.widget.LinearLayout") and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect() to return non-empty rectangle))
- 150 2022-07-30 20:26:06.993 19498-19498/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (an instance of android.widget.
  EditText and an instance of android.widget.TextView
  and view.getText() with or without transformation to
  match: is "Tim Hortons" and view.getParent() (an
  instance of android.widget.LinearLayout and view.
  getParent() an instance of android.widget.
  LinearLayout) and (view has effective visibility <
  VISIBLE> and view.getGlobalVisibleRect() to return
  non-empty rectangle))
- 151 2022-07-30 20:26:06.994 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Click Search Button
- 152 2022-07-30 20:26:06.996 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'input method
  editor' action on view (view.getClass().getName()
  matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 153 2022-07-30 20:26:06.997 19498-19498/com.example. foodo D/MainActivity: submit
- 154 2022-07-30 20:26:07.004 19498-19498/com.example. foodo D/MainActivity: unable to get location

- 155 2022-07-30 20:26:07.107 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'input method
  editor' action on view (view.getClass().getName()
  matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 156 2022-07-30 20:26:07.108 19498-19498/com.example. foodo D/MainActivity: submit
- 157 2022-07-30 20:26:07.110 19498-19498/com.example. foodo D/MainActivity: Increment. Awiting
- 158 2022-07-30 20:26:07.110 19498-19498/com.example. foodo D/MainActivity: Hello?
- 159 2022-07-30 20:26:08.045 19498-19596/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 160 2022-07-30 20:26:08.045 19498-19596/com.example. foodo D/MainActivity: [{"id":" ChIJPbaHdrhzhlQReM4dHz3EV0U", "name": "Tim Hortons", " address": "1595 W Broadway Unit 101, Vancouver, BC V6J 1W6", "lat":49.2638594, "lng":-123.1407054," openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.2},{"id":" ChIJx7q9G39xhlQRpTJlYCSyvQA", "name": "Tim Hortons", " address": "650 W Georgia St, Vancouver, BC V6B 4N7", " lat":49.28181499999999, "lng":-123.117732, "openNow": false, "businessStatus": "OPERATIONAL", "GoogleRating": 3.7}, {"id": "ChIJaVF2kmZxhlQRI6ciXczvFCU", "name": "Tim Hortons", "address": "306 Terminal Ave, Vancouver, BC V6A 3W9", "lat":49.2721344, "lng":-123.0977055," openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.7}, {"id":" ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", " address": "607 Dunsmuir St, Vancouver, BC V6B 1Y7", " lat":49.2832573,"lng":-123.1154886,"openNow":false,"

```
160 businessStatus":"OPERATIONAL", "GoogleRating":3.8}, {"
    id":"ChIJq4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver, BC
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3}, {"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat": 49.2860914, "lng": -123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .6}, {"id": "ChIJzc1cb9RzhlQRnAMnVE92X2M", "name": "Tim
    Hortons", "address": "756 Davie St, Vancouver, BC V6G
    1B6", "lat": 49.2774788, "lng": -123.1272636, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .7}, {"id": "ChIJfe2sYHhxhlQR6YR9clFor1Y", "name": "Tim
    Hortons", "address": "555 W Hastings St Unit 6,
    Vancouver, BC V6B 5K3", "lat":49.2849465, "lng":-123.
    1119939, "openNow":true, "businessStatus": "OPERATIONAL
    ", "GoogleRating": 3.5}, {"id": "
    ChIJ_Z1eAoNxhlQRbQdkQ4LGL-k", "name": "Tim Hortons", "
    address": "200 Burrard St, Vancouver, BC V6C 3L6", "
    lat":49.2876619,"lng":-123.1150299,"openNow":false,"
    businessStatus":"OPERATIONAL","GoogleRating":3.7},{"
    id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim
    Hortons", "address": "947 Hornby St, Vancouver, BC V6Z
     1V3", "lat":49.2811901, "lng":-123.1243774, "
    businessStatus":"CLOSED_TEMPORARILY", "GoogleRating":
    3.8}, {"id": "ChIJnwpTNodxhlQRyMpglFDPgR4", "name": "Tim
     Hortons", "address": "1299 Robson St, Vancouver, BC
    V6E 1C2", "lat":49.2870167, "lng":-123.1283226, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.6}, {"id":"
    ChIJf_sjnnhxhlQRf_heqcc08xA", "name": "Tim Hortons", "
    address": "750 W Pender St Unit 104, Vancouver, BC
    V6C 2T7", "lat":49.2848836, "lng":-123.1157462, "
    openNow":false, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.8},{"id":"
    ChIJy4ytG3BxhlQR48y43xxpeXk", "name": "Tim Hortons", "
    address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat
    ":49.2793791, "lng":-123.0995012, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7},{"
```

```
160 id":"ChIJHVhQI4JxhlQR7GmTnBOS_s0","name":"Tim
    Hortons", "address": "505 Burrard St #107, Vancouver,
    BC V6C 3A8", "lat":49.28656669999999, "lng":-123.
    1184202, "openNow": false, "businessStatus": "
    OPERATIONAL", "GoogleRating": 3.6}, {"id":"
    ChIJdcSvYH5xhlQRQyaQn42z1xg","name":"Tim Hortons","
    address": "463 Robson St, Vancouver, BC V6B 6L9", "lat
    ":49.279958, "lng":-123.1172937, "openNow":false, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {"
    id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim
    Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z
     1A6", "lat": 49.2657856, "lng": -123.1224, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T_FIcq", "name": "Tim
    Hortons", "address": "108 W Pender St, Vancouver, BC
    V6B 0K4", "lat":49.2809464, "lng":-123.1078805, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7}, {"id":"
    ChIJvbXYl9RzhlQRTdRIIgpysB8", "name": "Tim Hortons", "
    address": "1205 Burrard St, Vancouver, BC V6Z 1Z5", "
    lat":49.2792006, "lng":-123.130006, "openNow":true, "
    businessStatus":"OPERATIONAL", "GoogleRating":3.6}, {"
    id":"ChIJbdhY0idyhlQRdIPuNqIqKYM","name":"Tim
    Hortons", "address": "1001 Denman St, Vancouver, BC
    V6G 2M4", "lat":49.2893956, "lng":-123.1390369, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2},{"id":"ChIJqRpYzHhxhlQR7BYMAR02
161 2022-07-30 20:26:08.045 19498-19598/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetInt(Ljava/lang/Object;J)I (
    greylist, linking, allowed)
162 2022-07-30 20:26:08.046 19498-19598/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetObject(Ljava/lang/Object;J)Ljava/
    lang/Object; (greylist, linking, allowed)
163 2022-07-30 20:26:08.047 19498-19598/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
    /misc/Unsafe;->qetLong(Ljava/lang/Object;J)J (
    greylist,core-platform-api, linking, allowed)
164 2022-07-30 20:26:08.047 19498-19598/com.example.
    foodo W/m.example.food: Accessing hidden method Lsun
```

```
164 /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
    greylist, linking, allowed)
165 2022-07-30 20:26:08.048 19498-19596/com.example.
    foodo D/MainActivity: response from /
    searchRestaurantsByQuery: [{"id":"
    ChIJPbaHdrhzhlQReM4dHz3EV0U", "name": "Tim Hortons", "
    address": "1595 W Broadway Unit 101, Vancouver, BC
    V6J 1W6", "lat":49.2638594, "lng":-123.1407054, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.2}, {"id":"
    ChIJx7q9G39xhlQRpTJlYCSyvQA", "name": "Tim Hortons", "
    address": "650 W Georgia St, Vancouver, BC V6B 4N7", "
    lat":49.28181499999999, "lng":-123.117732, "openNow":
    false,"businessStatus":"OPERATIONAL","GoogleRating":
    3.7},{"id":"ChIJaVF2kmZxhlQRI6ciXczvFCU","name":"Tim
     Hortons", "address": "306 Terminal Ave, Vancouver, BC
     V6A 3W9", "lat":49.2721344, "lnq":-123.0977055,"
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.7},{"id":"
    ChIJ1RYAzXhxhlQR5sJHXOc2biw", "name": "Tim Hortons", "
    address": "607 Dunsmuir St, Vancouver, BC V6B 1Y7", "
    lat":49.2832573,"lng":-123.1154886,"openNow":false,"
    businessStatus":"OPERATIONAL", "GoogleRating":3.8},{"
    id":"ChIJg4WxFsNzhlQRcx6YyXAFI78","name":"Tim
    Hortons", "address": "865 W Broadway, Vancouver, BC
    V5Z 1J9", "lat":49.2635548, "lng":-123.1233889, "
    openNow":true, "businessStatus": "OPERATIONAL", "
    GoogleRating":3.3},{"id":"
    ChIJyQQqXIJxhlQRIpZGEA9hjmQ","name":"Tim Hortons","
    address": "490 Hornby St Unit 101, Vancouver, BC V6C
    3J1", "lat":49.2860914, "lng":-123.1162656, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .6}, {"id": "ChIJzc1cb9RzhlQRnAMnVE92X2M", "name": "Tim
    Hortons", "address": "756 Davie St, Vancouver, BC V6G
    1B6", "lat":49.2774788, "lnq":-123.1272636, "openNow":
    true, "businessStatus": "OPERATIONAL", "GoogleRating": 3
    .7}, {"id": "ChIJfe2sYHhxhlQR6YR9clFor1Y", "name": "Tim
    Hortons", "address": "555 W Hastings St Unit 6,
    Vancouver, BC V6B 5K3", "lat": 49.2849465, "lng": -123.
    1119939, "openNow":true, "businessStatus": "OPERATIONAL
    ", "GoogleRating": 3.5}, {"id": "
```

165 ChIJ\_Z1eAoNxhlQRbQdkQ4LGL-k", "name": "Tim Hortons", " address": "200 Burrard St, Vancouver, BC V6C 3L6", " lat":49.2876619,"lng":-123.1150299,"openNow":false," businessStatus":"OPERATIONAL", "GoogleRating":3.7},{" id":"ChIJxZ1wW9VzhlQRBTeAZEFvc78","name":"Tim Hortons", "address": "947 Hornby St, Vancouver, BC V6Z 1V3", "lat":49.2811901, "lng":-123.1243774, " businessStatus":"CLOSED\_TEMPORARILY", "GoogleRating": 3.8}, {"id": "ChIJnwpTNodxhlQRyMpqlFDPqR4", "name": "Tim Hortons", "address": "1299 Robson St, Vancouver, BC V6E 1C2", "lat":49.2870167, "lng":-123.1283226, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.6},{"id":" ChIJf\_sjnnhxhlQRf\_hegcc08xA", "name": "Tim Hortons", " address": "750 W Pender St Unit 104, Vancouver, BC V6C 2T7", "lat":49.2848836, "lng":-123.1157462," openNow":false, "businessStatus": "OPERATIONAL", " GoogleRating":3.8},{"id":" ChIJy4ytG3BxhlQR48y43xxpeXk", "name": "Tim Hortons", " address": "206 Keefer St, Vancouver, BC V6A 1X6", "lat ":49.2793791, "lng":-123.0995012, "openNow":true, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJHVhQI4JxhlQR7GmTnBOS\_s0","name":"Tim Hortons", "address": "505 Burrard St #107, Vancouver, BC V6C 3A8", "lat":49.28656669999999, "lng":-123. 1184202, "openNow": false, "businessStatus": " OPERATIONAL", "GoogleRating": 3.6}, {"id":" ChIJdcSvYH5xhlQRQyaQn42z1xg", "name": "Tim Hortons", " address": "463 Robson St, Vancouver, BC V6B 6L9", "lat ":49.279958, "lng":-123.1172937, "openNow":false, " businessStatus":"OPERATIONAL", "GoogleRating":3.7}, {" id":"ChIJuQdnVttzhlQRSh22HM4gmtg","name":"Tim Hortons", "address": "818 W 6th Ave, Vancouver, BC V5Z 1A6", "lat":49.2657856, "lng":-123.1224, "openNow": true, "businessStatus": "OPERATIONAL", "GoogleRating": 3 .5}, {"id": "ChIJfe2sYHhxhlQRtW9a0T\_FIcg", "name": "Tim Hortons", "address": "108 W Pender St, Vancouver, BC V6B OK4", "lat":49.2809464, "lng":-123.1078805, " openNow":true, "businessStatus": "OPERATIONAL", " GoogleRating":3.7},{"id":" ChIJvbXYl9RzhlQRTdRIIgpysB8", "name": "Tim Hortons", "

- 165 address":"1205 Burrard St, Vancouver, BC V6Z 1Z5","
  lat":49.2792006,"lng":-123.130006,"openNow":true,"
  businessStatus":"OPERATIONAL","GoogleRating":3.6},{"
  id":"ChIJbdhY0idyhlQRdIPuNqIgKYM","name":"Tim
  Hortons","address":"1001 Denman St, Vancouver, BC
  V6G 2M4","lat":49.2893956,"lng":-123.1390369,"
  openNow":true,"businessStatus":"OPERATIONAL","
  GoogleRat
- 166 2022-07-30 20:26:08.058 19498-19498/com.example. foodo D/MainActivity: Decrement
- 167 2022-07-30 20:26:08.059 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 168 2022-07-30 20:26:08.059 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: PAUSED
- 169 2022-07-30 20:26:08.065 19498-19498/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@5ea6e8
- 170 2022-07-30 20:26:08.073 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: PRE\_ON\_CREATE
- 171 2022-07-30 20:26:08.087 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: CREATED
- 172 2022-07-30 20:26:08.089 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: STARTED
- 173 2022-07-30 20:26:08.090 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: RESUMED
- 174 2022-07-30 20:26:08.138 19498-19498/com.example. foodo D/RestaurantCardAdapter: false
- 175 2022-07-30 20:26:08.148 19498-19498/com.example. foodo I/chatty: uid=10142(com.example.foodo) identical 1 line

- 176 2022-07-30 20:26:08.156 19498-19498/com.example. foodo D/RestaurantCardAdapter: false
- 177 2022-07-30 20:26:08.162 19498-19498/com.example. foodo D/RestaurantCardAdapter: false
- 178 2022-07-30 20:26:08.175 19498-19498/com.example. foodo D/RestaurantCardAdapter: false
- 179 2022-07-30 20:26:08.182 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 180 2022-07-30 20:26:08.203 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 181 2022-07-30 20:26:08.230 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 182 2022-07-30 20:26:08.245 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: STOPPED
- 183 2022-07-30 20:26:09.112 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check search results page displays Tim Hortons in top bar
- 184 2022-07-30 20:26:09.117 19498-19498/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (with index: <0>view.getId() is <
  2131296690/com.example.foodo:id/search\_text> and
  view.getParent() view.getParent() view.getId() is <
  16908290/android:id/content> and (view has effective
  visibility <VISIBLE> and view.getGlobalVisibleRect
  () to return non-empty rectangle))
- 185 2022-07-30 20:26:09.117 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Assert search results list exists
- 186 2022-07-30 20:26:09.120 19498-19498/com.example.
   foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=(view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle)}' assertion on
   view (with index: <0>view.getId() is <2131296654/com</pre>

- 186 .example.foodo:id/restaurant\_card\_relative\_layout>
   and view.getParent() view.getParent() view.getId()
   is <2131296686/com.example.foodo:id/search\_list> and
   (view has effective visibility <VISIBLE> and view.
   getGlobalVisibleRect() to return non-empty rectangle
   ))
- 187 2022-07-30 20:26:09.120 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check Tim Hortons is displayed in the search result
- 188 2022-07-30 20:26:09.123 19498-19498/com.example. foodo I/ViewInteraction: Checking ' MatchesViewAssertion{viewMatcher=an instance of android.widget.TextView and view.getText() with or without transformation to match: is "Tim Hortons"}' assertion on view (view.getId() is <2131296647/com. example.foodo:id/restaurantName> and an instance of android.widget.TextView and view.getText() with or without transformation to match: is "Tim Hortons" and view.getParent() (with index: <0>view.getId() is <2131296654/com.example.foodo:id/ restaurant card relative layout> and view.getParent () an instance of android.widget.FrameLayout) and ( view has effective visibility <VISIBLE> and view. getGlobalVisibleRect() to return non-empty rectangle ))
- 189 2022-07-30 20:26:09.123 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Click first search result for Tim Hortons query
- 190 2022-07-30 20:26:09.128 19498-19498/com.example.
  foodo I/ViewInteraction: Performing '
  actionOnItemAtPosition performing ViewAction: single
  click on item at position: 0' action on view (view.
  getId() is <2131296686/com.example.foodo:id/
  search\_list> and Child at position 1 in parent view.
  getClass().getName() matches: is "androidx.
  constraintlayout.widget.ConstraintLayout")
- 191 2022-07-30 20:26:09.202 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: PAUSED
- 192 2022-07-30 20:26:09.207 19498-19498/com.example.

- 192 foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@d2db9fc
- 193 2022-07-30 20:26:09.211 19498-19498/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@65da6a6 in
  : PRE\_ON\_CREATE
- 194 2022-07-30 20:26:09.261 19498-19498/com.example. foodo D/restaurantInfoActivity: ChIJPbaHdrhzhlQReM4dHz3EV0U
- 195 2022-07-30 20:26:09.262 19498-19596/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 196 2022-07-30 20:26:09.263 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 197 2022-07-30 20:26:09.263 19498-19498/com.example.
  foodo D/LifecycleMonitor: Lifecycle status change:
  com.example.foodo.RestaurantInfoActivity@65da6a6 in
  : CREATED
- 198 2022-07-30 20:26:09.265 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 199 2022-07-30 20:26:09.265 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 200 2022-07-30 20:26:09.265 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 201 2022-07-30 20:26:09.273 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@65da6a6 in : STARTED
- 202 2022-07-30 20:26:09.275 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@65da6a6 in : RESUMED

- 203 2022-07-30 20:26:09.327 19498-19498/com.example. foodo E/RecyclerView: No adapter attached; skipping layout
- 204 2022-07-30 20:26:09.341 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 205 2022-07-30 20:26:09.398 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 206 2022-07-30 20:26:09.398 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 207 2022-07-30 20:26:09.398 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: STOPPED
- 208 2022-07-30 20:26:09.398 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 209 2022-07-30 20:26:09.438 19498-19618/com.example.
   foodo D/restaurantInfoActivity: {"business\_status":"
   OPERATIONAL", "formatted\_address": "1595 W Broadway
   Unit 101, Vancouver, BC V6J 1W6, Canada", "
   formatted\_phone\_number": "(604) 737-7714", "geometry
   ":{"location":{"lat":49.2638594, "lng":-123.1407054
   }}, "name": "Tim Hortons", "opening\_hours":{"open\_now":
   true, "weekday\_text":["Monday: 5:00 AM 11:00 PM","
   Tuesday: 5:00 AM 11:00 PM", "Wednesday: 5:00 AM 11:00 PM", "Thursday: 5:00 AM 11:00 PM", "Friday: 5:
   00 AM 11:00 PM", "Saturday: 5:00 AM 11:00 PM","
   Sunday: 5:00 AM 11:00 PM"]}, "place\_id":"
   ChIJPbaHdrhzhlQReM4dHz3EV0U", "rating":3.2, "reviews
   ":[]}
- 210 2022-07-30 20:26:09.438 19498-19618/com.example. foodo D/restaurantInfoActivity: restaurantID: ChiJPbaHdrhzhlQReM4dHz3EVOU
- 211 2022-07-30 20:26:09.439 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun

- 211 /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
   lang/Object; (greylist, linking, allowed)
- 212 2022-07-30 20:26:09.439 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 213 2022-07-30 20:26:09.440 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (
  greylist, linking, allowed)
- 214 2022-07-30 20:26:09.589 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check Tim Hortons is in the restaurant name field
- 215 2022-07-30 20:26:09.593 19498-19498/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Tim Hortons"}'
  assertion on view (view.getId() is <2131296648/com.
  example.foodo:id/restaurantName\_info> and an
  instance of android.widget.TextView and view.getText
  () with or without transformation to match: is "Tim
  Hortons" and view.getParent() view.getParent() view.
  getId() is <2131296535/com.example.foodo:id/
  linearLayout> and (view has effective visibility <
  VISIBLE> and view.getGlobalVisibleRect() to return
  non-empty rectangle))
- 216 2022-07-30 20:26:09.594 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check Reviews text is displayed in the restaurant info page
- 217 2022-07-30 20:26:09.597 19498-19498/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Reviews"}'
  assertion on view (view.getId() is <2131296265/com.
  example.foodo:id/Review\_title> and an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Reviews" and
  view.getParent() view.getParent() an instance of

- 217 android.view.ViewGroup and (view has effective visibility <VISIBLE> and view.getGlobalVisibleRect () to return non-empty rectangle))
- 218 2022-07-30 20:26:09.597 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check Hours text is displayed in the restaurant info page
- 219 2022-07-30 20:26:09.604 19498-19498/com.example.
  foodo I/ViewInteraction: Checking '
  MatchesViewAssertion{viewMatcher=an instance of
  android.widget.TextView and view.getText() with or
  without transformation to match: is "Hours"}'
  assertion on view (an instance of android.widget.
  TextView and view.getText() with or without
  transformation to match: is "Hours" and view.
  getParent() (view.getId() is <2131296535/com.example
  .foodo:id/linearLayout> and view.getParent() an
  instance of android.view.ViewGroup) and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 220 2022-07-30 20:26:09.604 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check Address text is displayed in the restaurant info page
- 222 2022-07-30 20:26:09.608 19498-19546/com.example.
  foodo D/SearchForRestaurantInformationTest: Check
  Phone Number text is displayed in the restaurant
  info page
- 223 2022-07-30 20:26:09.611 19498-19498/com.example.

- 223 foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=(view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle)}' assertion on
   view (view.getId() is <2131296649/com.example.foodo:
   id/restaurantNumber\_info> and view.getParent() (view
   .getId() is <2131296535/com.example.foodo:id/
   linearLayout> and view.getParent() an instance of
   android.view.ViewGroup) and (view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle))
- 224 2022-07-30 20:26:09.612 19498-19546/com.example.
  foodo D/SearchForRestaurantInformationTest: Check
  Rating text is displayed in the restaurant info page
- 225 2022-07-30 20:26:09.615 19498-19498/com.example.
   foodo I/ViewInteraction: Checking '
   MatchesViewAssertion{viewMatcher=(view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle)}' assertion on
   view (view.getId() is <2131296651/com.example.foodo:
   id/restaurantRating\_info> and view.getParent() view.
   getParent() view.getId() is <2131296535/com.example.
   foodo:id/linearLayout> and (view has effective
   visibility <VISIBLE> and view.getGlobalVisibleRect
   () to return non-empty rectangle))
- 226 2022-07-30 20:26:09.616 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Navigate back to the Search Results Page
- 227 2022-07-30 20:26:09.620 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  qetRootView() to equal view
- 228 2022-07-30 20:26:09.629 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@65da6a6 in : PAUSED
- 229 2022-07-30 20:26:09.633 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: RESTARTED
- 230 2022-07-30 20:26:09.635 19498-19498/com.example.

- 230 foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: STARTED
- 231 2022-07-30 20:26:09.636 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: RESUMED
- 232 2022-07-30 20:26:09.655 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 233 2022-07-30 20:26:09.691 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 234 2022-07-30 20:26:09.707 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 235 2022-07-30 20:26:09.717 19498-19498/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/
  lang/Object;)V (greylist, linking, allowed)
- 236 2022-07-30 20:26:09.717 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@65da6a6 in : STOPPED
- 237 2022-07-30 20:26:09.722 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.RestaurantInfoActivity@65da6a6 in : DESTROYED
- 238 2022-07-30 20:26:09.866 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Navigate back to the Main Page
- 239 2022-07-30 20:26:09.868 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'send keyCode: 4
  , metaState: 0 key event' action on view view.
  getRootView() to equal view
- 240 2022-07-30 20:26:09.878 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: PAUSED
- 241 2022-07-30 20:26:09.883 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 241 com.example.foodo.MainActivity@41f7d09 in: RESTARTED
- 242 2022-07-30 20:26:09.885 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: STARTED
- 243 2022-07-30 20:26:09.885 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: RESUMED
- 244 2022-07-30 20:26:09.920 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 245 2022-07-30 20:26:09.973 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: STOPPED
- 246 2022-07-30 20:26:09.978 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@6abdd83 in: DESTROYED
- 247 2022-07-30 20:26:10.108 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Enter in an invalid string to the search bar
- 248 2022-07-30 20:26:10.112 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'replace text
  (\*\*&@(#\$&)' action on view (view.getClass().getName
  () matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 249 2022-07-30 20:26:10.126 19498-19498/com.example. foodo W/IInputConnectionWrapper: getTextBeforeCursor on inactive InputConnection
- 250 2022-07-30 20:26:10.131 19498-19498/com.example. foodo I/ViewInteraction: Performing 'close keyboard 'action on view (view.getClass().getName() matches : is "android.widget.SearchView\$SearchAutoComplete" and Child at position 0 in parent (view.getClass().

- 250 getName() matches: is "android.widget.LinearLayout"
   and Child at position 1 in parent view.getClass().
   getName() matches: is "android.widget.LinearLayout
   ") and (view has effective visibility <VISIBLE> and
   view.getGlobalVisibleRect() to return non-empty
   rectangle))
- 251 2022-07-30 20:26:10.134 19498-19498/com.example. foodo W/IInputConnectionWrapper: getSelectedText on inactive InputConnection
- 252 2022-07-30 20:26:10.134 19498-19498/com.example. foodo W/IInputConnectionWrapper: getTextAfterCursor on inactive InputConnection
- 253 2022-07-30 20:26:10.252 19498-19498/com.example. foodo D/restaurantInfoActivity: Subscribed
- 254 2022-07-30 20:26:10.456 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Click search using the invalid query
- 255 2022-07-30 20:26:10.459 19498-19498/com.example.
  foodo I/ViewInteraction: Performing 'input method
  editor' action on view (view.getClass().getName()
  matches: is "android.widget.
  SearchView\$SearchAutoComplete" and Child at position
  0 in parent (view.getClass().getName() matches: is
  "android.widget.LinearLayout" and Child at position
  1 in parent view.getClass().getName() matches: is "
  android.widget.LinearLayout") and (view has
  effective visibility <VISIBLE> and view.
  getGlobalVisibleRect() to return non-empty rectangle
  ))
- 256 2022-07-30 20:26:10.460 19498-19498/com.example. foodo D/MainActivity: submit
- 257 2022-07-30 20:26:10.462 19498-19498/com.example. foodo D/MainActivity: Increment. Awiting
- 258 2022-07-30 20:26:10.462 19498-19498/com.example. foodo D/MainActivity: Hello?
- 259 2022-07-30 20:26:10.544 19498-19618/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/lang/Object; (greylist, linking, allowed)
- 260 2022-07-30 20:26:10.545 19498-19618/com.example. foodo D/MainActivity: []

- 261 2022-07-30 20:26:10.545 19498-19618/com.example. foodo D/MainActivity: response from / searchRestaurantsByQuery: []
- 262 2022-07-30 20:26:10.545 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getInt(Ljava/lang/Object;J)I (
  greylist, linking, allowed)
- 263 2022-07-30 20:26:10.546 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getObject(Ljava/lang/Object;J)Ljava/
  lang/Object; (greylist, linking, allowed)
- 264 2022-07-30 20:26:10.546 19498-19598/com.example.
  foodo W/m.example.food: Accessing hidden method Lsun
  /misc/Unsafe;->getLong(Ljava/lang/Object;J)J (
  greylist,core-platform-api, linking, allowed)
- 265 2022-07-30 20:26:10.546 19498-19598/com.example. foodo W/m.example.food: Accessing hidden method Lsun /misc/Unsafe;->putInt(Ljava/lang/Object;JI)V (greylist, linking, allowed)
- 266 2022-07-30 20:26:10.555 19498-19498/com.example. foodo D/MainActivity: Decrement
- 267 2022-07-30 20:26:10.557 19498-19498/com.example. foodo W/m.example.food: Accessing hidden method Lsun/misc/Unsafe;->putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist, linking, allowed)
- 268 2022-07-30 20:26:10.557 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: PAUSED
- 269 2022-07-30 20:26:10.564 19498-19498/com.example. foodo W/ActivityThread: handleWindowVisibility: no activity for token android.os.BinderProxy@34572d2
- 270 2022-07-30 20:26:10.568 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: PRE\_ON\_CREATE
- 271 2022-07-30 20:26:10.580 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: CREATED
- 272 2022-07-30 20:26:10.583 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change:

- 272 com.example.foodo.SearchResultActivity@ee3ea1e in: STARTED
- 273 2022-07-30 20:26:10.584 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: RESUMED
- 274 2022-07-30 20:26:10.615 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 275 2022-07-30 20:26:10.643 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 276 2022-07-30 20:26:10.671 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 277 2022-07-30 20:26:10.686 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: STOPPED
- 278 2022-07-30 20:26:12.465 19498-19546/com.example. foodo D/SearchForRestaurantInformationTest: Check that no search results appear
- 279 2022-07-30 20:26:12.468 19498-19498/com.example. foodo I/ViewInteraction: Checking 'com.example.foodo .
  - SearchForRestaurantInformationTest\$RecyclerViewItemC ountAssertion@f5a7b06' assertion on view (view.getId () is <2131296686/com.example.foodo:id/search\_list> and Child at position 1 in parent view.getClass().getName() matches: is "androidx.constraintlayout.widget.ConstraintLayout")
- 280 2022-07-30 20:26:12.470 19498-19546/com.example.
  foodo I/TestRunner: finished:
  searchForRestaurantInformationTest(com.example.foodo
  .SearchForRestaurantInformationTest)
- 281 2022-07-30 20:26:12.473 19498-19498/com.example. foodo I/MonitoringInstr: Finishing activity: com. example.foodo.SearchResultActivity@ee3ea1e
- 282 2022-07-30 20:26:12.476 19498-19498/com.example. foodo I/MonitoringInstr: Finishing activity: com. example.foodo.MainActivity@41f7d09
- 283 2022-07-30 20:26:12.478 19498-19546/com.example.

- 283 foodo I/MonitoringInstr: Unstopped activity count: 1
- 284 2022-07-30 20:26:12.479 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: PAUSED
- 285 2022-07-30 20:26:12.484 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.MainActivity@41f7d09 in: DESTROYED
- 286 2022-07-30 20:26:12.529 19498-19546/com.example. foodo I/MonitoringInstr: Unstopped activity count: 1
- 287 2022-07-30 20:26:12.580 19498-19546/com.example. foodo I/MonitoringInstr: Unstopped activity count: 1
- 288 2022-07-30 20:26:12.622 19498-19589/com.example. foodo D/EGL\_emulation: eglMakeCurrent: 0xe1f1b320: ver 2 0 (tinfo 0xc63f2330)
- 289 2022-07-30 20:26:12.632 19498-19546/com.example. foodo I/MonitoringInstr: Unstopped activity count: 1
- 290 2022-07-30 20:26:12.634 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: STOPPED
- 291 2022-07-30 20:26:12.635 19498-19498/com.example. foodo D/LifecycleMonitor: Lifecycle status change: com.example.foodo.SearchResultActivity@ee3ea1e in: DESTROYED
- 292 2022-07-30 20:26:12.683 19498-19546/com.example. foodo I/TestRunner: run finished: 1 tests, 0 failed , 0 ignored
- 293 2022-07-30 20:26:34.858 19662-19662/? I/m.example. food: Late-enabling -Xcheck:jni
- 294 2022-07-30 20:26:34.865 19662-19662/? E/m.example. food: Unknown bits set in runtime\_flags: 0x8000
- 295 2022-07-30 20:26:34.866 19662-19662/? W/m.example. food: Unexpected CPU variant for X86 using defaults : x86
- 296 2022-07-30 20:26:34.896 19662-19662/com.example. foodo I/m.example.food: The ClassLoaderContext is a special shared library.
- 297 2022-07-30 20:26:35.126 19662-19662/com.example. foodo I/FirebaseApp: Device unlocked: initializing all Firebase APIs for app [DEFAULT]

- 298 2022-07-30 20:26:35.169 19662-19662/com.example. foodo I/FirebaseInitProvider: FirebaseApp initialization successful
- 299 2022-07-30 20:26:35.182 19662-19706/com.example. foodo I/DynamiteModule: Considering local module com.google.android.gms.measurement.dynamite:73 and remote module com.google.android.gms.measurement.dynamite:75
- 300 2022-07-30 20:26:35.182 19662-19706/com.example. foodo I/DynamiteModule: Selected remote version of com.google.android.gms.measurement.dynamite, version >= 75
- 301 2022-07-30 20:26:35.224 19662-19701/com.example.
  foodo I/TRuntime.CctTransportBackend: Making request
  to: https://firebaselogging-pa.googleapis.com/v1/
  firelog/legacy/batchlog
- 302 2022-07-30 20:26:35.230 19662-19701/com.example. foodo D/NetworkSecurityConfig: No Network Security Config specified, using platform default
- 303 2022-07-30 20:26:35.271 19662-19711/com.example. foodo I/FA: App measurement initialized, version: 66000
- 304 2022-07-30 20:26:35.271 19662-19711/com.example. foodo I/FA: To enable debug logging run: adb shell setprop log.tag.FA VERBOSE
- 305 2022-07-30 20:26:35.272 19662-19711/com.example. foodo I/FA: To enable faster debug mode event logging run:
- adb shell setprop debug.firebase.analytics.app com.example.foodo
- 307 2022-07-30 20:26:35.272 19662-19711/com.example. foodo D/FA: Debug-level message logging enabled
- 308 2022-07-30 20:26:35.311 19662-19711/com.example. foodo D/FA: Connected to remote service
- 309 2022-07-30 20:26:37.157 19662-19701/com.example. foodo I/TRuntime.CctTransportBackend: Status Code: 200

310