

UCMERCED
UNIVERSITY OF CALIFORNIA, MERCED

**Science +
Engineering
Building 2**

BKF
CIVIL ENGINEER
4670 Willow Street, Suite 250
San Francisco, CA 94588
(415) 363-7704

Cliff Lows Associates
LANDSCAPE ARCHITECT
1175 Folsom Street
San Francisco, CA 94103
(415) 421-0204

Rutherford and Chekene
STRUCTURAL ENGINEER
55 Second Street, Suite 600
San Francisco, CA 94105
(415) 388-6400

Research Facilities Design
LABORATORY PLANNING
3865 Fifth Avenue, Suite 300
San Diego, CA 92103
(619) 237-5150

Gayner Mechanical
MECHANICAL, ELECTRICAL,
PLUMBING & FIRE PROTECTION
1135 Post Street
San Francisco, CA 94109
(415) 474-9800

TEECOM Design Group
TELECOMMUNICATIONS,
SECURITY & AUDIOVISUAL
1333 California Street, Suite 601
Oakland, CA 94612
(510) 337-2800

Colin Gordon Architects
ACUSTICS
150 North 4th Drive, Suite 115
Baltimore, MD 21205
(800)577-0550

[illegible]

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT

FILE NO. 01-UC MERCED
APPL. NO. 01-111533

AC 1 FLS - SS -

DATE: 06/21/2011

SCALE 1" = 1'-0"

900020	38354.00
UCM PROJECT NUMBER	SG PROJECT NUMBER
	\$4.05
DRAWING NUMBER	

FABRICATE WELD ACCESS HOLES PER FIGURE 5.2 OF AWS D1.1. A SUGGESTED ACCESS HOLE IS SHOWN ON [A] SUBJECT TO FABRICATOR'S APPROVAL. ACCESS HOLES SHALL BE SHAPED FREE OF NOTCHES AND SHARP RE-ENTRANT CORNERS.

SEE [A] FOR ACCESS HOLE

ACCESS HOLE SHALL MAKE A SMOOTH TANGENT TRANSITION TO FLANGE WITH NO NOTCHES OR BREAKS IN SLOPE, TYP.

BOT. FLANGE SAME AS TOP FLANGE (SHOWN IN PLAN)

WELDING OF SHEAR CONNECTOR STUDS TO TOP OR BOT. FLANGES IN THIS REGION, IS NOT PERMITTED. WELDING OF STEEL DECK TO TOP FLANGE IS PERMITTED.

DIM. PT. @ F.O. COL.

REDUCED BEAM SECTION

C-SYM

$$1^0 = 1' - 0^0$$

ADDENDUM #3
SK-S01

NOTES:

1. SEE [3] FOR BEAM FLANGE CUTS.
2. SEQUENCE BOLTING AND WELDING TO MINIMIZE RESIDUAL STRESSES
3. SEE [1] FOR INFO REGARDING GRAVITY FRAMING.

$1'' = 1'-0''$	7
----------------	---

NOTES:

1. SEE [3] FOR BEAM FLANGE CUTS.
2. SEQUENCE BOLTING AND WELDING TO MINIMIZE RESIDUAL STRESSES.
3. SEE 9-S4.06 FOR COLUMN BRACING.

$$1'' = 1' - 0''$$

NOTE: ALL WELDS ON THIS SHEET ARE DEMAND CRITICAL WELDS. SEE SPECIFICATION SECTION 05120 & 05125.