


BRACE MARK	AREA OF STEEL CORE, A _{sc} (IN ²)	TENSILE YIELD STRENGTH OF BRACE, P _{ysc} (K)	AXIAL BRACE DEFORMATION, Δbm (IN)	MAXIMUM ALLOWED SLEEVE SIZE (WIDTHxHEIGHT)	ADJUSTED BRACE STRENGTH (K)	
					MAXIMUM TENSION	MAXIMUM COMPRESSION
BRB4	4.0	168	0.44	10"x10"	211	215
BRB5	5.0	210	0.55	10"x10"	264	269
BRB6	6.0	252	0.55	10"x10"	317	323

1. THE NUMBER FOLLOWING BRB INDICATES THE REQUIRED AREA (A_{sc}) IN SQUARE INCHES OF THE STEEL CORE PLATE THAT SHALL BE PROVIDED BY THE BRACE MANUFACTURER. SEE SPECIFICATIONS SECTION 05120 FOR ADDITIONAL INFORMATION.

2. $K_{eff} = 1.5$,
 3. $w = 1.14$, $u_{\phi} = 1.17$, $R_y = 1.1$,
 4. $F_y = 36$ KSI MIN TO 48 KSI MAX BASED ON COUPON TESTING, COUPON TESTS REQUIRED,
 5. TENSILE YIELD STRENGTH OF BRACE, $P_{ysc} = \text{AREA OF STEEL CORE} \times F_y$, WHERE $F_y = 42$ ksi,
 6. ADJUSTED BRACE STRENGTH IN TENSION $= u_{\phi} P_{ysc}$,
 7. ADJUSTED BRACE STRENGTH IN COMPRESSION $= u_{\phi} P_{yrc}$,
 8. CORE PLATE THICKNESS TO MATCH GUSSET PLATE THICKNESS, SEE SCHEDULE ON DETAILS 1-S4.07, 1-S4.08, & 1-S4.09,
 9. THE CASING SIZE SHALL BE DETERMINED BY THE MANUFACTURER'S ENGINEER, THE CASING SIZE IS SUBJECT TO
 LIMITATIONS ABOVE, THE SMALLER DIMENSION IN THE TABLE ABOVE INDICATES THE MAX ALLOWABLE DIMENSION OUT OF
 PLANE OF THE BRACE FRAME.

1. BRACE CONNECTION DETAIL CALLOUTS REFER TO DETAIL NUMBERS ON SHEETS S4.07, S4.08 & S4.09.
2. SEE SHEETS S4.07, S4.08, & S4.09 FOR BRACE FRAME CONNECTION SCHEDULES AND DETAILS.
3. S4.07 CORRESPOND TO STAR SEISMIC CLIPS VIN CONNECTION.
4. S4.08 CORRESPONDS TO NIPPON CRUCIFORM AND CORE BRACE BOLTED CONNECTION.
5. S4.09 CORRESPONDS TO STAR SEISMIC WELDED CONNECTION.
6. SEE I-34.06 FOR BASE PLATE DETAILS AT FRAME COLUMNS.
7. SEE I-34.06 FOR COLUMN SPlice DETAIL FOR FRAME COLUMNS.
8. SEE 9-34.02 FOR PROTECTED ZONES AREA FOR THE BRACE FRAMES.
9. SEE PARAPET ELEVATIONS ON S5.20 & S5.21 FOR INFORMATION NOT SHOWN OR NOTED.



UCMERCED
UNIVERSITY OF CALIFORNIA, MERCED

**Science +
Engineering
Building 2**

SMITHGROUP
architecture engineering interiors planning

SMITHGROUP, INC
301 BATTERY STREET
7TH FLOOR
SAN FRANCISCO, CA 94111
T 415.227.0100
F 415.908.0862
www.smithgroup.com

BKF CIVIL ENGINEER 4670 Willow Street, Suite 250 Pleasanton, CA 94588 (925) 396-7704	Gayner Engineers MECHANICAL, ELECTRICAL PLUMBING & FIRE PROTECT 1133 Post Street San Francisco, CA 94109 (415) 474-9500
---	---

Cliff Lowe Associates
LANDSCAPE ARCHITECT
1175 Folsom Street
San Francisco, CA 94103
(415) 431-0384

Rutherford and Chekene

(415) 474-9500

TEECOM Design Group
TELECOMMUNICATIONS,
SECURITY & AUDIO/VISUAL
1333 Broadway, Suite 601
Oakland, CA 94612
(510) 337-2800

Rutherford and Chekene
STRUCTURAL ENGINEER
55 Second Street, Suite 600
Oakland, CA 94612
(510) 337-2800

55 Second Street, Suite 800
San Francisco, CA 94105
(415) 568-4400
Research Facilities Design

Research Facilities Design
LABORATORY PLANNING
3965 Fifth Avenue, Suite 300
San Diego, CA 92103
(619) 297-0159

UNIVERSITY OF CALIFORNIA
MERCED
FIRE MARSHAL

Approval of this plan does not authorize or approve any omission or deviation from applicable regulations. Final approval is subject to field inspection. One set of approved plans shall be available on the project site at all times.

Reviewed by: Gini Krippner
Date: G. Krippner 7/25/11
Project #: 900020

Project #: 900020

ISSUED FOR	REV	DATE
------------	-----	------


100% CONSTRUCTION DOCUMENTS 15 JUNE 2011

SEALS AND SIGNATURES



IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
FILE NO. 01-UC MERCED
APPL. NO. 01-111533
AC — FLS — SS —

KEYPLAN



DRAWING TITLE

**BRACE FRAME
ELEVATIONS AREA A**

As indicated

SCALE

SCALE	
900020	38354.00
UCM PROJECT NUMBER	SG PROJECT NUMBER

64 03

DRAWING NUMBER