




FALCON 7X

ILLUSTRATED PARTS CATALOG

AIPC 11-20-10-10

EXTERIOR PLACARDS AND MARKINGS SIDE, LH

Sheet 1

Effectivity: ALL


Rev. Date: SEP 03/2018

11-20-10-10

page 1 / 4

**FALCON 7X**
ILLUSTRATED PARTS CATALOG

Sheet 2



70

J

130

F**CAUTION:**
STAY AWAY
RAM AIR DOOR
110B**CAUTION**
RAM AIR DOOR
110A**L**

Messier-Dowty SAFRAN Group			
SHOCK STRUT HEIGHT CHECK			
OPERATING TEMP		MIN. HEIGHT	
°C	°F	inch	mm
-54	-65.2	0.63	16.0
-35	-31	0.63	16.0
-15	5	0.75	19.0
0	32	1.11	28.0
+15	+59	1.42	36.0
+35	+95	1.89	48.0
+55	+131	2.33	59.0

FOR SERVICING INSTRUCTIONS REFER TO AMM

20A
20B
25A
25B

Messier-Dowty SAFRAN Group			
SHOCK STRUT HEIGHT CHECK			
OPERATING TEMP		MIN. HEIGHT	
°C	°F	inch	mm
-54	-65.2	0.63	16
-35	-31	0.63	16
-15	5	0.71	18
0	32	1.06	27
+15	+59	1.38	35
+35	+95	1.81	46
+55	+131	2.24	57

FOR SERVICING INSTRUCTIONS REFER TO AMM

20C
25C

150

M

160



N**CAUTION**
FOR TOWING
UNCOUPLE TORQUE LINKS

13

G**I**

Messier-Dowty SAFRAN Group			
SHOCKSTRUT HEIGHT CHECK			
FOR SERVICING INFORMATION REFER TO AMM			
OPERATING TEMP		MIN. HEIGHT	
°C	°F	inch	mm
-54	-65	1.67	42.5
-35	-31	2.53	64.3
-15	5	3.44	87.2
0	32	4.10	104.3
15	59	4.78	121.5
35	95	5.68	144.4
55	131	6.58	167.3

10

G**R**



FALCON 7X ILLUSTRATED PARTS CATALOG

FIG ITEM	PART NUMBER	NOMENCLATURE	EFFECT. USAGE CODE	UNI. PER ASSY
		1234567 INDEX		
10 -001A		EXTERIOR PLACARDS AND MARKINGS SIDE, LH		1
-005A	10-230201-009 MOD 11	.NLG LEG 101GB	From: 001 To: 029	RF
-005B	10-230201-011	.NLG LEG 101GB	From: 001 To: 211	RF
-005E	10-230201-014	.NOSE LANDING GEAR DRESSED 101GB	From: 001 To: 282	RF
010A	55-2303092-00	..INSTRUCTION PLATE	5AB	1
010B	55-2303097-00	..INSTRUCTION PLATE	5BE	1
013A	A59-46257	..PLATE	5ABE	1
-015A	10-235301-011	.MAIN LANDING GEAR DRESSED L1003GA	From: 001 To: 043	RF
-015B	10-235302-000	.MAIN LANDING GEAR DRESSED L1003GA	From: 001 To: 141	RF
-015C	10-235302-001	.MAIN LANDING GEAR DRESSED L1003GA	From: 001 To: 211	RF
-015D	10-235302-002	.MAIN LANDING GEAR DRESSED L1003GA	From: 001 To: 221	RF
-015F	10-235302-003	.MAIN LANDING GEAR DRESSED L1003GA	From: 000 To: 000	RF
020A	55-2359031-01	..INSTRUCTION PLATE	15AB	1
020B	55-2359045-00	..INSTRUCTION PLATE		1
020C	55-2359046-00	..INSTRUCTION PLATE		1
-023A	10-235401-011	.MAIN LANDING GEAR DRESSED R1003GA	From: 001 To: 043	RF
-023B	10-235402-000	.MAIN LANDING GEAR DRESSED R1003GA	From: 001 To: 141	RF
-023C	10-235402-001	.MAIN LANDING GEAR DRESSED R1003GA	From: 001 To: 211	RF
-023D	10-235402-002	.MAIN LANDING GEAR DRESSED R1003GA	From: 001 To: 221	RF
-023E	10-235402-004	.MAIN LANDING GEAR DRESSED R1003GA	From: 001 To: 282	RF
-023G	10-235402-003	.MAIN LANDING GEAR DRESSED	From: 000 To: 000	RF

Effectivity: ALL
Rev. Date: SEP 03/2018
11-20-10-10

page 3 / 4



FALCON 7X ILLUSTRATED PARTS CATALOG

FIG ITEM	PART NUMBER	NOMENCLATURE		EFFECT. USAGE CODE	UNI. PER ASSY
		1234567	INDEX		
			R1003GA		
025A	55-2359031-01	..INSTRUCTION PLATE		23AB	1
025B	55-2359045-00	..INSTRUCTION PLATE			1
025C	55-2359046-00	..INSTRUCTION PLATE			1
030A	F7XC112010005	.MARK. LIFT TO OPEN OPT TO F1061-57		From: 001 To: 400	1
040A	FGFB090100008	.MARK. OXYGEN VENT OPT TO F50B800499057		From: 001 To: 400	1
050A	FGFB090100028	.MARK. DOOR LIFT OPT TO F1061-113		From: 001 To: 400	1
060A	FGFB090100088	.MARK. AFTER UNLOCKING		From: 001 To: 400	1
070A	F7XC112010015	.PLAC. IDENTIFICATION PLATE		From: 001 To: 400	1
080A	F7XC112010017	.MARK. HYDROPHOBIC COATING		From: 001 To: 400	1
090A	F7XC112010056	.MARK. UNLOCK		From: 001 To: 400	3
090B	F7XC112010112	.MARK LOCKED		From: 172 To: 400	3
095A	F7XC112010080	.PLAC. DATUM POINT		From: 001 To: 400	3
100A	F7XC112010066	.MARK. EXIT DOOR PAX		From: 001 To: 400	1
105A	FGFB090100037	.LOCK OUTER HANDLE		From: 001 To: 101 AFTER SBF7X0093 From: 102 To: 400	1
110A	F7XC112010067	.MARK. RAM AIR DOOR		From: 001 To: 171	1
110B	F7XC112010067A1	.MARK. RAM AIR DOOR		From: 172 To: 400	1
120A	F7XC112010071	.MARK. OXYGEN		From: 001 To: 400	1
130A	F7XC112010072	.PLAC. NOSE CONE L/H		From: 001 To: 400	1
140A	F7XC112010018	.MARK. NOZZLE ORIENTATION		From: 001 To: 400	1
150A	F7XC112010021	.MARK. DRAIN		From: 001 To: 400	2
160A	F7XC112010022	.MARK. DRAIN		From: 001 To: 400	2
180A	F7XC112010109	.MARK HOT		From: 172 To: 400	1