Bone Grafting

URL: `/dental-care/periodontal-gum-care/bone-grafting`

Rebuilding the Foundation That Supports Your Teeth

The bone surrounding your teeth plays an important role in keeping them stable. Gum disease, injury and certain dental conditions can lead to bone loss, affecting the support available to natural teeth.

Bone grafting is a dental procedure that uses specialised grafting material to help rebuild or preserve bone in a selected area. Depending on the reason for treatment, it may be recommended to address certain defects caused by periodontal disease or to prepare an area for future dental implant placement.

The aim is to create a healthier, more supportive foundation where possible. The type of graft, expected outcome and healing period depend on the location and extent of bone loss.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\dental-foundation-at-jerush.webp"

Why Does Dental Bone Loss Matter?

Bone loss can develop gradually, and you may not notice it in the early stages. As the supporting bone changes, teeth can become less stable or the jawbone may no longer have the shape or volume needed for a planned dental restoration.

Bone grafting may be discussed in situations such as:

- Periodontal bone defects: Bone has been damaged by advanced gum disease.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\periodontal-bone-grafting.webp"

- After tooth extraction: A graft may help preserve the shape of the socket for future treatment.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\after-tooth-extraction.webp"

- Before dental implants: Additional bone may be needed to provide suitable support for an implant.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\before-dental-implants.webp"

- Localised bone damage: Injury or other dental conditions have affected a particular area of the jaw.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\localised-bone-damage.webp"

Bone grafting is not necessary for every missing tooth or every case of gum disease. A dental examination and appropriate imaging help determine whether it is likely to benefit you.

What Goes Into a Dental Bone Graft?

Bone grafting materials are selected according to the treatment goal, the size of the defect and the patient's clinical needs. The material acts as a framework that supports the body's healing process; in some cases, it is gradually remodelled as new bone forms.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\bone-grafting-materials.webp"

Common graft material options include:

- Autograft: Bone taken from another area of the same patient's body.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\autograft.webp"

- Allograft: Processed bone material obtained from a human donor.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\allograft.webp"

- Xenograft: Specially processed bone material from an animal source.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\xenograft.webp"

- Synthetic graft material: A manufactured material designed to support bone healing.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\synthetic-graft-material.webp"

A protective membrane may also be used in selected procedures to help maintain the grafted area and support healing. Not every case requires the same materials or technique.

Choosing the Right Type of Bone Grafting

Bone grafting is not a single procedure for every situation. The approach depends on where bone is missing and what the treatment needs to achieve.

Periodontal bone grafting

Used in selected cases to treat bone defects associated with gum disease. It may be combined with other periodontal procedures when appropriate.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\periodontal-bone-grafting.webp"

Socket preservation

Graft material is placed in an extraction socket to help limit changes in the shape and volume of the bone while healing takes place.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\socket-preservation.webp"

Bone augmentation for implants

Additional bone is placed where necessary to help create suitable conditions for a planned dental implant.

The dentist will explain which approach, if any, is appropriate after assessing the area and discussing your treatment goals.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\bone-augmentation-for-implants.webp"

Your Treatment Journey: From Assessment to Healing

Before treatment: The dentist examines the gums and teeth and may recommend dental X-rays or a 3D scan, depending on the case. Medical history, oral hygiene and the amount of available bone are considered.

During the procedure: Local anaesthesia is commonly used. The affected area is accessed, prepared and filled with the selected graft material. A membrane or stitches may be used when required.

During healing: The grafted area is protected while the body heals and remodels the material. Healing and maturation take time and the duration varies with the procedure and individual circumstances.

At follow-up: The dentist checks the surgical site and assesses whether the area is ready for the next stage, such as a restoration or implant placement, if that is the treatment plan.

"C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\treatment-journey.webp"

Recovery: What Should You Expect?

Some tenderness, swelling, bruising or minor bleeding may occur after surgery. Your dentist will give you instructions based on the grafting procedure and the area treated.

During recovery:

- Choose soft foods initially and avoid putting pressure on the surgical area.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\choose-soft-foods.webp"

- Follow the recommended brushing and mouth-rinse instructions.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\follow-the-recommended-brushing.webp"

- Take prescribed medication as directed.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\take-prescribed-medication.webp"

- Avoid smoking or tobacco products, which can interfere with healing.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\avoid-smoking-or-tobacco.webp"

- Do not disturb the graft site, stitches or any protective dressing.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\do-not-touch-dental-graft.webp"

- Attend follow-up appointments as scheduled.

  "C:\Jerush-dentoface-new-site-react\public\images\medical-services\dental-care\periodontal-gum-care\bone-grafting\attend-follow-up.webp"

Contact your dentist if you experience worsening pain, increasing swelling, persistent bleeding, fever or unexpected movement or exposure of graft material.

Important: Bone grafting does not guarantee complete bone regeneration or future implant suitability. The result depends on the original defect, the procedure, healing and ongoing oral care.

Frequently Asked Questions

1. Is bone grafting always needed before a dental implant?

No. Some patients already have enough suitable bone for implant placement. A clinical assessment and appropriate imaging help determine whether grafting is needed.

2. Does bone grafting hurt?

Local anaesthesia is generally used during the procedure. Tenderness and swelling may occur afterwards and can usually be managed according to your dentist's instructions.

3. How long does a dental bone graft take to heal?

Healing varies with the graft type, the size and location of the defect, and individual factors. Some procedures require several months before the next stage of treatment.

4. Is the graft material safe?

Dental graft materials are selected for their intended clinical use. Your dentist should explain the material being proposed, its source and the potential risks relevant to your case.

5. Can bone grafting help with bone loss caused by gum disease?

It may help treat selected periodontal bone defects, particularly when the defect has features favourable for regeneration. It cannot reliably restore all bone lost through advanced gum disease.

6. What happens if I do not get a recommended bone graft?

The consequences depend on why grafting was recommended. Without it, some treatment plans—particularly certain implant procedures—may need to be changed. Ask your dentist about the alternatives and risks of delaying treatment.

7. Can a dental implant be placed on the same day as a bone graft?

In selected cases, grafting and implant placement can be performed together. In other cases, the area needs to heal first. The decision depends on the amount and quality of available bone and the stability achievable during treatment.

Restore Your Dental Foundation at Jerush

Bone loss does not automatically mean that a tooth or future dental restoration is beyond treatment. Understanding the condition of the jawbone can help you make informed decisions about preserving teeth and planning appropriate restorative care.

At Jerush Dentofacial & Cosmetic Laser Centre, a dental assessment can help identify the cause of bone loss and determine whether bone grafting or another treatment option may be suitable.

Concerned about bone loss or planning a dental implant? Arrange a consultation to discuss your options and the next steps for your oral health.

Add Dr.Ajaishalu here

SEO recommendations

- SEO title: Dental Bone Grafting for Bone Loss | Jerush
- Meta description: Learn about dental bone grafting for periodontal bone defects, socket preservation and dental implant preparation. Explore treatment options and recovery at Jerush.
- Primary keyword: Dental bone grafting
- Related keywords: Periodontal bone graft, jawbone grafting, bone graft for dental implants, socket preservation, dental bone regeneration
- Suggested image alt text: `Dental bone grafting to support bone regeneration around teeth or prepare for dental implants`