



301 Roycefield Road
908-526-4445
Hillsborough, NJ 08844
Fax 908-526-9487

DATA SHEET

Sheet 1 of 1

Quote	In Proc	1st Article
Incoming	Final	Other

Part #	A269-30400-048	Heat	QC552730	Quantity	1,420 #	Supplier	TW Metals	PO #	962275
Operation		Job #		Customer				Customer PO#	
Sampling Plan	n = 3	c = 0	Lot Disposition	Approved		By:	JC	Date	04/23/26

[illegible]

Notes:

G & J Steel & Tubing Inc.
A QA 02

ITEM#: A269-30400-048



MATERIAL TEST REPORT



Ship To: 2281200
TW METALS INC. CAROL STREAM
235 TUBEWAY DRIVE
CAROL STREAM IL 60188

Sold To: 2280005
TW METALS/EXTON PA
PO BOX 644
EXTON PA 19341-0644

Purchase Order: M 49509822
Sales Order: 329107
Material: M053062504909070 A/SA 249 A269 TP304L 0.625 OD x .049 AW
Delivery / Certificate: 80585433

Description: ASTM A249-24A ASME SA249-25, ASTM A269-24, ASTM A554-21
WELDED STNLS STEEL TUBING, TP304/TP304L, BRIGHT ANNEALED.

Test: REVERSE BEND TEST PASSED. FLATTENING TEST PASSED. REVERSE FLATTENING TEST PASSED. FLARE
TEST PASSED. FLANGE TEST PASSED. NDT ELECTRIC TESTED TO ASTM A450 OR A1016 & APPLICABLE TEST
METHOD E309 OR E426. STAINLESS PRODUCTS: BRIGHT AN :

Heat Number: OC552730

CARBON	LDL/CHK	0.024/0.025
MANGANESE	LDL/CHK	1.290/1.290
PHOSPHORUS	LDL/CHK	0.031/0.031
SULFUR	LDL/CHK	0.002/0.001
SILICON	LDL/CHK	0.330/0.330
NICKEL	LDL/CHK	8.050/8.030
CHROMIUM	LDL/CHK	18.120/18.070
MOLYBDENUM	LDL/CHK	0.400/0.400
COPPER	LDL/CHK	0.480/0.480
ALUMINUM	LDL/CHK	** / **
COBALT	LDL/CHK	0.330/0.330
NITROGEN	LDL/CHK	0.069/0.069

** Not Reported

Ultimate (PSI)	97,660 / 97,830
Yield (PSI)	56,973 / 57,151
Elongation (%)	57 / 59
Hardness (HRBW)	87 / 87
Origin of Melt	US
Manufactured in	US
DFARS 252.225-7001	Compliant
BUY AMERICAN ACT	Compliant
TRADES AGREEMENT ACT	Compliant



Date: 02/27/2026





MATERIAL TEST REPORT



Sold To: 2280005
TW METALS/EXTON PA
PO BOX 644
EXTON PA 19341-0644

Ship To: 2281200
TW METALS INC. CAROL STREAM
235 TUBEWAY DRIVE
CAROL STREAM IL 60188

Purchase Order: M 49509822
Sales Order: 329107
Material: M053062504909070 A/SA 249 A269 TP304L 0.625 OD x .049 AW
Delivery / Certificate: 80585433

We hereby certify that the above figures are correct as contained in the records of the company and that each batch has been manufactured, sampled, tested and inspected in accordance with the applicable specification stated above. This Document conforms to the requirements of Specification EN 10204 Inspection Document Type 3.1. Webco does not use mercury in testing or production of its stainless steel products. According to our records and to the best of Webco's knowledge, understanding and belief, this product was not contaminated during manufacture in our facilities. Fraudulent, fictitious, or false statements or entries may be prosecuted by law.

Date: 02/27/2026

Joseph Young

JOEY YOUNG

Quality Manager

JYOUNG@WEBCO.TUBE.COM

501 Foster Road
Mantford OK 74044



Webco Industries | 13301 W Highway 51 | Sand Springs, OK 74063 USA | (918)245-2211

